

Ching-Yuan Su

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2057758/ching-yuan-su-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

96
papers

6,034
citations

29
h-index

77
g-index

104
ext. papers

6,774
ext. citations

7.4
avg, IF

5.52
L-index

#	Paper	IF	Citations
96	The advent of manganese-substituted sodium vanadium phosphate-based cathodes for sodium-ion batteries and their current progress: a focused review. <i>Journal of Materials Chemistry A</i> , 2022 , 10, 1022-1046	13.46	5
95	New insights into interface charge-transfer mechanism of copper-iron layered double hydroxide cathodic electrocatalyst in alkaline electrolysis. <i>Journal of Environmental Chemical Engineering</i> , 2022 , 10, 107287	6.8	1
94	Multi-functionalized fluorinated graphene composite coating for achieving durable electronics: Ultralow corrosion rate and high electrical insulating passivation. <i>Carbon</i> , 2022 , 195, 141-153	10.4	3
93	High sensitivity and flexible fabric strain sensor based on electrochemical graphene. <i>Japanese Journal of Applied Physics</i> , 2021 , 60, SCCD04	1.4	2
92	Ordered nano-structured mesoporous CMK-8 and other carbonaceous positive electrodes for rechargeable aluminum batteries. <i>Chemical Engineering Journal</i> , 2021 , 417, 129131	14.7	6
91	Black Phosphorus Nanosheet/Melamine Cyanurate Assemblies as Functional Active Layers for Artificial Synapse Memristors. <i>ACS Applied Nano Materials</i> , 2021 , 4, 9584-9594	5.6	1
90	Toward large-scale CVD graphene growth by enhancing reaction kinetics via an efficient interdiffusion mediator and mechanism study utilizing CFD simulations. <i>Journal of the Taiwan Institute of Chemical Engineers</i> , 2021 , 128, 400-400	5.3	0
89	Control of Graphene Heteroatoms in a Microball Composite Anode for High-Energy-Density Lithium-Ion Full Cells. <i>ACS Sustainable Chemistry and Engineering</i> , 2020 , 8, 18936-18946	8.2	8
88	Sb nanoparticle decorated rGO as a new anode material in aqueous chloride ion batteries. <i>Nanoscale</i> , 2020 , 12, 12268-12274	7.7	7
87	Zinc-Air Battery-Based Desalination Device. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 25728-25735	9.5	13
86	Manipulation of Nitrogen-Heteroatom Configuration for Enhanced Charge-Storage Performance and Reliability of Nanoporous Carbon Electrodes. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 32797-32805	9.5	10
85	Facile synthesis of core-shell structured Si@graphene balls as a high-performance anode for lithium-ion batteries. <i>Nanoscale</i> , 2020 , 12, 9616-9627	7.7	21
84	Flexible ammonia sensor integrated with polyaniline/zinc oxide/graphene composite membrane materials. <i>Japanese Journal of Applied Physics</i> , 2020 , 59, SIID04	1.4	6
83	An aqueous rechargeable dual-ion hybrid battery based on Zn//LiTi ₂ (PO ₄) ₃ electrodes. <i>Sustainable Energy and Fuels</i> , 2020 , 4, 2448-2452	5.8	3
82	MoS ₂ on Nitrogen-Doped Graphene for High-Efficiency Hydrogen Evolution Reaction: Unraveling the Mechanisms of Unique Interfacial Bonding for Efficient Charge Transport and Stability. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 34825-34836	9.5	7
81	Pool Boiling Heat Transfer Enhanced by Fluorinated Graphene as Atomic Layered Modifiers. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 10233-10239	9.5	11
80	Highly concentrated carbonate electrolyte for Li-ion batteries with lithium metal and graphite anodes. <i>Journal of Power Sources</i> , 2020 , 450, 227657	8.9	18

79	The composite electrode of Bi@carbon-texture derived from metal-organic frameworks for aqueous chloride ion battery. <i>Ionics</i> , 2020 , 26, 2395-2403	2.7	9
78	Hydrous ruthenium oxide-tantalum pentoxide thin film electrodes prepared by thermal decomposition for electrochemical capacitors. <i>Ceramics International</i> , 2020 , 46, 16636-16643	5.1	1
77	Designed Catalytic Protocol for Enhancing Hydrogen Evolution Reaction Performance of P, N-Co-Doped Graphene: The Correlation of Manipulating the Dopant Allocations and Heteroatomic Structure. <i>Journal of Physical Chemistry C</i> , 2020 , 124, 25701-25711	3.8	6
76	Cleaning and Fluorination of Black Phosphorus for Enhanced Performance of Transistors with High Stability. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 37375-37383	9.5	8
75	Ultrastrong adhesion of fluorinated graphene on a substrate: In situ electrochemical conversion to ionic-covalent bonding at the interface. <i>Carbon</i> , 2020 , 169, 248-257	10.4	5
74	Tuning of Na ⁺ Concentration in an Ionic Liquid Electrolyte to Optimize Solid Electrolyte Interphase at Microplasma-Synthesized Graphene Anode for Na-Ion Batteries. <i>ACS Sustainable Chemistry and Engineering</i> , 2019 , 7, 16682-16689	8.3	11
73	Nanocatalyst-Assisted Fine Tailoring of Pore Structure in Holey-Graphene for Enhanced Performance in Energy Storage. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 36560-36570	9.5	10
72	Effect of substrate topography for graphene-based humidity sensors. <i>Japanese Journal of Applied Physics</i> , 2019 , 58, SDDD04	1.4	3
71	High energy density of all-screen-printable solid-state microsupercapacitors integrated by graphene/CNTs as hierarchical electrodes. <i>Journal of Materials Chemistry A</i> , 2019 , 7, 12779-12789	13	26
70	Manipulation of Heteroatom Substitution on Nitrogen and Phosphorus Co-Doped Graphene as a High Active Catalyst for Hydrogen Evolution Reaction. <i>Journal of Physical Chemistry C</i> , 2019 , 123, 22202-22211	3.8	21
69	Planar Heterojunction Solar Cell Employing a Single-Source Precursor Solution-Processed SbS Thin Film as the Light Absorber. <i>ACS Omega</i> , 2019 , 4, 11380-11387	3.9	12
68	An Aqueous Rechargeable Fluoride Ion Battery with Dual Fluoride Electrodes. <i>Journal of the Electrochemical Society</i> , 2019 , 166, A2419-A2424	3.9	13
67	Solution-processed black phosphorus nanoflakes for integrating nonvolatile resistive random access memory and the mechanism unveiled. <i>Nanotechnology</i> , 2019 , 30, 445702	3.4	13
66	The parametric study on anti-corrosion properties produced by electrochemically exfoliated. <i>IOP Conference Series: Materials Science and Engineering</i> , 2019 , 494, 012015	0.4	1
65	Spectroscopic and Electrical Characterizations of Low-Damage Phosphorous-Doped Graphene via Ion Implantation. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 47289-47298	9.5	12
64	An organic flow desalination battery. <i>Energy Storage Materials</i> , 2019 , 20, 203-207	19.4	30
63	Aqueous rechargeable dual-ion battery based on fluoride ion and sodium ion electrochemistry. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 8244-8250	13	41
62	Revisiting graphene-polymer nanocomposite for enhancing anticorrosion performance: a new insight into interface chemistry and diffusion model. <i>Nanoscale</i> , 2018 , 10, 12612-12624	7.7	65

61	The electrochemical behaviors of NaF dual battery based on the hybrid electrodes of nano-bismuth@CNTs. <i>Materials Letters</i> , 2018 , 233, 332-335	3.3	4
60	Scale effects of graphene and graphene oxide coatings on pool boiling enhancement mechanisms. <i>International Journal of Heat and Mass Transfer</i> , 2017 , 109, 357-366	4.9	55
59	Highly efficient electrocatalytic hydrogen production via MoS _x /3D-graphene as hybrid electrode. <i>International Journal of Hydrogen Energy</i> , 2017 , 42, 22091-22099	6.7	9
58	Graphene as corrosion protection for metal foam flow distributor in proton exchange membrane fuel cells. <i>International Journal of Hydrogen Energy</i> , 2017 , 42, 22201-22207	6.7	22
57	Eco-Efficient Synthesis of Highly Porous CoCO Anodes from Supercritical CO for Li and Na Storage. <i>ChemSusChem</i> , 2017 , 10, 2464-2472	8.3	17
56	Block-Copolymer-Templated Hierarchical Porous Carbon Nanostructures with Nitrogen-Rich Functional Groups for Molecular Sensing. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 31235-31244	9.5	13
55	Controlled multimodal hierarchically porous electrode self-assembly of electrochemically exfoliated graphene for fully solid-state flexible supercapacitor. <i>Physical Chemistry Chemical Physics</i> , 2017 , 19, 30381-30392	3.6	19
54	Electrolyte Engineering: Optimizing High-Rate Double-Layer Capacitances of Micropore- and Mesopore-Rich Activated Carbon. <i>ChemSusChem</i> , 2017 , 10, 3534-3539	8.3	2
53	Large-area suspended graphene as a laser target to produce an energetic ion beam. <i>High Power Laser Science and Engineering</i> , 2017 , 5,	4.3	6
52	Nanoelectronics Based on Fluorinated Graphene 2017 , 393-411		
51	Integration of ammonia-plasma-functionalized graphene nanodiscs as charge trapping centers for nonvolatile memory applications. <i>Carbon</i> , 2017 , 113, 318-324	10.4	16
50	Scalable Patterning of MoS ₂ Nanoribbons by Micromolding in Capillaries. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 20993-1001	9.5	21
49	High dispersion of 1-nm SnO ₂ particles between graphene nanosheets constructed using supercritical CO ₂ fluid for sodium-ion battery anodes. <i>Nano Energy</i> , 2016 , 28, 124-134	17.1	83
48	Family of graphene-assisted resonant surface optical excitations for terahertz devices. <i>Scientific Reports</i> , 2016 , 6, 35467	4.9	3
47	The hierarchical porosity of a three-dimensional graphene electrode for binder-free and high performance supercapacitors. <i>RSC Advances</i> , 2016 , 6, 8384-8394	3.7	20
46	Wide-range work-function tuning of active graphene transparent electrodes via hole doping. <i>RSC Advances</i> , 2016 , 6, 32746-32756	3.7	20
45	Facile electrochemical preparation of hierarchical porous structures to enhance manganese oxide charge-storage properties in ionic liquid electrolytes. <i>Journal of Materials Chemistry A</i> , 2016 , 4, 4015-4018	1.3	8
44	Ultra-large suspended graphene as a highly elastic membrane for capacitive pressure sensors. <i>Nanoscale</i> , 2016 , 8, 3555-64	7.7	76

43	Towards the continuous production of high crystallinity graphene via electrochemical exfoliation with molecular in situ encapsulation. <i>Nanoscale</i> , 2015 , 7, 15362-73	7.7	94
42	Investigation of Saturable and Reverse Saturable Absorptions for Graphene by Z-Scan Technique. <i>IEEE Photonics Technology Letters</i> , 2015 , 27, 1791-1794	2.2	4
41	The effects of chiral dopant and monomer concentration on the electro-optical characteristics of reverse-mode PSDFCT cells 2015 , 38, 101-108		1
40	Graphene reduction dynamics unveiled. <i>2D Materials</i> , 2015 , 2, 031003	5.9	6
39	A Self-Aligned High-Mobility Graphene Transistor: Decoupling the Channel with Fluorographene to Reduce Scattering. <i>Advanced Materials</i> , 2015 , 27, 6519-25	24	40
38	A green, simple and cost-effective approach to synthesize high quality graphene by electrochemical exfoliation via process optimization. <i>RSC Advances</i> , 2015 , 5, 54762-54768	3.7	27
37	Fluorinated graphene as high performance dielectric materials and the applications for graphene nanoelectronics. <i>Scientific Reports</i> , 2014 , 4, 5893	4.9	114
36	Enhanced electrocatalytic activity of MoS(x) on TCNQ-treated electrode for hydrogen evolution reaction. <i>ACS Applied Materials & Interfaces</i> , 2014 , 6, 17679-85	9.5	65
35	Ultra-low-damage radical treatment for the highly controllable oxidation of large-scale graphene sheets. <i>Carbon</i> , 2014 , 73, 244-251	10.4	21
34	One-step formation of a single atomic-layer transistor by the selective fluorination of a graphene film. <i>Small</i> , 2014 , 10, 989-97	11	51
33	Fully room-temperature IGZO thin film transistors adopting stacked gate dielectrics on flexible polycarbonate substrate. <i>Solid-State Electronics</i> , 2013 , 89, 194-197	1.7	26
32	Efficient heat dissipation of photonic crystal microcavity by monolayer graphene. <i>ACS Nano</i> , 2013 , 7, 10818-24	16.7	22
31	Electrical probing of multi-ions solution by using graphene-based sensor 2013 ,		2
30	Ultra-low-edge-defect graphene nanoribbons patterned by neutral beam. <i>Carbon</i> , 2013 , 61, 229-235	10.4	31
29	Conversion of pristine and p-doped sulfuric-acid-treated single-walled carbon nanotubes to n-type materials by a facile hydrazine vapor exposure process. <i>Materials Chemistry and Physics</i> , 2012 , 134, 325-332	4.4	18
28	Growth selectivity of hexagonal-boron nitride layers on Ni with various crystal orientations. <i>RSC Advances</i> , 2012 , 2, 111-115	3.7	66
27	Direct synthesis of platelet graphitic-nanofibres as a highly porous counter-electrode in dye-sensitized solar cells. <i>Physical Chemistry Chemical Physics</i> , 2012 , 14, 4058-61	3.6	13
26	Analysis of flavonoids by graphene-based surface-assisted laser desorption/ionization time-of-flight mass spectrometry. <i>Analyst, The</i> , 2012 , 137, 5809-16	5	39

25	Electrical probing of submicroliter liquid using graphene strip transistors built on a nanopipette. <i>Small</i> , 2012 , 8, 43-6	11	31
24	Converting graphene oxide monolayers into boron carbonitride nanosheets by substitutional doping. <i>Small</i> , 2012 , 8, 1384-91	11	87
23	Growth of large-area and highly crystalline MoS ₂ thin layers on insulating substrates. <i>Nano Letters</i> , 2012 , 12, 1538-44	11.5	1552
22	Thermally induced variation in redox chemical bonding structures of single-walled carbon nanotubes exposed to hydrazine vapor. <i>Carbon</i> , 2012 , 50, 1650-1658	10.4	10
21	Stable mode-locked fiber laser based on CVD fabricated graphene saturable absorber. <i>Optics Express</i> , 2012 , 20, 2460-5	3.3	137
20	Direct formation of wafer scale graphene thin layers on insulating substrates by chemical vapor deposition. <i>Nano Letters</i> , 2011 , 11, 3612-6	11.5	254
19	Opening an electrical band gap of bilayer graphene with molecular doping. <i>ACS Nano</i> , 2011 , 5, 7517-24	16.7	191
18	High-quality thin graphene films from fast electrochemical exfoliation. <i>ACS Nano</i> , 2011 , 5, 2332-9	16.7	765
17	A hybrid nanostructure of platinum-nanoparticles/graphitic-nanofibers as a three-dimensional counter electrode in dye-sensitized solar cells. <i>Chemical Communications</i> , 2011 , 47, 11528-30	5.8	24
16	Flexible Electrochromic Devices Based on Optoelectronically Active Polynorbornene Layer and Ultratransparent Graphene Electrodes. <i>Macromolecules</i> , 2011 , 44, 9550-9555	5.5	44
15	Transfer printing of graphene strip from the graphene grown on copper wires. <i>Nanotechnology</i> , 2011 , 22, 185309	3.4	26
14	Growth of large-sized graphene thin-films by liquid precursor-based chemical vapor deposition under atmospheric pressure. <i>Carbon</i> , 2011 , 49, 3672-3678	10.4	135
13	Graphitic carbon film formation under Ni templates by radio-frequency sputtering for transparent electrode applications. <i>Journal of Vacuum Science and Technology B: Nanotechnology and Microelectronics</i> , 2011 , 29, 061202	1.3	3
12	Scalable nanoimprint patterning of thin graphitic oxide sheets and in situ reduction. <i>Journal of Vacuum Science and Technology B: Nanotechnology and Microelectronics</i> , 2011 , 29, 011023	1.3	6
11	Scalable and Surfactant-Free Process for Single-Walled Carbon Nanotube Based Transparent Conductive Thin Films via Layer-by-Layer Assembly. <i>Journal of Physical Chemistry C</i> , 2010 , 114, 11588-11594	3.8	14
10	Ultra-large single-layer graphene obtained from solution chemical reduction and its electrical properties. <i>Physical Chemistry Chemical Physics</i> , 2010 , 12, 2164-9	3.6	155
9	Highly efficient restoration of graphitic structure in graphene oxide using alcohol vapors. <i>ACS Nano</i> , 2010 , 4, 5285-92	16.7	227
8	Mode locking of ceramic Nd:yttrium aluminum garnet with graphene as a saturable absorber. <i>Applied Physics Letters</i> , 2010 , 96, 031106	3.4	216

7	Chemically-treated single-walled carbon nanotubes as digitated penetrating electrodes in organic solar cells. <i>Journal of Materials Chemistry</i> , 2010 , 20, 7034		16
6	Graphene synthesis by chemical vapor deposition and transfer by a roll-to-roll process. <i>Carbon</i> , 2010 , 48, 3169-3174	10.4	155
5	Selective Growth of Boron Nitride Nanotubes by the Plasma-Assisted and Iron-Catalytic CVD Methods. <i>Journal of Physical Chemistry C</i> , 2009 , 113, 14681-14688	3.8	25
4	Large-Scale Synthesis of Boron Nitride Nanotubes with Iron-Supported Catalysts. <i>Journal of Physical Chemistry C</i> , 2009 , 113, 14732-14738	3.8	58
3	Electrical and Spectroscopic Characterizations of Ultra-Large Reduced Graphene Oxide Monolayers. <i>Chemistry of Materials</i> , 2009 , 21, 5674-5680	9.6	425
2	The field emission characteristics of carbon nanotubes coated by boron nitride film. <i>Diamond and Related Materials</i> , 2007 , 16, 1393-1397	3.5	27
1	An Exfoliation-Evaporation Strategy To Regulate N Coordination Number of Co Single-Atom Catalysts for High-Performance Lithium-Sulfur Batteries		1-10 3