

Olga A Zalevskaya

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2057960/publications.pdf>

Version: 2024-02-01

20
papers

406
citations

1163117

8
h-index

794594

19
g-index

20
all docs

20
docs citations

20
times ranked

241
citing authors

#	ARTICLE	IF	CITATIONS
1	General Principles and Characteristics of Cyclopalladation Reactions. Russian Chemical Reviews, 1988, 57, 250-269.	6.5	250
2	Terpene ligands in the coordination chemistry: synthesis of metal complexes, stereochemistry, catalytic properties and biological activity. Russian Chemical Reviews, 2019, 88, 979-1012.	6.5	27
3	Antimicrobial and Antifungal Activities of Terpene-Derived Palladium Complexes. Antibiotics, 2020, 9, 277.	3.7	22
4	Copper(II) complexes with terpene derivatives of ethylenediamine: synthesis, and antibacterial, antifungal and antioxidant activity. RSC Advances, 2022, 12, 8841-8851.	3.6	21
5	Recent Studies on the Antimicrobial Activity of Copper Complexes. Russian Journal of Coordination Chemistry/Koordinatsionnaya Khimiya, 2021, 47, 861-880.	1.0	17
6	Synthesis of new bidentate ligands—terpene derivatives of ethylenediamine and their palladium complexes. Russian Journal of Organic Chemistry, 2016, 52, 781-784.	0.8	12
7	Synthesis of New Chiral Palladium Complexes with Multidentate Camphor Schiff Bases. Russian Journal of Organic Chemistry, 2018, 54, 1285-1289.	0.8	11
8	New chiral cyclopalladated complexes based on the pinane and bornane imines. Russian Chemical Bulletin, 2013, 62, 745-750.	1.5	8
9	Stereoselective cyclopalladation of 2,3-camphorquinone 3-diphenylmethylimine. Russian Chemical Bulletin, 2014, 63, 1543-1546.	1.5	5
10	Chiral palladium complexes with monoterpenoids oximes. Russian Journal of General Chemistry, 2014, 84, 137-142.	0.8	5
11	New Optically Active CN-Palladacycles Based on 2 \pm -Hydroxypinan-3-One and Camphor Derivatives. Chemistry of Natural Compounds, 2014, 50, 648-651.	0.8	5
12	Synthesis and characterization of new palladium complexes based on polydentate chiral Schiff base and amines ligands derived from (+)-2-hydroxypinan-3-one. Inorganica Chimica Acta, 2018, 477, 300-305.	2.4	5
13	Chiral imines and amines based on 2-hydroxypinan-3-one. Chemistry of Natural Compounds, 2011, 46, 920-923.	0.8	4
14	Chiral palladium complexes based on derivatives of benzylamine and 2 \pm -hydroxypinan-3-one. Natural Science, 2010, 02, 1189-1194.	0.4	4
15	Palladium complexes based on optically active terpene derivatives of ethylenediamine. Russian Journal of Coordination Chemistry/Koordinatsionnaya Khimiya, 2008, 34, 855-857.	1.0	3
16	Synthesis and structural studies of (1R,2R,5R)-chloro{ <i>o</i> -[2-(2-hydroxy-2,6,6-trimethylbicyclo[3.1.1]hept-3-ylidenamino)ethyliminomethyl]phenoxy-O,N}palladium(II). Russian Journal of Coordination Chemistry/Koordinatsionnaya Khimiya, 2011, 37, 211-214.	1.0	1
17	Determination of the absolute configuration of the asymmetric nitrogen atom in acetylacetonato-O,O-palladium(II) by x-ray crystallographic analysis. Bulletin of the Academy of Sciences of the USSR Division of Chemical Science, 1986, 35, 1639-1645.	0.0	2
18	trans-Dichlorobis{(1R,4S)-1,7,7-trimethyl-3-[(S)-1 \pm -methylbenzylimino]bicyclo[2.2.1]heptan-2-one-N}Palladium(II): Synthesis and structural examination. Russian Journal of Coordination Chemistry/Koordinatsionnaya Khimiya, 2013, 39, 37-40.	1.0	1

#	ARTICLE	IF	CITATIONS
19	cis-Di- μ -chlorobis{(1S,4S)-2-[benzylimino]-7,7-dimethylbicyclo[2.2.1]heptylmethyl-C,N}dipalladium(II) and trans-dichlorobis{(1S,4S)-2-[benzylimino]-1,7,7-trimethylbicyclo[2.2.1]heptane-N}palladium(II): Syntheses and structural studies. Russian Journal of Coordination Chemistry/Koordinatsionnaya Khimiya, 2015, 41, 532-536.	1.0	1
20	Stereoselective synthesis of amino ketones of the pinane series. Russian Journal of Organic Chemistry, 2015, 51, 1030-1032.	0.8	0