Rosalind M Parkes-Ratanshi

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2058438/publications.pdf

Version: 2024-02-01

58 papers

1,131 citations

16 h-index 454577 30 g-index

63 all docs

63 does citations

63 times ranked

1956 citing authors

#	Article	IF	Citations
1	Willingness to pay for an mHealth anti-retroviral therapy adherence and information tool: Transitioning to sustainability, Call for life randomised study experience in Uganda. BMC Medical Informatics and Decision Making, 2022, 22, 52.	1.5	2
2	Retrospective Analysis of Ugandan Men with Urethritis Reveals Mycoplasma genitalium and Associated Macrolide Resistance. Microbiology Spectrum, 2022, , e0230421.	1.2	5
3	High burden of untreated syphilis, drug resistant Neisseria gonorrhoeae, and other sexually transmitted infections in men with urethral discharge syndrome in Kampala, Uganda. BMC Infectious Diseases, 2022, 22, 440.	1.3	6
4	Factors influencing ART adherence, acceptability and potential use of "Call for life IVR tool―among young people in rural Uganda. Social Sciences & Humanities Open, 2022, 6, 100311.	1.3	0
5	Comparison of different cardiovascular risk tools used in HIV patient cohorts in sub-Saharan Africa; do we need to include laboratory tests?. PLoS ONE, 2021, 16, e0243552.	1.1	5
6	Prevalence and predictors of asymptomatic <i>Chlamydia trachomatis</i> and <i>Neisseria gonorrhoeae</i> in a Ugandan population most at risk of HIV transmission. International Journal of STD and AIDS, 2021, 32, 510-516.	0.5	4
7	An Interactive Voice Response Software to Improve the Quality of Life of People Living With HIV in Uganda: Randomized Controlled Trial. JMIR MHealth and UHealth, 2021, 9, e22229.	1.8	23
8	Health financing for universal health coverage in Sub-Saharan Africa: a systematic review. Global Health Research and Policy, 2021, 6, 8.	1.4	61
9	Text message reminders and peer education increase HIV and Syphilis testing among female sex workers: a pilot quasi-experimental study in Uganda. BMC Health Services Research, 2021, 21, 436.	0.9	5
10	Acceptability of a Mobile Phone Support Tool (Call for Life Uganda) for Promoting Adherence to Antiretroviral Therapy Among Young Adults in a Randomized Controlled Trial: Exploratory Qualitative Study. JMIR MHealth and UHealth, 2021, 9, e17418.	1.8	17
11	Impact of a mobile phone-based interactive voice response software on tuberculosis treatment outcomes in Uganda (CFL-TB): a protocol for a randomized controlled trial. Trials, 2021, 22, 391.	0.7	29
12	A situation analysis of competences of research ethics committee members regarding review of research protocols with complex and emerging study designs in Uganda. BMC Medical Ethics, 2021, 22, 132.	1.0	6
13	"l felt very small and embarrassed by the health care provider when I requested to be tested for syphilis†barriers and facilitators of regular syphilis and HIV testing among female sex workers in Uganda. BMC Public Health, 2021, 21, 1982.	1.2	5
14	Efficacy of HIV interventions in African fishing communities: A systematic review and qualitative synthesis. International Journal of Infectious Diseases, 2020, 101, 326-333.	1.5	12
15	Prevalence and Factors Associated With Liver Fibrosis Among Adult HIV-Infected Patients Attending Urban and Rural Care Clinics in Uganda. Open Forum Infectious Diseases, 2020, 7, ofaa483.	0.4	5
16	HIV and syphilis testing behaviors among heterosexual male and female sex workers in Uganda. AIDS Research and Therapy, 2020, 17, 48.	0.7	4
17	Low male partner attendance after syphilis screening in pregnant women leads to worse birth outcomes: the Syphilis Treatment of Partners (STOP) randomised control trial. Sexual Health, 2020, 17, 214.	0.4	18
18	Psychosocial correlates of regular syphilis and HIV screening practices among female sex workers in Uganda: a cross-sectional survey. AIDS Research and Therapy, 2019, 16, 28.	0.7	7

#	Article	IF	CITATIONS
19	An observational study in an urban Ugandan clinic comparing virological outcomes of patients switched from first-line antiretroviral regimens to second-line regimens containing ritonavir-boosted atazanavir or ritonavir-boosted lopinavir. BMC Infectious Diseases, 2019, 19, 280.	1.3	4
20	Perspectives on male partner notification and treatment for syphilis among antenatal women and their partners in Kampala and Wakiso districts, Uganda. BMC Infectious Diseases, 2019, 19, 124.	1.3	14
21	Complete ciprofloxacin resistance in gonococcal isolates in an urban Ugandan clinic: findings from a cross-sectional study. International Journal of STD and AIDS, 2019, 30, 256-263.	0.5	11
22	Point-of-care diagnostics: needs of African health care workers and their role combating global antimicrobial resistance. International Journal of STD and AIDS, 2019, 30, 404-410.	0.5	9
23	High mobile phone ownership but low internet access and use among young adults attending an urban HIV clinic in Uganda. Vulnerable Children and Youth Studies, 2018, 13, 207-220.	0.5	11
24	Re-engagement in HIV care following a missed visit in rural Uganda. BMC Research Notes, 2018, 11, 762.	0.6	17
25	Challenges of Rapid Plasma Reagin Interpretation in Syphilis Screening in Uganda: Variability in Nontreponemal Results Between Different Laboratories. Sexually Transmitted Diseases, 2018, 45, 829-833.	0.8	8
26	The impact of antiretroviral therapy on symptom burden among HIV outpatients with low CD4 count in rural Uganda: nested longitudinal cohort study. BMC Palliative Care, 2018, 17, 8.	0.8	10
27	Prevalence of lower limb deep venous thrombosis among adult HIV positive patients attending an outpatient clinic at Mulago Hospital. AIDS Research and Therapy, 2018, 15, 3.	0.7	12
28	Efficacy of a Single, Brief Alcohol Reduction Intervention among Men and Women Living with HIV/AIDS and Using Alcohol in Kampala, Uganda: A Randomized Trial. Journal of the International Association of Providers of AIDS Care, 2017, 16, 276-285.	0.6	48
29	Treatment decisions and mortality in HIV-positive presumptive smear-negative TB in the Xpert® MTB/RIF era: a cohort study. BMC Infectious Diseases, 2017, 17, 433.	1.3	10
30	Possible misdiagnosis of HIV associated lymphoma as tuberculosis among patients attending Uganda Cancer Institute. AIDS Research and Therapy, 2017, 14, 13.	0.7	25
31	Elevated Aspergillus-specific antibody levels among HIV infected Ugandans with pulmonary tuberculosis. BMC Pulmonary Medicine, 2017, 17, 149.	0.8	28
32	P1.05â€Current use and perceived obstacles to use of point-of-care tests in sub-saharan africa. , 2017, , .		0
33	Exploring attitudes and perceptions of patients and staff towards an after-hours co-pay clinic supplementing free HIV services in Kampala, Uganda. BMC Health Services Research, 2017, 17, 580.	0.9	8
34	The future of financing for HIV services in Uganda and the wider sub-Saharan Africa region: should we ask patients to contribute to the cost of their care?. BMC Public Health, 2016, 16, 896.	1.2	23
35	Clinical Evaluation of 2 Point-of-Care Lateral Flow Tests for the Diagnosis of Syphilis. Sexually Transmitted Diseases, 2016, 43, 623-625.	0.8	11
36	Characteristics of Sexually Transmitted Infections among High-Risk HIV-Positive Patients Attending an Urban Clinic in Uganda. Journal of the International Association of Providers of AIDS Care, 2016, 15, 36-41.	0.6	12

#	Article	IF	CITATIONS
37	Cryptococcal disease and the burden of other fungal diseases in Uganda; Where are the knowledge gaps and how can we fill them?. Mycoses, 2015, 58, 85-93.	1.8	35
38	Strengthening the "Viral Failure Pathway― Journal of Acquired Immune Deficiency Syndromes (1999), 2015, 70, e174-e176.	0.9	7
39	Alcohol Consumption among HIV-Infected Persons in a Large Urban HIV Clinic in Kampala Uganda: A Constellation of Harmful Behaviors. PLoS ONE, 2015, 10, e0126236.	1.1	53
40	Sustainable HIV treatment in Africa through viral-load-informed differentiated care. Nature, 2015, 528, S68-S76.	13.7	141
41	Prevalence and type of drug–drug interactions involving ART in patients attending a specialist HIV outpatient clinic in Kampala, Uganda. Journal of Antimicrobial Chemotherapy, 2015, 70, dkv259.	1.3	18
42	Monitoring and switching of first-line antiretroviral therapy in adult treatment cohorts in sub-Saharan Africa: collaborative analysis. Lancet HIV, the, 2015, 2, e271-e278.	2.1	98
43	Development of Severe Anemia and Changes in Hemoglobin in a Cohort of HIV-Infected Ugandan Adults Receiving Zidovudine-, Stavudine-, and Tenofovir-Containing Antiretroviral Regimens. Journal of the International Association of Providers of AIDS Care, 2015, 14, 455-462.	0.6	17
44	Ebola Outbreak Response; Experience and Development of Screening Tools for Viral Haemorrhagic Fever (VHF) in a HIV Center of Excellence Near to VHF Epicentres. PLoS ONE, 2014, 9, e100333.	1.1	22
45	Boosted lopinavir vs boosted atazanavir in patients failing a NNRTI first line regimen in an urban clinic in Kampala. Journal of the International AIDS Society, 2014, 17, 19792.	1.2	6
46	Ebola in West Africa: be aware and prepare. Intensive Care Medicine, 2014, 40, 1742-1745.	3.9	4
47	Hypertension and associated risk factors in individuals infected with HIV on antiretroviral therapy at an urban HIV clinic in Uganda. The Lancet Global Health, 2014, 2, S23.	2.9	5
48	Cost Of Patient Care At Different Stages Of Treatment Within The Public Health Model Of Hiv Care; Analysis From An Urban Hiv Centre In Uganda. Value in Health, 2014, 17, A132-A133.	0.1	2
49	Pregnancy in HIV Clinical Trials in Sub Saharan Africa: Failure of Consent or Contraception?. PLoS ONE, 2013, 8, e73556.	1.1	12
50	Primary prophylaxis of cryptococcal disease with fluconazole in HIV-positive Ugandan adults: a double-blind, randomised, placebo-controlled trial. Lancet Infectious Diseases, The, 2011, 11, 933-941.	4.6	56
51	Coreceptor and Cytokine Concentrations May Not Explain Differences in Disease Progression Observed in HIV-1 Clade A and D Infected Ugandans. PLoS ONE, 2011, 6, e19902.	1.1	3
52	Use of nail and oral pigmentation to determine ART eligibility among HIVâ€infected Ugandan adults. Tropical Medicine and International Health, 2010, 15, 259-262.	1.0	11
53	Barriers to starting ART and how they can be overcome: individual and operational factors associated with early and late start of treatment. Tropical Medicine and International Health, 2010, 15, 1347-1356.	1.0	26
54	Co-administration of fluconazole increases nevirapine concentrations in HIV-infected Ugandans. Journal of Antimicrobial Chemotherapy, 2010, 65, 316-319.	1.3	23

#	Article	IF	CITATIONS
55	Symptom Burden in HIV-Infected Adults at Time of HIV Diagnosis in Rural Uganda. Journal of Palliative Medicine, 2010, 13, 375-380.	0.6	53
56	Current management of syphilis infection. International Journal of STD and AIDS, 2009, 20, 810-810.	0.5	4
57	Review of current evidence and comparison of guidelines for effective syphilis treatment in Europe. International Journal of STD and AIDS, 2004, 15, 73-88.	0.5	54
58	Two Siblings Born Preterm With Large Ears and Hypopigmented Hair Who Developed Palmoplantar Keratoderma and Frontal Skull Bossing: A New Syndrome?. Pediatric Dermatology, 2002, 19, 224-228.	0.5	4