

# Daniele Sanna

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2059311/publications.pdf>

Version: 2024-02-01

166  
papers

5,385  
citations

61977

43  
h-index

123420

61  
g-index

168  
all docs

168  
docs citations

168  
times ranked

3526  
citing authors

#	ARTICLE	IF	CITATIONS
1	Innovative and Sustainable Technologies to Enhance the Oxidative Stability of Vegetable Oils. Sustainability, 2022, 14, 849.	3.2	51
2	Mo(VI) Potential Metallo drugs: Explaining the Transport and Cytotoxicity by Chemical Transformations. Inorganic Chemistry, 2022, 61, 4513-4532.	4.0	12
3	Role of the Hydroxyl Radical-Generating System in the Estimation of the Antioxidant Activity of Plant Extracts by Electron Paramagnetic Resonance (EPR). Molecules, 2022, 27, 4560.	3.8	3
4	Covalent and non-covalent binding in vanadium-protein adducts. Inorganic Chemistry Frontiers, 2021, 8, 1189-1196.	6.0	17
5	Pharmacologically Active Vanadium Species: Distribution in Biological Media and Interaction with Molecular Targets. Current Medicinal Chemistry, 2021, 28, 7339-7384.	2.4	12
6	Electron Paramagnetic Resonance Spin Trapping of Sunflower and Olive Oils Subjected to Thermal Treatment: Optimization of Experimental and Fitting Parameters. ACS Food Science & Technology, 2021, 1, 1294-1303.	2.7	5
7	Interaction of the potent antitumoral compounds Casiopeinas <sup>®</sup> with blood serum and cellular bioligands. Journal of Inorganic Biochemistry, 2021, 224, 111566.	3.5	4
8	Binding of vanadium ions and complexes to proteins and enzymes in aqueous solution. Coordination Chemistry Reviews, 2021, 449, 214192.	18.8	40
9	Influence of temperature on the equilibria of oxidovanadium(IV) complexes in solution. Dalton Transactions, 2021, 50, 16326-16335.	3.3	3
10	Thermodynamic Study of Oxidovanadium(IV) with Kojic Acid Derivatives: A Multi-Technique Approach. Pharmaceuticals, 2021, 14, 1037.	3.8	4
11	Interaction of V(V) complexes formed by picolinic and pyrazinecarboxylic acid derivatives with red blood cells. Polyhedron, 2021, 212, 115590.	2.2	1
12	Spectroscopic/Computational Characterization and the X-ray Structure of the Adduct of the V <sup>IV</sup> -Picolinato Complex with RNase A. Inorganic Chemistry, 2021, 60, 19098-19109.	4.0	12
13	Design of nalidixic acid-vanadium complex loaded into chitosan hybrid nanoparticles as smart strategy to inhibit bacterial growth and quorum sensing. International Journal of Biological Macromolecules, 2020, 161, 1568-1580.	7.5	25
14	Biospeciation of Potential Vanadium Drugs of Acetylacetonate in the Presence of Proteins. Frontiers in Chemistry, 2020, 8, 345.	3.6	11
15	ESI-MS Study of the Interaction of Potential Oxidovanadium(IV) Drugs and Amavadin with Model Proteins. Inorganic Chemistry, 2020, 59, 9739-9755.	4.0	28
16	Unveiling V <sup>IV</sup> O <sup>2+</sup> Binding Modes to Human Serum Albumins by an Integrated Spectroscopic-Computational Approach. Chemistry - A European Journal, 2020, 26, 11316-11326.	3.3	23
17	Oxidative stability of plant hydroalcoholic extracts assessed by EPR spin trapping under forced ageing conditions: A myrtle case study. Food Chemistry, 2019, 271, 753-761.	8.2	16
18	Extracts from Myrtle Liqueur Processing Waste Modulate Stem Cells Pluripotency under Stressing Conditions. BioMed Research International, 2019, 2019, 1-12.	1.9	16

#	ARTICLE	IF	CITATIONS
19	Chemistry of mixed-ligand oxidovanadium(IV) complexes of aroylhydrazones incorporating quinoline derivatives: Study of solution behavior, theoretical evaluation and protein/DNA interaction. <i>Journal of Inorganic Biochemistry</i> , 2019, 199, 110786.	3.5	27
20	Antiproliferative activity of vanadium compounds: effects on the major malignant melanoma molecular pathways. <i>Metallomics</i> , 2019, 11, 1687-1699.	2.4	41
21	Interaction of Vanadium(IV) Species with Ubiquitin: A Combined Instrumental and Computational Approach. <i>Inorganic Chemistry</i> , 2019, 58, 8064-8078.	4.0	28
22	Effect of secondary interactions, steric hindrance and electric charge on the interaction of $V^{IV}O$ species with proteins. <i>New Journal of Chemistry</i> , 2019, 43, 17647-17660.	2.8	22
23	Integrated ESI-MS/EPR/computational characterization of the binding of metal species to proteins: vanadium drug's myoglobin application. <i>Inorganic Chemistry Frontiers</i> , 2019, 6, 1561-1578.	6.0	24
24	Total Phenols from Grape Leaves Counteract Cell Proliferation and Modulate Apoptosis-Related Gene Expression in MCF-7 and HepG2 Human Cancer Cell Lines. <i>Molecules</i> , 2019, 24, 612.	3.8	43
25	Trends and Exceptions in the Interaction of Hydroxamic Acid Derivatives of Common Di- and Tripeptides with Some 3d and 4d Metal Ions in Aqueous Solution. <i>Molecules</i> , 2019, 24, 3941.	3.8	4
26	Role of Ligands in the Uptake and Reduction of $V(V)$ Complexes in Red Blood Cells. <i>Journal of Medicinal Chemistry</i> , 2019, 62, 654-664.	6.4	35
27	Decoding Surface Interaction of $V^{IV}O$ Metallodrug Candidates with Lysozyme. <i>Inorganic Chemistry</i> , 2018, 57, 4456-4469.	4.0	28
28	$V^{IV}O$ complexes with antibacterial quinolone ligands and their interaction with serum proteins. <i>Dalton Transactions</i> , 2018, 47, 2164-2182.	3.3	36
29	$V^{IV}O$ and $V^{IV}$ Species Formed in Aqueous Solution by the Tridentate Glutaroimide's "Dioxime Ligand" An Instrumental and Computational Characterization. <i>European Journal of Inorganic Chemistry</i> , 2018, 2018, 1805-1816.	2.0	9
30	Influence of pH, buffers and role of quinolinic acid, a novel iron chelating agent, in the determination of hydroxyl radical scavenging activity of plant extracts by Electron Paramagnetic Resonance (EPR). <i>Food Chemistry</i> , 2018, 240, 174-182.	8.2	39
31	Speciation in aqueous solution and interaction with low and high molecular mass blood bioligands of $[V^{IV}O(oda)(H_2O)_2]$ , a $V$ compound with in vitro anticancer activity. <i>Inorganica Chimica Acta</i> , 2018, 472, 127-138.	2.4	4
32	Polysaccharide-based chiral stationary phases as halogen bond acceptors: A novel strategy for detection of stereoselective $\pi$ - $\pi$ hole bonds in solution. <i>Journal of Separation Science</i> , 2018, 41, 1247-1256.	2.5	34
33	Unusual binding modes in the copper(ii) and palladium(ii) complexes of peptides containing both histidyl and cysteinyl residues. <i>New Journal of Chemistry</i> , 2017, 41, 1372-1379.	2.8	8
34	Speciation of potential anti-diabetic vanadium complexes in real serum samples. <i>Journal of Inorganic Biochemistry</i> , 2017, 173, 52-65.	3.5	37
35	Antitumoral effect of vanadium compounds in malignant melanoma cell lines. <i>Journal of Inorganic Biochemistry</i> , 2017, 174, 14-24.	3.5	66
36	Speciation in human blood of Metvan, a vanadium based potential anti-tumor drug. <i>Dalton Transactions</i> , 2017, 46, 8950-8967.	3.3	66

#	ARTICLE	IF	CITATIONS
37	Interaction of a chelating agent, 5-hydroxy-2-(hydroxymethyl)pyridin-4(1 H)-one, with Al(III), Cu(II) and Zn(II) ions. <i>Journal of Inorganic Biochemistry</i> , 2017, 171, 18-28.	3.5	6
38	Chelating properties of EDTA-type ligands containing six-membered backbone ring toward copper ion: Structure, EPR and TD-DFT evaluation. <i>Polyhedron</i> , 2017, 124, 215-228.	2.2	10
39	Elucidation of Binding Site and Chiral Specificity of Oxidovanadium Drugs with Lysozyme through Theoretical Calculations. <i>Inorganic Chemistry</i> , 2017, 56, 12938-12951.	4.0	40
40	Synthesis of Nitric Oxide Donors Derived from Pilyotyâ€™s Acid and Study of Their Effects on Dopamine Secretion from PC12 Cells. <i>Pharmaceuticals</i> , 2017, 10, 74.	3.8	5
41	Nonoxido V <sup>IV</sup> Complexes: Prediction of the EPR Spectrum and Electronic Structure of Simple Coordination Compounds and Amavadin. <i>Inorganic Chemistry</i> , 2016, 55, 7373-7387.	4.0	35
42	Biorelevant reactions of the potential anti-tumor agent vanadocene dichloride. <i>Metallomics</i> , 2016, 8, 532-541.	2.4	12
43	Behavior of the potential antitumor VIVO complexes formed by flavonoid ligands. 3. Antioxidant properties and radical production capability. <i>Journal of Inorganic Biochemistry</i> , 2016, 161, 18-26.	3.5	21
44	Copper(II) coordination properties of the $\text{Al}^{2+}$ peptidomimetic: experimental evidence of intermolecular macrochelate complex species in the $\text{Al}^{2+}$ dimer. <i>New Journal of Chemistry</i> , 2016, 40, 10274-10284.	2.8	7
45	Metal ion binding capability of secondary (N-methyl) versus primary (Nâ€™H) dipeptide hydroxamic acids. <i>Polyhedron</i> , 2016, 110, 172-181.	2.2	6
46	Equilibrium between Different Coordination Geometries in Oxidovanadium(IV) Complexes. <i>Journal of Chemical Education</i> , 2015, 92, 1098-1102.	2.3	5
47	Nonoxido Vanadium(IV) Compounds Involving Dithiocarbazate-Based Tridentate ONS Ligands: Synthesis, Electronic and Molecular Structure, Spectroscopic and Redox Properties. <i>Inorganic Chemistry</i> , 2015, 54, 6203-6215.	4.0	37
48	Characterization and biotransformation in the plasma and red blood cells of VIVO <sub>2</sub> <sup>+</sup> complexes formed by ceftriaxone. <i>Journal of Inorganic Biochemistry</i> , 2015, 147, 71-84.	3.5	14
49	Copper(II) and nickel(II) binding sites of peptide containing adjacent histidyl residues. <i>Journal of Inorganic Biochemistry</i> , 2015, 151, 87-93.	3.5	13
50	Behavior of the potential antitumor VIVO complexes formed by flavonoid ligands. 2. Characterization of sulfonate derivatives of quercetin and morin, interaction with the bioligands of the plasma and preliminary biotransformation studies. <i>Journal of Inorganic Biochemistry</i> , 2015, 153, 167-177.	3.5	27
51	Speciation of the Potential Antitumor Agent Vanadocene Dichloride in the Blood Plasma and Model Systems. <i>Inorganic Chemistry</i> , 2015, 54, 8237-8250.	4.0	28
52	DNA binding and cleavage studies of copper(II) complexes with 2â€™-deoxyadenosine modified histidine moiety. <i>Journal of Biological Inorganic Chemistry</i> , 2015, 20, 989-1004.	2.6	24
53	Potentiometric and spectroscopic studies on the copper(II) complexes of rat amylin fragments. The anchoring ability of specific non-coordinating side chains. <i>Dalton Transactions</i> , 2015, 44, 17091-17099.	3.3	8
54	Copper(II), nickel(II) and zinc(II) complexes of hexapeptides containing separate aspartyl and histidyl residues. <i>Inorganica Chimica Acta</i> , 2015, 426, 99-106.	2.4	19

#	ARTICLE	IF	CITATIONS
55	Simultaneous amperometric detection of ascorbic acid and antioxidant capacity in orange, blueberry and kiwi juice, by a telemetric system coupled with a fullerene- or nanotubes-modified ascorbate subtractive biosensor. <i>Biosensors and Bioelectronics</i> , 2015, 67, 214-223.	10.1	75
56	Development and Characterization of an Ascorbate Oxidase-based Sensor "Biosensor System for Telemetric Detection of AA and Antioxidant Capacity in Fresh Orange Juice. <i>Analytical Chemistry</i> , 2014, 86, 8727-8734.	6.5	34
57	Behavior of the potential antitumor VIVO complexes formed by flavonoid ligands. 1. Coordination modes and geometry in solution and at the physiological pH. <i>Journal of Inorganic Biochemistry</i> , 2014, 140, 173-184.	3.5	42
58	Reaction time and DPPH concentration influence antioxidant activity and kinetic parameters of bioactive molecules and plant extracts in the reaction with the DPPH radical. <i>Journal of Food Composition and Analysis</i> , 2014, 35, 112-119.	3.9	58
59	Synthesis and Characterization of V <sup>IV</sup> O Complexes of Picolinate and Pyrazine Derivatives. Behavior in the Solid State and Aqueous Solution and Biotransformation in the Presence of Blood Plasma Proteins. <i>Inorganic Chemistry</i> , 2014, 53, 7960-7976.	4.0	36
60	Interaction of Antidiabetic Vanadium Compounds with Hemoglobin and Red Blood Cells and Their Distribution between Plasma and Erythrocytes. <i>Inorganic Chemistry</i> , 2014, 53, 1449-1464.	4.0	86
61	Uptake of potential anti-diabetic VIVO compounds of picolinate ligands by red blood cells. <i>Inorganica Chimica Acta</i> , 2014, 420, 75-84.	2.4	38
62	The effect of non-coordinating side chains on the metal binding affinities of peptides of histidine. <i>Polyhedron</i> , 2013, 62, 7-17.	2.2	14
63	Interaction of Insulin-Enhancing Vanadium Compounds with Human Serum holo-Transferrin. <i>Inorganic Chemistry</i> , 2013, 52, 11975-11985.	4.0	86
64	Formation in aqueous solution of a non-oxido VIV complex with VN6 coordination. Potentiometric, ESI-MS, spectroscopic and computational characterization. <i>Dalton Transactions</i> , 2013, 42, 13404.	3.3	22
65	Binary and ternary mixed metal complexes of terminally free peptides containing two different histidyl binding sites. <i>Journal of Inorganic Biochemistry</i> , 2013, 128, 17-25.	3.5	25
66	Affinity, Speciation, and Molecular Features of Copper(II) Complexes with a Prion Tetraoctarepeat Domain in Aqueous Solution: Insights into Old and New Results. <i>Chemistry - A European Journal</i> , 2013, 19, 3751-3761.	3.3	15
67	Formation of New Non-oxido Vanadium(IV) Species in Aqueous Solution and in the Solid State by Tridentate (O, N, O) Ligands and Rationalization of Their EPR Behavior. <i>Inorganic Chemistry</i> , 2013, 52, 8202-8213.	4.0	52
68	Small molecules interacting with Î±-synuclein: antiaggregating and cytoprotective properties. <i>Amino Acids</i> , 2013, 45, 327-338.	2.7	52
69	Biotransformation of BMOV in the presence of blood serum proteins. <i>Metallomics</i> , 2012, 4, 33-36.	2.4	60
70	VIVO and Cull complexation by ligands based on pyridine nitrogen donors. <i>Dalton Transactions</i> , 2012, 41, 12824.	3.3	55
71	Transport of the anti-diabetic VO <sub>2</sub> <sup>+</sup> complexes formed by pyrone derivatives in the blood serum. <i>Journal of Inorganic Biochemistry</i> , 2012, 115, 87-99.	3.5	65
72	Temperature and solvent structure dependence of VO <sub>2</sub> <sup>+</sup> complexes of pyridine-N-oxide derivatives and their interaction with human serum transferrin. <i>Dalton Transactions</i> , 2012, 41, 7304.	3.3	56

#	ARTICLE	IF	CITATIONS
73	Determination of Free Radical Scavenging Activity of Plant Extracts Through DPPH Assay: An EPR and UV-Vis Study. <i>Food Analytical Methods</i> , 2012, 5, 759-766.	2.6	85
74	Application of DFT methods to the study of the coordination environment of the VO <sub>2</sub> <sup>+</sup> ion in V <sub>A</sub> proteins. <i>Journal of Biological Inorganic Chemistry</i> , 2012, 17, 773-790.	2.6	41
75	Coordinating Properties of Pyrone and Pyridinone Derivatives, Tropolone and Catechol toward the VO <sub>2</sub> <sup>+</sup> Ion: An Experimental and Computational Approach. <i>European Journal of Inorganic Chemistry</i> , 2012, 2012, 1079-1092.	2.0	55
76	The effect of point mutations on copper(II) complexes with peptide fragments encompassing the 106-114 region of human prion protein. , 2012, , 189-197.		0
77	Interaction of VO <sub>2</sub> <sup>+</sup> Ion and Some Insulin-Enhancing Compounds with Immunoglobulin G. <i>Inorganic Chemistry</i> , 2011, 50, 3717-3728.	4.0	68
78	Copper(II) complexes of rat amylin fragments. <i>Dalton Transactions</i> , 2011, 40, 9711.	3.3	24
79	VO <sub>2</sub> <sup>+</sup> Complexation by Bioligands Showing Keto-Enol Tautomerism: A Potentiometric, Spectroscopic, and Computational Study. <i>Inorganic Chemistry</i> , 2011, 50, 10328-10341.	4.0	48
80	The effect of point mutations on copper(II) complexes with peptide fragments encompassing the 106-114 region of human prion protein. <i>Monatshefte für Chemie</i> , 2011, 142, 411-419.	1.8	15
81	Impact of histidine residue on chelating ability of 2'-deoxyriboadenosine. <i>Journal of Inorganic Biochemistry</i> , 2011, 105, 1212-1219.	3.5	4
82	A quantitative study of the biotransformation of insulin-enhancing VO <sub>2</sub> <sup>+</sup> compounds. <i>Journal of Biological Inorganic Chemistry</i> , 2010, 15, 825-839.	2.6	80
83	Histamine modified 2'-deoxyriboadenosine - Potential copper binding site in DNAzymes. <i>Journal of Inorganic Biochemistry</i> , 2010, 104, 570-575.	3.5	5
84	New Developments in the Comprehension of the Biotransformation and Transport of Insulin-Enhancing Vanadium Compounds in the Blood Serum. <i>Inorganic Chemistry</i> , 2010, 49, 174-187.	4.0	95
85	Potentiometric, Spectroscopic and DFT Study of the V <sup>IV</sup> O Complexes Formed by Di(pyridinyl) Ligands. <i>European Journal of Inorganic Chemistry</i> , 2009, 2009, 2363-2374.	2.0	1
86	Thermodynamic and structural characterization of the macrochelates formed in the reactions of copper(II) and zinc(II) ions with peptides of histidine. <i>Inorganica Chimica Acta</i> , 2009, 362, 935-945.	2.4	49
87	Interaction of VO <sub>2</sub> <sup>+</sup> ion with human serum transferrin and albumin. <i>Journal of Inorganic Biochemistry</i> , 2009, 103, 648-655.	3.5	105
88	Coordination ability of insect kinin analogs. <i>Polyhedron</i> , 2009, 28, 485-492.	2.2	5
89	Interaction of Copper(II) with the Prion Peptide Fragment HuPrP(76-114) Encompassing Four Histidyl Residues within and outside the Octarepeat Domain. <i>Inorganic Chemistry</i> , 2009, 48, 4239-4250.	4.0	69
90	On the Transport of Vanadium in Blood Serum. <i>Inorganic Chemistry</i> , 2009, 48, 5747-5757.	4.0	86

#	ARTICLE	IF	CITATIONS
91	Potentiometric, spectroscopic, electrochemical and DFT characterization of oxovanadium(IV) complexes formed by citrate and tartrates in aqueous solution at high ligand to metal molar ratios: the effects of the trigonal bipyramidal distortion in bis-chelated species and biological implications. Dalton Transactions, 2008, , 4903.	3.3	53
92	Complex formation processes of terminally protected peptides containing two or three histidyl residues. Characterization of the mixed metal complexes of peptides. Dalton Transactions, 2008, , 5059.	3.3	36
93	Copper(II) Interaction with Prion Peptide Fragments Encompassing Histidine Residues Within and Outside the Octarepeat Domain: Speciation, Stability Constants and Binding Details. Chemistry - A European Journal, 2007, 13, 7129-7143.	3.3	107
94	V <sup>IV</sup> O Complexes of Bis(imidazol-2-yl) Derivatives: A Potentiometric, Spectroscopic and DFT Study. European Journal of Inorganic Chemistry, 2007, 2007, 4884-4896.	2.0	5
95	Synthesis and characterization of Cu <sup>2+</sup> , Ni <sup>2+</sup> and Zn <sup>2+</sup> binding capability of some amino- and imidazole hydroxamic acids: Effects of substitution of side chain amino-N for imidazole-N or hydroxamic-N-H for -N-CH <sub>3</sub> on metal complexation. Polyhedron, 2007, 26, 543-554.	2.2	21
96	New insights into the metal ion-peptide hydroxamate interactions: Metal complexes of primary hydroxamic acid derivatives of common dipeptides in aqueous solution. Polyhedron, 2007, 26, 1625-1633.	2.2	26
97	Copper(II) complexes of terminally protected pentapeptides containing three histidyl residues in alternating positions, Ac-His-Xaa-His-Yaa-His-NH <sub>2</sub> . Dalton Transactions, 2006, , 4545-4552.	3.3	64
98	The solution structure of bis(acetylacetonato)oxovanadium(IV). Inorganica Chimica Acta, 2006, 359, 4470-4476.	2.4	50
99	Potentiometric and spectroscopic studies on the copper(II) and zinc(II) complexes of bis(imidazol-2-yl) derivatives of tripeptides. Polyhedron, 2006, 25, 3173-3182.	2.2	13
100	Transition metal complexes of terminally protected peptides containing histidyl residues. Journal of Inorganic Biochemistry, 2006, 100, 1399-1409.	3.5	75
101	Environmental Effects on a Prion's Helix II Domain: Copper(II) and Membrane Interactions with PrP <sup>180-193</sup> and Its Analogues. Chemistry - A European Journal, 2006, 12, 537-547.	3.3	35
102	Oxovanadium(IV) Complexes with Pyrazinecarboxylic Acids: The Coordinating Properties of Ligands with the (Naromatic, COO <sup>-</sup> ) Donor Set. European Journal of Inorganic Chemistry, 2006, 2006, 2690-2700.	2.0	18
103	Chelating ability of proctolin tetrazole analogue. Acta Biochimica Polonica, 2006, 53, 65-72.	0.5	0
104	Potentiometric and spectroscopic studies on copper(II) complexes of non-proteinogenic histidine analogues. Polyhedron, 2005, 24, 799-806.	2.2	12
105	Binding of Oxovanadium(IV) to Dipeptides Containing Histidine and Cysteine Residues. European Journal of Inorganic Chemistry, 2005, 2005, 1369-1382.	2.0	40
106	Binding of Oxovanadium(IV) to Tripeptides Containing Histidine and Cysteine Residues and Its Biological Implication in the Transport of Vanadium and Insulin-Mimetic Compounds. European Journal of Inorganic Chemistry, 2005, 2005, 4953-4963.	2.0	12
107	Copper(II) complexes of oligopeptides containing aspartyl and glutamyl residues. Potentiometric and spectroscopic studies. Journal of Inorganic Biochemistry, 2005, 99, 1514-1525.	3.5	85
108	Copper(II) Interaction with Unstructured Prion Domain Outside the Octarepeat Region: A Speciation, Stability, and Binding Details of Copper(II) Complexes with PrP <sup>106-126</sup> Peptides. Inorganic Chemistry, 2005, 44, 7214-7225.	4.0	94



#	ARTICLE	IF	CITATIONS
109	Acid-base properties and copper(II) complexes of dipeptides containing histidine and additional chelating bis(imidazol-2-yl) residues. <i>Journal of Inorganic Biochemistry</i> , 2004, 98, 24-32.	3.5	27
110	Impact of 1,5-disubstituted tetrazole ring on chelating ability of $\beta$ -selective opioid peptide. <i>Journal of Inorganic Biochemistry</i> , 2004, 98, 447-458.	3.5	12
111	Copper(ii) complexes of N-terminal protected tri- and tetra-peptides containing histidine residues. <i>Dalton Transactions</i> , 2004, , 2702-2707.	3.3	64
112	Complex Formation of Vanadium(IV) with 1,3,5-Triamino-1,3,5-trideoxy-cis-inositol and Related Ligands. <i>Inorganic Chemistry</i> , 2004, 43, 3116-3126.	4.0	46
113	Copper(ii) complexes of amino acid derivatives of the bis(imidazol-2-yl)methyl residue. <i>New Journal of Chemistry</i> , 2004, 28, 727-734.	2.8	8
114	Oxovanadium(IV) complexes of quinoline derivatives. <i>Inorganica Chimica Acta</i> , 2003, 348, 97-106.	2.4	22
115	Electronic Structure of Oxovanadium(IV) Complexes of $\beta$ -Hydroxycarboxylic Acids. <i>Inorganic Chemistry</i> , 2003, 42, 3981-3987.	4.0	69
116	Transition metal complexes of bis(imidazol-2-yl) derivatives of dipeptides. <i>Dalton Transactions</i> , 2003, , 2009-2016.	3.3	23
117	Interaction between the low molecular mass components of blood serum and the VO(iv)-DHP system (DHP = 1,2-dimethyl-3-hydroxy-4(1H)-pyridinone). <i>Dalton Transactions RSC</i> , 2002, , 2275-2282.	2.3	72
118	Potentiometric and spectroscopic studies on transition metal complexes of GlyLys(Gly) and Asp-Lys. <i>Dalton Transactions RSC</i> , 2002, , 92-98.	2.3	9
119	Copper(II), nickel(II) and zinc(II) complexes of amino acids containing bis(imidazol-2-yl)methyl residues. <i>Inorganica Chimica Acta</i> , 2002, 339, 373-382.	2.4	22
120	Equilibrium and structural studies on transition metal complexes of amino acid derivatives containing the bis(pyridin-2-yl)methyl residue. <i>New Journal of Chemistry</i> , 2001, 25, 700-706.	2.8	10
121	Complexing properties of [(glycylamino)methyl]phosphinic acids towards Co <sup>2+</sup> , Ni <sup>2+</sup> , Cu <sup>2+</sup> and Zn <sup>2+</sup> ions in aqueous solutions. <i>Dalton Transactions RSC</i> , 2001, , 2850-2857.	2.3	10
122	Ternary interaction between copper(II), imidazolinone herbicides and glycylglycine. <i>Journal of Chemical Research</i> , 2001, 2001, 408-409.	1.3	2
123	Potentiometric and spectroscopic studies on the copper(II) complexes formed by oligopeptides containing histidine with a protection at the terminal amino group. <i>Polyhedron</i> , 2001, 20, 937-947.	2.2	31
124	A new class of peptide chelating agents towards copper(II) ions. <i>Polyhedron</i> , 2001, 20, 1915-1923.	2.2	6
125	The effect of the ring size of fused chelates on the thermodynamic and spectroscopic properties of peptide complexes of copper(II). <i>Polyhedron</i> , 2001, 20, 3079-3090.	2.2	40
126	Oxovanadium(IV) binding to ligands containing donor sites of biological relevance. <i>Inorganica Chimica Acta</i> , 2001, 322, 87-98.	2.4	18



#	ARTICLE	IF	CITATIONS
127	Speciation and NMR relaxation studies of VO(IV) complexes with several O-donor containing ligands: oxalate, malonate, maltolate and kojate. <i>Inorganica Chimica Acta</i> , 2000, 306, 174-183.	2.4	92
128	The Cu(II)-2,2'-bipyridine system revisited. <i>Inorganica Chimica Acta</i> , 2000, 299, 253-261.	2.4	98
129	Solution speciation and spectral studies on oxovanadium(IV) complexes of pyridinecarboxylic acids. <i>Polyhedron</i> , 2000, 19, 55-61.	2.2	71
130	Solution equilibria and structural characterisation of the transition metal complexes of glycyl-L-cysteine disulfide. <i>Polyhedron</i> , 2000, 19, 1849-1857.	2.2	16
131	Can the 1,5-disubstituted tetrazole ring modify the co-ordinating ability and biological activity of opiate-like peptides?. <i>Journal of Inorganic Biochemistry</i> , 2000, 78, 283-291.	3.5	11
132	The effect of histidyl residues on the complexation of bis(imidazolyl) containing tripeptides with copper(II) ion. <i>Journal of Inorganic Biochemistry</i> , 2000, 81, 35-41.	3.5	23
133	Equilibrium and structural studies on copper(II) complexes of tetra-, penta- and hexa-peptides containing histidyl residues at the C-termini. <i>Dalton Transactions RSC</i> , 2000, , 467-472.	2.3	80
134	Oxovanadium (IV) complexes of phosphates of biological relevance: NAD, NADP and thiamine mono- and diphosphate. <i>Journal of Inorganic Biochemistry</i> , 1999, 75, 303-309.	3.5	21
135	Effect of the tetrazole cis-amide bond surrogate on the complexing ability of some enkephalin analogues toward Cu(II) ions. <i>Journal of Inorganic Biochemistry</i> , 1999, 76, 1-11.	3.5	13
136	Hydrolytic and Dinuclear Species Formed by Copper(II) with Di-, Tri- and Tetra-peptides Containing Proline in the Second Position. <i>Journal of Chemical Research Synopses</i> , 1999, , 240-241.	0.3	4
137	Oxovanadium(IV) complexes of phosphonic derivatives of iminodiacetic and nitrilotriacetic acids. <i>Journal of the Chemical Society Dalton Transactions</i> , 1999, , 3275-3282.	1.1	29
138	The formation of ternary complexes between VO(maltolate) <sub>2</sub> and small bioligands. <i>Inorganica Chimica Acta</i> , 1998, 283, 202-210.	2.4	56
139	Potentiometric and spectroscopic studies of transition metal complexes of bis(imidazolyl) and bis(pyridyl) derivatives of amino acids. <i>Inorganica Chimica Acta</i> , 1998, 283, 233-242.	2.4	24
140	Oxovanadium(IV) complexes of imidazole-4-acetic, imidazole-4,5-dicarboxylic and pyrazole-3,5-dicarboxylic acids. <i>Inorganica Chimica Acta</i> , 1998, 268, 297-305.	2.4	34
141	Potentiometric and spectroscopic studies on the copper(II) and nickel(II) complexes of tripeptides of methionine. <i>Inorganica Chimica Acta</i> , 1998, 275-276, 440-446.	2.4	33
142	Specific interactions of bovine and human $\hat{1}^2$ -casomorphin-7 with Cu(II) ions. <i>Journal of Inorganic Biochemistry</i> , 1998, 69, 91-95.	3.5	15
143	Can the $\hat{1}^{\pm}$ -hydroxymethylated amino acid residue influence the peptide binding ability towards copper(II) ions?. <i>Journal of Inorganic Biochemistry</i> , 1998, 72, 187-194.	3.5	5
144	Oxovanadium(IV)-Promoted Peptide-Amide Deprotonation in Aqueous Solution. <i>Inorganic Chemistry</i> , 1998, 37, 6389-6391.	4.0	24

#	ARTICLE	IF	CITATIONS
145	Copper(II) Complexes of Opiate-like Food Peptides. <i>Journal of Agricultural and Food Chemistry</i> , 1998, 46, 115-118.	5.2	10
146	Copper(II) complexes of imidazolinone herbicides. <i>Inorganica Chimica Acta</i> , 1997, 255, 215-220.	2.4	14
147	Potentiometric and spectroscopic studies on the ternary complexes of copper(II) with dipeptides and nucleobases. <i>Journal of Inorganic Biochemistry</i> , 1997, 65, 103-108.	3.5	18
148	Binding of Oxovanadium(IV) to Guanosine 5'-Monophosphate. <i>Inorganic Chemistry</i> , 1996, 35, 6349-6352.	4.0	22
149	Oxovanadium(IV) complexes of ligands containing phosphonic acid moieties. <i>Journal of the Chemical Society Dalton Transactions</i> , 1996, , 87-92.	1.1	17
150	EPR and potentiometric reinvestigation of copper(II) complexation with simple oligopeptides and related compounds. <i>Journal of Inorganic Biochemistry</i> , 1996, 63, 99-117.	3.5	91
151	Oxovanadium(IV) complexes of citric and tartaric acids in aqueous solution. <i>Inorganica Chimica Acta</i> , 1995, 239, 145-153.	2.4	88
152	Vanadium (IV) and vanadium (V) complexes of deferoxamine B in aqueous solution. <i>Journal of Inorganic Biochemistry</i> , 1995, 60, 45-59.	3.5	34
153	Potentiometric and spectroscopic studies on the copper(II) complexes of peptide hormones containing disulfide bridges. <i>Journal of Inorganic Biochemistry</i> , 1995, 60, 69-78.	3.5	21
154	Coordination of oxovanadium(IV) to aminocarboxylic acids in aqueous solution. <i>Polyhedron</i> , 1994, 13, 1763-1771.	2.2	20
155	Copper(II) and oxovanadium(IV) complexes of 2,3-dihydroxyterephthalic and 2,3,4-trihydroxybenzoic acids. <i>Journal of the Chemical Society Dalton Transactions</i> , 1994, , 347.	1.1	7
156	Potentiometric and spectroscopic studies on copper(II) and zinc(II) complexes of peptides containing bis(imidazolyl) ligands. <i>Journal of the Chemical Society Dalton Transactions</i> , 1994, , 2939-2945.	1.1	43
157	EPR investigation of the oxovanadium(IV) complexes formed by the tripeptide glutathione and some related ligands in aqueous solution. <i>Journal of Inorganic Biochemistry</i> , 1993, 52, 275-286.	3.5	38
158	Oxovanadium(IV) complexes of mercaptocarboxylic acids. <i>Journal of the Chemical Society Dalton Transactions</i> , 1993, , 1849-1855.	1.1	20
159	Formation of tris-chelated vanadium(IV) complexes by interaction of oxovanadium(IV) with catecholamines, 3-(3,4-dihydroxyphenyl)alanine and related ligands in aqueous solution. <i>Journal of the Chemical Society Dalton Transactions</i> , 1993, , 2057-2063.	1.1	19
160	EPR and proton ENDOR study of the solution equilibria of bis(2-ethyl-2-hydroxybutanoato(2-))oxochromate(V) and bis(2-hydroxy-2-methylbutanoato(2-))oxochromate(V). <i>Inorganic Chemistry</i> , 1993, 32, 578-581.	4.0	21
161	Coordination of Copper(II) to Polyaminopolycarboxylic Acids in Aqueous Solution. <i>Journal of Coordination Chemistry</i> , 1992, 25, 265-270.	2.2	6
162	Oxovanadium(IV) complex formation by simple sugars in aqueous solution. <i>Journal of Inorganic Biochemistry</i> , 1992, 45, 169-177.	3.5	38

#	ARTICLE	IF	CITATIONS
163	Vanadium(IV) and oxovanadium(IV) complexes of hydroxamic acids and related ligands. Journal of Inorganic Biochemistry, 1992, 48, 279-287.	3.5	25
164	Complexation of oxovanadium(IV) by humic and tannic acids. Journal of Inorganic Biochemistry, 1990, 39, 109-115.	3.5	9
165	Stabilization of the open-chain structure of D-galacturonic acid in a dimeric complex with oxovanadium(IV). Journal of the Chemical Society Dalton Transactions, 1990, , 1997-1999.	1.1	17
166	Formation and structure of the tris(catecholato)vanadate(IV) complex in aqueous solution. Inorganic Chemistry, 1990, 29, 1586-1589.	4.0	63