

# Miguel Holgado Bolaños

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2059376/publications.pdf>

Version: 2024-02-01

79  
papers

2,281  
citations

394421

19  
h-index

214800

47  
g-index

79  
all docs

79  
docs citations

79  
times ranked

2465  
citing authors

#	ARTICLE	IF	CITATIONS
1	New Label-Free Biosensing for the Evaluation of the AX-024 Inhibitor: Case Study for the Development of New Drugs in Autoimmune Diseases. <i>Sensors</i> , 2022, 22, 1218.	3.8	1
2	Alternative Brain Slice-on-a-Chip for Organotypic Culture and Effective Fluorescence Injection Testing. <i>International Journal of Molecular Sciences</i> , 2022, 23, 2549.	4.1	7
3	Generation of a Simplified Three-Dimensional Skin-on-a-chip Model in a Micromachined Microfluidic Platform. <i>Journal of Visualized Experiments</i> , 2021, , .	0.3	5
4	Neuronal circuits on a chip for biological network monitoring. <i>Biotechnology Journal</i> , 2021, 16, e2000355.	3.5	5
5	A new microfluidic method enabling the generation of multi-layered tissues-on-chips using skin cells as a proof of concept. <i>Scientific Reports</i> , 2021, 11, 13160.	3.3	15
6	Biodegradable Implantable Sensors: Materials Design, Fabrication, and Applications. <i>Advanced Functional Materials</i> , 2021, 31, 2104149.	14.9	53
7	Photonic sensor systems for the identification of hydrocarbons and crude oils in static and flow conditions. <i>Sensors and Actuators B: Chemical</i> , 2021, 344, 130265.	7.8	1
8	Developing an Optical Interferometric Detection Method based biosensor for detecting specific SARS-CoV-2 immunoglobulins in Serum and Saliva, and their corresponding ELISA correlation. <i>Sensors and Actuators B: Chemical</i> , 2021, 345, 130394.	7.8	23
9	A Machine Learning-based Methodology for in-Process Fluid Characterisation with Photonic Sensors. <i>IEEE Sensors Journal</i> , 2021, , 1-1.	4.7	0
10	Biodegradable Implantable Sensors: Materials Design, Fabrication, and Applications (Adv. Funct. Mater.) Tj ETQq0 0,0 ggBT /Overlock 10	14.9	3
11	Efficient Chemical Surface Modification Protocol on SiO <sub>2</sub> Transducers Applied to MMP9 Biosensing. <i>Sensors</i> , 2021, 21, 8156.	3.8	1
12	The uncertainty and limit of detection in biosensors from immunoassays. <i>Measurement Science and Technology</i> , 2020, 31, 044004.	2.6	10
13	A new optical interferometric-based in vitro detection system for the specific IgE detection in serum of the main peach allergen. <i>Biosensors and Bioelectronics</i> , 2020, 169, 112641.	10.1	5
14	A Point-of-Care Based on Label-Free Interferometric Optical Detection Method to Evaluate Interferon Gamma (IFN- $\gamma$ ): A Correlation with the ELISA Technique. <i>Sensors</i> , 2020, 20, 4776.	3.8	4
15	Optical Vapor Sensors Based on Periodic Resonant Nanopillar Structures. <i>ACS Omega</i> , 2020, 5, 25913-25918.	3.5	4
16	Engineering vertically interrogated interferometric sensors for optical label-free biosensing. <i>Analytical and Bioanalytical Chemistry</i> , 2020, 412, 3285-3297.	3.7	12
17	Participation of women in doctorate, research, innovation, and management activities at Universidad Politcnica de Madrid: analysis of the decade 20062016. <i>Scientometrics</i> , 2019, 120, 1059-1089.	3.0	6
18	Phosphorylcholine-based hydrogel for immobilization of biomolecules. Application to fluorometric microarrays for use in hybridization assays and immunoassays, and nanophotonic biosensing. <i>Mikrochimica Acta</i> , 2019, 186, 570.	5.0	7

#	ARTICLE	IF	CITATIONS
19	A Novel Data Processing Technique for Expert Resonant Nano-Pillars Transducers: A Case Study Measuring Ethanol in Water and Wine Liquid Matrices. IEEE Access, 2019, 7, 129778-129788.	4.2	7
20	Automated Chemical Sensing Unit Integration for Parallel Optical Interrogation. Sensors, 2019, 19, 878.	3.8	5
21	Hardware Accelerator for Ethanol Detection in Water Media based on Machine Learning Techniques. , 2019, , .		0
22	A New Device Based on Interferometric Optical Detection Method for Label-Free Screening of C-Reactive Protein. IEEE Transactions on Instrumentation and Measurement, 2019, 68, 3193-3199.	4.7	8
23	A compact multichannel spectrometer for label-free monitoring of biochips for point-of-care testing. , 2019, , .		0
24	How the surrounding environment affects the biosensing performance of resonant nanopillars arrays: Under dry conditions or immersed in fluid. Sensors and Actuators B: Chemical, 2018, 259, 956-962.	7.8	7
25	Fabrication of Si <sub>3</sub> N <sub>4</sub> /SiO <sub>2</sub> tiered resonant nanopillars with nickel caps arrays: application for optochemical sensing. Optical Materials Express, 2018, 8, 1082.	3.0	5
26	On the Determination of Uncertainty and Limit of Detection in Label-Free Biosensors. Sensors, 2018, 18, 2038.	3.8	88
27	A Proof-of-Concept of Label-Free Biosensing System for Food Allergy Diagnostics in Biophotonic Sensing Cells: Performance Comparison with ImmunoCAP. Sensors, 2018, 18, 2686.	3.8	7
28	Development towards compact nitrocellulose interferometric biochips for dry eye diagnosis based on MMP9, S100A6 and CST4 biomarkers using a Point-of-Care device. , 2018, , .		1
29	Resonant nanopillars as label-free optical biosensors. , 2018, , .		0
30	Optical sensor based on periodic array of resonant nanopillars for real time monitoring. Sensors and Actuators B: Chemical, 2017, 244, 323-326.	7.8	10
31	Micron-scale wedge thin films prepared by plasma enhanced chemical vapor deposition. Plasma Processes and Polymers, 2017, 14, 1700043.	3.0	2
32	Development towards Compact Nitrocellulose-Based Interferometric Biochips for Dry Eye MMP9 Label-Free In-Situ Diagnosis. Sensors, 2017, 17, 1158.	3.8	15
33	Bulk sensing performance comparison between silicon dioxide and resonant high aspect ratio nanopillars arrays fabricated by means of interference lithography. Optical Materials Express, 2016, 6, 2264.	3.0	15
34	Towards reliable optical label-free point-of-care (PoC) biosensing devices. Sensors and Actuators B: Chemical, 2016, 236, 765-772.	7.8	21
35	Dye-based photonic sensing systems. Sensors and Actuators B: Chemical, 2016, 228, 649-657.	7.8	15
36	Sensitive metal layer-assisted guided-mode resonance SU8 nanopillar array for label-free optical biosensing. Sensors and Actuators B: Chemical, 2016, 226, 204-210.	7.8	18

#	ARTICLE	IF	CITATIONS
37	Resonant nanopillars arrays for label-free biosensing. Optics Letters, 2016, 41, 5430.	3.3	16
38	Antigen-Antibody Affinity for Dry Eye Biomarkers by Label Free Biosensing. Comparison with the ELISA Technique. Sensors, 2015, 15, 19819-19829.	3.8	11
39	Performance evaluation for different sensing surface of BICELLS bio-transducers for dry eye biomarkers. , 2015, , .		0
40	Direct laser interference patterning (DLIP) technique applied to the development of optical biosensors based on biophotonic sensing cells (bicells). Proceedings of SPIE, 2015, , .	0.8	0
41	Arrays of resonant nanopillars for biochemical sensing. Optics Letters, 2015, 40, 2370.	3.3	17
42	Sub-micrometric reflectometry for localized label-free biosensing. Optics Express, 2015, 23, 12544.	3.4	6
43	Description of an Advantageous Optical Label-Free Biosensing Interferometric Read-Out Method to Measure Biological Species. Sensors, 2014, 14, 3675-3689.	3.8	20
44	Optimization of Dengue Immunoassay by Label-Free Interferometric Optical Detection Method. Sensors, 2014, 14, 6695-6700.	3.8	7
45	Silicon nanopillar arrays with SiO <sub>2</sub> overlayer for biosensing application. Optical Materials Express, 2014, 4, 1345.	3.0	28
46	Label-free biosensing by means of BICELLS for dry eye. Sensors and Actuators B: Chemical, 2014, 203, 209-212.	7.8	11
47	Uncertainty in optical bio-sensors due to the spectral displacement of the interference modes of the transduction signal. Optica Pura Y Aplicada, 2014, 47, 27-34.	0.1	0
48	Efficient design and optimization of bio-photonic sensing cells (BICELLS) for label free biosensing. Sensors and Actuators B: Chemical, 2013, 176, 753-760.	7.8	27
49	Development of a versatile biotinylated material based on SU-8. Journal of Materials Chemistry B, 2013, 1, 2750.	5.8	6
50	Biomolecular Interaction Analysis of Gestrinone-anti-Gestrinone Using Arrays of High Aspect Ratio SU-8 Nanopillars. Biosensors, 2012, 2, 291-304.	4.7	8
51	Bio-Photonic Sensing Cells over transparent substrates for anti-gestrinone antibodies biosensing. Biosensors and Bioelectronics, 2011, 26, 4842-4847.	10.1	32
52	Optimization of a label-free biosensor vertically characterized based on a periodic lattice of high aspect ratio SU-8 nano-pillars with a simplified 2D theoretical model. Physica Status Solidi C: Current Topics in Solid State Physics, 2011, 8, 1087-1092.	0.8	4
53	Transparent Nanometric Organic Luminescent Films as UV-Active Components in Photonic Structures. Advanced Materials, 2011, 23, 761-765.	21.0	33
54	Luminescent Thin Films: Transparent Nanometric Organic Luminescent Films as UV-Active Components in Photonic Structures (Adv. Mater. 6/2011). Advanced Materials, 2011, 23, 684-684.	21.0	2

#	ARTICLE	IF	CITATIONS
55	Cost-effective SU-8 micro-structures by DUV excimer laser lithography for label-free biosensing. Applied Surface Science, 2011, 257, 5403-5407.	6.1	11
56	UV laser-induced high resolution cleaving of Si wafers for micro-nano devices and polymeric waveguide characterization. Applied Surface Science, 2011, 257, 5424-5428.	6.1	2
57	High aspect-ratio SU-8 resist nano-pillar lattice by e-beam direct writing and its application for liquid trapping. Microelectronic Engineering, 2010, 87, 663-667.	2.4	24
58	Study of the refractive index change in a-Si:H thin films patterned by 532 nm laser radiation for photovoltaic applications. Thin Solid Films, 2010, 518, 5331-5339.	1.8	7
59	Label-free biosensing by means of periodic lattices of high aspect ratio SU-8 nano-pillars. Biosensors and Bioelectronics, 2010, 25, 2553-2558.	10.1	61
60	Short pulse Laser Shock Microforming of thin metal MEMS components. , 2009, , .		0
61	Model based analysis of the effect of irradiation parameters on the plasma driven thermal fluxes in laser shock processing. , 2009, , .		0
62	New type of standalone gas sensors based on dye, thin films, and subwavelength structures. Proceedings of SPIE, 2009, , .	0.8	0
63	Micro-nano photonic biosensors scalable at the wafer level. Proceedings of SPIE, 2009, , .	0.8	2
64	Optical characterization of the heat-affected zone in laser patterning of thin film a-Si:H. , 2009, , .		2
65	Label-free optical biosensing with slot-waveguides. Optics Letters, 2008, 33, 708.	3.3	201
66	Slot-waveguide biochemical sensor: erratum. Optics Letters, 2008, 33, 2554.	3.3	7
67	Reconfiguration of microring resonators by liquid adhesion. Applied Physics Letters, 2008, 93, 203114.	3.3	6
68	Simultaneous Reflectivity, Ellipsometry and Spectrometry Measurements in Submicron Structures for Liquid Sensing. Sensor Letters, 2008, 6, 564-569.	0.4	6
69	Optical sensing based on simultaneous ellipsometry, reflectivity and spectrometry profiles in sub-micro-holes structures for bio-applications. , 2007, , .		0
70	Slot-waveguide biochemical sensor. Optics Letters, 2007, 32, 3080.	3.3	339
71	Demonstration of slot-waveguide structures on silicon nitride / silicon oxide platform. Optics Express, 2007, 15, 6846.	3.4	91
72	Optical characterization of extremely small volumes of liquid in sub-micro-holes by simultaneous reflectivity, ellipsometry and spectrometry. Optics Express, 2007, 15, 13318.	3.4	18

#	ARTICLE	IF	CITATIONS
73	Photonic sensors based on integrated reflectivity, ellipsometry and spectrometry measurements in submicron size geometries. , 2007, , .		0
74	Three-Dimensional Arrays Formed by Monodisperse TiO <sub>2</sub> Coated on SiO <sub>2</sub> Spheres. Journal of Colloid and Interface Science, 2000, 229, 6-11.	9.4	51
75	Germanium FCC Structure from a Colloidal Crystal Template. Langmuir, 2000, 16, 4405-4408.	3.5	87
76	Rayleigh-wave attenuation by a semi-infinite two-dimensional elastic-band-gap crystal. Physical Review B, 1999, 59, 12169-12172.	3.2	118
77	Electrophoretic Deposition To Control Artificial Opal Growth. Langmuir, 1999, 15, 4701-4704.	3.5	270
78	Two-dimensional elastic bandgap crystal to attenuate surface waves. Journal of Lightwave Technology, 1999, 17, 2196-2201.	4.6	14
79	3D Long-range ordering in ein SiO <sub>2</sub> submicrometer-sphere sintered superstructure. Advanced Materials, 1997, 9, 257-260.	21.0	350