

# Jianbao Li

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2060531/publications.pdf>

Version: 2024-02-01

42  
papers

1,842  
citations

304743

22  
h-index

265206

42  
g-index

42  
all docs

42  
docs citations

42  
times ranked

2863  
citing authors

#	ARTICLE	IF	CITATIONS
1	Synthesis of boron carbonitride nanosheets using for delivering paclitaxel and their antitumor activity. Colloids and Surfaces B: Biointerfaces, 2021, 198, 111479.	5.0	16
2	Al <sup>3+</sup> -doped FeNb <sub>11</sub> O <sub>29</sub> anode materials with enhanced lithium-storage performance. Advanced Composites and Hybrid Materials, 2021, 4, 733-742.	21.1	21
3	Gamma-phase CsPbBr <sub>3</sub> perovskite nanocrystals/polymethyl methacrylate electrospun nanofibrous membranes with superior photo-catalytic property. Journal of Chemical Physics, 2020, 153, 024703.	3.0	14
4	All Solution-Processed Cu <sub>2</sub> ZnSnS <sub>4</sub> Solar Cell by Using High-Boiling-Point Solvent Treated Ball-Milling Process with Efficiency Exceeding 6%. ChemistrySelect, 2019, 4, 982-989.	1.5	4
5	All-Layer Sputtering-Free Cu <sub>2</sub> Zn <sub>1-x</sub> Cd <sub>x</sub> SnS <sub>4</sub> Solar Cell with Efficiency Exceeding 7.5%. ChemistrySelect, 2019, 4, 5979-5983.	1.5	1
6	Biomimetic preparation of a ceramic combined with sea urchin stereom structure and nacre mineral bridge structure. Materials and Design, 2019, 178, 107844.	7.0	6
7	Temperature-Dependent Morphology Evolution of Boron Nitride and Boron Carbonitride Nanostructures. Journal of Nanomaterials, 2019, 2019, 1-11.	2.7	2
8	Analysis of strengthening and toughening mechanisms of bioinspired mineral bridges on hot-pressed alumina-based ceramics through finite element method. Ceramics International, 2019, 45, 11251-11257.	4.8	6
9	Strengthening the Mechanical Performance of Sea Urchin Skeleton by Tube Feet Pore. Journal of Bionic Engineering, 2019, 16, 66-75.	5.0	8
10	Hollow Si/SiO <sub>x</sub> nanosphere/nitrogen-doped carbon superstructure with a double shell and void for high-rate and long-life lithium-ion storage. Journal of Materials Chemistry A, 2018, 6, 8039-8046.	10.3	120
11	Bending Durable and Recyclable Mesostructured Perovskite Solar Cells Based on Superaligned ZnO Nanorod Electrode. Solar Rrl, 2018, 2, 1700194.	5.8	25
12	All-Solution-Processed Cu <sub>2</sub> ZnSnS <sub>4</sub> Solar Cells with Self-Depleted Na <sub>2</sub> S Back Contact Modification Layer. Advanced Functional Materials, 2018, 28, 1703369.	14.9	36
13	GaNb <sub>11</sub> O <sub>29</sub> Nanowebs as High-Performance Anode Materials for Lithium-Ion Batteries. ACS Applied Nano Materials, 2018, 1, 183-190.	5.0	50
14	Effect of talc and titania on the microstructure and mechanical properties of alumina ceramics. International Journal of Applied Ceramic Technology, 2018, 15, 633-642.	2.1	14
15	Magneto-sensitive bistable soft actuators: Experiments, simulations, and applications. Applied Physics Letters, 2018, 113, .	3.3	25
16	Preparation of boron nitride nanosheet-coated carbon fibres and their enhanced antioxidant and microwave-absorbing properties. RSC Advances, 2018, 8, 17944-17949.	3.6	37
17	Advanced composites of complex Ti-based oxides as anode materials for lithium-ion batteries. Advanced Composites and Hybrid Materials, 2018, 1, 440-459.	21.1	55
18	Finite element analysis on flexural strength of Al <sub>2</sub> O <sub>3</sub> -ZrO <sub>2</sub> composite ceramics with different proportions. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2018, 738, 213-218.	5.6	18

#	ARTICLE	IF	CITATIONS
19	Metallic Graphene-Like $\text{VSe}_2$ Ultrathin Nanosheets: Superior Potassium-Ion Storage and Their Working Mechanism. <i>Advanced Materials</i> , 2018, 30, e1800036.	21.0	341
20	Inverted Perovskite Solar Cells with Efficient Mixed Fullerene Derivative Charge Extraction Layers. <i>ChemistrySelect</i> , 2018, 3, 6802-6809.	1.5	13
21	$\text{CH}_3\text{NH}_3\text{PbI}_3$ grain growth and interfacial properties in meso-structured perovskite solar cells fabricated by two-step deposition. <i>Science and Technology of Advanced Materials</i> , 2017, 18, 253-262.	6.1	42
22	$\text{Cr}_{0.5}\text{Nb}_{24.5}\text{O}_{62}$ Nanowires with High Electronic Conductivity for High-Rate and Long-Life Lithium-Ion Storage. <i>ACS Nano</i> , 2017, 11, 4217-4224.	14.6	121
23	Porous $\text{ZrNb}_{24}\text{O}_{62}$ nanowires with pseudocapacitive behavior achieve high-performance lithium-ion storage. <i>Journal of Materials Chemistry A</i> , 2017, 5, 22297-22304.	10.3	71
24	Intercalating $\text{Ti}_2\text{Nb}_{14}\text{O}_{39}$ Anode Materials for Fast-Charging, High-Capacity and Safe Lithium-Ion Batteries. <i>Small</i> , 2017, 13, 1702903.	10.0	50
25	Crystal Structure Modification Enhanced $\text{FeNb}_{11}\text{O}_{29}$ Anodes for Lithium-Ion Batteries. <i>ChemElectroChem</i> , 2017, 4, 3171-3180.	3.4	139
26	Enhanced photoelectrochemical performance of quantum dot-sensitized $\text{TiO}_2$ nanotube arrays with $\text{Al}_2\text{O}_3$ overcoating by atomic layer deposition. <i>Physical Chemistry Chemical Physics</i> , 2016, 18, 17404-17413.	2.8	44
27	Porous $\text{TiNb}_{24}\text{O}_{62}$ microspheres as high-performance anode materials for lithium-ion batteries of electric vehicles. <i>Nanoscale</i> , 2016, 8, 18792-18799.	5.6	94
28	$\text{TiNb}_2\text{O}_7$ nanorods as a novel anode material for secondary lithium-ion batteries. <i>Functional Materials Letters</i> , 2016, 09, 1642004.	1.2	26
29	Defective $\text{Ti}_2\text{Nb}_{10}\text{O}_{27}$ : an advanced anode material for lithium-ion batteries. <i>Scientific Reports</i> , 2015, 5, 17836.	3.3	81
30	Titanium-containing complex oxides as anode materials for lithium-ion batteries: a review. <i>Materials Technology</i> , 2015, 30, A192-A202.	3.0	6
31	An effective route for the synthesis of boron nitride micro-nano structures and the growth mechanism. <i>CrystEngComm</i> , 2015, 17, 1098-1105.	2.6	9
32	$\text{Ru}_{0.01}\text{Ti}_{0.99}\text{Nb}_2\text{O}_7$ as an intercalation-type anode material with a large capacity and high rate performance for lithium-ion batteries. <i>Journal of Materials Chemistry A</i> , 2015, 3, 8627-8635.	10.3	131
33	A rapid sample processing method to observe diatoms via scanning electron microscopy. <i>Journal of Applied Phycology</i> , 2015, 27, 243-248.	2.8	9
34	Purification of biosilica from living diatoms by a two-step acid cleaning and baking method. <i>Journal of Applied Phycology</i> , 2014, 26, 1511-1518.	2.8	42
35	Energetic alignment in nontoxic $\text{SnS}$ quantum dot-sensitized solar cell employing spiro-OMeTAD as the solid-state electrolyte. <i>Science and Technology of Advanced Materials</i> , 2014, 15, 035006.	6.1	39
36	A co-precipitation and annealing route to the large-quantity synthesis of boron nitride nanotubes. <i>Solid State Sciences</i> , 2013, 25, 39-44.	3.2	18

#	ARTICLE	IF	CITATIONS
37	Water-assisted chemical vapor deposition synthesis of boron nitride nanotubes and their photoluminescence property. Nanotechnology, 2013, 24, 365605.	2.6	36
38	Effects of geometric and crystal structures on the photoelectrical properties of highly ordered TiO <sub>2</sub> nanotube arrays. Journal of Materials Research, 2012, 27, 1029-1036.	2.6	16
39	Well-ordered arrays of ferroelectric single-crystalline BaTiO <sub>3</sub> nanostructures. Physica Status Solidi (A) Applications and Materials Science, 2012, 209, 714-717.	1.8	12
40	Ferroelectricity of nanocrystalline BaTiO <sub>3</sub> ceramics by first principle calculation. Science Bulletin, 2010, 55, 2182-2185.	1.7	5
41	Extrinsic effects on dielectric response of ultrafine grain BaTiO <sub>3</sub> ceramics. Applied Physics Letters, 2010, 97, 162913.	3.3	30
42	Preparation of nanocrystalline BaTiO <sub>3</sub> ceramics. Science in China Series D: Earth Sciences, 2009, 52, 1730-1734.	0.9	9