

Philippe Buhlmann

List of Publications by Citations

Source: <https://exaly.com/author-pdf/2061034/philippe-buhlmann-publications-by-citations.pdf>

Version: 2024-04-18

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

154
papers

11,681
citations

51
h-index

106
g-index

173
ext. papers

12,517
ext. citations

7.5
avg, IF

6.37
L-index

#	Paper	IF	Citations
154	Carrier-Based Ion-Selective Electrodes and Bulk Optodes. 1. General Characteristics. <i>Chemical Reviews</i> , 1997 , 97, 3083-3132	68.1	1884
153	Carrier-Based Ion-Selective Electrodes and Bulk Optodes. 2. Ionophores for Potentiometric and Optical Sensors. <i>Chemical Reviews</i> , 1998 , 98, 1593-1688	68.1	1584
152	Potentiometric Selectivity Coefficients of Ion-Selective Electrodes. Part I. Inorganic Cations (Technical Report). <i>Pure and Applied Chemistry</i> , 2000 , 72, 1851-2082	2.1	725
151	Selectivity of potentiometric ion sensors. <i>Analytical Chemistry</i> , 2000 , 72, 1127-33	7.8	633
150	Rational design of all-solid-state ion-selective electrodes and reference electrodes. <i>TrAC - Trends in Analytical Chemistry</i> , 2016 , 76, 102-114	14.6	276
149	Ion gels by self-assembly of a triblock copolymer in an ionic liquid. <i>Journal of Physical Chemistry B</i> , 2007 , 111, 4645-52	3.4	268
148	Polymer Membrane Ion-Selective Electrodes—What are the Limits?. <i>Electroanalysis</i> , 1999 , 11, 915-933	3	234
147	Ion-selective electrodes with three-dimensionally ordered macroporous carbon as the solid contact. <i>Analytical Chemistry</i> , 2007 , 79, 4621-6	7.8	216
146	Strong hydrogen bond-mediated complexation of H ₂ PO ₄ ⁻ by neutral bis-thiourea hosts. <i>Tetrahedron</i> , 1997 , 53, 1647-1654	2.4	207
145	Anion recognition by urea and thiourea groups: Remarkably simple neutral receptors for dihydrogenphosphate. <i>Tetrahedron Letters</i> , 1995 , 36, 6483-6486	2	192
144	Effects of Humic and Fulvic Acids on Silver Nanoparticle Stability, Dissolution, and Toxicity. <i>Environmental Science & Technology</i> , 2015 , 49, 8078-86	10.3	183
143	The phase-boundary potential model. <i>Talanta</i> , 2004 , 63, 3-20	6.2	142
142	A Chloride Ion-Selective Solvent Polymeric Membrane Electrode Based on a Hydrogen Bond Forming Ionophore. <i>Analytical Chemistry</i> , 1997 , 69, 1038-1044	7.8	139
141	Ionic Liquids as Electrolytes for Electrochemical Double-Layer Capacitors: Structures that Optimize Specific Energy. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 3396-406	9.5	132
140	Ion-selective electrodes with colloid-imprinted mesoporous carbon as solid contact. <i>Analytical Chemistry</i> , 2014 , 86, 7111-8	7.8	127
139	Three-Dimensionally Ordered Mesoporous (3DOM) Carbon Materials as Electrodes for Electrochemical Double-Layer Capacitors with Ionic Liquid Electrolytes. <i>Chemistry of Materials</i> , 2013 , 25, 4137-4148	9.6	124
138	Paper-based potentiometric ion sensing. <i>Analytical Chemistry</i> , 2014 , 86, 9548-53	7.8	117

137	Cationic or anionic sites? Selectivity optimization of ion-selective electrodes based on charged ionophores. <i>Analytical Chemistry</i> , 2000 , 72, 1618-31	7.8	117
136	Hierarchically Porous Polymer Monoliths by Combining Controlled Macro- and Microphase Separation. <i>Journal of the American Chemical Society</i> , 2015 , 137, 8896-9	16.4	107
135	Modification of Silicon Nitride Tips with Trichlorosilane Self-Assembled Monolayers (SAMs) for Chemical Force Microscopy. <i>Langmuir</i> , 1997 , 13, 4323-4332	4	94
134	Application of a bis-thiourea ionophore for an anion selective electrode with a remarkable sulfate selectivity. <i>Analytica Chimica Acta</i> , 1998 , 358, 35-44	6.6	92
133	Origin of non-Nernstian anion response slopes of metalloporphyrin-based liquid/polymer membrane electrodes. <i>Analytical Chemistry</i> , 2000 , 72, 5766-73	7.8	92
132	Redox-active self-assembled monolayers as novel solid contacts for ion-selective electrodes. <i>Chemical Communications</i> , 2000 , 339-340	5.8	92
131	Sequential shape-and-solder-directed self-assembly of functional microsystems. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004 , 101, 12814-7	11.5	91
130	Redox-Active Self-Assembled Monolayers for Solid-Contact Polymeric Membrane Ion-Selective Electrodes. <i>Chemistry of Materials</i> , 2002 , 14, 1721-1729	9.6	90
129	Potentiometric selectivity coefficients of ion-selective electrodes. Part II. Inorganic anions (IUPAC Technical Report). <i>Pure and Applied Chemistry</i> , 2002 , 74, 923-994	2.1	86
128	Electrochemical Detection of a One-Base Mismatch in an Oligonucleotide Using Ion-Channel Sensors with Self-Assembled PNA Monolayers. <i>Electroanalysis</i> , 2000 , 12, 1272-1276	3	84
127	Effects of architecture and surface chemistry of three-dimensionally ordered macroporous carbon solid contacts on performance of ion-selective electrodes. <i>Analytical Chemistry</i> , 2010 , 82, 680-8	7.8	79
126	Redox potential and C-H bond cleaving properties of a nonheme Fe(IV)=O complex in aqueous solution. <i>Journal of the American Chemical Society</i> , 2010 , 132, 7638-44	16.4	79
125	Highly selective detection of silver in the low ppt range with ion-selective electrodes based on ionophore-doped fluorosulfonated membranes. <i>Analytical Chemistry</i> , 2010 , 82, 7634-40	7.8	79
124	Getting more out of a Job plot: determination of reactant to product stoichiometry in cases of displacement reactions and n:n complex formation. <i>Journal of Organic Chemistry</i> , 2011 , 76, 8406-12	4.2	78
123	Fluorinated bulk membranes for potentiometric sensors with wide selectivity ranges: observation of exceptionally strong ion pair formation. <i>Journal of the American Chemical Society</i> , 2005 , 127, 8958-9	16.4	78
122	All-solid-state reference electrodes based on colloid-imprinted mesoporous carbon and their application in disposable paper-based potentiometric sensing devices. <i>Analytical Chemistry</i> , 2015 , 87, 2981-7	7.8	74
121	Studies on the phase boundaries and the significance of ionic sites of liquid membrane ion-selective electrodes. <i>Electroanalysis</i> , 1995 , 7, 811-816	3	74
120	A Disposable Planar Paper-Based Potentiometric Ion-Sensing Platform. <i>Angewandte Chemie - International Edition</i> , 2016 , 55, 7544-7	16.4	73

119	Characterization of silver ion dissolution from silver nanoparticles using fluoros-phase ion-selective electrodes and assessment of resultant toxicity to <i>Shewanella oneidensis</i> . <i>Chemical Science</i> , 2013 , 4, 2564	9.4	70
118	Solid contact ion-selective electrodes with a well-controlled Co(II)/Co(III) redox buffer layer. <i>Analytical Chemistry</i> , 2013 , 85, 9350-5	7.8	70
117	An ion-selective electrode for acetate based on a urea-functionalized porphyrin as a hydrogen-bonding ionophore. <i>Analytical Chemistry</i> , 1999 , 71, 1049-54	7.8	70
116	Donnan Exclusion Failure of Neutral Ionophore-Based Ion-Selective Electrodes Studied by Optical Second-Harmonic Generation. <i>Analytical Chemistry</i> , 1997 , 69, 1919-1924	7.8	68
115	Calibration-free ionophore-based ion-selective electrodes with a Co(II)/Co(III) redox couple-based solid contact. <i>Analytical Chemistry</i> , 2014 , 86, 8687-92	7.8	67
114	Voltammetric Detection of the Polycation Protamine by the Use of Electrodes Modified with Self-Assembled Monolayers of Thioctic Acid. <i>Analytical Chemistry</i> , 1999 , 71, 5109-5115	7.8	66
113	Development of an ion-channel sensor for heparin detection. <i>Analytica Chimica Acta</i> , 2000 , 411, 163-1736.6		64
112	Co-Ion Interference for Ion-Selective Electrodes Based on Charged and Neutral Ionophores: A Comparison. <i>Analytical Chemistry</i> , 1998 , 70, 4291-4303	7.8	62
111	EMF response of neutral-carrier based ion-sensitive field effect transistors with membranes free of ionic sites. <i>Electrochimica Acta</i> , 1995 , 40, 3021-3027	6.7	61
110	Chemical Sensing with Chemically Modified Electrodes that Mimic Gating at Biomembranes Incorporating Ion-Channel Receptors. <i>Electroanalysis</i> , 1998 , 10, 1149-1158	3	58
109	Ion-Channel-Mimetic Sensing of Hydrophilic Anions Based on Monolayers of a Hydrogen Bond-Forming Receptor. <i>Analytical Chemistry</i> , 1999 , 71, 1183-1187	7.8	58
108	Scanning tunneling microscopy with chemically modified tips: discrimination of porphyrin centers based on metal coordination and hydrogen bond interactions. <i>Analytical Chemistry</i> , 2001 , 73, 878-83	7.8	57
107	A phase boundary potential model for apparently "twice-nernstian" responses of liquid membrane ion-selective electrodes. <i>Analytical Chemistry</i> , 1998 , 70, 445-54	7.8	56
106	Potentiometric sensors based on fluoros membranes doped with highly selective ionophores for carbonate. <i>Journal of the American Chemical Society</i> , 2011 , 133, 20869-77	16.4	55
105	Subnanomolar Detection Limit Application of Ion-Selective Electrodes with Three-Dimensionally Ordered Macroporous (3DOM) Carbon Solid Contacts. <i>Journal of Solid State Electrochemistry</i> , 2009 , 13, 123-128	2.6	52
104	Coordinative properties of highly fluorinated solvents with amino and ether groups. <i>Journal of the American Chemical Society</i> , 2005 , 127, 16976-84	16.4	52
103	Design and Application of Ion-Channel Sensors Based on Biological and Artificial Receptors. <i>Bulletin of the Chemical Society of Japan</i> , 2002 , 75, 187-201	5.1	50
102	Polypyrrole-modified tips for functional group recognition in scanning tunneling microscopy. <i>Analytical Chemistry</i> , 1999 , 71, 1699-705	7.8	48

101	Fluorous polymeric membranes for ionophore-based ion-selective potentiometry: how inert is Teflon AF?. <i>Journal of the American Chemical Society</i> , 2009 , 131, 1598-1606	16.4	47
100	Scanning Tunneling Microscopy Using Chemically Modified Tips. <i>Analytical Chemistry</i> , 1998 , 70, 255-259	7.8	47
99	Formation of gold nanoparticles on multiwalled carbon nanotubes by thermal evaporation. <i>Carbon</i> , 2008 , 46, 1966-1972	10.4	47
98	Advantages and limitations of reference electrodes with an ionic liquid junction and three-dimensionally ordered macroporous carbon as solid contact. <i>Analytical Chemistry</i> , 2012 , 84, 7771-8	7.8	44
97	Potentiometric coefficients of ion-selective electrodes. Part III. Organic ions (IUPAC Technical Report). <i>Pure and Applied Chemistry</i> , 2002 , 74, 995-1099	2.1	43
96	Fluorous membrane ion-selective electrodes for perfluorinated surfactants: trace-level detection and in situ monitoring of adsorption. <i>Analytical Chemistry</i> , 2013 , 85, 7471-7	7.8	42
95	Electrostatically-Induced Inclusion of Anions in Cyclodextrin Monolayers on Electrodes. <i>Langmuir</i> , 2000 , 16, 1388-1396	4	42
94	Avoiding Errors in Electrochemical Measurements: Effect of Frit Material on the Performance of Reference Electrodes with Porous Frit Junctions. <i>Analytical Chemistry</i> , 2016 , 88, 8706-13	7.8	40
93	Hydrogen bond based recognition of nucleotides by neutral-carrier ion-selective electrodes. <i>Analytica Chimica Acta</i> , 1997 , 341, 129-139	6.6	39
92	Fluorophilic ionophores for potentiometric pH determinations with fluorous membranes of exceptional selectivity. <i>Analytical Chemistry</i> , 2008 , 80, 2084-90	7.8	39
91	Influence of natural, electrically neutral lipids on the potentiometric responses of cation-selective polymeric membrane electrodes. <i>Analytical Chemistry</i> , 2001 , 73, 3199-205	7.8	39
90	In Situ Sensing of the Neurotransmitter Acetylcholine in a Dynamic Range of 1 nM to 1 mM. <i>ACS Sensors</i> , 2018 , 3, 2581-2589	9.2	37
89	Unbiased Quantification of the Electrochemical Stability Limits of Electrolytes and Ionic Liquids. <i>Journal of the Electrochemical Society</i> , 2015 , 162, A2250-A2258	3.9	36
88	Dynamic silver speciation as studied with fluorous-phase ion-selective electrodes: Effect of natural organic matter on the toxicity and speciation of silver. <i>Science of the Total Environment</i> , 2015 , 537, 453-61	10.2	36
87	Influence of calcium and phosphorus, lactose, and salt-to-moisture ratio on Cheddar cheese quality: pH buffering properties of cheese. <i>Journal of Dairy Science</i> , 2006 , 89, 938-50	4	36
86	A generalized model for apparently "non-Nernstian" equilibrium responses of ionophore-based ion-selective electrodes. 1. Independent complexation of the ionophore with primary and secondary ions. <i>Analytical Chemistry</i> , 2003 , 75, 3329-39	7.8	36
85	Reference electrodes with salt bridges contained in nanoporous glass: an underappreciated source of error. <i>Analytical Chemistry</i> , 2013 , 85, 8895-901	7.8	32
84	Ion-Selective Electrodes With Ionophore-Doped Sensing Membranes 2012 ,		31

83	Ionic Liquid Reference Electrodes With a Well-Controlled Co(II)/Co(III) Redox Buffer as Solid Contact. <i>Electroanalysis</i> , 2015 , 27, 602-608	3	30
82	Scanning tunneling microscopy with chemically modified tips: orientation-sensitive observation of ether oxygens. <i>Surface Science</i> , 2001 , 490, L579-L584	1.8	30
81	Cyanide-selective electrode based on Zn(II) tetraphenylporphyrin as ionophore. <i>Analytical Chemistry</i> , 2012 , 84, 9192-8	7.8	29
80	Discrimination of functional groups with scanning tunneling microscopy using chemically modified tips: Recognition of ether oxygens through hydrogen bond interactions. <i>Physical Chemistry Chemical Physics</i> , 2001 , 3, 1867-1869	3.6	29
79	Glass and polymeric membrane electrodes for the measurement of pH in milk and cheese. <i>Talanta</i> , 2004 , 63, 139-48	6.2	28
78	Capacitive Sensing of Glucose in Electrolytes Using Graphene Quantum Capacitance Varactors. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 38863-38869	9.5	27
77	Ion-Selective Electrodes for Thiocyanate Based on the Dinuclear Zinc(II) Complex of a Bis-N,O-bidentate Schiff Base. <i>Electroanalysis</i> , 2004 , 16, 973-978	3	26
76	Lifetime of ion-selective electrodes based on charged ionophores. <i>Analytical Chemistry</i> , 2000 , 72, 1843-528		26
75	Electrochemical Reduction of 2,4-Dinitrotoluene in Aprotic and pH-Buffered Media. <i>Journal of Physical Chemistry C</i> , 2015 , 119, 13088-13097	3.8	25
74	Interaction of a weakly acidic dinitroaromatic with alkylamines: avoiding the Meisenheimer trap. <i>Journal of the American Chemical Society</i> , 2011 , 133, 12858-65	16.4	25
73	Characterization of a deoxyguanosine adduct of tetrachlorobenzoquinone: dichlorobenzoquinone-1,N2-etheno-2'-deoxyguanosine. <i>Chemical Research in Toxicology</i> , 2005 , 18, 1770-4		25
72	Electrochemical Stability of Quaternary Ammonium Cations: An Experimental and Computational Study. <i>Journal of the Electrochemical Society</i> , 2016 , 163, H74-H80	3.9	24
71	Neutral hosts for the complexation of creatinine. <i>Tetrahedron</i> , 1993 , 49, 7627-7636	2.4	24
70	Redox Buffer Capacity of Ion-Selective Electrode Solid Contacts Doped with Organometallic Complexes. <i>Analytical Chemistry</i> , 2018 , 90, 11000-11007	7.8	23
69	Single-step electrochemical method for producing very sharp Au scanning tunneling microscopy tips. <i>Review of Scientific Instruments</i> , 2007 , 78, 113703	1.7	23
68	Stress and Mental Health in Graduate School: How Student Empowerment Creates Lasting Change. <i>Journal of Chemical Education</i> , 2018 , 95, 1939-1946	2.4	22
67	Receptor-based detection of 2,4-dinitrotoluene using modified three-dimensionally ordered macroporous carbon electrodes. <i>ACS Applied Materials & Interfaces</i> , 2012 , 4, 4731-9	9.5	22
66	Fluorescence-mediated sensing of guanosine derivatives based on multitopic hydrogen bonding. <i>Chemical Communications</i> , 1997 , 1027-1028	5.8	22

65	Effect of spacer geometry on oxoanion binding by bis- and tetrakis-thiourea hosts. <i>Tetrahedron</i> , 2008 , 64, 2530-2536	2.4	22
64	Observation of Silver and Hydrogen Ion Binding to Self-Assembled Monolayers Using Chemically Modified AFM Tips. <i>Langmuir</i> , 1999 , 15, 2788-2793	4	22
63	Optical sensors based on neutral carriers. <i>Sensors and Actuators B: Chemical</i> , 1993 , 11, 1-8	8.5	22
62	Apparently Non-Nernstian Equilibrium Responses Based on Complexation Between the Primary Ion and a Secondary Ion in the Liquid ISE Membrane. <i>Electroanalysis</i> , 1999 , 11, 687-693	3	21
61	Donnan Failure of Ion-Selective Electrodes with Hydrophilic High-Capacity Ion-Exchanger Membranes. <i>ACS Sensors</i> , 2016 , 1, 95-101	9.2	20
60	Molecular recognition of creatinine. <i>Tetrahedron</i> , 1993 , 49, 595-598	2.4	20
59	Plasticization of amorphous perfluoropolymers. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2008 , 46, 516-525	2.6	19
58	Self-assembly of a tricarboxylate receptor through thioamide groups and its use for electrochemical detection of protonated amines. <i>Journal of Electroanalytical Chemistry</i> , 1999 , 473, 105-112	4.1	19
57	Electrochemical Impedance Spectroscopy of Ion-Selective Membranes: Artifacts in Two-, Three-, and Four-Electrode Measurements. <i>Analytical Chemistry</i> , 2016 , 88, 9738-9745	7.8	19
56	Noncovalent Monolayer Modification of Graphene Using Pyrene and Cyclodextrin Receptors for Chemical Sensing. <i>ACS Applied Nano Materials</i> , 2018 , 1, 2718-2726	5.6	19
55	Quenching Performance of Surfactant-Containing and Surfactant-Free Fluorophore-Doped Mesoporous Silica Films for Nitroaromatic Compound Detection. <i>Chemistry of Materials</i> , 2013 , 25, 711-722	9.6	18
54	Hydrogen-Bonding Ionophores for Inorganic Anions and Nucleotides and Their Application in Chemical Sensors. <i>Journal of Inclusion Phenomena and Macrocyclic Chemistry</i> , 1998 , 32, 151-163		18
53	Calibration-free potentiometric sensing with solid-contact ion-selective electrodes. <i>TrAC - Trends in Analytical Chemistry</i> , 2021 , 140, 116277	14.6	18
52	Unbiased Assessment of Electrochemical Windows: Minimizing Mass Transfer Effects on the Evaluation of Anodic and Cathodic Limits. <i>Journal of the Electrochemical Society</i> , 2013 , 160, A320-A323	3.9	17
51	Ion-selective electrodes with unusual response functions: simultaneous formation of ionophore-primary ion complexes with different stoichiometries. <i>Analytical Chemistry</i> , 2012 , 84, 1104-1117	7.8	17
50	Chemical stability and application of a fluorophilic tetraalkylphosphonium salt in fluorous membrane anion-selective electrodes. <i>New Journal of Chemistry</i> , 2010 , 34, 1867	3.6	17
49	Preparation of a Highly Fluorophilic Phosphonium Salt and its Use in a Fluorous Anion-Exchanger Membrane with High Selectivity for Perfluorinated Acids. <i>Journal of Fluorine Chemistry</i> , 2008 , 129, 961-967	2.7	17
48	Scanning tunneling microscopy with chemically modified gold tips: in situ reestablishment of chemical contrast. <i>Analytical Chemistry</i> , 2003 , 75, 1089-93	7.8	16

47	New Perspectives on Silver Nanowire Formation from Dynamic Silver Ion Concentration Monitoring and Nitric Oxide Production in the Polyol Process. <i>Crystal Growth and Design</i> , 2016 , 16, 1861-1868	3.5	16
46	Potentiometric in Situ Monitoring of Anions in the Synthesis of Copper and Silver Nanoparticles Using the Polyol Process. <i>ACS Nano</i> , 2015 , 9, 12104-14	16.7	15
45	A Disposable Planar Paper-Based Potentiometric Ion-Sensing Platform. <i>Angewandte Chemie</i> , 2016 , 128, 7670-7673	3.6	15
44	Self-Supporting, Hydrophobic, Ionic Liquid-Based Reference Electrodes Prepared by Polymerization-Induced Microphase Separation. <i>ACS Sensors</i> , 2017 , 2, 1498-1504	9.2	14
43	Current pulse based reference electrodes without liquid junctions. <i>Analytical Chemistry</i> , 2013 , 85, 3817-218		14
42	Electrochemistry in Media of Exceptionally Low Polarity: Voltammetry with a Fluorous Solvent. <i>Journal of Electroanalytical Chemistry</i> , 2010 , 639, 154-160	4.1	14
41	Channel Mimetic Sensing Membranes for Nucleotides Based on Multitopic Hydrogen Bonding. <i>Israel Journal of Chemistry</i> , 1997 , 37, 267-275	3.4	14
40	Paper-Based All-Solid-State Ion-Sensing Platform with a Solid Contact Comprising Colloid-Imprinted Mesoporous Carbon and a Redox Buffer. <i>ACS Applied Nano Materials</i> , 2018 , 1, 293-301	5.6	14
39	Elucidating the Role of AgCl in the Nucleation and Growth of Silver Nanoparticles in Ethylene Glycol. <i>Crystal Growth and Design</i> , 2018 , 18, 324-330	3.5	13
38	Cation-Coordinating Properties of Perfluoro-15-Crown-5. <i>Journal of Fluorine Chemistry</i> , 2010 , 131, 42-462.1		12
37	Molecular Resolution Images of a Calix[6]arene from Atomic Force Microscopy. <i>Langmuir</i> , 1995 , 11, 635-638		12
36	Ionic liquid-based reference electrodes for miniaturized ion sensors: What can go wrong?. <i>Sensors and Actuators B: Chemical</i> , 2019 , 301, 127112	8.5	11
35	Minimizing Hazardous Waste in the Undergraduate Analytical Laboratory: A Microcell for Electrochemistry. <i>Journal of Chemical Education</i> , 2010 , 87, 1260-1261	2.4	11
34	Solid-Contact Ion-Selective and Reference Electrodes Covalently Attached to Functionalized Poly(ethylene terephthalate). <i>Analytical Chemistry</i> , 2020 , 92, 7621-7629	7.8	10
33	Cathodic electropaint insulated tips for electrochemical scanning tunneling microscopy. <i>Analytical Chemistry</i> , 2007 , 79, 9224-8	7.8	10
32	Assessment of Density Functionals, Semiempirical Methods, and SCC-DFTB for Protonated Creatinine Geometries. <i>Computational and Theoretical Chemistry</i> , 2008 , 861, 68-73		10
31	Ion-Channel Mimetic Sensors Based on Self-Assembled Monolayers of Phosphate Esters: High Selectivity for Trivalent Cations. <i>Mikrochimica Acta</i> , 1999 , 132, 55-60	5.8	10
30	Potentiometric Selectivities of Ionophore-Doped Ion-Selective Membranes: Concurrent Presence of Primary Ion or Interfering Ion Complexes of Multiple Stoichiometries. <i>Analytical Chemistry</i> , 2019 , 91, 2409-2417	7.8	9

29	Fluorous-Phase Ion-Selective pH Electrodes: Electrode Body and Ionophore Optimization for Measurements in the Physiological pH Range. <i>ACS Omega</i> , 2020 , 5, 13621-13629	3.9	8
28	Bromine-passivated Au(111) as a platform for the formation of organic self-assembled monolayers under electrochemical conditions. <i>Langmuir</i> , 2010 , 26, 7133-7	4	8
27	Response Mechanism of Ion-Selective Electrodes Based on a Guanidine Ionophore: An Apparently Two-Thirds Nernstian Response Slope. <i>Electroanalysis</i> , 2008 , 20, 331-339	3	8
26	Semifluorinated Polymers as Ion-selective Electrode Membrane Matrixes. <i>Electroanalysis</i> , 2017 , 29, 739-747	3.47	7
25	Cleaning of pH Selective Electrodes with Ionophore-doped Fluorous Membranes in NaOH Solution at 90 °C. <i>Electroanalysis</i> , 2018 , 30, 611-618	3	6
24	Visible and FTIR Microscopic Observation of Bisthiourea Ionophore Aggregates in Ion-Selective Electrode Membranes. <i>Electroanalysis</i> , 2005 , 17, 2019-2025	3	6
23	Chemical sensing based on membranes with supramolecular functions of biomimetic and biological origin. <i>Advances in Supramolecular Chemistry</i> , 1997 , 211-285		6
22	Remediation of Perfluorooctylsulfonate Contamination by in Situ Sequestration: Direct Monitoring of PFOS Binding to Polyquaternium Polymers. <i>ACS Omega</i> , 2019 , 4, 1068-1076	3.9	6
21	More than a Liquid Junction: Effect of Stirring, Flow Rate, and Inward and Outward Electrolyte Diffusion on Reference Electrodes with Salt Bridges Contained in Nanoporous Glass. <i>Analytical Chemistry</i> , 2019 , 91, 7698-7704	7.8	5
20	Reference Electrodes Based on Ionic Liquid-Doped Reference Membranes with Biocompatible Silicone Matrixes. <i>ACS Sensors</i> , 2020 , 5, 1717-1725	9.2	5
19	Functionalized Mesoporous Polymers with Enhanced Performance as Reference Electrode Frits. <i>ACS Applied Nano Materials</i> , 2018 , 1, 139-144	5.6	5
18	Ion Aggregation and RN-C(R)-H \cdots NR Hydrogen Bonding in a Fluorous Phase. <i>Journal of Physical Chemistry B</i> , 2016 , 120, 11239-11246	3.4	4
17	Critical Comparison of Reference Electrodes with Salt Bridges Contained in Nanoporous Glass with 5, 20, 50, and 100 nm Diameter Pores. <i>Analytical Sciences</i> , 2020 , 36, 187-191	1.7	4
16	Indirect Potentiometric Determination of Polyquaternium Polymer Concentrations by Equilibrium Binding to 1-Dodecyl Sulfate. <i>Analytical Sciences</i> , 2019 , 35, 679-684	1.7	3
15	Voltage-induced chemical contrast in scanning tunneling microscopy using tips chemically modified with hydrogen bond donors. <i>Surface Science</i> , 2011 , 605, 1099-1102	1.8	3
14	One-dimensional ionic self-assembly in a fluorous solution: the structure of tetra-n-butylammonium tetrakis[3,5-bis(perfluorohexyl)phenyl]borate in perfluoromethylcyclohexane by small-angle neutron scattering (SANS). <i>Physical Chemistry Chemical Physics</i> , 2016 , 18, 9470-5	3.6	3
13	Self-assembled monolayers formed by 5,10,15,20-tetra(4-pyridyl)porphyrin and cobalt 5,10,15,20-tetra(4-pyridyl)-21H,23H-porphine on iodine-passivated Au(111) as observed using electrochemical scanning tunneling microscopy and cyclic voltammetry. <i>Journal of Electroanalytical Chemistry</i> , 2012 , 664, 94-99	4.1	2
12	Electrochemical sensorsA report on the International Conference on Electrochemical Sensors, Braşov, held at Braşov, Hungary, 13-18 November 2005. <i>TrAC - Trends in Analytical Chemistry</i> , 2006 , 25, 93-95	14.6	2

11	Ion-Selective Potentiometric Sensors with Silicone Sensing Membranes: A Review. <i>Current Opinion in Electrochemistry</i> , 2021 , 32, 100896	7.2	2
10	Easy-to-Make Capillary-Based Reference Electrodes with Controlled, Pressure-Driven Electrolyte Flow. <i>ACS Sensors</i> , 2021 , 6, 2211-2217	9.2	2
9	Glucose sensing with graphene varactors 2016 ,		2
8	Ultraclean Graphene Transfer Using a Sacrificial Fluoropolymer Nanolayer: Implications for Sensor and Electronic Applications. <i>ACS Applied Nano Materials</i> , 2020 , 3, 11998-12007	5.6	1
7	Lifting of the surface reconstruction of Au(111) as a sensitive probe to monitor adsorption of cyclodextrin and its complexes in halide solutions. <i>Journal of Electroanalytical Chemistry</i> , 2013 , 693, 1-8	4.1	1
6	Rethinking Graduate Recruitment Weekends in the Digital Age. <i>Journal of Chemical Education</i> , 2020 , 97, 2544-2555	2.4	1
5	Chemical Sensing with Chemically Modified Electrodes that Mimic Gating at Biomembranes Incorporating Ion-Channel Receptors		1
4	Solid-Contact pH Sensor with Covalent Attachment of Ionophores and Ionic Sites to a Poly(decyl methacrylate) Matrix. <i>Analytical Chemistry</i> , 2021 ,	7.8	1
3	M ² affed? 11, International Conference on Electrochemical Sensors. <i>Electroanalysis</i> , 2012 , 24, 11-12	3	
2	Japan builds bridges to rest of the world. <i>Nature</i> , 1999 , 402, 458-458	50.4	
1	Comparison of the kinetics of aldehyde sensing by covalent bond formation with hydrazines and hydroxylamines. <i>Tetrahedron</i> , 2022 , 132852	2.4	