
Hauke Lang

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2061392/publications.pdf Version: 2024-02-01



HALIKELANC

#	Article	IF	CITATIONS
1	A Continuous Suture Anastomosis Outperforms a Simple Interrupted Suture Anastomosis in Esophageal Elongation. European Journal of Pediatric Surgery, 2021, 31, 177-181.	1.3	0
2	Surgical Duct-to-Duct Reconstruction: an Alternative Approach to Late Biliary Anastomotic Stricture After Deceased Donor Liver Transplantation. Journal of Gastrointestinal Surgery, 2021, 25, 708-712.	1.7	2
3	Germline variation in the insulin-like growth factor pathway and risk of Barrett's esophagus and esophageal adenocarcinoma. Carcinogenesis, 2021, 42, 369-377.	2.8	11
4	The impact of portal vein tumor thrombosis on survival in patients with hepatocellular carcinoma treated with different therapies: A cohort study. PLoS ONE, 2021, 16, e0249426.	2.5	11
5	How to Handle Arterial Conduits in Liver Transplantation? Evidence From the First Multicenter Risk Analysis. Annals of Surgery, 2021, 274, 1032-1042.	4.2	7
6	Another Small Step Forward in ALPPS. Annals of Surgery, 2021, 273, e25.	4.2	0
7	Using simple interrupted suture anastomoses may impair translatability of experimental rodent oesophageal surgery. Acta Chirurgica Belgica, 2020, 120, 310-314.	0.4	3
8	ALPPS - Beneficial or detrimental?. Surgical Oncology, 2020, 33, 249-253.	1.6	7
9	Gastric cancer in autoimmune gastritis: A caseâ€control study from the German centers of the staR project on gastric cancer research. United European Gastroenterology Journal, 2020, 8, 175-184.	3.8	30
10	Adjuvant MUC vaccination with tecemotide after resection of colorectal liver metastases: a randomized, double-blind, placebo-controlled, multicenter AIO phase II trial (LICC). OncoImmunology, 2020, 9, 1806680.	4.6	11
11	Precision Medicine for Visceral Cancer: Does the Future Lie in Molecular Stratification?. Visceral Medicine, 2020, 36, 349-350.	1.3	о
12	Shared Genetic Etiology of Obesity-Related Traits and Barrett's Esophagus/Adenocarcinoma: Insights from Genome-Wide Association Studies. Cancer Epidemiology Biomarkers and Prevention, 2020, 29, 427-433.	2.5	7
13	Thyroid surgery in children and young adults: potential overtreatment and complications. Langenbeck's Archives of Surgery, 2020, 405, 451-460.	1.9	10
14	Intrahepatic cholangiocarcinoma: Limitations for resectability, current surgical concepts and future perspectives. European Journal of Surgical Oncology, 2020, 46, 740-746.	1.0	27
15	Associated Liver Partition and Portal Vein Ligation for Staged Hepatectomy (ALPPS) Registry: What Have We Learned?. Gut and Liver, 2020, 14, 699-706.	2.9	39
16	10th Anniversary of ALPPS—Lessons Learned and quo Vadis. Annals of Surgery, 2019, 269, 114-119.	4.2	100
17	ANKRD26-RET - A novel gene fusion involving RET in papillary thyroid carcinoma. Cancer Genetics, 2019, 238, 10-17.	0.4	11
18	Esophageal Biomechanics Revisited: A Tale of Tenacity, Anastomoses, and Suture Bite Lengths in Swine. Annals of Thoracic Surgery, 2019, 107, 1670-1677.	1.3	11

HAUKE LANG

#	Article	IF	CITATIONS
19	The role of sarcopenia in patients with intrahepatic cholangiocarcinoma: Prognostic marker or hyped parameter?. Liver International, 2019, 39, 1307-1314.	3.9	20
20	No Association Between Vitamin D Status and Risk of Barrett's Esophagus or Esophageal Adenocarcinoma: A Mendelian Randomization Study. Clinical Gastroenterology and Hepatology, 2019, 17, 2227-2235.e1.	4.4	16
21	Two-Stage Hepatectomy and ALPPS for Advanced Bilateral Liver Metastases: a Tailored Approach Balancing Risk and Outcome. Journal of Gastrointestinal Surgery, 2019, 23, 2391-2400.	1.7	47
22	Identification of loci of functional relevance to Barrett's esophagus and esophageal adenocarcinoma: Cross-referencing of expression quantitative trait loci data from disease-relevant tissues with genetic association data. PLoS ONE, 2019, 14, e0227072.	2.5	5
23	Improved Survival in Liver Transplant Patients Receiving Prolonged-release Tacrolimus-based Immunosuppression in the European Liver Transplant Registry (ELTR): An Extension Study. Transplantation, 2019, 103, 1844-1862.	1.0	9
24	Bodyweight, not age, determines oesophageal length and breaking strength in rats. Journal of Pediatric Surgery, 2019, 54, 297-302.	1.6	7
25	Novel rearrangements involving the RET gene in papillary thyroid carcinoma. Cancer Genetics, 2019, 230, 13-20.	0.4	20
26	Performance validation of the ALPPS risk model. Hpb, 2019, 21, 711-721.	0.3	14
27	Associating Liver Partition and Portal Vein Ligation for Staged Hepatectomy in the Treatment of Colorectal Liver Metastases: Current Scenario. Digestive Surgery, 2018, 35, 294-302.	1.2	40
28	Upregulation of VEGFR1 in a rat model of esophagogastric anastomotic healing. Acta Chirurgica Belgica, 2018, 118, 161-166.	0.4	3
29	Robotic-Assisted Ivor Lewis Esophagectomy (RAMIE) with a Standardized Intrathoracic Circular End-to-side Stapled Anastomosis and a Team of Two (Surgeon and Assistant Only). Thoracic and Cardiovascular Surgeon, 2018, 66, 404-406.	1.0	23
30	Evidence for <i><scp>PTGER</scp>4</i> , <i><scp>PSCA</scp>,</i> and <i><scp>MBOAT</scp>7</i> as risk genes for gastric cancer on the genome and transcriptome level. Cancer Medicine, 2018, 7, 5057-5065.	2.8	22
31	Induction of Chromosome Instability by Activation of Yes-Associated Protein and Forkhead Box M1 in Liver Cancer. Gastroenterology, 2017, 152, 2037-2051.e22.	1.3	118
32	Outcome of ALPPS for perihilar cholangiocarcinoma: case-control analysis including the first series from the international ALPPS registry. Hpb, 2017, 19, 379-380.	0.3	22
33	Frontiers of Liver Surgery. Visceral Medicine, 2017, 33, 463-465.	1.3	0
34	Efficacy and safety of direct-acting antiviral therapy in previous hard-to-treat patients with recurrent hepatitis C virus infection after liver transplantation: a real-world cohort. Drug Design, Development and Therapy, 2017, Volume 11, 2131-2138.	4.3	11
35	A Match-Pair Analysis of Open Versus Laparoscopic Liver Surgery. Journal of the Society of Laparoendoscopic Surgeons, 2017, 21, e2017.00061.	1.1	5
36	Too Many Languages in the ALPPS. Annals of Surgery, 2016, 263, 837-838.	4.2	32

HAUKE LANG

#	Article	IF	CITATIONS
37	The Barrettâ€associated variants at <i><scp>GDF</scp>7</i> and <i><scp>TBX</scp>5</i> also increase esophageal adenocarcinoma risk. Cancer Medicine, 2016, 5, 888-891.	2.8	21
38	Genome-wide association studies in oesophageal adenocarcinoma and Barrett's oesophagus: a large-scale meta-analysis. Lancet Oncology, The, 2016, 17, 1363-1373.	10.7	133
39	The HLA-DQβ1 insertion is a strong achalasia risk factor and displays a geospatial north–south gradient among Europeans. European Journal of Human Genetics, 2016, 24, 1228-1231.	2.8	21
40	Risk and Complication Management in Esophageal Cancer Surgery: A Review of the Literature. Thoracic and Cardiovascular Surgeon, 2016, 64, 596-605.	1.0	23
41	Supportive evidence for <i><scp>FOXP</scp>1</i> , <i><scp>BARX</scp>1</i> , and <i><scp>FOXF</scp>1</i> as genetic risk loci for the development of esophageal adenocarcinoma. Cancer Medicine, 2015, 4, 1700-1704.	2.8	26
42	Efficacy and safety of a conversion from the original tacrolimus and mycophenolate mofetil to the generics Tacpan® and Mowel® after liver transplantation. Drug Design, Development and Therapy, 2015, 9, 6139.	4.3	3
43	Quality Management and Key Performance Indicators in Oncologic Esophageal Surgery. Digestive Diseases and Sciences, 2015, 60, 3536-3544.	2.3	8
44	Common variants in the HLA-DQ region confer susceptibility to idiopathic achalasia. Nature Genetics, 2014, 46, 901-904.	21.4	104
45	Right Portal Vein Ligation Combined With In Situ Splitting Induces Rapid Left Lateral Liver Lobe Hypertrophy Enabling 2-Staged Extended Right Hepatic Resection in Small-for-Size Settings. Annals of Surgery, 2012, 255, 405-414.	4.2	1,121
46	LICC: L-BLP25 in patients with colorectal carcinoma after curative resection of hepatic metastasesa randomized, placebo-controlled, multicenter, multinational, double-blinded phase II trial. BMC Cancer, 2012, 12, 144.	2.6	16
47	Tumour response and secondary resectability of colorectal liver metastases following neoadjuvant chemotherapy with cetuximab: the CELIM randomised phase 2 trial. Lancet Oncology, The, 2010, 11, 38-47.	10.7	873
48	eQTL set-based association analysis identifies novel susceptibility loci for Barrett's esophagus and esophageal adenocarcinoma. Cancer Epidemiology Biomarkers and Prevention, 0, , .	2.5	1