
## Tina Costacou

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2061478/publications.pdf Version: 2024-02-01



TINA COSTACOLL

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | 30-Year Cardiovascular Disease in Type 1 Diabetes: Risk and Risk Factors Differ by Long-term Patterns of<br>Glycemic Control. Diabetes Care, 2022, 45, 142-150.  | 8.6 | 12        |
| 2  | Joint 30-year HbA1c and lipid trajectories and mortality in type 1 diabetes. Diabetes Research and Clinical Practice, 2022, 185, 109787.   | 2.8 | 3         |
| 3  | Urinary Proteomics Identifies Cathepsin D as a Biomarker of Rapid eGFR Decline in Type 1 Diabetes.<br>Diabetes Care, 2022, 45, 1416-1427.  | 8.6 | 14        |
| 4  | The role of endoscopic endonasal surgery in the management of prolactinomas based on their invasiveness into the cavernous sinus. Pituitary, 2022, 25, 508-519.  | 2.9 | 6         |
| 5  | Long term risk of heart failure in individuals with childhood-onset type 1 diabetes. Journal of Diabetes and Its Complications, 2022, , 108233.  | 2.3 | 1         |
| 6  | Cardiovascular health in early adulthood predicts the development of coronary heart disease in<br>individuals with type 1 diabetes: 25Âyear follow-up from the Pittsburgh Epidemiology of Diabetes<br>Complications study. Diabetologia, 2021, 64, 571-580.                | 6.3 | 13        |
| 7  | Skin intrinsic fluorescence scores are a predictor of all-cause mortality risk in type 1 diabetes: The<br>Epidemiology of Diabetes Complications study. Journal of Diabetes and Its Complications, 2021, 35,<br>107770.  | 2.3 | 2         |
| 8  | Oncologic Outcomes and Orbital Preservation in Endoscopic Endonasal Resection of Secondary<br>Orbital Tumors. , 2021, 82, .  |     | 0         |
| 9  | An Integrated Management Paradigm for Skull Base Chordoma Based on Clinical and Molecular<br>Characteristics. , 2021, 82, .  |     | 1         |
| 10 | Heterogeneous longâ€ŧerm trajectories of glycaemic control in type 1 diabetes. Diabetic Medicine, 2021,<br>38, e14545.   | 2.3 | 6         |
| 11 | Association of age at diabetes complication diagnosis with age at natural menopause in women with<br>type 1 diabetes: The Pittsburgh Epidemiology of Diabetes Complications (EDC) Study. Journal of Diabetes<br>and Its Complications, 2021, 35, 107832.                   | 2.3 | 7         |
| 12 | Women with Type 1 diabetes (T1D) experience a shorter reproductive period compared with nondiabetic<br>women: the Pittsburgh Epidemiology of Diabetes Complications (EDC) study and the Study of Women's<br>Health Across the Nation (SWAN). Menopause, 2021, 28, 634-641. | 2.0 | 13        |
| 13 | Predictors of the age at which natural menopause occurs in women with type 1 diabetes: the<br>Pittsburgh Epidemiology of Diabetes Complications (EDC) study. Menopause, 2021, 28, 735-740.   | 2.0 | 6         |
| 14 | Insulin resistance-associated genetic variants in type 1 diabetes. Journal of Diabetes and Its Complications, 2021, 35, 107842.  | 2.3 | 8         |
| 15 | Predictors of Change in Skin Intrinsic Fluorescence in Type 1 Diabetes: The Epidemiology of Diabetes<br>Complications Study. Journal of Diabetes Science and Technology, 2021, 15, 1368-1376.  | 2.2 | 2         |
| 16 | An Integrated Management Paradigm for Skull Base Chordoma Based on Clinical and Molecular<br>Characteristics. Journal of Neurological Surgery, Part B: Skull Base, 2021, 82, 601-607.  | 0.8 | 7         |
| 17 | Perinatal Outcomes of Two Screening Strategies for Gestational Diabetes Mellitus. Obstetrics and Gynecology, 2021, 138, 6-15.  | 2.4 | 39        |
| 18 | Circulating Free Fatty Acid and Phospholipid Signature Predicts Early Rapid Kidney Function Decline in<br>Patients With Type 1 Diabetes. Diabetes Care, 2021, 44, 2098-2106.   | 8.6 | 22        |

ΤΙΝΑ COSTACOU

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Association of Coding Variants in Hydroxysteroid 17-beta Dehydrogenase 14 (HSD17B14) with Reduced<br>Progression to End Stage Kidney Disease in Type 1 Diabetes. Journal of the American Society of<br>Nephrology: JASN, 2021, 32, 2634-2651. | 6.1 | 9         |
| 20 | Data driven patterns of nutrient intake and coronary artery disease risk in adults with type 1 diabetes.<br>Journal of Diabetes and Its Complications, 2021, 35, 108016.  | 2.3 | 2         |
| 21 | Neural correlates of slower gait in middle-aged persons with childhood-onset type 1 diabetes<br>mellitus: The impact of accelerated brain aging. Journal of Diabetes and Its Complications, 2021, ,<br>108084.                                | 2.3 | 1         |
| 22 | Persistent polypharmacy and fall injury risk: the Health, Aging and Body Composition Study. BMC<br>Geriatrics, 2021, 21, 710.   | 2.7 | 17        |
| 23 | The haptoglobin 2-2 genotype is associated with cardiac autonomic neuropathy in type 1 diabetes: the RETRO HDLc study. Acta Diabetologica, 2020, 57, 271-278.   | 2.5 | 2         |
| 24 | Mediation analysis for estimating cardioprotection of longitudinal RAS inhibition beyond lowering blood pressure and albuminuria in type 1 diabetes. Annals of Epidemiology, 2020, 41, 7-13.e1.   | 1.9 | 4         |
| 25 | A Targeted Multiomics Approach to Identify Biomarkers Associated with Rapid eGFR Decline in Type 1<br>Diabetes. American Journal of Nephrology, 2020, 51, 839-848.  | 3.1 | 10        |
| 26 | Cardiovascular disease risk and the time to insulin initiation for Medicaid enrollees with type 2 diabetes. Journal of Clinical and Translational Endocrinology, 2020, 22, 100241.  | 1.4 | 1         |
| 27 | High-Sensitivity Cardiac Troponin-T and N-Terminal Prohormone of B-Type Natriuretic Peptide in<br>Relation to Cardiovascular Outcomes in Type 1 Diabetes. Diabetes Care, 2020, 43, 2199-2207.   | 8.6 | 6         |
| 28 | Should the Haptoglobin Genotype Be Considered in Setting Glycemic Goals for Diabetes Patients?.<br>Journal of the American College of Cardiology, 2020, 75, 522-524.  | 2.8 | 2         |
| 29 | Older age of childhood type 1 diabetes onset is associated with islet autoantibody positivity > 30 years<br>later: the Pittsburgh Epidemiology of Diabetes Complications Study. Diabetic Medicine, 2020, 37,<br>1386-1394.                    | 2.3 | 8         |
| 30 | Risk factors differ by first manifestation of cardiovascular disease in type 1 diabetes. Diabetes Research and Clinical Practice, 2020, 163, 108141.  | 2.8 | 9         |
| 31 | Vitamin E, high-density lipoproteins, and vascular protection in diabetes. , 2020, , 397-406.   |     | 0         |
| 32 | Optimal Blood Pressure Thresholds for Minimal Coronary Artery Disease Risk in Type 1 Diabetes.<br>Diabetes Care, 2019, 42, 1692-1699.   | 8.6 | 17        |
| 33 | Genome-Wide Association Study of Diabetic Kidney Disease Highlights Biology Involved in Glomerular<br>Basement Membrane Collagen. Journal of the American Society of Nephrology: JASN, 2019, 30, 2000-2016.                                   | 6.1 | 135       |
| 34 | Genetic Determinants of Glycated Hemoglobin in Type 1 Diabetes. Diabetes, 2019, 68, 858-867.  | 0.6 | 14        |
| 35 | Prognostic Significance of Pulse Pressure and Other Blood Pressure Components for Coronary<br>Artery Disease in Type 1 Diabetes. American Journal of Hypertension, 2019, 32, 1075-1081.   | 2.0 | 6         |
| 36 | Periodontal disease, smoking, cardiovascular complications and mortality in type 1 diabetes. Journal of Diabetes and Its Complications, 2019, 33, 603-609.  | 2.3 | 10        |

| #  | Article   | IF   | CITATIONS |
|----|---|------|-----------|
| 37 | Persistent C-peptide levels and microvascular complications in childhood onset type 1 diabetes of long duration. Journal of Diabetes and Its Complications, 2019, 33, 657-661.  | 2.3  | 12        |
| 38 | Excess mortality and cardiovascular disease risk in type 1 diabetes. Lancet, The, 2019, 393, 985.   | 13.7 | 5         |
| 39 | Effect of age at menarche on microvascular complications among women with Type 1 diabetes. Diabetic<br>Medicine, 2019, 36, 1287-1293.   | 2.3  | 3         |
| 40 | Glucose Management and the Sex Difference in Excess Cardiovascular Disease Risk in Long-Duration<br>Type 1 Diabetes. Current Diabetes Reports, 2019, 19, 139.   | 4.2  | 8         |
| 41 | Recent trends over time in vascular disease in type 1 diabetes: insights from the Pittsburgh<br>Epidemiology of Diabetes Complications study. Cardiovascular Endocrinology and Metabolism, 2019, 8,<br>3-13.  | 1.1  | 10        |
| 42 | Depressive symptoms and cerebral microvascular disease in adults with Type 1 diabetes mellitus.<br>Diabetic Medicine, 2019, 36, 1168-1175.  | 2.3  | 5         |
| 43 | Risk Factor Modeling for Cardiovascular Disease in Type 1 Diabetes in the Pittsburgh Epidemiology of<br>Diabetes Complications (EDC) Study: A Comparison With the Diabetes Control and Complications<br>Trial/Epidemiology of Diabetes Interventions and Complications Study (DCCT/EDIC). Diabetes, 2019, 68,<br>409-419.                                   | 0.6  | 68        |
| 44 | The role of coronary artery calcification testing in incident coronary artery disease risk prediction in type 1 diabetes. Diabetologia, 2019, 62, 259-268.  | 6.3  | 16        |
| 45 | Greater progression of coronary artery calcification is associated with clinically relevant cognitive impairment in type 1 diabetes. Atherosclerosis, 2019, 280, 58-65.   | 0.8  | 9         |
| 46 | Low 40-year incidence of end-stage renal disease in childhood-onset diabetes. Journal of Pediatrics,<br>2018, 194, 265-268.   | 1.8  | 0         |
| 47 | Hemoglobin A1c Level and Cardiovascular Disease Incidence in Persons With Type 1 Diabetes: An<br>Application of Joint Modeling of Longitudinal and Time-to-Event Data in the Pittsburgh Epidemiology<br>of Diabetes Complications Study. American Journal of Epidemiology, 2018, 187, 1520-1529.  | 3.4  | 27        |
| 48 | Meta-genome-wide association studies identify a locus on chromosome 1 and multiple variants in the MHC region for serum C-peptide in type 1 diabetes. Diabetologia, 2018, 61, 1098-1111.  | 6.3  | 26        |
| 49 | Trends in cardiovascular risk factor management in type 1 diabetes by sex. Journal of Diabetes and Its<br>Complications, 2018, 32, 411-417.   | 2.3  | 13        |
| 50 | Is Magnetic Resonance Imaging Detection of Kidney Iron Deposition Increased in Haptoglobin 2-2<br>Genotype Carriers with Type 1 Diabetes?A version of the abstract was previously presented at the 77th<br>Scientific Sessions of the American Diabetes Association, San Diego, CA, June 9–13, 2017 Antioxidants<br>and Redox Signaling, 2018, 29, 735-741. | 5.4  | 5         |
| 51 | Left ventricular systolic dysfunction predicts long-term major microvascular complication outcomes<br>in type 1 diabetes. The Pittsburgh Epidemiology of Diabetes Complications (EDC) study of childhood<br>onset diabetes. Journal of Diabetes and Its Complications, 2018, 32, 298-304.   | 2.3  | 1         |
| 52 | Increased urinary albumin excretion in children with type 1 diabetes: is it a reason for concern?.<br>Journal of Diabetes and Its Complications, 2018, 32, 887-888.   | 2.3  | 0         |
| 53 | Long-term changes in retinal vascular diameter and cognitive impairment in type 1 diabetes. Diabetes and Vascular Disease Research, 2018, 15, 223-232.  | 2.0  | 9         |
| 54 | Cumulative Kidney Complication Risk by 50 Years of Type 1 Diabetes: The Effects of Sex, Age, and<br>Calendar Year at Onset. Diabetes Care, 2018, 41, 426-433.   | 8.6  | 82        |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Comparison of Birth Outcomes by Gestational Diabetes Screening Criteria. AJP Reports, 2018, 08, e280-e288.   | 0.7 | 13        |
| 56 | Perfluoroalkyl substances and kidney function in chronic kidney disease, anemia, and diabetes.<br>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy, 2018, Volume 11, 707-716.   | 2.4 | 36        |
| 57 | Haptoglobin Genotype Is a Determinant of Hemoglobin Adducts and Vitamin E Content in HDL. Journal of Diabetes Research, 2018, 2018, 1-6.   | 2.3 | 12        |
| 58 | Urinary Plasmin(ogen) as a Prognostic Factor for Hypertension. Kidney International Reports, 2018, 3, 1434-1442.   | 0.8 | 24        |
| 59 | Dietary Patterns Over Time and Microalbuminuria in Youth and Young Adults With Type 1 Diabetes: The<br>SEARCH Nutrition Ancillary Study. Diabetes Care, 2018, 41, 1615-1622.   | 8.6 | 17        |
| 60 | Physical activity and hippocampal volume in middle-aged patients with type 1 diabetes. Neurology, 2017,<br>88, 1564-1570.  | 1.1 | 3         |
| 61 | Cardiovascular complications of type 1 diabetes: update on the renal link. Acta Diabetologica, 2017, 54, 325-334.  | 2.5 | 18        |
| 62 | Comparison of Two Screening Strategies for Gestational Diabetes (GDM 2 ) Trial: Design and rationale.<br>Contemporary Clinical Trials, 2017, 62, 43-49.  | 1.8 | 21        |
| 63 | Predictors of early renal function decline in adults with TypeÂ1 diabetes: the Coronary Artery<br>Calcification in Type 1 Diabetes and the Pittsburgh Epidemiology of Diabetes Complications studies.<br>Diabetic Medicine, 2017, 34, 1532-1540.                   | 2.3 | 11        |
| 64 | The Epidemiology of Cardiovascular Disease in Adults with Type 1 Diabetes. Current Diabetes Reviews, 2017, 13, 520-527.  | 1.3 | 4         |
| 65 | Statin use and cognitive function in middle-aged adults with type 1 diabetes. World Journal of<br>Diabetes, 2017, 8, 286.  | 3.5 | 3         |
| 66 | Haptoglobin 2–2 genotype and the risk of coronary artery disease in the Diabetes Control and<br>Complications Trial/Epidemiology of Diabetes Interventions and Complications study (DCCT/EDIC).<br>Journal of Diabetes and Its Complications, 2016, 30, 1577-1584. | 2.3 | 20        |
| 67 | A Contemporary Estimate of Total Mortality and Cardiovascular Disease Risk in Young Adults With<br>Type 1 Diabetes: The Pittsburgh Epidemiology of Diabetes Complications Study. Diabetes Care, 2016, 39,<br>2296-2303.  | 8.6 | 89        |
| 68 | Subjective sleep disturbances and glycemic control in adults with long-standing type 1 diabetes: The<br>Pittsburgh's Epidemiology of Diabetes Complications study. Diabetes Research and Clinical Practice,<br>2016, 119, 1-12.                                    | 2.8 | 34        |
| 69 | Glycaemic control modifies the haptoglobin 2 alleleâ€conferred susceptibility to coronary artery disease in Type 1 diabetes. Diabetic Medicine, 2016, 33, 1524-1527.   | 2.3 | 11        |
| 70 | Risk stratification for 25-year cardiovascular disease incidence in type 1 diabetes: Tree-structured<br>survival analysis of the Pittsburgh Epidemiology of Diabetes Complications study. Diabetes and<br>Vascular Disease Research, 2016, 13, 250-259.            | 2.0 | 12        |
| 71 | Haptoglobin Genotype as a Determinant of Benefit or Harm From Niacin for Participants With Diabetes.<br>Journal of the American College of Cardiology, 2016, 67, 2553-2554.  | 2.8 | 4         |
| 72 | Effect of vitamin E supplementation on HDL function by haptoglobin genotype in type 1 diabetes:<br>results from the HapE randomized crossover pilot trial. Acta Diabetologica, 2016, 53, 243-250.  | 2.5 | 24        |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | Response to Comment on Nunley et al. Clinically Relevant Cognitive Impairment in Middle-Aged Adults<br>With Childhood-Onset Type 1 Diabetes. Diabetes Care 2015;38:1768–1776. Diabetes Care, 2016, 39, e25-e25.                                  | 8.6 | 1         |
| 74 | The Haptoglobin genotype predicts cardio-renal mortality in type 1 diabetes. Journal of Diabetes and Its Complications, 2016, 30, 221-226.   | 2.3 | 18        |
| 75 | Akt Links Insulin Signaling to Albumin Endocytosis in Proximal Tubule Epithelial Cells. PLoS ONE, 2015, 10, e0140417.  | 2.5 | 25        |
| 76 | Gestational Diabetes Diagnostic Methods (GD2M) Pilot Randomized Trial. Maternal and Child Health<br>Journal, 2015, 19, 1472-1480.  | 1.5 | 29        |
| 77 | The Haptoglobin 1 Allele Correlates With White Matter Hyperintensities in Middle-Aged Adults With Type 1 Diabetes. Diabetes, 2015, 64, 654-659.  | 0.6 | 22        |
| 78 | Clinically Relevant Cognitive Impairment in Middle-Aged Adults With Childhood-Onset Type 1 Diabetes.<br>Diabetes Care, 2015, 38, 1768-1776.  | 8.6 | 101       |
| 79 | Does the Concentration of Oxidative and Inflammatory Biomarkers Differ by Haptoglobin Genotype in Type 1 Diabetes?. Antioxidants and Redox Signaling, 2015, 23, 1439-1444.   | 5.4 | 9         |
| 80 | White matter hyperintensities in middle-aged adults with childhood-onset type 1 diabetes. Neurology, 2015, 84, 2062-2069.  | 1.1 | 54        |
| 81 | Caffeine Consumption Contributes to Skin Intrinsic Fluorescence in Type 1 Diabetes. Diabetes<br>Technology and Therapeutics, 2015, 17, 726-734.  | 4.4 | 13        |
| 82 | Predicting major outcomes in type 1 diabetes: a model development and validation study. Diabetologia, 2014, 57, 2304-2314.   | 6.3 | 43        |
| 83 | Pontine encephalocele and abnormalities of the posterior fossa following transclival endoscopic endonasal surgery. Journal of Neurosurgery, 2014, 121, 359-366.  | 1.6 | 37        |
| 84 | Haptoglobin genotype and cerebrovascular disease incidence in type 1 diabetes. Diabetes and Vascular<br>Disease Research, 2014, 11, 335-342.   | 2.0 | 31        |
| 85 | Frontal gray matter atrophy in middle aged adults with type 1 diabetes is independent of cardiovascular risk factors and diabetes complications. Journal of Diabetes and Its Complications, 2013, 27, 558-564.                                   | 2.3 | 55        |
| 86 | Type A Behavior and Risk of All-Cause Mortality, CAD, and CAD-Related Mortality in a Type 1 Diabetic<br>Population: 22 Years of Follow-up in the Pittsburgh Epidemiology of Diabetes Complications Study.<br>Diabetes Care, 2013, 36, 2974-2980. | 8.6 | 13        |
| 87 | Oxidative Stress and Response in Relation to Coronary Artery Disease in Type 1 Diabetes. Diabetes Care, 2013, 36, 3503-3509.   | 8.6 | 10        |
| 88 | Differential Effect of Glycemia on the Incidence of Hypertension by Sex: The Epidemiology of Diabetes<br>Complications study. Diabetes Care, 2013, 36, 77-83.  | 8.6 | 9         |
| 89 | Predictors of and survival after incident stroke in type 1 diabetes. Diabetes and Vascular Disease<br>Research, 2013, 10, 3-10.  | 2.0 | 23        |
| 90 | Haptoglobin Genotype and Its Role in Diabetic Cardiovascular Disease. Journal of Cardiovascular<br>Translational Research, 2012, 5, 423-435.   | 2.4 | 44        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 91  | High-density lipoprotein cholesterol in diabetes: Is higher always better?. Journal of Clinical<br>Lipidology, 2011, 5, 387-394.  | 1.5 | 55        |
| 92  | Association of Socioeconomic Status with Mortality in Type 1 Diabetes: The Pittsburgh Epidemiology of Diabetes Complications Study. Annals of Epidemiology, 2011, 21, 367-373.  | 1.9 | 39        |
| 93  | Risk factor associations with clinical distal symmetrical polyneuropathy and various neuropathy screening instruments and protocols in type 1 diabetes. Diabetes Research and Clinical Practice, 2011, 91, e15-e20.                         | 2.8 | 3         |
| 94  | The assessment of clinical distal symmetric polyneuropathy in type 1 diabetes: A comparison of methodologies from the Pittsburgh Epidemiology of Diabetes Complications Cohort. Diabetes Research and Clinical Practice, 2011, 92, 280-287. | 2.8 | 19        |
| 95  | Associations Between Socioeconomic Status and Major Complications in Type 1 Diabetes: The<br>Pittsburgh Epidemiology of Diabetes Complication (EDC) Study. Annals of Epidemiology, 2011, 21, 374-381.                                       | 1.9 | 111       |
| 96  | Sex Differences in the Development of Kidney Disease in Individuals With Type 1 Diabetes Mellitus: A<br>Contemporary Analysis. American Journal of Kidney Diseases, 2011, 58, 565-573.  | 1.9 | 35        |
| 97  | In the absence of renal disease, 20Âyear mortality risk in type 1 diabetes is comparable to that of the general population: a report from the Pittsburgh Epidemiology of Diabetes Complications Study. Diabetologia, 2010, 53, 2312-2319.   | 6.3 | 269       |
| 98  | When Are Type 1 Diabetic Patients at Risk for Cardiovascular Disease?. Current Diabetes Reports, 2010, 10, 48-54.   | 4.2 | 35        |
| 99  | Temporal patterns in overweight and obesity in Type 1 diabetes. Diabetic Medicine, 2010, 27, 398-404.   | 2.3 | 256       |
| 100 | Lipoprotein-associated phospholipase A2, C-reactive protein, and coronary artery disease in individuals with type 1 diabetes and macroalbuminuria. Diabetes and Vascular Disease Research, 2010, 7, 47-55.                                  | 2.0 | 26        |
| 101 | Response to â€~Adiponectin in chronic kidney disease: Dr Jekyll and Mr Hyde'. Kidney International, 2009,<br>75, 121.   | 5.2 | 0         |
| 102 | Is glycaemia or insulin dose the stronger risk factor for coronary artery disease in type 1 diabetes?.<br>Diabetes and Vascular Disease Research, 2009, 6, 223-230.   | 2.0 | 23        |
| 103 | Haptoglobin Genotype and Renal Function Decline in Type 1 Diabetes. Diabetes, 2009, 58, 2904-2909.  | 0.6 | 55        |
| 104 | Adiposity and mortality in type 1 diabetes. International Journal of Obesity, 2009, 33, 796-805.  | 3.4 | 60        |
| 105 | RS2383206 and its association with mortality in a cohort of individuals with type 1 diabetes. Canadian<br>Journal of Diabetes, 2009, 33, 191.   | 0.8 | 0         |
| 106 | Incidence and predictors of renal function decline versus renal disease in a cohort of type 1 diabetes.<br>Canadian Journal of Diabetes, 2009, 33, 216.   | 0.8 | 0         |
| 107 | Plasma and dietary vitamin E in relation to insulin secretion and sensitivity. Diabetes, Obesity and Metabolism, 2008, 10, 223-228.   | 4.4 | 32        |
| 108 | Postpartum Adiponectin Concentration, Insulin Resistance and Metabolic Abnormalities Among<br>Women With Pregnancyâ€Induced Disturbances. Preventive Cardiology, 2008, 11, 106-115.   | 1.1 | 12        |

Τινα Costacou

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 109 | Haptoglobin Genotype. Diabetes, 2008, 57, 1702-1706.  | 0.6 | 117       |
| 110 | Adiponectin: good, bad, or just plain ugly?. Kidney International, 2008, 74, 549-551.   | 5.2 | 19        |
| 111 | Clinical Factors Associated With Resistance to Microvascular Complications in Diabetic Patients of Extreme Disease Duration. Diabetes Care, 2007, 30, 1995-1997.  | 8.6 | 168       |
| 112 | The Prediction of Major Outcomes of Type 1 Diabetes: a 12-Year Prospective Evaluation of Three<br>Separate Definitions of the Metabolic Syndrome and Their Components and Estimated Glucose<br>Disposal Rate. Diabetes Care, 2007, 30, 1248-1254. | 8.6 | 150       |
| 113 | Double-edged relationship between adiposity and coronary artery calcification in type 1 diabetes.<br>Diabetes and Vascular Disease Research, 2007, 4, 332-339.  | 2.0 | 14        |
| 114 | Progression of Coronary Artery Calcium in Type 1 Diabetes Mellitus. American Journal of Cardiology, 2007, 100, 1543-1547.   | 1.6 | 40        |
| 115 | Sequence of Progression of Albuminuria and Decreased GFR in Persons With Type 1 Diabetes: A Cohort<br>Study. American Journal of Kidney Diseases, 2007, 50, 721-732.  | 1.9 | 57        |
| 116 | Changes in glycaemic control and risk of coronary artery disease in type 1 diabetes mellitus: findings<br>from the Pittsburgh Epidemiology of Diabetes Complications Study (EDC). Diabetologia, 2007, 50,<br>2280-2288.                           | 6.3 | 98        |
| 117 | Lower-extremity arterial calcification as a correlate of coronary artery calcification. Metabolism:<br>Clinical and Experimental, 2006, 55, 1689-1696.  | 3.4 | 36        |
| 118 | Type 1 Diabetes and Coronary Artery Disease. Diabetes Care, 2006, 29, 2528-2538.  | 8.6 | 245       |
| 119 | Antioxidants and coronary artery disease among individuals with type 1 diabetes: Findings from the<br>Pittsburgh Epidemiology of Diabetes Complications Study. Journal of Diabetes and Its Complications,<br>2006, 20, 387-394.                   | 2.3 | 17        |
| 120 | Novel predictors of overt nephropathy in subjects with type 1 diabetes. A nested case control study<br>from the Pittsburgh Epidemiology of Diabetes Complications cohort. Nephrology Dialysis<br>Transplantation, 2006, 21, 93-100.               | 0.7 | 24        |
| 121 | Identifying Genetic Susceptibilities to Diabetes-related Complications among Individuals at Low Risk of Complications: An Application of Tree-Structured Survival Analysis. American Journal of Epidemiology, 2006, 164, 862-872.                 | 3.4 | 31        |
| 122 | The 30-Year Natural History of Type 1 Diabetes Complications. Diabetes, 2006, 55, 1463-1469.  | 0.6 | 418       |
| 123 | Markers of endothelial dysfunction in the prediction of coronary artery disease in Type 1 diabetes. The<br>Pittsburgh Epidemiology of Diabetes Complications Study. Journal of Diabetes and Its Complications,<br>2005, 19, 183-193.              | 2.3 | 45        |
| 124 | The prospective association between adiponectin and coronary artery disease among individuals with type 1 diabetes. The Pittsburgh Epidemiology of Diabetes Complications Study. Diabetologia, 2005, 48, 41-48.                                   | 6.3 | 110       |
| 125 | Evaluation of epidemiologic evidence on the role of nutrition in the development of diabetes and its complications. Current Diabetes Reports, 2005, 5, 366-373.   | 4.2 | 2         |
| 126 | Dietary intake in the Diabetes Prevention Program cohort: baseline and 1-year post-randomization.<br>Annals of Epidemiology, 2004, 14, 763-772.   | 1.9 | 87        |

| #   | Article  | IF   | CITATIONS |
|-----|--|------|-----------|
| 127 | Adherence to a Mediterranean Diet and Survival in a Greek Population. New England Journal of Medicine, 2003, 348, 2599-2608.   | 27.0 | 3,513     |
| 128 | Tracing the Mediterranean diet through principal components and cluster analyses in the Greek population. European Journal of Clinical Nutrition, 2003, 57, 1378-1385. | 2.9  | 97        |
| 129 | NUTRITION ANDPREVENTION OFTYPE2 DIABETES. Annual Review of Nutrition, 2003, 23, 147-170.   | 10.1 | 86        |
| 130 | Plasma and Dietary Vitamin E in Relation to Incidence of Type 2 Diabetes: The Insulin Resistance and Atherosclerosis Study (IRAS). Diabetes Care, 2002, 25, 2172-2177. | 8.6  | 101       |
| 131 | Disparities in food habits across Europe. Proceedings of the Nutrition Society, 2002, 61, 553-558.   | 1.0  | 85        |
| 132 | Obesity and sedentary lifestyle: Modifiable risk factors for prevention of type 2 diabetes. Current<br>Diabetes Reports, 2001, 1, 170-176.                             | 4.2  | 36        |