

Xianzhe Shi

List of Publications by Citations

Source: <https://exaly.com/author-pdf/2062684/xianzhe-shi-publications-by-citations.pdf>

Version: 2024-04-17

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

40
papers

855
citations

17
h-index

28
g-index

43
ext. papers

987
ext. citations

4.7
avg. IF

4.41
L-index

#	Paper	IF	Citations
40	Urinary metabonomic study of lung cancer by a fully automatic hyphenated hydrophilic interaction/RPLC-MS system. <i>Journal of Separation Science</i> , 2010 , 33, 1495-503	3.4	64
39	A novel surface-confined glucaminium-based ionic liquid stationary phase for hydrophilic interaction/anion-exchange mixed-mode chromatography. <i>Journal of Chromatography A</i> , 2014 , 1360, 240-7	4.5	63
38	Recent development of ionic liquid stationary phases for liquid chromatography. <i>Journal of Chromatography A</i> , 2015 , 1420, 1-15	4.5	56
37	A novel stop-flow two-dimensional liquid chromatography-mass spectrometry method for lipid analysis. <i>Journal of Chromatography A</i> , 2013 , 1321, 65-72	4.5	51
36	Preparation and evaluation of a novel hybrid monolithic column based on pentafluorobenzyl imidazolium bromide ionic liquid. <i>Journal of Chromatography A</i> , 2015 , 1375, 101-9	4.5	45
35	Simultaneous metabolomics and lipidomics analysis based on novel heart-cutting two-dimensional liquid chromatography-mass spectrometry. <i>Analytica Chimica Acta</i> , 2017 , 966, 34-40	6.6	38
34	On-line stop-flow two-dimensional liquid chromatography-mass spectrometry method for the separation and identification of triterpenoid saponins from ginseng extract. <i>Analytical and Bioanalytical Chemistry</i> , 2015 , 407, 331-41	4.4	34
33	Study of surface-bonded dicationic ionic liquids as stationary phases for hydrophilic interaction chromatography. <i>Journal of Chromatography A</i> , 2014 , 1330, 40-50	4.5	34
32	On-line two dimensional liquid chromatography/mass spectrometry for the analysis of triacylglycerides in peanut oil and mouse tissue. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2012 , 895-896, 48-55	3.2	34
31	A fully automated system with on-line micro solid-phase extraction combined with capillary liquid chromatography-tandem mass spectrometry for high throughput analysis of microcystins and nodularin-R in tap water and lake water. <i>Journal of Chromatography A</i> , 2011 , 1218, 1743-8	4.5	33
30	Multidimensional liquid chromatography-mass spectrometry for metabolomic and lipidomic analyses. <i>TrAC - Trends in Analytical Chemistry</i> , 2019 , 120, 115302	14.6	33
29	Synthesis of magnetic mesoporous metal-organic framework-5 for the effective enrichment of malachite green and crystal violet in fish samples. <i>Journal of Chromatography A</i> , 2018 , 1560, 19-25	4.5	33
28	Preparation and evaluation of surface-bonded tricationic ionic liquid silica as stationary phases for high-performance liquid chromatography. <i>Journal of Chromatography A</i> , 2015 , 1396, 62-71	4.5	30
27	Comprehensive two-dimensional chromatography for analyzing complex samples: recent new advances. <i>Analytical Methods</i> , 2014 , 6, 7112-7123	3.2	30
26	Surface-bonded amide-functionalized imidazolium ionic liquid as stationary phase for hydrophilic interaction liquid chromatography. <i>Journal of Chromatography A</i> , 2018 , 1559, 141-148	4.5	27
25	Synthesis of a new type of echinus-like Fe ₃ O ₄ @TiO ₂ core-shell-structured microspheres and their applications in selectively enriching phosphopeptides and removing phospholipids. <i>Journal of Chromatography A</i> , 2013 , 1275, 9-16	4.5	21
24	Modified metabolites mapping by liquid chromatography-high resolution mass spectrometry using full scan/all ion fragmentation/neutral loss acquisition. <i>Journal of Chromatography A</i> , 2019 , 1583, 80-87	4.5	18

23	Online Three Dimensional Liquid Chromatography/Mass Spectrometry Method for the Separation of Complex Samples. <i>Analytical Chemistry</i> , 2017 , 89, 1433-1438	7.8	17
22	Pseudotargeted Method Based on Parallel Column Two-Dimensional Liquid Chromatography-Mass Spectrometry for Broad Coverage of Metabolome and Lipidome. <i>Analytical Chemistry</i> , 2020 , 92, 6043-6050	7.8	17
21	Single-cell Metabolomics Analysis by Microfluidics and Mass Spectrometry: Recent New Advances. <i>Journal of Analysis and Testing</i> , 2020 , 4, 198-209	3.2	16
20	Molecular interaction study of flavonoids with human serum albumin using native mass spectrometry and molecular modeling. <i>Analytical and Bioanalytical Chemistry</i> , 2018 , 410, 827-837	4.4	16
19	Comprehensive Analysis of Short-, Medium-, and Long-Chain Acyl-Coenzyme A by Online Two-Dimensional Liquid Chromatography/Mass Spectrometry. <i>Analytical Chemistry</i> , 2017 , 89, 12902-12908	7.8	16
18	Facile synthesis of Fe ^{III} @polyethyleneimine modified with 4-formylphenylboronic acid for the highly selective extraction of major catecholamines from human urine. <i>Journal of Separation Science</i> , 2015 , 38, 2857-64	3.4	15
17	A single-strand conformation polymorphism method by capillary electrophoresis with laser-induced fluorescence for detection of the T1151A mutation in hMLH1 gene. <i>Electrophoresis</i> , 2003 , 24, 2316-21	3.6	12
16	Enhancing the sensitivity of capillary electrophoresis using a microcolumn solid phase extraction setup. <i>Journal of Separation Science</i> , 2003 , 26, 1527-1532	3.4	12
15	Parallel derivatization strategy coupled with liquid chromatography-mass spectrometry for broad coverage of steroid hormones. <i>Journal of Chromatography A</i> , 2020 , 1614, 460709	4.5	12
14	A comprehensive strategy for studying protein-metabolite interactions by metabolomics and native mass spectrometry. <i>Talanta</i> , 2019 , 194, 63-72	6.2	12
13	Methylation analysis of hMLH1 gene promoter by a bisulfite-sensitive single-strand conformation polymorphism-capillary electrophoresis method. <i>Biomedical Chromatography</i> , 2006 , 20, 815-20	1.7	11
12	Rational Synthesis of Aptamer-Functionalized Polyethylenimine-Modified Magnetic Graphene Oxide Composites for Highly Efficient Enrichment and Comprehensive Metabolomics Analysis of Exosomes. <i>Analytical Chemistry</i> , 2020 , 92, 15497-15505	7.8	11
11	Highly efficient solid-phase derivatization of sugar phosphates with titanium-immobilized hydrophilic polydopamine-coated silica. <i>Journal of Chromatography A</i> , 2016 , 1457, 125-33	4.5	7
10	Carboxymethylated polyethylenimine modified magnetic nanoparticles specifically for purification of His-tagged protein. <i>Journal of Separation Science</i> , 2019 , 42, 744-753	3.4	7
9	Novel affinity monolithic column modified with cuprous sulfide nanoparticles for the selective enrichment of low-molecular-weight electron-rich analytes. <i>Journal of Separation Science</i> , 2015 , 38, 982-984	3.4	5
8	Simultaneous analysis of microsatellite instability and loss of heterozygosity by capillary electrophoresis with a homemade kit. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2006 , 834, 122-7	3.2	5
7	Preparation of mesoporous SiO ₂ @azobenzene-COOH chemoselective nanoprobos for comprehensive mapping of amino metabolites in human serum. <i>Chemical Communications</i> , 2015 , 51, 11321-4	5.8	4
6	Synthesis of metal-organic framework-5@chitosan material for the analysis of microcystins and nodularin based on ultra-performance liquid chromatography-tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2020 , 1623, 461198	4.5	4

5	Recent development of nanoparticle-assisted metabolites analysis with mass spectrometry. <i>Journal of Chromatography A</i> , 2021 , 1636, 461785	4.5	4
4	Alternate reversed-phase and hydrophilic interaction liquid chromatography coupled with mass spectrometry for broad coverage in metabolomics analysis. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2020 , 1152, 122266	3.2	3
3	Facile Synthesis of Antibody-Coupled Polydopamine-Coated Magnetic Graphene Oxide Composites for Efficient Immunopurification and Metabolomics Analysis of Mitochondria. <i>Analytical Chemistry</i> , 2021 , 93, 11099-11107	7.8	2
2	Untargeted Defining Protein-Metabolites Interaction Based on Label-Free Kinetic Size Exclusion Chromatography-Mass Spectrometry. <i>Analytical Chemistry</i> , 2020 , 92, 7657-7665	7.8	1
1	Lipid Profiling of 20 Mammalian Cells by Capillary Microsampling Combined with High-Resolution Spectral Stitching Nano-electrospray Ionization Direct-Infusion Mass Spectrometry. <i>Analytical Chemistry</i> , 2021 , 93, 10031-10038	7.8	0