## Peter Lommer Kristensen

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/206379/publications.pdf

Version: 2024-02-01

33 papers 379 citations

933447 10 h-index 18 g-index

37 all docs

37 docs citations

37 times ranked

548 citing authors

| #  | Article   | IF                  | CITATIONS          |
|----|---|---------------------|--------------------|
| 1  | Telemetric Continuous Glucose Monitoring During the COVID-19 Pandemic in Isolated Hospitalized Patients in Denmark: A Randomized Controlled Exploratory Trial. Diabetes Technology and Therapeutics, 2022, 24, 102-112.   | 4.4                 | 11                 |
| 2  | Motives and Barriers to Exercise Training during Hospitalization in Patients with Type 2 Diabetes: A Cross-Sectional Study. International Journal of Environmental Research and Public Health, 2022, 19, 1035.  | 2.6                 | 0                  |
| 3  | Effectiveness and acceptability of a pragmatic exercise intervention for patients with type 2 diabetes in specialized care. Diabetes Research and Clinical Practice, 2022, 183, 109176.   | 2.8                 | 2                  |
| 4  | Glycemic variability assessed by continuous glucose monitoring in hospitalized patients with community-acquired pneumonia. BMC Pulmonary Medicine, 2022, 22, 83.  | 2.0                 | 6                  |
| 5  | Flexible inclusion of dialogue about psychosocial aspects of life with type 1 diabetes in routine consultations ―a study of a questionnaireâ€based dialogue tool to promote personâ€centered support. Diabetic Medicine, 2022, , e14881.  | 2.3                 | 4                  |
| 6  | Behavioral factors associated with SARS-CoV-2 infection. Results from a web-based case-control survey in the Capital Region of Denmark. BMJ Open, 2022, 12, e056393.  | 1.9                 | 2                  |
| 7  | Hyperinsulinaemic–hypoglycaemic glucose clamps in human research: a systematic review of the literature. Diabetologia, 2021, 64, 727-736.   | 6.3                 | 7                  |
| 8  | Reproducibility of Glucose Fluctuations Induced by Moderate Intensity Cycling Exercise in Persons with Type 1 Diabetes. Journal of Diabetes Research, 2021, 2021, 1-8.  | 2.3                 | 4                  |
| 9  | Quality of diabetes treatment in four orthopaedic departments in the Capital Region of Denmark.<br>Danish Medical Journal, 2021, 68, .  | 0.5                 | 1                  |
| 10 | Remote continuous glucose monitoring during the COVID-19 pandemic in quarantined hospitalized patients in Denmark: A structured summary of a study protocol for a randomized controlled trial. Trials, 2020, 21, 968.   | 1.6                 | 6                  |
| 11 | Oral treatment of glucocorticoidâ€induced diabetes mellitus: A systematic review. International<br>Journal of Clinical Practice, 2020, 74, e13529.  | 1.7                 | 3                  |
| 12 | Study rationale and design of the EANITIATE study (EmpAgliflozin compared to NPH Insulin for sTeroId) Tj ETQq0 empagliflozin compared with NPH-insulin in patients with newly onset diabetes following initiation of glucocorticoid treatment. BMC Endocrine Disorders, 2020, 20, 86.                             | 0 0 0 rgBT /<br>2.2 | Overlock 107<br>10 |
| 13 | Physical activity and type 1 diabetes: Moving from the laboratory to the real world. International Journal of Clinical Practice, 2019, 73, e13396.  | 1.7                 | 1                  |
| 14 | Glucocorticoid-induced diabetes in patients with metastatic spinal cord compression. Endocrine Connections, 2018, 7, 719-726.   | 1.9                 | 5                  |
| 15 | Effect of Insulin Analogs on Frequency of Non–Severe Hypoglycemia in Patients with Type 1 Diabetes Prone to Severe Hypoglycemia: Much Higher Rates Detected by Continuous Glucose Monitoring than by Self-Monitoring of Blood Glucose—The HypoAna Trial. Diabetes Technology and Therapeutics, 2018, 20, 247-256. | 4.4                 | 17                 |
| 16 | Early incidence of glucocorticoid-induced diabetes in patients with brain tumors: a retrospective study of the first 7 days of treatment. Neuro-Oncology Practice, 2018, 5, 170-175.  | 1.6                 | 4                  |
| 17 | The influence on survival of glucocorticoid induced diabetes in cancer patients with metastatic spinal cord compression. Clinical and Translational Radiation Oncology, 2018, 11, 19-25.  | 1.7                 | 5                  |
| 18 | Impact of Genetic Polymorphism in the $\hat{I}^2$ 2-Receptor Gene on Risk of Severe Hypoglycemia in Patients With Type 1 Diabetes. Journal of Clinical Endocrinology and Metabolism, 2018, 103, 2901-2908.  | 3.6                 | 6                  |

| #  | Article  | IF   | CITATIONS |
|----|--|------|-----------|
| 19 | Comparing effects of insulin analogues and human insulin on nocturnal glycaemia in hypoglycaemiaâ€prone people with Type 1 diabetes. Diabetic Medicine, 2017, 34, 625-631.   | 2.3  | 14        |
| 20 | Obstructive sleep apnoea is frequent in patients with type 1 diabetes. Journal of Diabetes and Its Complications, 2017, 31, 156-161.   | 2.3  | 27        |
| 21 | Catheter Related Escherichia hermannii Sepsis in a Haemodialysis Patient. Open Microbiology Journal, 2016, 10, 1-3.  | 0.7  | 7         |
| 22 | Effect of insulin analogues on frequency of non-severe hypoglycaemia in patients with typeÂ1 diabetes prone to severe hypoglycaemia: The HypoAna trial. Diabetes and Metabolism, 2016, 42, 249-255.  | 2.9  | 25        |
| 23 | NSAIDâ€induced symptomatic hypophosphataemia. British Journal of Clinical Pharmacology, 2016, 82, 1399-1401.   | 2.4  | 3         |
| 24 | Impact of the TCF7L2 genotype on risk of hypoglycaemia and glucagon secretion during hypoglycaemia. Endocrine Connections, 2016, 5, 53-60.   | 1.9  | 2         |
| 25 | Short-term cost-effectiveness of insulin detemir and insulin aspart in people with type 1 diabetes who are prone to recurrent severe hypoglycemia. Current Medical Research and Opinion, 2016, 32, 1719-1725.  | 1.9  | 6         |
| 26 | Effect of insulin analogues on risk of severe hypoglycaemia in patients with type 1 diabetes prone to recurrent severe hypoglycaemia (HypoAna trial): a prospective, randomised, open-label, blinded-endpoint crossover trial. Lancet Diabetes and Endocrinology,the, 2014, 2, 553-561.      | 11.4 | 83        |
| 27 | Nocturnal Continuous Glucose Monitoring: Accuracy and Reliability of Hypoglycemia Detection in Patients with Type 1 Diabetes at High Risk of Severe Hypoglycemia. Diabetes Technology and Therapeutics, 2013, 15, 371-377.   | 4.4  | 42        |
| 28 | Influence of Erythropoietin on Cognitive Performance during Experimental Hypoglycemia in Patients with Type 1 Diabetes Mellitus: A Randomized Cross-Over Trial. PLoS ONE, 2013, 8, e59672.   | 2.5  | 22        |
| 29 | A prospective randomised cross-over study of the effect of insulin analogues and human insulin on the frequency of severe hypoglycaemia in patients with type 1 diabetes and recurrent hypoglycaemia (the HypoAna trial): study rationale and design. BMC Endocrine Disorders, 2012, 12, 10. | 2.2  | 18        |
| 30 | Testing the validity of the Danish urban myth that alcohol can be absorbed through feet: open labelled self experimental study. BMJ, The, 2010, 341, c6812-c6812.  | 6.0  | 1         |
| 31 | Cognitive performance, symptoms and counter-regulation during hypoglycaemia in patients with type 1 diabetes and high or low renin-angiotensin system activity. JRAAS - Journal of the Renin-Angiotensin-Aldosterone System, 2009, 10, 216-229.  | 1.7  | 10        |
| 32 | Erythropoietin during hypoglycaemia in type $1$ diabetes: Relation to basal renin-angiotensin system activity and cognitive function. Diabetes Research and Clinical Practice, 2009, 85, 75-84.  | 2.8  | 12        |
| 33 | Vascular endothelial growth factor during hypoglycemia in patients with type $1$ diabetes mellitus: relation to cognitive function and renin-angiotensin system activity. Metabolism: Clinical and Experimental, 2009, 58, 1430-1438.  | 3.4  | 10        |