
## Christopher K Barlow

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2064277/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Comparative metabolomics revealed key pathways associated with the synergistic killing of multidrug-resistant Klebsiella pneumoniae by a bacteriophage-polymyxin combination. Computational and Structural Biotechnology Journal, 2022, 20, 485-495.	1.9	12
2	An Integrated Multi-Omic Network Analysis Identifies Seizure-Associated Dysregulated Pathways in the GAERS Model of Absence Epilepsy. International Journal of Molecular Sciences, 2022, 23, 6063.	1.8	6
3	DIPC-20. Copper chelation therapy targets S-adenosylmethionine (SAM) metabolism and epigenetic regulators in diffuse intrinsic pontine glioma (DIPC). Neuro-Oncology, 2022, 24, i22-i22.	0.6	Ο
4	Stable Isotopic Tracer Phospholipidomics Reveals Contributions of Key Phospholipid Biosynthetic Pathways to Low Hepatocyte Phosphatidylcholine to Phosphatidylethanolamine Ratio Induced by Free Fatty Acids. Metabolites, 2021, 11, 188.	1.3	4
5	Identification of Koala (Phascolarctos cinereus) Faecal Cortisol Metabolites Using Liquid Chromatography-Mass Spectrometry and Enzyme Immunoassays. Metabolites, 2021, 11, 393.	1.3	16
6	Restriction of essential amino acids dictates the systemic metabolic response to dietary protein dilution. Nature Communications, 2020, 11, 2894.	5.8	71
7	Cellular and Structural Basis of Synthesis of the Unique Intermediate Dehydro-F <sub>420</sub> -0 in Mycobacteria. MSystems, 2020, 5, .	1.7	9
8	Molecular Basis of Unexpected Specificity of ABC Transporter-Associated Substrate-Binding Protein DppA from Helicobacter pylori. Journal of Bacteriology, 2019, 201, .	1.0	11
9	Comparative Metabolomics Reveals Key Pathways Associated With the Synergistic Killing of Colistin and Sulbactam Combination Against Multidrug-Resistant Acinetobacter baumannii. Frontiers in Pharmacology, 2019, 10, 754.	1.6	21
10	Changes in plasma lipids predict pravastatin efficacy in secondary prevention. JCI Insight, 2019, 4, .	2.3	13
11	High-Throughput Plasma Lipidomics: Detailed Mapping of the Associations with Cardiometabolic Risk Factors. Cell Chemical Biology, 2019, 26, 71-84.e4.	2.5	219
12	Weight Loss and Exercise Alter the High-Density Lipoprotein Lipidome and Improve High-Density Lipoprotein Functionality in Metabolic Syndrome. Arteriosclerosis, Thrombosis, and Vascular Biology, 2018, 38, 438-447.	1.1	49
13	Large-scale plasma lipidomic profiling identifies lipids that predict cardiovascular events in secondary prevention. JCI Insight, 2018, 3, .	2.3	100
14	Genetic correlation of the plasma lipidome with type 2 diabetes, prediabetes and insulin resistance in Mexican American families. BMC Genetics, 2017, 18, 48.	2.7	10
15	Plasma Lipidomic Profiles Improve on Traditional Risk Factors for the Prediction of Cardiovascular Events in Type 2 Diabetes Mellitus. Circulation, 2016, 134, 1637-1650.	1.6	205
16	Lipidomic risk score independently and cost-effectively predicts risk of future type 2 diabetes: results from diverse cohorts. Lipids in Health and Disease, 2016, 15, 67.	1.2	44
17	High density lipoprotein efficiently accepts surface but not internal oxidised lipids from oxidised low density lipoprotein. Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids, 2016, 1861, 69-77.	1.2	16
18	An Efficient Single Phase Method for the Extraction of Plasma Lipids. Metabolites, 2015, 5, 389-403.	1.3	136

CHRISTOPHER K BARLOW

#	Article	IF	CITATIONS
19	Circulating Lipids Are Associated with Alcoholic Liver Cirrhosis and Represent Potential Biomarkers for Risk Assessment. PLoS ONE, 2015, 10, e0130346.	1.1	33
20	Postprandial Plasma Phospholipids in Men Are Influenced by the Source of Dietary Fat. Journal of Nutrition, 2015, 145, 2012-2018.	1.3	54
21	Plasmalogen modulation attenuates atherosclerosis in ApoE- and ApoE/GPx1-deficient mice. Atherosclerosis, 2015, 243, 598-608.	0.4	51
22	Human Plasma Lipidome Is Pleiotropically Associated With Cardiovascular Risk Factors and Death. Circulation: Cardiovascular Genetics, 2014, 7, 854-863.	5.1	56
23	Plasma dihydroceramide species associate with waist circumference in Mexican American families. Obesity, 2014, 22, 950-956.	1.5	32
24	Plasma lipidome is independently associated with variability in metabolic syndrome in Mexican American families. Journal of Lipid Research, 2014, 55, 939-946.	2.0	12
25	Lipidomics: Potential role in risk prediction and therapeutic monitoring for diabetes and cardiovascular disease. , 2014, 143, 12-23.		141
26	Variability in Associations of Phosphatidylcholine Molecular Species with Metabolic Syndrome in Mexican–American Families. Lipids, 2013, 48, 497-503.	0.7	15
27	Plasma lipid profiling in a large population-based cohort. Journal of Lipid Research, 2013, 54, 2898-2908.	2.0	304
28	Plasma Lipidomic Profile Signature of Hypertension in Mexican American Families. Hypertension, 2013, 62, 621-626.	1.3	87
29	Plasma Lipid Profiling Shows Similar Associations with Prediabetes and Type 2 Diabetes. PLoS ONE, 2013, 8, e74341.	1.1	247
30	Inclusion of Plasma Lipid Species Improves Classification of Individuals at Risk of Type 2 Diabetes. PLoS ONE, 2013, 8, e76577.	1.1	33
31	Negative Ion Fragmentation of Cysteic Acid Containing Peptides: Cysteic Acid as a Fixed Negative Charge. Journal of the American Society for Mass Spectrometry, 2011, 22, 1622-1630.	1.2	8
32	The formation and fragmentation of flavonoid radical anions. International Journal of Mass Spectrometry, 2011, 301, 174-183.	0.7	13
33	Reconstituted high-density lipoprotein infusion modulates fatty acid metabolism in patients with type 2 diabetes mellitus. Journal of Lipid Research, 2011, 52, 572-581.	2.0	39
34	Plasma Lipidomic Analysis of Stable and Unstable Coronary Artery Disease. Arteriosclerosis, Thrombosis, and Vascular Biology, 2011, 31, 2723-2732.	1.1	265
35	How does acetylcholine lose trimethylamine? A density functional theory study of four competing mechanisms. Journal of the American Society for Mass Spectrometry, 2009, 20, 238-246.	1.2	11
36	Gasâ€phase peptide fragmentation: how understanding the fundamentals provides a springboard to developing new chemistry and novel proteomic tools. Journal of Mass Spectrometry, 2008, 43, 1301-1319.	0.7	51

3

#	Article	IF	CITATIONS
37	Gas-phase ion/ion reactions of transition metal complex cations with multiply charged oligodeoxynucleotide anions. Journal of the American Society for Mass Spectrometry, 2008, 19, 281-293.	1.2	20
38	Metal-Mediated Formation of Gas-Phase Amino Acid Radical Cationsâ€,#. Journal of Physical Chemistry A, 2006, 110, 8304-8315.	1.1	64
39	Gas-phase regiocontrolled generation of charged amino acid and peptide radicals. Chemical Communications, 2006, , 4233.	2.2	52
40	Peptide derivatization as a strategy to form fixed-charge peptide radicals. Rapid Communications in Mass Spectrometry, 2006, 20, 2865-2870.	0.7	26
41	Formation of Cationic Peptide Radicals by Gas-Phase Redox Reactions with Trivalent Chromium, Manganese, Iron, and Cobalt Complexes. Journal of the American Chemical Society, 2005, 127, 6109-6115.	6.6	111
42	Designing copper(ii) ternary complexes to generate radical cations of peptides in the gas phase: Role of the auxiliary ligand. Dalton Transactions, 2004, , 3199.	1.6	76