

# Gordon M Keller

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/2064584/gordon-m-keller-publications-by-year.pdf>

**Version:** 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

172  
papers

25,618  
citations

78  
h-index

159  
g-index

182  
ext. papers

28,985  
ext. citations

14.4  
avg, IF

6.99  
L-index

| #   | Paper   | IF   | Citations |
|-----|---|------|-----------|
| 172 | Therapeutic correction of hemophilia A by transplantation of hPSC-derived liver sinusoidal endothelial cell progenitors.. <i>Cell Reports</i> , <b>2022</b> , 39, 110621                              | 10.6 | 0         |
| 171 | Modeling human yolk sac hematopoiesis with pluripotent stem cells.. <i>Journal of Experimental Medicine</i> , <b>2022</b> , 219,  | 16.6 | 2         |
| 170 | Generation of mature compact ventricular cardiomyocytes from human pluripotent stem cells. <i>Nature Communications</i> , <b>2021</b> , 12, 3155  | 17.4 | 23        |
| 169 | Photochemically Activated Notch Signaling Hydrogel Preferentially Differentiates Human Derived Hepatoblasts to Cholangiocytes. <i>Advanced Functional Materials</i> , <b>2021</b> , 31, 2006116       | 15.6 | 5         |
| 168 | BMP10 Signaling Promotes the Development of Endocardial Cells from Human Pluripotent Stem Cell-Derived Cardiovascular Progenitors. <i>Cell Stem Cell</i> , <b>2021</b> , 28, 96-111.e7                | 18   | 21        |
| 167 | One-Step Formation of Protein-Based Tubular Structures for Functional Devices and Tissues. <i>Advanced Healthcare Materials</i> , <b>2021</b> , 10, e2001746  | 10.1 | 2         |
| 166 | A 3-D human model of complex cardiac arrhythmias. <i>Acta Biomaterialia</i> , <b>2021</b> , 132, 149-161  | 10.8 | 2         |
| 165 | Ultrasensitive and rapid quantification of rare tumorigenic stem cells in hPSC-derived cardiomyocyte populations. <i>Science Advances</i> , <b>2020</b> , 6, eaay7629                                 | 14.3 | 14        |
| 164 | Generation of Functional Liver Sinusoidal Endothelial Cells from Human Pluripotent Stem-Cell-Derived Venous Angioblasts. <i>Cell Stem Cell</i> , <b>2020</b> , 27, 254-269.e9                         | 18   | 17        |
| 163 | Functional arrays of human pluripotent stem cell-derived cardiac microtissues. <i>Scientific Reports</i> , <b>2020</b> , 10, 6919   | 4.9  | 14        |
| 162 | Cardioprotective GLP-1 metabolite prevents ischemic cardiac injury by inhibiting mitochondrial trifunctional protein- $\beta$ <i>Journal of Clinical Investigation</i> , <b>2020</b> , 130, 1392-1404 | 15.9 | 19        |
| 161 | Generating ring-shaped engineered heart tissues from ventricular and atrial human pluripotent stem cell-derived cardiomyocytes. <i>Nature Communications</i> , <b>2020</b> , 11, 75                   | 17.4 | 82        |
| 160 | Transplanted microvessels improve pluripotent stem cell-derived cardiomyocyte engraftment and cardiac function after infarction in rats. <i>Science Translational Medicine</i> , <b>2020</b> , 12,    | 17.5 | 26        |
| 159 | Single-Cell Mechanical Analysis of Human Pluripotent Stem Cell-Derived Cardiomyocytes for Drug Testing and Pathophysiological Studies. <i>Stem Cell Reports</i> , <b>2020</b> , 15, 587-596           | 8    | 5         |
| 158 | Human Pluripotent Stem Cell-Derived Cardiovascular Cells: From Developmental Biology to Therapeutic Applications. <i>Cell Stem Cell</i> , <b>2019</b> , 25, 311-327                                   | 18   | 59        |
| 157 | A Platform for Generation of Chamber-Specific Cardiac Tissues and Disease Modeling. <i>Cell</i> , <b>2019</b> , 176, 913-927.e18  | 56.2 | 239       |
| 156 | Human Embryonic Stem Cell-Derived Cardiomyocytes Regenerate the Infarcted Pig Heart but Induce Ventricular Tachyarrhythmias. <i>Stem Cell Reports</i> , <b>2019</b> , 12, 967-981                     | 8    | 127       |

|     |  |      |     |
|-----|--|------|-----|
| 155 | Ibrutinib Displays Atrial-Specific Toxicity in Human Stem Cell-Derived Cardiomyocytes. <i>Stem Cell Reports</i> , <b>2019</b> , 12, 996-1006   | 8    | 30  |
| 154 | Essential Gene Profiles for Human Pluripotent Stem Cells Identify Uncharacterized Genes and Substrate Dependencies. <i>Cell Reports</i> , <b>2019</b> , 27, 599-615.e12  | 10.6 | 42  |
| 153 | FZD4 Marks Lateral Plate Mesoderm and Signals with NORRIN to Increase Cardiomyocyte Induction from Pluripotent Stem Cell-Derived Cardiac Progenitors. <i>Stem Cell Reports</i> , <b>2018</b> , 10, 87-100      | 8    | 15  |
| 152 | Single cell RNA sequencing of human liver reveals distinct intrahepatic macrophage populations. <i>Nature Communications</i> , <b>2018</b> , 9, 4383   | 17.4 | 452 |
| 151 | Human Stem Cell-Derived Cardiac Model of Chronic Drug Exposure. <i>ACS Biomaterials Science and Engineering</i> , <b>2017</b> , 3, 1911-1921   | 5.5  | 18  |
| 150 | Defined Engineered Human Myocardium With Advanced Maturation for Applications in Heart Failure Modeling and Repair. <i>Circulation</i> , <b>2017</b> , 135, 1832-1847  | 16.7 | 328 |
| 149 | Haematopoietic stem and progenitor cells from human pluripotent stem cells. <i>Nature</i> , <b>2017</b> , 545, 432-438   | 30.4 | 279 |
| 148 | Sinoatrial node cardiomyocytes derived from human pluripotent cells function as a biological pacemaker. <i>Nature Biotechnology</i> , <b>2017</b> , 35, 56-68  | 44.5 | 204 |
| 147 | Modeling Atrial Fibrillation using Human Embryonic Stem Cell-Derived Atrial Tissue. <i>Scientific Reports</i> , <b>2017</b> , 7, 5268  | 4.9  | 45  |
| 146 | Human Pluripotent Stem Cell-Derived Atrial and Ventricular Cardiomyocytes Develop from Distinct Mesoderm Populations. <i>Cell Stem Cell</i> , <b>2017</b> , 21, 179-194.e4                                     | 18   | 210 |
| 145 | Substrate and mechanotransduction influence SERCA2a localization in human pluripotent stem cell-derived cardiomyocytes affecting functional performance. <i>Stem Cell Research</i> , <b>2017</b> , 25, 107-114 | 1.6  | 18  |
| 144 | A view of human haematopoietic development from the Petri dish. <i>Nature Reviews Molecular Cell Biology</i> , <b>2017</b> , 18, 56-67   | 48.7 | 72  |
| 143 | Silent IL2RG Gene Editing in Human Pluripotent Stem Cells. <i>Molecular Therapy</i> , <b>2016</b> , 24, 582-91   | 11.7 | 7   |
| 142 | Modeling altered T-cell development with induced pluripotent stem cells from patients with RAG1-dependent immune deficiencies. <i>Blood</i> , <b>2016</b> , 128, 783-93  | 2.2  | 32  |
| 141 | Autonomous beating rate adaptation in human stem cell-derived cardiomyocytes. <i>Nature Communications</i> , <b>2016</b> , 7, 10312  | 17.4 | 104 |
| 140 | Biodegradable scaffold with built-in vasculature for organ-on-a-chip engineering and direct surgical anastomosis. <i>Nature Materials</i> , <b>2016</b> , 15, 669-78   | 27   | 354 |
| 139 | Hedgehog inhibits Eatenin activity in synovial joint development and osteoarthritis. <i>Journal of Clinical Investigation</i> , <b>2016</b> , 126, 1649-63   | 15.9 | 31  |
| 138 | Directed differentiation of cholangiocytes from human pluripotent stem cells. <i>Nature Biotechnology</i> , <b>2015</b> , 33, 853-61   | 44.5 | 193 |

|     |   |      |     |
|-----|---|------|-----|
| 137 | Enzymatically degradable poly(ethylene glycol) hydrogels for the 3D culture and release of human embryonic stem cell derived pancreatic precursor cell aggregates. <i>Acta Biomaterialia</i> , <b>2015</b> , 22, 103-10 | 10.8 | 28  |
| 136 | Mechanical Stress Promotes Maturation of Human Myocardium From Pluripotent Stem Cell-Derived Progenitors. <i>Stem Cells</i> , <b>2015</b> , 33, 2148-57   | 5.8  | 85  |
| 135 | Human definitive haemogenic endothelium and arterial vascular endothelium represent distinct lineages. <i>Nature Cell Biology</i> , <b>2015</b> , 17, 580-91  | 23.4 | 168 |
| 134 | Efficient generation of NKX6-1+ pancreatic progenitors from multiple human pluripotent stem cell lines. <i>Stem Cell Reports</i> , <b>2015</b> , 4, 591-604   | 8    | 180 |
| 133 | A Quantitative Proteomic Analysis of Hemogenic Endothelium Reveals Differential Regulation of Hematopoiesis by SOX17. <i>Stem Cell Reports</i> , <b>2015</b> , 5, 291-304   | 8    | 10  |
| 132 | Evolutionarily conserved intercalated disc protein Tmem65 regulates cardiac conduction and connexin 43 function. <i>Nature Communications</i> , <b>2015</b> , 6, 8391   | 17.4 | 23  |
| 131 | New markers for tracking endoderm induction and hepatocyte differentiation from human pluripotent stem cells. <i>Development (Cambridge)</i> , <b>2015</b> , 142, 4253-65   | 6.6  | 14  |
| 130 | Ductal pancreatic cancer modeling and drug screening using human pluripotent stem cell- and patient-derived tumor organoids. <i>Nature Medicine</i> , <b>2015</b> , 21, 1364-71   | 50.5 | 403 |
| 129 | Generation of articular chondrocytes from human pluripotent stem cells. <i>Nature Biotechnology</i> , <b>2015</b> , 33, 638-45  | 44.5 | 110 |
| 128 | Comparison of Human Embryonic Stem Cell-Derived Cardiomyocytes, Cardiovascular Progenitors, and Bone Marrow Mononuclear Cells for Cardiac Repair. <i>Stem Cell Reports</i> , <b>2015</b> , 5, 753-762                   | 8    | 80  |
| 127 | Ankrd11 is a chromatin regulator involved in autism that is essential for neural development. <i>Developmental Cell</i> , <b>2015</b> , 32, 31-42   | 10.2 | 92  |
| 126 | Microfabricated perfusable cardiac biowire: a platform that mimics native cardiac bundle. <i>Lab on A Chip</i> , <b>2014</b> , 14, 869-82   | 7.2  | 98  |
| 125 | Generation of the epicardial lineage from human pluripotent stem cells. <i>Nature Biotechnology</i> , <b>2014</b> , 32, 1026-35   | 44.5 | 127 |
| 124 | The effect of cyclic stretch on maturation and 3D tissue formation of human embryonic stem cell-derived cardiomyocytes. <i>Biomaterials</i> , <b>2014</b> , 35, 2798-808  | 15.6 | 177 |
| 123 | Wnt signaling controls the specification of definitive and primitive hematopoiesis from human pluripotent stem cells. <i>Nature Biotechnology</i> , <b>2014</b> , 32, 554-61  | 44.5 | 244 |
| 122 | Transforming the promise of pluripotent stem cell-derived cardiomyocytes to a therapy: challenges and solutions for clinical trials. <i>Canadian Journal of Cardiology</i> , <b>2014</b> , 30, 1335-49                  | 3.8  | 23  |
| 121 | Fetal reprogramming and senescence in hypoplastic left heart syndrome and in human pluripotent stem cells during cardiac differentiation. <i>American Journal of Pathology</i> , <b>2013</b> , 183, 720-34              | 5.8  | 36  |
| 120 | Three-dimensional culture and cAMP signaling promote the maturation of human pluripotent stem cell-derived hepatocytes. <i>Development (Cambridge)</i> , <b>2013</b> , 140, 3285-96                                     | 6.6  | 113 |

|     |  |      |     |
|-----|--|------|-----|
| 119 | Retinoic acid signaling is essential for embryonic hematopoietic stem cell development. <i>Cell</i> , <b>2013</b> , 155, 215-27  | 56.2 | 128 |
| 118 | Serum-free differentiation of functional human coronary-like vascular smooth muscle cells from embryonic stem cells. <i>Cardiovascular Research</i> , <b>2013</b> , 98, 125-35                                 | 9.9  | 30  |
| 117 | The expression of Sox17 identifies and regulates haemogenic endothelium. <i>Nature Cell Biology</i> , <b>2013</b> , 15, 502-10   | 23.4 | 100 |
| 116 | Defining the path to hematopoietic stem cells. <i>Nature Biotechnology</i> , <b>2013</b> , 31, 416-8   | 44.5 | 40  |
| 115 | Specification of chondrocytes and cartilage tissues from embryonic stem cells. <i>Development (Cambridge)</i> , <b>2013</b> , 140, 2597-610  | 6.6  | 79  |
| 114 | Biowire: a platform for maturation of human pluripotent stem cell-derived cardiomyocytes. <i>Nature Methods</i> , <b>2013</b> , 10, 781-7  | 21.6 | 624 |
| 113 | Induced pluripotent stem cells used to reveal drug actions in a long QT syndrome family with complex genetics. <i>Journal of General Physiology</i> , <b>2013</b> , 141, 61-72                                 | 3.4  | 158 |
| 112 | Mechanism-based facilitated maturation of human pluripotent stem cell-derived cardiomyocytes. <i>Circulation: Arrhythmia and Electrophysiology</i> , <b>2013</b> , 6, 191-201                                  | 6.4  | 140 |
| 111 | Design and formulation of functional pluripotent stem cell-derived cardiac microtissues. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2013</b> , 110, E4698-707 | 11.5 | 209 |
| 110 | Parthenogenetic stem cells for tissue-engineered heart repair. <i>Journal of Clinical Investigation</i> , <b>2013</b> , 123, 1285-98   | 15.9 | 85  |
| 109 | Induced pluripotent stem cells used to reveal drug actions in a long QT syndrome family with complex genetics. <i>Journal of Cell Biology</i> , <b>2013</b> , 200, i3-i3                                       | 7.3  | 1   |
| 108 | Generation of beta cells from human pluripotent stem cells: Potential for regenerative medicine. <i>Seminars in Cell and Developmental Biology</i> , <b>2012</b> , 23, 701-10                                  | 7.5  | 78  |
| 107 | Metformin activates an atypical PKC-CBP pathway to promote neurogenesis and enhance spatial memory formation. <i>Cell Stem Cell</i> , <b>2012</b> , 11, 23-35  | 18   | 313 |
| 106 | Dynamic and coordinated epigenetic regulation of developmental transitions in the cardiac lineage. <i>Cell</i> , <b>2012</b> , 151, 206-20   | 56.2 | 458 |
| 105 | A temporal chromatin signature in human embryonic stem cells identifies regulators of cardiac development. <i>Cell</i> , <b>2012</b> , 151, 221-32   | 56.2 | 254 |
| 104 | Production of de novo cardiomyocytes: human pluripotent stem cell differentiation and direct reprogramming. <i>Cell Stem Cell</i> , <b>2012</b> , 10, 16-28  | 18   | 478 |
| 103 | Primitive erythropoiesis is regulated by miR-126 via nonhematopoietic Vcam-1+ cells. <i>Developmental Cell</i> , <b>2012</b> , 23, 45-57   | 10.2 | 29  |
| 102 | T lymphocyte potential marks the emergence of definitive hematopoietic progenitors in human pluripotent stem cell differentiation cultures. <i>Cell Reports</i> , <b>2012</b> , 2, 1722-35                     | 10.6 | 268 |

|     |   |      |     |
|-----|---|------|-----|
| 101 | Micro-arrayed human embryonic stem cells-derived cardiomyocytes for in vitro functional assay. <i>PLoS ONE</i> , <b>2012</b> , 7, e48483  | 3.7  | 25  |
| 100 | Regulated expression and role of c-Myb in the cardiovascular-directed differentiation of mouse embryonic stem cells. <i>Circulation Research</i> , <b>2012</b> , 110, 253-64  | 15.7 | 9   |
| 99  | SIRPA is a specific cell-surface marker for isolating cardiomyocytes derived from human pluripotent stem cells. <i>Nature Biotechnology</i> , <b>2011</b> , 29, 1011-8  | 44.5 | 421 |
| 98  | Stage-specific optimization of activin/nodal and BMP signaling promotes cardiac differentiation of mouse and human pluripotent stem cell lines. <i>Cell Stem Cell</i> , <b>2011</b> , 8, 228-40   | 18   | 865 |
| 97  | FOXO1 is an essential regulator of pluripotency in human embryonic stem cells. <i>Nature Cell Biology</i> , <b>2011</b> , 13, 1092-9  | 23.4 | 180 |
| 96  | Pdx1 and Ngn3 overexpression enhances pancreatic differentiation of mouse ES cell-derived endoderm population. <i>PLoS ONE</i> , <b>2011</b> , 6, e24058  | 3.7  | 36  |
| 95  | Distinct roles of microRNA-1 and -499 in ventricular specification and functional maturation of human embryonic stem cell-derived cardiomyocytes. <i>PLoS ONE</i> , <b>2011</b> , 6, e27417   | 3.7  | 131 |
| 94  | Biophysical properties of slow potassium channels in human embryonic stem cell derived cardiomyocytes implicate subunit stoichiometry. <i>Journal of Physiology</i> , <b>2011</b> , 589, 6093-104   | 3.9  | 37  |
| 93  | Generation of anterior foregut endoderm from human embryonic and induced pluripotent stem cells. <i>Nature Biotechnology</i> , <b>2011</b> , 29, 267-72   | 44.5 | 266 |
| 92  | An endothelial cell niche induces hepatic specification through dual repression of Wnt and Notch signaling. <i>Stem Cells</i> , <b>2011</b> , 29, 217-28  | 5.8  | 37  |
| 91  | Stage-specific signaling through TGF $\beta$ family members and WNT regulates patterning and pancreatic specification of human pluripotent stem cells. <i>Development (Cambridge)</i> , <b>2011</b> , 138, 861-71                           | 6.6  | 295 |
| 90  | Stage-specific signaling through TGF $\beta$ family members and WNT regulates patterning and pancreatic specification of human pluripotent stem cells. <i>Journal of Cell Science</i> , <b>2011</b> , 124, e1-e1                            | 5.3  |     |
| 89  | Simple and high yielding method for preparing tissue specific extracellular matrix coatings for cell culture. <i>PLoS ONE</i> , <b>2010</b> , 5, e13039   | 3.7  | 190 |
| 88  | Interrogating functional integration between injected pluripotent stem cell-derived cells and surrogate cardiac tissue. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2010</b> , 107, 3329-34 | 11.5 | 74  |
| 87  | The cardiomyocyte lineage is critical for optimization of stem cell therapy in a mouse model of myocardial infarction. <i>FASEB Journal</i> , <b>2010</b> , 24, 1073-81   | 0.9  | 12  |
| 86  | Temporal specification of blood progenitors from mouse embryonic stem cells and induced pluripotent stem cells. <i>Development (Cambridge)</i> , <b>2010</b> , 137, 2829-39   | 6.6  | 63  |
| 85  | Directed differentiation of hematopoietic precursors and functional osteoclasts from human ES and iPS cells. <i>Blood</i> , <b>2010</b> , 115, 2769-76  | 2.2  | 117 |
| 84  | The homeobox gene Hex regulates hepatocyte differentiation from embryonic stem cell-derived endoderm. <i>Hepatology</i> , <b>2010</b> , 51, 633-41  | 11.2 | 31  |

|    |   |      |      |
|----|---|------|------|
| 83 | Development and function of myeloid-derived suppressor cells generated from mouse embryonic and hematopoietic stem cells. <i>Stem Cells</i> , <b>2010</b> , 28, 620-32  | 5.8  | 110  |
| 82 | In vivo gene delivery by embryonic-stem-cell-derived astrocytes for malignant gliomas. <i>Neuro-Oncology</i> , <b>2009</b> , 11, 102-8  | 1    | 19   |
| 81 | Site-specific integration of adeno-associated virus involves partial duplication of the target locus. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2009</b> , 106, 7571-6    | 11.5 | 53   |
| 80 | Generation of monoclonal antibodies specific for cell surface molecules expressed on early mouse endoderm. <i>Stem Cells</i> , <b>2009</b> , 27, 2103-13  | 5.8  | 36   |
| 79 | Alternative induced pluripotent stem cell characterization criteria for in vitro applications. <i>Cell Stem Cell</i> , <b>2009</b> , 4, 198-9; author reply 202   | 18   | 59   |
| 78 | In vivo detection of embryonic stem cell-derived cardiovascular progenitor cells using Cy3-labeled Gadofluorine M in murine myocardium. <i>JACC: Cardiovascular Imaging</i> , <b>2009</b> , 2, 1114-22                      | 8.4  | 20   |
| 77 | Human cardiovascular progenitor cells develop from a KDR+ embryonic-stem-cell-derived population. <i>Nature</i> , <b>2008</b> , 453, 524-8  | 50.4 | 1142 |
| 76 | Notch signaling respecifies the hemangioblast to a cardiac fate. <i>Nature Biotechnology</i> , <b>2008</b> , 26, 1169-78  | 44.5 | 67   |
| 75 | Wnt, activin, and BMP signaling regulate distinct stages in the developmental pathway from embryonic stem cells to blood. <i>Cell Stem Cell</i> , <b>2008</b> , 2, 60-71  | 18   | 235  |
| 74 | Highlights from Philadelphia: ISSCR 2008. <i>Cell Stem Cell</i> , <b>2008</b> , 3, 259-264  | 18   | 1    |
| 73 | Differentiation of embryonic stem cells to clinically relevant populations: lessons from embryonic development. <i>Cell</i> , <b>2008</b> , 132, 661-80   | 56.2 | 1369 |
| 72 | Gene delivery by embryonic stem cells for malignant glioma therapy: hype or hope?. <i>Cancer Biology and Therapy</i> , <b>2008</b> , 7, 1341-7  | 4.6  | 12   |
| 71 | Numb mediates the interaction between Wnt and Notch to modulate primitive erythropoietic specification from the hemangioblast. <i>Development (Cambridge)</i> , <b>2008</b> , 135, 3447-58                                  | 6.6  | 70   |
| 70 | Serial in vivo positive contrast MRI of iron oxide-labeled embryonic stem cell-derived cardiac precursor cells in a mouse model of myocardial infarction. <i>Magnetic Resonance in Medicine</i> , <b>2008</b> , 60, 73-81   | 4.4  | 57   |
| 69 | Identification and targeting of the ROSA26 locus in human embryonic stem cells. <i>Nature Biotechnology</i> , <b>2007</b> , 25, 1477-82   | 44.5 | 222  |
| 68 | Specification of multipotential cardiovascular progenitor cells during embryonic stem cell differentiation and embryonic development. <i>Trends in Cardiovascular Medicine</i> , <b>2007</b> , 17, 240-6                    | 6.9  | 66   |
| 67 | Mouse embryonic stem cell-derived embryoid bodies generate progenitors that integrate long term into renal proximal tubules in vivo. <i>Journal of the American Society of Nephrology: JASN</i> , <b>2007</b> , 18, 1709-20 | 12.7 | 132  |
| 66 | Enhanced proapoptotic effects of tumor necrosis factor-related apoptosis-inducing ligand on temozolomide-resistant glioma cells. <i>Journal of Neurosurgery</i> , <b>2007</b> , 106, 646-51                                 | 3.2  | 27   |

|    |   |      |     |
|----|---|------|-----|
| 65 | Smad1 expands the hemangioblast population within a limited developmental window. <i>Blood</i> , <b>2007</b> , 109, 516-23  | 2.2  | 36  |
| 64 | Development of the hemangioblast defines the onset of hematopoiesis in human ES cell differentiation cultures. <i>Blood</i> , <b>2007</b> , 109, 2679-87  | 2.2  | 353 |
| 63 | Generation of Megakaryocytes from Human Embryonic Stem Cells.. <i>Blood</i> , <b>2007</b> , 110, 1265-1265  | 2.2  |     |
| 62 | Apoptosis in human glioblastoma cells produced using embryonic stem cell-derived astrocytes expressing tumor necrosis factor-related apoptosis-inducing ligand. <i>Journal of Neurosurgery</i> , <b>2006</b> , 105, 88-95                                     | 3.2  | 59  |
| 61 | Directed differentiation of mouse embryonic stem cells into thyroid follicular cells. <i>Endocrinology</i> , <b>2006</b> , 147, 3007-15   | 4.8  | 57  |
| 60 | Wnt and TGF-beta signaling are required for the induction of an in vitro model of primitive streak formation using embryonic stem cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2006</b> , 103, 16806-11 | 11.5 | 442 |
| 59 | Multipotent flk-1+ cardiovascular progenitor cells give rise to the cardiomyocyte, endothelial, and vascular smooth muscle lineages. <i>Developmental Cell</i> , <b>2006</b> , 11, 723-32   | 10.2 | 599 |
| 58 | Developmental regulation of yolk sac hematopoiesis by Kruppel-like factor 6. <i>Blood</i> , <b>2006</b> , 107, 1357-65  | 2.2  | 104 |
| 57 | Acceleration of mesoderm development and expansion of hematopoietic progenitors in differentiating ES cells by the mouse Mix-like homeodomain transcription factor. <i>Blood</i> , <b>2006</b> , 107, 3122-30   | 2.2  | 37  |
| 56 | BMP-4 is required for hepatic specification of mouse embryonic stem cell-derived definitive endoderm. <i>Nature Biotechnology</i> , <b>2006</b> , 24, 1402-11   | 44.5 | 357 |
| 55 | Establishment of ES Cells Secreting Human Factor VIII for Hemophilia A-Targeted Cell Therapy.. <i>Blood</i> , <b>2006</b> , 108, 1012-1012  | 2.2  | 4   |
| 54 | Knockdown of the Fanconi Anemia Gene FANCD2 Directly Affects Hematopoiesis in Human Embryonic Stem Cells.. <i>Blood</i> , <b>2006</b> , 108, 1318-1318  | 2.2  |     |
| 53 | Embryonic stem cell differentiation: emergence of a new era in biology and medicine. <i>Genes and Development</i> , <b>2005</b> , 19, 1129-55   | 12.6 | 879 |
| 52 | Embryonic stem cell-derived astrocytes: a novel gene therapy vector for brain tumors. <i>Neurosurgical Focus</i> , <b>2005</b> , 19, E6   | 4.2  | 13  |
| 51 | SCL/Tal-1 is essential for hematopoietic commitment of the hemangioblast but not for its development. <i>Blood</i> , <b>2005</b> , 105, 3862-70   | 2.2  | 109 |
| 50 | The homeobox gene HEX regulates proliferation and differentiation of hemangioblasts and endothelial cells during ES cell differentiation. <i>Blood</i> , <b>2005</b> , 105, 4590-7  | 2.2  | 56  |
| 49 | Germ layer induction from embryonic stem cells. <i>Experimental Hematology</i> , <b>2005</b> , 33, 955-64   | 3.1  | 109 |
| 48 | Embryonic stem cell-derived astrocytes expressing drug-inducible transgenes: differentiation and transplantation into the mouse brain. <i>Journal of Neurosurgery</i> , <b>2005</b> , 103, 115-23   | 3.2  | 21  |



|    |   |      |     |
|----|---|------|-----|
| 47 | Sequential development of hematopoietic and cardiac mesoderm during embryonic stem cell differentiation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2005</b> , 102, 13170-5                                      | 11.5 | 153 |
| 46 | Serum Free Induction of a Lympho-Hematopoietic Precursor Population from Murine Embryonic Stem Cells.. <i>Blood</i> , <b>2005</b> , 106, 3605-3605  | 2.2  |     |
| 45 | Hypoxia affects mesoderm and enhances hemangioblast specification during early development. <i>Development (Cambridge)</i> , <b>2004</b> , 131, 4623-34   | 6.6  | 117 |
| 44 | SCL interacts with VEGF to suppress apoptosis at the onset of hematopoiesis. <i>Development (Cambridge)</i> , <b>2004</b> , 131, 693-702  | 6.6  | 33  |
| 43 | Haemangioblast commitment is initiated in the primitive streak of the mouse embryo. <i>Nature</i> , <b>2004</b> , 432, 625-30   | 50.4 | 538 |
| 42 | Tracking mesoderm formation and specification to the hemangioblast in vitro. <i>Trends in Cardiovascular Medicine</i> , <b>2004</b> , 14, 314-7   | 6.9  | 34  |
| 41 | Committing embryonic stem cells to early endocrine pancreas in vitro. <i>Stem Cells</i> , <b>2004</b> , 22, 1205-17   | 5.8  | 108 |
| 40 | Development of definitive endoderm from embryonic stem cells in culture. <i>Development (Cambridge)</i> , <b>2004</b> , 131, 1651-62  | 6.6  | 662 |
| 39 | The in vitro production and characterization of neutrophils from embryonic stem cells. <i>Blood</i> , <b>2004</b> , 103, 852-9  | 2.2  | 72  |
| 38 | Haploinsufficiency of Runx1 results in the acceleration of mesodermal development and hemangioblast specification upon in vitro differentiation of ES cells. <i>Blood</i> , <b>2004</b> , 103, 886-9  | 2.2  | 56  |
| 37 | Specificity of Smad Signaling during Primitive Erythropoiesis.. <i>Blood</i> , <b>2004</b> , 104, 2785-2785   | 2.2  |     |
| 36 | Tracking mesoderm induction and its specification to the hemangioblast during embryonic stem cell differentiation. <i>Development (Cambridge)</i> , <b>2003</b> , 130, 4217-27  | 6.6  | 405 |
| 35 | Unsuspected role of the brain morphogenetic gene Otx1 in hematopoiesis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2003</b> , 100, 10299-303   | 11.5 | 5   |
| 34 | Hematopoietic commitment of ES cells in culture. <i>Methods in Enzymology</i> , <b>2003</b> , 365, 39-59  | 1.7  | 41  |
| 33 | Committing embryonic stem cells to differentiate into thyrocyte-like cells in vitro. <i>Endocrinology</i> , <b>2003</b> , 144, 2644-9   | 4.8  | 59  |
| 32 | Mouse Mix gene is activated early during differentiation of ES and F9 stem cells and induces endoderm in frog embryos. <i>Developmental Dynamics</i> , <b>2003</b> , 226, 446-59  | 2.9  | 30  |
| 31 | The in vitro differentiation of mouse embryonic stem cells into neutrophils. <i>Methods in Enzymology</i> , <b>2003</b> , 365, 129-42   | 1.7  | 9   |
| 30 | Differential long-term and multilineage engraftment potential from subfractions of human CD34+ cord blood cells transplanted into NOD/SCID mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2002</b> , 99, 413-8 | 11.5 | 139 |

|    |  |      |      |
|----|--|------|------|
| 29 | Runx1 is essential for hematopoietic commitment at the hemangioblast stage of development in vitro. <i>Blood</i> , <b>2002</b> , 100, 458-66   | 2.2  | 243  |
| 28 | The heart LIM protein gene (Hlp), expressed in the developing and adult heart, defines a new tissue-specific LIM-only protein family. <i>Mechanisms of Development</i> , <b>2002</b> , 116, 187-92     | 1.7  | 19   |
| 27 | Hematopoietic Development of ES Cells in Culture. <i>Methods in Molecular Medicine</i> , <b>2002</b> , 63, 209-30  |      | 10   |
| 26 | Regulation of hemangioblast development. <i>Annals of the New York Academy of Sciences</i> , <b>2001</b> , 938, 96-107; discussion 108   | 6.5  | 64   |
| 25 | Hematopoietic commitment during embryogenesis. <i>Annals of the New York Academy of Sciences</i> , <b>1999</b> , 872, 9-15; discussion 15-6  | 6.5  | 37   |
| 24 | Development of the hematopoietic system in the mouse. <i>Experimental Hematology</i> , <b>1999</b> , 27, 777-87  | 3.1  | 127  |
| 23 | Identification of a fetal hematopoietic precursor with B cell, T cell, and macrophage potential. <i>Immunity</i> , <b>1998</b> , 9, 827-38   | 32.3 | 81   |
| 22 | The beta-globin LCR is not necessary for an open chromatin structure or developmentally regulated transcription of the native mouse beta-globin locus. <i>Molecular Cell</i> , <b>1998</b> , 2, 447-55 | 17.6 | 175  |
| 21 | Overexpression of HOX11 Leads to the Immortalization of Embryonic Precursors With Both Primitive and Definitive Hematopoietic Potential. <i>Blood</i> , <b>1998</b> , 92, 877-887                      | 2.2  | 72   |
| 20 | Overexpression of HOX11 Leads to the Immortalization of Embryonic Precursors With Both Primitive and Definitive Hematopoietic Potential. <i>Blood</i> , <b>1998</b> , 92, 877-887                      | 2.2  | 6    |
| 19 | Leptin Stimulates Fetal and Adult Erythroid and Myeloid Development. <i>Blood</i> , <b>1997</b> , 89, 1507-1512  | 2.2  | 123  |
| 18 | Engraftment and Development of Human CD34+-Enriched Cells From Umbilical Cord Blood in NOD/LtSz-scid/scid Mice. <i>Blood</i> , <b>1997</b> , 90, 85-96   | 2.2  | 191  |
| 17 | A common precursor for primitive erythropoiesis and definitive haematopoiesis. <i>Nature</i> , <b>1997</b> , 386, 488-93   | 3.4  | 530  |
| 16 | Leptin Stimulates Fetal and Adult Erythroid and Myeloid Development. <i>Blood</i> , <b>1997</b> , 89, 1507-1512  | 2.2  | 2    |
| 15 | In vitro differentiation of embryonic stem cells. <i>Current Opinion in Cell Biology</i> , <b>1995</b> , 7, 862-9  | 9    | 754  |
| 14 | Expression of Fc gamma RIII defines distinct subpopulations of fetal liver B cell and myeloid precursors. <i>European Journal of Immunology</i> , <b>1995</b> , 25, 2308-17                            | 6.1  | 26   |
| 13 | Transcriptional Control of Hematopoietic Development <b>1995</b> , 23-34   |      | 3    |
| 12 | An early haematopoietic defect in mice lacking the transcription factor GATA-2. <i>Nature</i> , <b>1994</b> , 371, 221-6   | 50.4 | 1199 |

|    |   |      |     |
|----|---|------|-----|
| 11 | Rescue of erythroid development in gene targeted GATA-1- mouse embryonic stem cells. <i>Nature Genetics</i> , <b>1992</b> , 1, 92-8   | 36.3 | 234 |
| 10 | Hematopoietic stem cells. <i>Current Opinion in Immunology</i> , <b>1992</b> , 4, 133-9   | 7.8  | 34  |
| 9  | The Introduction of Genes into Mouse Embryos and Stem Cells <b>1992</b> , 440-458   |      | 3   |
| 8  | Generation of purified stromal cell cultures that support lymphoid and myeloid precursors. <i>Journal of Immunological Methods</i> , <b>1986</b> , 89, 37-47  | 2.5  | 39  |
| 7  | Introduction of a selectable gene into murine T-lymphoblasts by a retroviral vector. <i>Journal of Immunological Methods</i> , <b>1986</b> , 89, 93-101   | 2.5  | 7   |
| 6  | Expression of a foreign gene in myeloid and lymphoid cells derived from multipotent haematopoietic precursors. <i>Nature</i> , <b>1985</b> , 318, 149-54  | 50.4 | 509 |
| 5  | Clonal generation of multipotent and unipotent hemopoietic blast cell colonies in vitro. <i>Journal of Cellular Physiology</i> , <b>1984</b> , 120, 29-35   | 7    | 10  |
| 4  | Hemopoiesis in spleen and bone marrow cultures. <i>Journal of Cellular Physiology</i> , <b>1983</b> , 116, 7-15   | 7    | 4   |
| 3  | Retrovirus transfer of a bacterial gene into mouse haematopoietic progenitor cells. <i>Nature</i> , <b>1983</b> , 305, 556-8  | 50.4 | 199 |
| 2  | Hemopoietic colonies on the chorioallantoic membrane of the chick embryo: induction by embryonic, adherent, non-hemopoietic spleen cells. <i>Journal of Cellular Physiology</i> , <b>1980</b> , 102, 351-65 | 7    | 5   |
| 1  | Functional arrays of human pluripotent stem cell-derived cardiac microtissues   |      | 3   |