## Tomas Leijtens

## List of Publications by Citations

Source: https://exaly.com/author-pdf/2066382/tomas-leijtens-publications-by-citations.pdf

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

52 26,299 44 53 g-index

53 29,343 20.6 7.15 ext. papers ext. citations avg, IF L-index

| #  | Paper   | IF   | Citations |
|----|---|------|-----------|
| 52 | Electron-hole diffusion lengths exceeding 1 micrometer in an organometal trihalide perovskite absorber. <i>Science</i> , <b>2013</b> , 342, 341-4   | 33.3 | 7280      |
| 51 | Anomalous Hysteresis in Perovskite Solar Cells. <i>Journal of Physical Chemistry Letters</i> , <b>2014</b> , 5, 1511-5  | 6.4  | 1951      |
| 50 | Overcoming ultraviolet light instability of sensitized TiOIwith meso-superstructured organometal tri-halide perovskite solar cells. <i>Nature Communications</i> , <b>2013</b> , 4, 2885                    | 17.4 | 1367      |
| 49 | High Photoluminescence Efficiency and Optically Pumped Lasing in Solution-Processed Mixed Halide Perovskite Semiconductors. <i>Journal of Physical Chemistry Letters</i> , <b>2014</b> , 5, 1421-6          | 6.4  | 1292      |
| 48 | 23.6%-efficient monolithic perovskite/silicon tandem solar cells with improved stability. <i>Nature Energy</i> , <b>2017</b> , 2,   | 62.3 | 965       |
| 47 | Carbon nanotube/polymer composites as a highly stable hole collection layer in perovskite solar cells. <i>Nano Letters</i> , <b>2014</b> , 14, 5561-8   | 11.5 | 944       |
| 46 | Recombination Kinetics in Organic-Inorganic Perovskites: Excitons, Free Charge, and Subgap States. <i>Physical Review Applied</i> , <b>2014</b> , 2,  | 4.3  | 874       |
| 45 | Perovskite-perovskite tandem photovoltaics with optimized band gaps. <i>Science</i> , <b>2016</b> , 354, 861-865  | 33.3 | 865       |
| 44 | Stability of Metal Halide Perovskite Solar Cells. <i>Advanced Energy Materials</i> , <b>2015</b> , 5, 1500963   | 21.8 | 861       |
| 43 | Cesium Lead Halide Perovskites with Improved Stability for Tandem Solar Cells. <i>Journal of Physical Chemistry Letters</i> , <b>2016</b> , 7, 746-51   | 6.4  | 788       |
| 42 | Mesoporous TiO2 single crystals delivering enhanced mobility and optoelectronic device performance. <i>Nature</i> , <b>2013</b> , 495, 215-9  | 50.4 | 669       |
| 41 | Understanding Degradation Mechanisms and Improving Stability of Perovskite Photovoltaics. <i>Chemical Reviews</i> , <b>2019</b> , 119, 3418-3451  | 68.1 | 663       |
| 40 | Photo-induced halide redistribution in organic-inorganic perovskite films. <i>Nature Communications</i> , <b>2016</b> , 7, 11683  | 17.4 | 621       |
| 39 | Sub-150 °C processed meso-superstructured perovskite solar cells with enhanced efficiency. <i>Energy and Environmental Science</i> , <b>2014</b> , 7, 1142-1147   | 35.4 | 511       |
| 38 | Lithium salts as "redox active" p-type dopants for organic semiconductors and their impact in solid-state dye-sensitized solar cells. <i>Physical Chemistry Chemical Physics</i> , <b>2013</b> , 15, 2572-9 | 3.6  | 459       |
| 37 | Opportunities and challenges for tandem solar cells using metal halide perovskite semiconductors. <i>Nature Energy</i> , <b>2018</b> , 3, 828-838   | 62.3 | 454       |
| 36 | The Importance of Moisture in Hybrid Lead Halide Perovskite Thin Film Fabrication. <i>ACS Nano</i> , <b>2015</b> , 9, 9380-93   | 16.7 | 366       |

## (2019-2017)

| 35 | Band Gap Tuning via Lattice Contraction and Octahedral Tilting in Perovskite Materials for Photovoltaics. <i>Journal of the American Chemical Society</i> , <b>2017</b> , 139, 11117-11124   | 16.4 | 353 |
|----|--|------|-----|
| 34 | Thermal and Environmental Stability of Semi-Transparent Perovskite Solar Cells for Tandems Enabled by a Solution-Processed Nanoparticle Buffer Layer and Sputtered ITO Electrode. <i>Advanced Materials</i> , <b>2016</b> , 28, 3937-43        | 24   | 344 |
| 33 | Electronic properties of meso-superstructured and planar organometal halide perovskite films: charge trapping, photodoping, and carrier mobility. <i>ACS Nano</i> , <b>2014</b> , 8, 7147-55   | 16.7 | 328 |
| 32 | Carrier trapping and recombination: the role of defect physics in enhancing the open circuit voltage of metal halide perovskite solar cells. <i>Energy and Environmental Science</i> , <b>2016</b> , 9, 3472-3481                              | 35.4 | 317 |
| 31 | Defect-Assisted Photoinduced Halide Segregation in Mixed-Halide Perovskite Thin Films. <i>ACS Energy Letters</i> , <b>2017</b> , 2, 1416-1424  | 20.1 | 307 |
| 30 | Hole transport materials with low glass transition temperatures and high solubility for application in solid-state dye-sensitized solar cells. <i>ACS Nano</i> , <b>2012</b> , 6, 1455-62  | 16.7 | 277 |
| 29 | C60 as an Efficient n-Type Compact Layer in Perovskite Solar Cells. <i>Journal of Physical Chemistry Letters</i> , <b>2015</b> , 6, 2399-405   | 6.4  | 271 |
| 28 | Mechanism of Tin Oxidation and Stabilization by Lead Substitution in Tin Halide Perovskites. <i>ACS Energy Letters</i> , <b>2017</b> , 2, 2159-2165  | 20.1 | 242 |
| 27 | Towards enabling stable lead halide perovskite solar cells; interplay between structural, environmental, and thermal stability. <i>Journal of Materials Chemistry A</i> , <b>2017</b> , 5, 11483-11500   | 13   | 241 |
| 26 | Compositional Engineering for Efficient Wide Band Gap Perovskites with Improved Stability to Photoinduced Phase Segregation. <i>ACS Energy Letters</i> , <b>2018</b> , 3, 428-435  | 20.1 | 225 |
| 25 | Enabling Flexible All-Perovskite Tandem Solar Cells. <i>Joule</i> , <b>2019</b> , 3, 2193-2204   | 27.8 | 211 |
| 24 | The Importance of Perovskite Pore Filling in Organometal Mixed Halide Sensitized TiO2-Based Solar Cells. <i>Journal of Physical Chemistry Letters</i> , <b>2014</b> , 5, 1096-102  | 6.4  | 200 |
| 23 | Charge density dependent mobility of organic hole-transporters and mesoporous TiOldetermined by transient mobility spectroscopy: implications to dye-sensitized and organic solar cells. <i>Advanced Materials</i> , <b>2013</b> , 25, 3227-33 | 24   | 189 |
| 22 | The Potential of Multijunction Perovskite Solar Cells. ACS Energy Letters, 2017, 2, 2506-2513  | 20.1 | 180 |
| 21 | Mapping Electric Field-Induced Switchable Poling and Structural Degradation in Hybrid Lead Halide Perovskite Thin Films. <i>Advanced Energy Materials</i> , <b>2015</b> , 5, 1500962   | 21.8 | 179 |
| 20 | Hydrophobic Organic Hole Transporters for Improved Moisture Resistance in Metal Halide Perovskite Solar Cells. <i>ACS Applied Materials &amp; Discrete Solar Cells</i> , 8, 5981-9   | 9.5  | 158 |
| 19 | Encapsulating perovskite solar cells to withstand damp heat and thermal cycling. <i>Sustainable Energy and Fuels</i> , <b>2018</b> , 2, 2398-2406  | 5.8  | 157 |
| 18 | Design of low bandgap tinlead halide perovskite solar cells to achieve thermal, atmospheric and operational stability. <i>Nature Energy</i> , <b>2019</b> , 4, 939-947   | 62.3 | 152 |

| 17 | Lessons learned: from dye-sensitized solar cells to all-solid-state hybrid devices. <i>Advanced Materials</i> , <b>2014</b> , 26, 4013-30  | 24   | 133 |
|----|--|------|-----|
| 16 | Barrier Design to Prevent Metal-Induced Degradation and Improve Thermal Stability in Perovskite Solar Cells. <i>ACS Energy Letters</i> , <b>2018</b> , 3, 1772-1778  | 20.1 | 132 |
| 15 | Tinlead halide perovskites with improved thermal and air stability for efficient all-perovskite tandem solar cells. <i>Sustainable Energy and Fuels</i> , <b>2018</b> , 2, 2450-2459   | 5.8  | 127 |
| 14 | Enhanced Hole Extraction in Perovskite Solar Cells Through Carbon Nanotubes. <i>Journal of Physical Chemistry Letters</i> , <b>2014</b> , 5, 4207-12   | 6.4  | 126 |
| 13 | Minimal Effect of the Hole-Transport Material Ionization Potential on the Open-Circuit Voltage of Perovskite Solar Cells. <i>ACS Energy Letters</i> , <b>2016</b> , 1, 556-560   | 20.1 | 100 |
| 12 | Employing PEDOT as the p-Type Charge Collection Layer in Regular Organic-Inorganic Perovskite Solar Cells. <i>Journal of Physical Chemistry Letters</i> , <b>2015</b> , 6, 1666-73   | 6.4  | 81  |
| 11 | Modulating the Electron-Hole Interaction in a Hybrid Lead Halide Perovskite with an Electric Field.<br>Journal of the American Chemical Society, <b>2015</b> , 137, 15451-9  | 16.4 | 51  |
| 10 | Long-Range Charge Extraction in Back-Contact Perovskite Architectures via Suppressed Recombination. <i>Joule</i> , <b>2019</b> , 3, 1301-1313  | 27.8 | 50  |
| 9  | Towards Long-Term Photostability of Solid-State Dye Sensitized Solar Cells. <i>Advanced Energy Materials</i> , <b>2014</b> , 4, 1301667  | 21.8 | 47  |
| 8  | Interfacial Effects of Tin Oxide Atomic Layer Deposition in Metal Halide Perovskite Photovoltaics. <i>Advanced Energy Materials</i> , <b>2018</b> , 8, 1800591   | 21.8 | 44  |
| 7  | Cross-Linkable, Solvent-Resistant Fullerene Contacts for Robust and Efficient Perovskite Solar Cells with Increased J and V. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2016</b> , 8, 25896-25904                                | 9.5  | 39  |
| 6  | Modeling the effect of ionic additives on the optical and electronic properties of a dye-sensitized TiO2 heterointerface: absorption, charge injection and aggregation. <i>Journal of Materials Chemistry A</i> , <b>2013</b> , 1, 14675 | 13   | 36  |
| 5  | The Role of Hole Transport between Dyes in Solid-State Dye-Sensitized Solar Cells. <i>Journal of Physical Chemistry C</i> , <b>2015</b> , 119, 18975-18985   | 3.8  | 32  |
| 4  | Observation of Annealing-Induced Doping in TiO2 Mesoporous Single Crystals for Use in Solid State Dye Sensitized Solar Cells. <i>Journal of Physical Chemistry C</i> , <b>2014</b> , 118, 1821-1827                                      | 3.8  | 19  |
| 3  | Dye monolayers used as the hole transporting medium in dye-sensitized solar cells. <i>Advanced Materials</i> , <b>2015</b> , 27, 5889-94   | 24   | 18  |
| 2  | Thermal and environmental stability of semi-transparent perovskite solar cells for tandems by a solution-processed nanoparticle buffer layer and sputtered ITO electrode <b>2016</b> ,   |      | 2   |
| 1  | Novel low cost hole transporting materials for efficient organic-inorganic perovskite solar cells <b>2015</b> ,  |      | 1   |