

Anton Pottegrd

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2066791/anton-pottegard-publications-by-year.pdf>

Version: 2023-05-31

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

429
papers

9,566
citations

47
h-index

83
g-index

464
ext. papers

12,042
ext. citations

4.7
avg, IF

6.82
L-index

| # | Paper | IF | Citations |
|-----|--|------|-----------|
| 429 | Health care professionals' perspectives on medication safety among older migrants with cognitive impairment exposed to polypharmacy - A qualitative explorative study.. <i>Exploratory Research in Clinical and Social Pharmacy</i> , 2022 , 5, 100128 | | |
| 428 | Characteristics of New Users of Acridinium Bromide, Acridinium/Formoterol, and Other COPD Medications in the United Kingdom, Denmark, and Germany.. <i>Clinical Drug Investigation</i> , 2022 , 42, 319 | 3.1 | 0 |
| 427 | Risk of adverse events after covid-19 in Danish children and adolescents and effectiveness of BNT162b2 in adolescents: cohort study.. <i>BMJ, The</i> , 2022 , 377, e068898 | 5.7 | 0 |
| 426 | Prescription rates for commonly used drugs before and after a prostate cancer diagnosis.. <i>Cancer Causes and Control</i> , 2022 , 1 | 2.7 | 0 |
| 425 | Retinoids are not linked to risk of multiple sclerosis: A Danish nationwide cohort study. <i>European Journal of Neurology</i> , 2022 , 29, 247-256 | 5.8 | |
| 424 | Risk of Appendicitis After mRNA COVID-19 Vaccination in a Danish Population.. <i>JAMA Internal Medicine</i> , 2022 , | 11.2 | 1 |
| 423 | Development and Validation of a Nordic Multimorbidity Index Based on Hospital Diagnoses and Filled Prescriptions.. <i>Clinical Epidemiology</i> , 2022 , 14, 567-579 | 5.8 | |
| 422 | Analysis of Antiemetic Use After Initiation of Hormone Therapy.. <i>JAMA Network Open</i> , 2022 , 5, e2211883 | 0.1 | |
| 421 | Reply to "Comment on 'Hydrochlorothiazide use and risk of nonmelanoma skin cancer: A nationwide case-control study from Denmark'". <i>Journal of the American Academy of Dermatology</i> , 2021 , 85, e359-e360 | 3.4 | |
| 420 | Translation, cross-cultural adaptation, and validation of the Danish version of the revised Patients' Attitudes Towards Deprescribing (rPATD) questionnaire: Version for older people with limited life expectancy. <i>Research in Social and Administrative Pharmacy</i> , 2021 , 17, 1444-1452 | 2.8 | 7 |
| 419 | Prescriber responsibility, predictors for initiation, and 20-year trends in use of non-aspirin non-steroidal anti-inflammatory drugs in patients with cardiovascular contraindications: a nationwide cohort study. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2021 , 7, 496-506 | 6.4 | 2 |
| 418 | Drug-drug interaction between warfarin and statins: A Danish cohort study. <i>British Journal of Clinical Pharmacology</i> , 2021 , 87, 694-699 | 3.7 | 8 |
| 417 | "I simply don't know, because I don't know which drugs I get": Perspectives on deprescribing among older adults with limited life expectancy and their relatives. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2021 , 128, 115-127 | 3 | 3 |
| 416 | Impact of EU regulatory label changes for diclofenac in people with cardiovascular disease in four countries: Interrupted time series regression analysis. <i>British Journal of Clinical Pharmacology</i> , 2021 , 87, 1129-1140 | 3.7 | 2 |
| 415 | Use of dipeptidyl peptidase-4 inhibitors and risk of splanchnic vein thrombosis: A Danish nationwide new-user active comparator cohort study. <i>Diabetes, Obesity and Metabolism</i> , 2021 , 23, 648-652 | 6.5 | 1 |
| 414 | Antimycotic Treatment of Oral Candidiasis in Warfarin Users. <i>American Journal of Medicine</i> , 2021 , 134, e308-e312 | 2.3 | 2 |
| 413 | SARS-CoV-2 infection and adverse outcomes in users of ACE inhibitors and angiotensin-receptor blockers: a nationwide case-control and cohort analysis. <i>Thorax</i> , 2021 , 76, 370-379 | 7.1 | 7 |

| | | | |
|-----|---|------|-----|
| 412 | Drug Use and Cancer Risk: A Drug-Wide Association Study (DWAS) in Norway. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021 , 30, 682-689 | 3.6 | 1 |
| 411 | Use of Hydrochlorothiazide and Risk of Melanoma and Nonmelanoma Skin Cancer. <i>Drug Safety</i> , 2021 , 44, 245-254 | 5 | 9 |
| 410 | Use of tramadol and other analgesics following media attention and risk minimization actions from regulators: a Danish nationwide drug utilization study. <i>European Journal of Clinical Pharmacology</i> , 2021 , 77, 617-624 | 2.6 | 5 |
| 409 | Postponement of cardiovascular outcomes by statin use: A systematic review and meta-analysis of randomized clinical trials. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2021 , 128, 286-296 | 3 | |
| 408 | Statin use and discontinuation in Danes age 70 and older: a nationwide drug utilisation study. <i>Age and Ageing</i> , 2021 , 50, 554-558 | 2.8 | 4 |
| 407 | Impact of EMA regulatory label changes on hydroxyzine initiation, discontinuation and switching to other medicines in Denmark, Scotland, England and the Netherlands: An interrupted time series regression analysis. <i>Pharmacoepidemiology and Drug Safety</i> , 2021 , 30, 482-491 | 2.6 | 1 |
| 406 | Use of ACE (Angiotensin-Converting Enzyme) Inhibitors and Risk of Lung Cancer: A Nationwide Nested Case-Control Study. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2021 , 14, e006687 | 5.5 | 5 |
| 405 | Venous thromboembolism and major bleeding in patients with COVID-19: A nationwide population-based cohort study. <i>Clinical Infectious Diseases</i> , 2021 , | 11.3 | 17 |
| 404 | Sodium-glucose cotransporter-2 inhibitors and the risk of gout: A Danish population based cohort study and symmetry analysis. <i>Pharmacoepidemiology and Drug Safety</i> , 2021 , 30, 1391-1395 | 2.6 | 5 |
| 403 | Trends in Incidence of Intracerebral Hemorrhage and Association With Antithrombotic Drug Use in Denmark, 2005-2018. <i>JAMA Network Open</i> , 2021 , 4, e218380 | 10.1 | 1 |
| 402 | Hydrochlorothiazide and risk of melanoma subtypes. <i>Pharmacoepidemiology and Drug Safety</i> , 2021 , 30, 1396-1401 | 2.6 | 1 |
| 401 | Arterial events, venous thromboembolism, thrombocytopenia, and bleeding after vaccination with Oxford-AstraZeneca ChAdOx1-S in Denmark and Norway: population based cohort study. <i>BMJ, The</i> , 2021 , 373, n1114 | 5.7 | 145 |
| 400 | Use of hydrochlorothiazide and risk of skin cancer in a large nested case-control study in Spain. <i>Pharmacoepidemiology and Drug Safety</i> , 2021 , 30, 1269-1278 | 2.6 | 1 |
| 399 | Persistence and adherence to non-vitamin K antagonist oral anticoagulant treatment in patients with atrial fibrillation across five Western European countries. <i>Europace</i> , 2021 , 23, 1722-1730 | 3.8 | 3 |
| 398 | Prevalence and quality of antihypertensive therapy among hypertension patients enrolled in the Ghana National Health Insurance Scheme. <i>Pharmacoepidemiology and Drug Safety</i> , 2021 , 30, 1566-1575 | 2.6 | 0 |
| 397 | Use of hypnotic drugs among children, adolescents, and young adults in Scandinavia. <i>Acta Psychiatrica Scandinavica</i> , 2021 , 144, 100-112 | 6.3 | 2 |
| 396 | Low-dose aspirin for primary and secondary prevention of cardiovascular events in Denmark 1998-2018. <i>Scientific Reports</i> , 2021 , 11, 13603 | 4.7 | 2 |
| 395 | A new likelihood model for analyses of pharmacoepidemiologic case-control studies which avoids decision rules for determining latent exposure status. <i>BMC Medical Research Methodology</i> , 2021 , 21, 144 | 4.6 | |

| | | | |
|-----|--|-----|----|
| 394 | Cardiovascular Risk in Users of Mirabegron Compared with Users of Antimuscarinic Treatments for Overactive Bladder: Findings from a Non-Interventional, Multinational, Cohort Study. <i>Drug Safety</i> , 2021 , 44, 899-915 | 5 | 0 |
| 393 | The Validity of Danish Prescription Data to Measure Use of Aspirin and Other Non-Steroidal Anti-Inflammatory Drugs and Quantification of Bias Due to Non-Prescription Drug Use. <i>Clinical Epidemiology</i> , 2021 , 13, 569-579 | 5.8 | 0 |
| 392 | Use of sedating medications around nursing home admission in Denmark. <i>Pharmacoepidemiology and Drug Safety</i> , 2021 , 30, 1560-1565 | 2.6 | 0 |
| 391 | Evaluating the use of prescription sequence symmetry analysis as a pharmacovigilance tool: A scoping review. <i>Research in Social and Administrative Pharmacy</i> , 2021 , | 2.8 | 1 |
| 390 | Association between inhaled corticosteroid use and COVID-19 outcomes. <i>Pharmacoepidemiology and Drug Safety</i> , 2021 , 30, 1486-1492 | 2.6 | 1 |
| 389 | Does administration of vaginal estrogens increase the risk of venous thromboembolism: A case-control study. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2021 , 129, 385-388 | 3 | |
| 388 | Use of hydrochlorothiazide in Denmark following publication of skin cancer risk findings. <i>Pharmacoepidemiology and Drug Safety</i> , 2021 , 30, 1611-1616 | 2.6 | 1 |
| 387 | Using multiple random index dates with the reverse waiting time distribution improves precision of estimated prescription durations. <i>Pharmacoepidemiology and Drug Safety</i> , 2021 , 30, 1727-1734 | 2.6 | |
| 386 | Reply. <i>Clinical Gastroenterology and Hepatology</i> , 2021 , | 6.6 | |
| 385 | Proton Pump Inhibitor Use Is Not Strongly Associated With SARS-CoV-2 Related Outcomes: A Nationwide Study and Meta-analysis. <i>Clinical Gastroenterology and Hepatology</i> , 2021 , 19, 1845-1854.e6 | 6.6 | 5 |
| 384 | Re: "Association Between Thionamides and Acute Pancreatitis: A Case-Control Study" by Guo. <i>Thyroid</i> , 2021 , 31, 147 | 6 | 1 |
| 383 | Who prescribes drugs to patients: A Danish register-based study. <i>British Journal of Clinical Pharmacology</i> , 2021 , 87, 2982-2987 | 3.7 | 3 |
| 382 | Attitudes towards deprescribing: The perspectives of geriatric patients and nursing home residents. <i>Journal of the American Geriatrics Society</i> , 2021 , 69, 1508-1518 | 5.4 | 3 |
| 381 | Comparable COVID-19 outcomes with current use of GLP-1 receptor agonists, DPP-4 inhibitors or SGLT-2 inhibitors among patients with diabetes who tested positive for SARS-CoV-2. <i>Diabetes, Obesity and Metabolism</i> , 2021 , 23, 1397-1401 | 6.5 | 26 |
| 380 | Bottleneck analysis: Simple prediction of the precision of a planned case-control or cohort study based on healthcare registers. <i>Pharmacoepidemiology and Drug Safety</i> , 2021 , 30, 619-625 | 2.6 | 0 |
| 379 | End-of-life anticancer treatment - a nationwide registry-based study of trends in the use of chemo-, endocrine, immune-, and targeted therapies. <i>Acta Oncologica</i> , 2021 , 60, 961-967 | 3.1 | 1 |
| 378 | A study of cancer occurrence in users of mirabegron and antimuscarinic treatments for overactive bladder. <i>Current Medical Research and Opinion</i> , 2021 , 37, 867-877 | 2.5 | 1 |
| 377 | Sodium-glucose cotransporter 2 inhibitors and risk of nephrolithiasis. <i>Diabetologia</i> , 2021 , 64, 1563-1571 | 10 | 5 |

| | | | |
|-----|---|------|----|
| 376 | Association of Potent and Very Potent Topical Corticosteroids and the Risk of Osteoporosis and Major Osteoporotic Fractures. <i>JAMA Dermatology</i> , 2021 , 157, 275-282 | 4.9 | 11 |
| 375 | Control yourself: ISPE-endorsed guidance in the application of self-controlled study designs in pharmacoepidemiology. <i>Pharmacoepidemiology and Drug Safety</i> , 2021 , 30, 671-684 | 2.6 | 10 |
| 374 | Risk and course of SARS-CoV-2 infection in patients treated for hypothyroidism and hyperthyroidism. <i>Lancet Diabetes and Endocrinology</i> , 2021 , 9, 197-199 | 17.4 | 22 |
| 373 | Online tool to create publication ready graphical depictions of longitudinal study design implemented in healthcare databases. <i>Pharmacoepidemiology and Drug Safety</i> , 2021 , 30, 982 | 2.6 | 0 |
| 372 | Multidisciplinary telephone conferences about medication therapy after discharge of older inpatients: a feasibility study. <i>International Journal of Clinical Pharmacy</i> , 2021 , 43, 1381-1393 | 2.3 | |
| 371 | The Use of Active Comparators in Self-Controlled Designs. <i>American Journal of Epidemiology</i> , 2021 , 190, 2181-2187 | 3.7 | 1 |
| 370 | Use of non-insulin antidiabetic drugs in children and young adults - A Scandinavian drug utilization study from 2010-2019. <i>British Journal of Clinical Pharmacology</i> , 2021 , 87, 4470-4475 | 3.7 | 1 |
| 369 | Fluoroquinolones as a trigger for rupture of abdominal aortic aneurysm: A case-crossover analysis. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2021 , 129, 44-51 | 3 | 0 |
| 368 | Association of Glycolysis-Enhancing β Blockers With Risk of Developing Parkinson Disease. <i>JAMA Neurology</i> , 2021 , 78, 407-413 | 16.8 | 9 |
| 367 | Drug-drug interactions between vitamin K antagonists and statins: a systematic review. <i>European Journal of Clinical Pharmacology</i> , 2021 , 77, 1435-1441 | 2.6 | 1 |
| 366 | Inhalation or total intravenous anaesthesia and recurrence after colorectal cancer surgery: a propensity score matched Danish registry-based study. <i>British Journal of Anaesthesia</i> , 2021 , 126, 921-930 | 4.9 | 12 |
| 365 | Association of Low-Dose Quetiapine and Diabetes. <i>JAMA Network Open</i> , 2021 , 4, e213209 | 10.1 | 1 |
| 364 | Cervical cancer survivors and health care use: A Danish population-based register study. <i>Gynecologic Oncology</i> , 2021 , 161, 565-572 | 1.7 | |
| 363 | Long-Term Risk of Skin Cancer and Lymphoma in Users of Topical Tacrolimus and Pimecrolimus: Final Results from the Extension of the Cohort Study Protopic Joint European Longitudinal Lymphoma and Skin Cancer Evaluation (JOELLE).. <i>Clinical Epidemiology</i> , 2021 , 13, 1141-1153 | 5.8 | 1 |
| 362 | PR interval prolongation and 1-year mortality among emergency department patients: a multicentre transnational cohort study.. <i>BMJ Open</i> , 2021 , 11, e054238 | 2.9 | |
| 361 | RE: Gout and sodium-glucose cotransporter-2 inhibitors. <i>Pharmacoepidemiology and Drug Safety</i> , 2021 , 31, 114 | 2.6 | |
| 360 | Where to begin? Thirty must-read papers for newcomers to pharmacoepidemiology. <i>Pharmacoepidemiology and Drug Safety</i> , 2021 , | 2.6 | 1 |
| 359 | High Validity of the Danish National Patient Registry for Systemic Anticancer Treatment Registration from 2009 to 2019. <i>Clinical Epidemiology</i> , 2021 , 13, 1085-1094 | 5.8 | 1 |

| | | | |
|-----|--|------|----|
| 358 | Trends in the use of oral anticoagulants, antiplatelets and statins in four European countries: a population-based study. <i>European Journal of Clinical Pharmacology</i> , 2021 , 1 | 2.6 | 1 |
| 357 | Encounter Databases 2021 , 142-173 | | |
| 356 | Statin Discontinuation and Cardiovascular Events Among Older People in Denmark. <i>JAMA Network Open</i> , 2021 , 4, e2136802 | 10.1 | 1 |
| 355 | High-dose non-sedating antihistamines are used insufficiently in chronic urticaria patients treated with omalizumab.. <i>Clinical and Translational Allergy</i> , 2021 , 11, e12085 | 4.9 | 0 |
| 354 | The effect of immunosuppressants on the prognosis of SARS-CoV-2 infection. <i>European Respiratory Journal</i> , 2021 , | 13.2 | 2 |
| 353 | Post-acute effects of SARS-CoV-2 infection in individuals not requiring hospital admission: a Danish population-based cohort study. <i>Lancet Infectious Diseases</i> , 2021 , 21, 1373-1382 | 24.7 | 53 |
| 352 | Decreased plasma lipid levels in a statin-free Danish primary health care cohort between 2001 and 2018. <i>Lipids in Health and Disease</i> , 2021 , 20, 147 | 4.3 | 1 |
| 351 | Outcome postponement as a potential patient centred measure of therapeutic benefit: examples in cardiovascular medicine. <i>Acta Cardiologica</i> , 2020 , 75, 10-19 | 0.9 | 1 |
| 350 | Reply to: "Thiazides and nonmelanoma skin cancer: Is it a class effect?". <i>Journal of the American Academy of Dermatology</i> , 2020 , 82, e27 | 3.4 | |
| 349 | New-Onset Atrial Fibrillation Among Patients With Infection in the Emergency Department: A Multicenter Cohort Study of 1-Year Stroke Risk. <i>American Journal of Medicine</i> , 2020 , 133, 352-359.e3 | 2.3 | 3 |
| 348 | Ischemic Stroke and Systemic Embolism in Warfarin Users With Atrial Fibrillation or Heart Valve Replacement Exposed to Dicloxacillin or Flucloxacillin. <i>Clinical Pharmacology and Therapeutics</i> , 2020 , 107, 607-616 | 5.9 | 3 |
| 347 | Trends in antidepressant use among children and adolescents: a Scandinavian drug utilization study. <i>Acta Psychiatrica Scandinavica</i> , 2020 , 141, 34-42 | 6.3 | 6 |
| 346 | "Above All, It's a Matter of This Person's Quality of Life": Health Care Professionals' Perspectives on Deprescribing in Older Patients With Limited Life Expectancy. <i>Gerontologist</i> , 2020 , 60, 439-449 | 4.8 | 2 |
| 345 | Antihistamines and Ovarian Cancer Survival: Nationwide Cohort Study and in Vitro Cell Viability Assay. <i>Journal of the National Cancer Institute</i> , 2020 , 112, 964-967 | 9.3 | 11 |
| 344 | Use of antiepileptic drugs and risk of skin cancer: A nationwide case-control study. <i>Journal of the American Academy of Dermatology</i> , 2020 , 82, 326-335 | 3.4 | 2 |
| 343 | Statin use and peripheral nerve function-A prospective follow-up study. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2020 , 126, 203-211 | 3 | 4 |
| 342 | Validation of a comorbidity index for use in obstetric patients: A nationwide cohort study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2020 , 99, 399-405 | 3.6 | 8 |
| 341 | Antidepressant drug use and subdural hematoma risk. <i>Journal of Thrombosis and Haemostasis</i> , 2020 , 18, 318-327 | 15 | 4 |

| | | | |
|-----|--|------|-----|
| 340 | Urinary tract infections and risk of squamous cell carcinoma bladder cancer: A Danish nationwide case-control study. <i>International Journal of Cancer</i> , 2020 , 146, 1930-1936 | 7.3 | 11 |
| 339 | Associations of low-dose aspirin or other NSAID use with prostate cancer risk in the Danish Diet, Cancer and Health Study. <i>Cancer Causes and Control</i> , 2020 , 31, 139-151 | 2.7 | 2 |
| 338 | Hydrochlorothiazide Use and Increased Squamous Cell Carcinoma Burden in a High-Risk Mohs Population: A Cross-Sectional Study. <i>Dermatologic Surgery</i> , 2020 , 46, 704-708 | 1.6 | 3 |
| 337 | A model to predict the risk of aspirin/non-steroidal anti-inflammatory drugs-related upper gastrointestinal bleeding for the individual patient. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2020 , 126, 437-443 | 3 | 4 |
| 336 | Use of proton pump inhibitors and mortality among Icelandic patients with prostate cancer. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2020 , 126, 484-491 | 3 | 3 |
| 335 | Impact of EMA regulatory label changes on systemic diclofenac initiation, discontinuation, and switching to other pain medicines in Scotland, England, Denmark, and The Netherlands. <i>Pharmacoepidemiology and Drug Safety</i> , 2020 , 29, 296-305 | 2.6 | 3 |
| 334 | Customers' information seeking behavior prior to community pharmacy visits: A community pharmacy survey. <i>Research in Social and Administrative Pharmacy</i> , 2020 , 16, 1442-1446 | 2.8 | 1 |
| 333 | Reduced prevalence of SARS-CoV-2 infection in ABO blood group O. <i>Blood Advances</i> , 2020 , 4, 4990-4993 | 7.5 | 62 |
| 332 | Using the waiting time distribution with random index dates to estimate prescription durations in the presence of seasonal stockpiling. <i>Pharmacoepidemiology and Drug Safety</i> , 2020 , 29, 1072-1078 | 2.6 | 4 |
| 331 | Metabolic events associated with the use of antipsychotics in children, adolescents and young adults: a multinational sequence symmetry study. <i>European Child and Adolescent Psychiatry</i> , 2020 , 1 | 5.4 | 3 |
| 330 | Association of Nonsteroidal Anti-inflammatory Drug Use and Adverse Outcomes Among Patients Hospitalized With Influenza. <i>JAMA Network Open</i> , 2020 , 3, e2013880 | 10.1 | 10 |
| 329 | Risk of Renal Cell Carcinoma Associated with Calcium Channel Blockers: A Nationwide Observational Study Focusing on Confounding by Indication. <i>Epidemiology</i> , 2020 , 31, 860-871 | 3 | 0 |
| 328 | Characteristics and predictors of hospitalization and death in the first 11122 cases with a positive RT-PCR test for SARS-CoV-2 in Denmark: a nationwide cohort. <i>International Journal of Epidemiology</i> , 2020 , 49, 1468-1481 | 7.6 | 119 |
| 327 | Existing Data Sources in Clinical Epidemiology: The Danish COVID-19 Cohort. <i>Clinical Epidemiology</i> , 2020 , 12, 875-881 | 5.8 | 17 |
| 326 | Adverse outcomes and mortality in users of non-steroidal anti-inflammatory drugs who tested positive for SARS-CoV-2: A Danish nationwide cohort study. <i>PLoS Medicine</i> , 2020 , 17, e1003308 | 11.3 | 49 |
| 325 | Use of Tic-Suppressing Medication and Other Psychotropic Drugs in Children and Adolescents with Newly Diagnosed Tic Disorders in Denmark. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2020 , 30, 476-485 | 2.8 | |
| 324 | The Validity of Intracerebral Hemorrhage Diagnoses in the Danish Patient Registry and the Danish Stroke Registry. <i>Clinical Epidemiology</i> , 2020 , 12, 1313-1325 | 5.8 | 2 |
| 323 | Cohort selection in register-based studies of direct oral anticoagulant users with atrial fibrillation: An inevitable trade-off between selection bias and misclassification. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2020 , 127, 3-5 | 3 | 2 |

| | | | |
|-----|---|------|----|
| 322 | Considerations for pharmacoepidemiological analyses in the SARS-CoV-2 pandemic. <i>Pharmacoepidemiology and Drug Safety</i> , 2020 , 29, 825-831 | 2.6 | 20 |
| 321 | Association of aortic valve calcification and vitamin K antagonist treatment. <i>European Heart Journal Cardiovascular Imaging</i> , 2020 , 21, 718-724 | 3.9 | 3 |
| 320 | No association between hydrochlorothiazide use and uveal melanoma. <i>European Journal of Clinical Pharmacology</i> , 2020 , 76, 1343-1344 | 2.6 | |
| 319 | Attitudes Towards Deprescribing Among Older Adults with Limited Life Expectancy and Their Relatives: A Systematic Review. <i>Drugs and Aging</i> , 2020 , 37, 503-520 | 4.5 | 9 |
| 318 | Randomised trial of telephone counselling to improve participants' adherence to prescribed drugs in a vascular screening trial. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2020 , 127, 477-487 | 3 | 1 |
| 317 | Bias in case-crossover studies of medications due to persistent use: A simulation study. <i>Pharmacoepidemiology and Drug Safety</i> , 2020 , 29, 1079-1085 | 2.6 | 3 |
| 316 | Validity of Antineoplastic Procedure Codes in the Danish National Patient Registry: The Case of Colorectal Cancer. <i>Epidemiology</i> , 2020 , 31, 599-603 | 3 | 7 |
| 315 | Postponement of Death by Pharmacological Heart Failure Treatment: A Meta-Analysis of Randomized Clinical Trials. <i>American Journal of Medicine</i> , 2020 , 133, e280-e289 | 2.3 | 0 |
| 314 | Use of medication among nursing home residents: a Danish drug utilisation study. <i>Age and Ageing</i> , 2020 , 49, 814-820 | 2.8 | 12 |
| 313 | Using the Case-Crossover Design to Assess Short-Term Risks of Bleeding and Arterial Thromboembolism After Switching Between Oral Anticoagulants in a Population-Based Cohort of Patients With Atrial Fibrillation. <i>American Journal of Epidemiology</i> , 2020 , 189, 1467-1477 | 3.7 | 0 |
| 312 | Author response: Use of α -adrenoreceptor agonist and antagonist drugs and risk of Parkinson disease. <i>Neurology</i> , 2020 , 94, 899 | 5.7 | |
| 311 | Risk of squamous cell carcinoma of the lip and cutaneous melanoma in older Australians using hydrochlorothiazide: A population-based case-control study. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2020 , 127, 320-328 | 3 | 9 |
| 310 | Differences Between Randomized Clinical Trial Participants and Real-World Empagliflozin Users and the Changes in Their Glycated Hemoglobin Levels. <i>JAMA Network Open</i> , 2020 , 3, e1920949 | 10.1 | 8 |
| 309 | Sex differences in text-mined possible adverse drug events associated with drugs for psychosis. <i>Journal of Psychopharmacology</i> , 2020 , 34, 532-539 | 4.5 | 3 |
| 308 | Methimazole and risk of acute pancreatitis. <i>Lancet Diabetes and Endocrinology</i> , 2020 , 8, 187-189 | 17.4 | 18 |
| 307 | Selective serotonin reuptake inhibitors and the risk of restless legs syndrome: a symmetry analysis. <i>European Journal of Clinical Pharmacology</i> , 2020 , 76, 719-722 | 2.6 | 2 |
| 306 | α -Adrenoreceptors and the risk of Parkinson's disease. <i>Lancet Neurology</i> , 2020 , 19, 247-254 | 23.3 | 26 |
| 305 | Diabetes Is Not Associated with the Risk of Rupture Among Patients with Abdominal Aortic Aneurysms - Results From a Large Danish Register Based Matched Case Control Study From 1996 to 2016. <i>European Journal of Vascular and Endovascular Surgery</i> , 2020 , 60, 36-42 | 1.1 | 3 |

| | | | |
|-----|---|-----|----|
| 304 | Extent of arterial calcification by conventional vitamin K antagonist treatment. <i>PLoS ONE</i> , 2020 , 15, e0241450 | 6 | |
| 303 | Feasibility Study of Advanced Cardiovascular Screening in Middle-Aged Patients with Diabetes. <i>Clinical Epidemiology</i> , 2020 , 12, 447-455 | 5.8 | 5 |
| 302 | Congenital Malformations in Denmark: Considerations for the Use of Danish Health Care Registries. <i>Clinical Epidemiology</i> , 2020 , 12, 1371-1380 | 5.8 | 3 |
| 301 | Long-term oral budesonide treatment and risk of osteoporotic fractures in patients with microscopic colitis. <i>Alimentary Pharmacology and Therapeutics</i> , 2020 , 51, 644-651 | 5.8 | 6 |
| 300 | Renin-Angiotensin System Blockers and Adverse Outcomes of Influenza and Pneumonia: A Danish Cohort Study. <i>Journal of the American Heart Association</i> , 2020 , 9, e017297 | 5.7 | 6 |
| 299 | Comment on "Hydrochlorothiazide use and the risk of skin cancer in patients with hypertensive disorder: a nationwide retrospective cohort study from Korea". <i>Korean Journal of Internal Medicine</i> , 2020 , 35, 1014-1015 | 2.5 | 0 |
| 298 | Adverse outcomes and mortality in users of non-steroidal anti-inflammatory drugs who tested positive for SARS-CoV-2: A Danish nationwide cohort study 2020 , 17, e1003308 | | 1 |
| 297 | Adverse outcomes and mortality in users of non-steroidal anti-inflammatory drugs who tested positive for SARS-CoV-2: A Danish nationwide cohort study 2020 , 17, e1003308 | | |
| 296 | Adverse outcomes and mortality in users of non-steroidal anti-inflammatory drugs who tested positive for SARS-CoV-2: A Danish nationwide cohort study 2020 , 17, e1003308 | | |
| 295 | Adverse outcomes and mortality in users of non-steroidal anti-inflammatory drugs who tested positive for SARS-CoV-2: A Danish nationwide cohort study 2020 , 17, e1003308 | | |
| 294 | Adverse outcomes and mortality in users of non-steroidal anti-inflammatory drugs who tested positive for SARS-CoV-2: A Danish nationwide cohort study 2020 , 17, e1003308 | | |
| 293 | Validity of ICD-9 and ICD-10 codes used to identify acute liver injury: A study in three European data sources. <i>Pharmacoepidemiology and Drug Safety</i> , 2019 , 28, 965-975 | 2.6 | 12 |
| 292 | Use of hydrochlorothiazide and risk of skin cancer: a nationwide Taiwanese case-control study. <i>British Journal of Cancer</i> , 2019 , 121, 973-978 | 8.3 | 18 |
| 291 | The International Society for Pharmacoepidemiology's Comments on the Core Recommendations in the Summary of the Heads of Medicines Agencies (HMA) - EMA Joint Big Data Task Force. <i>Pharmacoepidemiology and Drug Safety</i> , 2019 , 28, 1640-1641 | 2.6 | 2 |
| 290 | Trends of Opioid Utilisation in Denmark: A Nationwide Study. <i>Drugs - Real World Outcomes</i> , 2019 , 6, 155-164 | 10 | |
| 289 | Sixteen years of creatinine measurements among 460 000 individuals-The Funen Laboratory Cohort (FLaC), a population-based pharmacoepidemiological resource to study drug-induced kidney disease. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2019 , 124, 582-590 | 3 | 5 |
| 288 | Use of α -adrenoreceptor agonist and antagonist drugs and risk of Parkinson disease. <i>Neurology</i> , 2019 , 93, e135-e142 | 5.7 | 12 |
| 287 | Increased risk of major adverse cardiac events following the onset of acute exacerbations of COPD. <i>Respirology</i> , 2019 , 24, 1183-1190 | 3.5 | 16 |

| | | | |
|-----|---|-----|----|
| 286 | Postponement of Death by Statin Use: a Systematic Review and Meta-analysis of Randomized Clinical Trials. <i>Journal of General Internal Medicine</i> , 2019 , 34, 1607-1614 | 3.8 | 5 |
| 285 | Unavailable prescriptions at Danish community pharmacies: A descriptive study. <i>International Journal of Clinical Pharmacy</i> , 2019 , 41, 672-676 | 2.3 | 1 |
| 284 | Use of phthalate-containing prescription drugs and the risk of gastric cancer: a Danish nationwide case-control study. <i>Acta Oncologica</i> , 2019 , 58, 852-858 | 3.1 | 1 |
| 283 | Clinical characteristics and glucose-lowering drug utilization among patients initiating liraglutide in Denmark: a routine clinical care prescription study. <i>Journal of Diabetes</i> , 2019 , 11, 690-694 | 3.7 | 3 |
| 282 | Discontinuation of therapy among COPD patients who experience an improvement in exacerbation status. <i>European Journal of Clinical Pharmacology</i> , 2019 , 75, 1025-1032 | 2.6 | 0 |
| 281 | Risk of Acute Liver Injury in Agomelatine and Other Antidepressant Users in Four European Countries: A Cohort and Nested Case-Control Study Using Automated Health Data Sources. <i>CNS Drugs</i> , 2019 , 33, 383-395 | 6.5 | 10 |
| 280 | Patient Involvement in Evaluation of Safety in Oral Antineoplastic Treatment: A Failure Mode and Effects Analysis in Patients and Health Care Professionals. <i>Quality Management in Health Care</i> , 2019 , 28, 33-38 | 1 | 3 |
| 279 | Use of topical antipsoriatic drugs in Denmark: a nationwide drug utilization study. <i>British Journal of Dermatology</i> , 2019 , 180, 157-164 | 3 | 10 |
| 278 | Statins in Older Danes: Factors Associated With Discontinuation Over the First 4 Years of Use. <i>Journal of the American Geriatrics Society</i> , 2019 , 67, 2050-2057 | 5.4 | 4 |
| 277 | The Effect of Flucloxacillin on Warfarin Anticoagulation: A Swedish Register-Based Nationwide Cohort Study. <i>Thrombosis and Haemostasis</i> , 2019 , 119, 1617-1623 | 6.8 | 2 |
| 276 | Phthalate exposure from drugs during pregnancy and possible risk of preterm birth and small for gestational age. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2019 , 240, 293-299 ^{1.6} | | 14 |
| 275 | Associations between adult height and type 2 diabetes mellitus: a systematic review and meta-analysis of observational studies. <i>Journal of Epidemiology and Community Health</i> , 2019 , 73, 681-688 ⁵ | | 6 |
| 274 | Identification of potential carcinogenic and chemopreventive effects of prescription drugs: a protocol for a Norwegian registry-based study. <i>BMJ Open</i> , 2019 , 9, e028504 | 2.9 | 4 |
| 273 | Association of Statin Use and Oncological Outcomes After Neoadjuvant Radiotherapy in Patients With Rectal Cancer. <i>Anticancer Research</i> , 2019 , 39, 2177-2182 | 2.3 | 3 |
| 272 | Trends in utilization and dosing of antipsychotic drugs in Scandinavia: Comparison of 2006 and 2016. <i>British Journal of Clinical Pharmacology</i> , 2019 , 85, 1598-1606 | 3.7 | 15 |
| 271 | Use of prescription drugs in the older adult population-a nationwide pharmacoepidemiological study. <i>European Journal of Clinical Pharmacology</i> , 2019 , 75, 1125-1133 | 2.6 | 12 |
| 270 | Exposure to phthalate-containing prescription drugs and the risk of colorectal adenocarcinoma: A Danish nationwide case-control study. <i>Pharmacoepidemiology and Drug Safety</i> , 2019 , 28, 528-535 | 2.6 | 1 |
| 269 | Antidepressant use in Denmark, Germany, Spain, and Sweden between 2009 and 2014: Incidence and comorbidities of antidepressant initiators. <i>Journal of Affective Disorders</i> , 2019 , 249, 242-252 | 6.4 | 24 |

| | | | |
|-----|--|------|----|
| 268 | Use of Low-Dose Aspirin and Mortality After Prostate Cancer Diagnosis: A Nationwide Cohort Study. <i>Annals of Internal Medicine</i> , 2019 , 170, 443-452 | 7.8 | 8 |
| 267 | Encounter Databases 2019 , 211-240 | | 2 |
| 266 | Hormone replacement therapy and the risk of melanoma in post-menopausal women. <i>Human Reproduction</i> , 2019 , 34, 2418-2429 | 5.5 | 7 |
| 265 | The Influence of Antidepressants on the Disease Course Among Patients With Crohn's Disease and Ulcerative Colitis-A Danish Nationwide Register-Based Cohort Study. <i>Inflammatory Bowel Diseases</i> , 2019 , 25, 886-893 | 2.8 | 13 |
| 264 | Use of proton pump inhibitors among Danish children: A 16-year register-based nationwide study. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2019 , 124, 704-710 | 3 | 8 |
| 263 | Hydrochlorothiazide use and risk for Merkel cell carcinoma and malignant adnexal skin tumors: A nationwide case-control study. <i>Journal of the American Academy of Dermatology</i> , 2019 , 80, 460-465.e9 | 3.4 | 16 |
| 262 | Antihistamine use and risk of ovarian cancer: A population-based case-control study. <i>Maturitas</i> , 2019 , 120, 47-52 | 3.3 | 4 |
| 261 | Health care professionals' attitudes towards deprescribing in older patients with limited life expectancy: A systematic review. <i>British Journal of Clinical Pharmacology</i> , 2019 , 85, 868-892 | 3.7 | 16 |
| 260 | Nonaspirin Nonsteroidal Antiinflammatory Drug Use in the Nordic Countries from a Cardiovascular Risk Perspective, 2000-2016: A Drug Utilization Study. <i>Pharmacotherapy</i> , 2019 , 39, 150-160 | 5.6 | 10 |
| 259 | Adherence to Prescribed Drugs Among 65-74-Year Old Men Diagnosed with Abdominal Aortic Aneurysm or Peripheral Arterial Disease in a Screening Trial: A VIVA Substudy. <i>European Journal of Vascular and Endovascular Surgery</i> , 2019 , 57, 442-450 | 1.1 | 8 |
| 258 | Tools for Deprescribing in Frail Older Persons and Those with Limited Life Expectancy: A Systematic Review. <i>Journal of the American Geriatrics Society</i> , 2019 , 67, 172-180 | 5.4 | 46 |
| 257 | Interaction between warfarin and cannabis. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2019 , 124, 28-31 | 3 | 40 |
| 256 | Angiotensin II receptor blockers are safe in patients with prior angioedema related to angiotensin-converting enzyme inhibitors - a nationwide registry-based cohort study. <i>Journal of Internal Medicine</i> , 2019 , 285, 553-561 | 10.5 | 16 |
| 255 | Association between diabetes and oncological outcomes in patients undergoing neoadjuvant chemo-radiotherapy for rectal cancer. <i>Surgical Oncology</i> , 2019 , 28, 62-66 | 2.4 | 4 |
| 254 | Use of vitamin K antagonists and risk of prostate cancer: Meta-analysis and nationwide case-control study. <i>International Journal of Cancer</i> , 2019 , 144, 1522-1529 | 7.3 | 4 |
| 253 | Cost-consequence analysis evaluating multifaceted clinical pharmacist intervention targeting patient transitions of care from hospital to primary care. <i>JACCP Journal of the American College of Clinical Pharmacy</i> , 2019 , 2, 123-130 | 1.2 | 3 |
| 252 | A review of the Ghana National Health Insurance Scheme claims database: possibilities and limits for drug utilization research. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2019 , 124, 18-27 | 3 | 3 |
| 251 | Conization and healthcare use: a population-based register study. <i>European Journal of Cancer Prevention</i> , 2019 , 28, 124-130 | 1.9 | 2 |

| | | | |
|-----|--|------|-----|
| 250 | Effectiveness and safety of direct oral anticoagulants in atrial fibrillation patients switched from vitamin K antagonists: A systematic review and meta-analysis. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2019 , 126, 21 | 3 | 6 |
| 249 | Morbidity and mortality among older people admitted to nursing home. <i>Age and Ageing</i> , 2019 , 49, 67-73 | 2.8 | 21 |
| 248 | Likelihood of reporting medication errors in hospitalized children: a survey of nurses and physicians. <i>Therapeutic Advances in Drug Safety</i> , 2018 , 9, 179-192 | 3.5 | 4 |
| 247 | Using the Symmetry Analysis Design to Screen for Adverse Effects of Non-vitamin K Antagonist Oral Anticoagulants. <i>Drug Safety</i> , 2018 , 41, 685-695 | 5 | 5 |
| 246 | Switching Between Antibiotics Among Danish Children 0-4 Years of Age: A Nationwide Drug Utilization Study. <i>Pediatric Infectious Disease Journal</i> , 2018 , 37, 1112-1117 | 3.3 | 4 |
| 245 | Use of attention-deficit/hyperactivity disorder medication among older adults in Denmark. <i>British Journal of Clinical Pharmacology</i> , 2018 , 84, 1505-1513 | 3.7 | 3 |
| 244 | A smartphone application supporting patients with psoriasis improves adherence to topical treatment: a randomized controlled trial. <i>British Journal of Dermatology</i> , 2018 , 179, 1062-1071 | 3 | 31 |
| 243 | Use of Non-Vitamin K Antagonist Oral Anticoagulants 2008-2016: A Danish Nationwide Cohort Study. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2018 , 123, 452-463 | 3 | 35 |
| 242 | Methodological challenges when evaluating potential off-label prescribing of drugs using electronic health care databases: A case study of dabigatran etexilate in Europe. <i>Pharmacoepidemiology and Drug Safety</i> , 2018 , 27, 713-723 | 2.6 | 5 |
| 241 | Roflumilast Usage from 2010 to 2016: A Danish Nationwide Drug Utilization Study. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2018 , 123, 314-319 | 3 | 2 |
| 240 | Lack of Association Between Proton Pump Inhibitor Use and Cognitive Decline. <i>Clinical Gastroenterology and Hepatology</i> , 2018 , 16, 681-689 | 6.6 | 22 |
| 239 | Examining Nonparticipation in the Maternal Follow-up Within the Danish National Birth Cohort. <i>American Journal of Epidemiology</i> , 2018 , 187, 1511-1519 | 3.7 | 11 |
| 238 | The Danish Medical Birth Register. <i>European Journal of Epidemiology</i> , 2018 , 33, 27-36 | 11.8 | 217 |
| 237 | Effect of an In-Hospital Multifaceted Clinical Pharmacist Intervention on the Risk of Readmission: A Randomized Clinical Trial. <i>JAMA Internal Medicine</i> , 2018 , 178, 375-382 | 11.2 | 129 |
| 236 | Melanoma of the Skin in the Danish Cancer Registry and the Danish Melanoma Database: A Validation Study. <i>Epidemiology</i> , 2018 , 29, 442-447 | 3 | 12 |
| 235 | Association between use of phthalate-containing medication and semen quality among men in couples referred for assisted reproduction. <i>Human Reproduction</i> , 2018 , 33, 503-511 | 5.5 | 14 |
| 234 | Considerations for Pharmacoepidemiological Studies of Drug-Cancer Associations. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2018 , 122, 451-459 | 3 | 42 |
| 233 | Incidence of Common Cancers in Users of Antimuscarinic Medications for Overactive Bladder: A Danish Nationwide Cohort Study. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2018 , 122, 612-619 | 3 | 3 |

| | | | |
|-----|---|------|----|
| 232 | Disproportionality Analysis Used to Identify Patterns in Medication Error Reports Involving Hospitalized Children. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2018 , 122, 531-533 | 3 | 2 |
| 231 | Cumulative exposure to phthalates from phthalate-containing drug products: a Danish population-wide study. <i>British Journal of Clinical Pharmacology</i> , 2018 , 84, 1798-1805 | 3.7 | 8 |
| 230 | Multifaceted Pharmacist-led Interventions in the Hospital Setting: A Systematic Review. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2018 , 123, 363-379 | 3 | 22 |
| 229 | External validity of a cardiovascular screening including a coronary artery calcium examination in middle-aged individuals from the general population. <i>European Journal of Preventive Cardiology</i> , 2018 , 25, 1156-1166 | 3.8 | 9 |
| 228 | Reuse of data sources to evaluate drug safety signals: When is it appropriate?. <i>Pharmacoepidemiology and Drug Safety</i> , 2018 , 27, 567-569 | 2.6 | 8 |
| 227 | Hypothesis-free screening of large administrative databases for unsuspected drug-outcome associations. <i>European Journal of Epidemiology</i> , 2018 , 33, 545-555 | 11.8 | 15 |
| 226 | Seventeen-Year Nationwide Trends in Use of Long-acting Bronchodilators and Inhaled Corticosteroids among Adults - A Danish Drug Utilization Study. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2018 , 123, 58-64 | 3 | 4 |
| 225 | Effect of copayment policies on initial medication non-adherence according to income: a population-based study. <i>BMJ Quality and Safety</i> , 2018 , 27, 878-891 | 5.3 | 11 |
| 224 | Use of Dicloxacillin and Risk of Pregnancy among Users of Oral Contraceptives. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2018 , 123, 288-293 | 3 | 1 |
| 223 | Trends in Use of Paracetamol in the Nordic Countries. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2018 , 123, 301-307 | 3 | 18 |
| 222 | Use of antipsychotics and risk of breast cancer: a Danish nationwide case-control study. <i>British Journal of Clinical Pharmacology</i> , 2018 , 84, 2152-2161 | 3.7 | 15 |
| 221 | Risk of lactic acidosis in type 2 diabetes patients using metformin: A case control study. <i>PLoS ONE</i> , 2018 , 13, e0196122 | 3.6 | 21 |
| 220 | A cohort study on the risk of lymphoma and skin cancer in users of topical tacrolimus, pimecrolimus, and corticosteroids (Joint European Longitudinal Lymphoma and Skin Cancer Evaluation - JOELLE study). <i>Clinical Epidemiology</i> , 2018 , 10, 299-310 | 5.8 | 50 |
| 219 | Empirical validation of the reverse parametric waiting time distribution and standard methods to estimate prescription durations for warfarin. <i>Pharmacoepidemiology and Drug Safety</i> , 2018 , 27, 1011-1018 | 2.6 | 4 |
| 218 | Use of prescription drugs among women diagnosed with epithelial ovarian cancer in Denmark. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2018 , 97, 1332-1338 | 3.6 | 1 |
| 217 | Qualitative exploration of practices to prevent medication errors in neonatal intensive care units: a focus group study. <i>Therapeutic Advances in Drug Safety</i> , 2018 , 9, 343-353 | 3.5 | 1 |
| 216 | Significant association between the use of different proton pump inhibitors and microscopic colitis: a nationwide Danish case-control study. <i>Alimentary Pharmacology and Therapeutics</i> , 2018 , 48, 618-625 | 5.8 | 21 |
| 215 | Using the "proportion of patients covered" and the Kaplan-Meier survival analysis to describe treatment persistence. <i>Pharmacoepidemiology and Drug Safety</i> , 2018 , 27, 867-871 | 2.6 | 11 |

| | | | |
|-----|---|------|-----|
| 214 | How Common is Statin Use in the Oldest Old?. <i>Drugs and Aging</i> , 2018 , 35, 679-686 | 4.5 | 14 |
| 213 | Proton-pump inhibitors among adults: a nationwide drug-utilization study. <i>Therapeutic Advances in Gastroenterology</i> , 2018 , 11, 1756284818777943 | 4.5 | 54 |
| 212 | Association between QTc prolongation and mortality in patients with suspected poisoning in the emergency department: a transnational propensity score matched cohort study. <i>BMJ Open</i> , 2018 , 8, e020036 | 2.9 | 7 |
| 211 | Differences Between Randomized Clinical Trial Patients and Real-World Initiators of the Glucagon-Like Peptide 1 Receptor Agonist Liraglutide. <i>Diabetes Care</i> , 2018 , 41, e133-e135 | 14.1 | 12 |
| 210 | Use of Topical Tacrolimus and Topical Pimecrolimus in Four European Countries: A Multicentre Database Cohort Study. <i>Drugs - Real World Outcomes</i> , 2018 , 5, 109-116 | 2.1 | 2 |
| 209 | Treatment with montelukast and antidepressive medication-a symmetry analysis. <i>Pharmacoepidemiology and Drug Safety</i> , 2018 , 27, 1409-1415 | 2.6 | 5 |
| 208 | Intracerebral hemorrhage: positive predictive value of diagnosis codes in two nationwide Danish registries. <i>Clinical Epidemiology</i> , 2018 , 10, 941-948 | 5.8 | 20 |
| 207 | Use of topical ocular antibiotics in young children: a Scandinavian drug utilization study. <i>Acta Ophthalmologica</i> , 2018 , 96, 789-794 | 3.5 | 4 |
| 206 | Enough Power to Build a Strong Case for Clinical Pharmacy Services?-Reply. <i>JAMA Internal Medicine</i> , 2018 , 178, 864-865 | 11.2 | |
| 205 | Use of proton pump inhibitors and risk of pancreatic cancer. <i>Pharmacoepidemiology and Drug Safety</i> , 2018 , 27, 926-930 | 2.6 | 10 |
| 204 | Hydrochlorothiazide use and risk of nonmelanoma skin cancer: A nationwide case-control study from Denmark. <i>Journal of the American Academy of Dermatology</i> , 2018 , 78, 673-681.e9 | 3.4 | 135 |
| 203 | Dicloxacillin induces CYP2C19, CYP2C9 and CYP3A4 in vivo and in vitro. <i>British Journal of Clinical Pharmacology</i> , 2018 , 84, 510-519 | 3.7 | 9 |
| 202 | Use of direct oral anticoagulants in the first year after market entry of edoxaban: A Danish nationwide drug utilization study. <i>Pharmacoepidemiology and Drug Safety</i> , 2018 , 27, 174-181 | 2.6 | 17 |
| 201 | Comparison of cardiovascular events among treatments for overactive bladder: a Danish nationwide cohort study. <i>European Journal of Clinical Pharmacology</i> , 2018 , 74, 193-199 | 2.6 | 6 |
| 200 | Patterns of use of antimuscarinic drugs to treat overactive bladder in Denmark, Sweden, and the United Kingdom. <i>PLoS ONE</i> , 2018 , 13, e0204456 | 3.6 | 7 |
| 199 | Hydrochlorothiazide and the Risk of Malignant Melanoma-Reply. <i>JAMA Internal Medicine</i> , 2018 , 178, 1425-1426 | 11.2 | |
| 198 | Use of Psychotropic Drugs among Children and Adolescents with Autism Spectrum Disorders in Denmark: A Nationwide Drug Utilization Study. <i>Journal of Clinical Medicine</i> , 2018 , 7, | 5 | 9 |
| 197 | Perioperative Tranexamic Acid Treatment and Risk of Cardiovascular Events or Death After Total Hip Arthroplasty: A Population-Based Cohort Study from National Danish Databases. <i>Journal of Bone and Joint Surgery - Series A</i> , 2018 , 100, 1742-1749 | 5.4 | 7 |

| | | | |
|-----|--|------|-----|
| 196 | Use of N-nitrosodimethylamine (NDMA) contaminated valsartan products and risk of cancer: Danish nationwide cohort study. <i>BMJ, The</i> , 2018 , 362, k3851 | 5.7 | 37 |
| 195 | Trends in attention-deficit hyperactivity disorder medication use: a retrospective observational study using population-based databases. <i>Lancet Psychiatry,the</i> , 2018 , 5, 824-835 | 22.6 | 100 |
| 194 | Identifying and assessing potential harm of medication errors and potentially unsafe medication practices in paediatric hospital settings: a field study. <i>Therapeutic Advances in Drug Safety</i> , 2018 , 9, 509-522 | 3.5 | 7 |
| 193 | Explaining trends in coronary heart disease mortality in different socioeconomic groups in Denmark 1991-2007 using the IMPACTSEC model. <i>PLoS ONE</i> , 2018 , 13, e0194793 | 3.6 | 8 |
| 192 | Association of Hydrochlorothiazide Use and Risk of Malignant Melanoma. <i>JAMA Internal Medicine</i> , 2018 , 178, 1120-1122 | 11.2 | 44 |
| 191 | Oral Immunosuppressive Treatment of Myasthenia Gravis in Denmark: A Nationwide Drug Utilization Study, 1996-2013. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2018 , 123, 486-493 | 3 | 2 |
| 190 | Treatment Failure of TNF- α Inhibitors in Obese Patients With Inflammatory Bowel Disease-A Cohort Study. <i>Inflammatory Bowel Diseases</i> , 2018 , 24, 2628-2633 | 2.8 | 7 |
| 189 | Prescription duration and treatment episodes in oral glucocorticoid users: application of the parametric waiting time distribution. <i>Clinical Epidemiology</i> , 2017 , 9, 591-600 | 5.8 | 2 |
| 188 | Postdiagnosis Statin Use and Mortality in Danish Patients With Prostate Cancer. <i>Journal of Clinical Oncology</i> , 2017 , 35, 3290-3297 | 2.1 | 51 |
| 187 | Clinical events preceding switching and discontinuation of oral anticoagulant treatment in patients with atrial fibrillation. <i>Europace</i> , 2017 , 19, 1091-1095 | 3.8 | 23 |
| 186 | Data Resource Profile: The Danish National Prescription Registry. <i>International Journal of Epidemiology</i> , 2017 , 46, 798-798f | 7.6 | 394 |
| 185 | Randomized trial of switching from prescribed non-selective non-steroidal anti-inflammatory drugs to prescribed celecoxib: the Standard care vs. Celecoxib Outcome Trial (SCOT). <i>European Heart Journal</i> , 2017 , 38, 1843-1850 | 9 | 44 |
| 184 | P720 Use of proton pump inhibitors associated with a markedly increased risk of microscopic colitis. <i>Journal of Crohns and Colitis</i> , 2017 , 11, S448-S449 | 1.4 | 0 |
| 183 | Sequence symmetry analysis in pharmacovigilance and pharmacoepidemiologic studies. <i>European Journal of Epidemiology</i> , 2017 , 32, 567-582 | 11.8 | 38 |
| 182 | Refining estimates of prescription durations by using observed covariates in pharmacoepidemiological databases: an application of the reverse waiting time distribution. <i>Pharmacoepidemiology and Drug Safety</i> , 2017 , 26, 900-908 | 2.6 | 12 |
| 181 | Stability of the frequent COPD exacerbator in the general population: A Danish nationwide register-based study. <i>Npj Primary Care Respiratory Medicine</i> , 2017 , 27, 25 | 3.1 | 7 |
| 180 | Estimating medication stopping fraction and real-time prevalence of drug use in pharmaco-epidemiologic databases. An application of the reverse waiting time distribution. <i>Pharmacoepidemiology and Drug Safety</i> , 2017 , 26, 909-916 | 2.6 | 6 |
| 179 | Outcome of revascularisation in stable coronary artery disease without ischaemia: a Danish registry-based follow-up study. <i>BMJ Open</i> , 2017 , 7, e016169 | 2.9 | 4 |

| | | | |
|-----|--|------|----|
| 178 | Montelukast use-a 19-year nationwide drug utilisation study. <i>European Journal of Clinical Pharmacology</i> , 2017 , 73, 1297-1304 | 2.6 | 4 |
| 177 | Drug use among complete responders, partial responders and non-responders in a longitudinal survey of nonagenarians: analysis of prescription register data. <i>Pharmacoepidemiology and Drug Safety</i> , 2017 , 26, 152-161 | 2.6 | 5 |
| 176 | Use of non-antiretroviral drugs among individuals with and without HIV-infection: a Danish nationwide study. <i>Infectious Diseases</i> , 2017 , 49, 42-54 | 3.1 | 4 |
| 175 | Treatment Changes among Users of Non-Vitamin K Antagonist Oral Anticoagulants in Atrial Fibrillation. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2017 , 120, 187-194 | 3 | 25 |
| 174 | Use of antibiotics in childhood and risk of Type 1 diabetes: a population-based case-control study. <i>Diabetic Medicine</i> , 2017 , 34, 272-277 | 3.4 | 24 |
| 173 | New use of prescription drugs prior to a cancer diagnosis. <i>Pharmacoepidemiology and Drug Safety</i> , 2017 , 26, 223-227 | 2.6 | 45 |
| 172 | Performance of the High-dimensional Propensity Score in a Nordic Healthcare Model. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2017 , 120, 312-317 | 3 | 11 |
| 171 | Reduced ability to work both before and after infectious spondylodiscitis in working-age patients. <i>Infectious Diseases</i> , 2017 , 49, 95-103 | 3.1 | 9 |
| 170 | Intermediate-term and long-term mortality among acute medical patients hospitalized with community-acquired sepsis: a population-based study. <i>European Journal of Emergency Medicine</i> , 2017 , 24, 404-410 | 2.1 | 7 |
| 169 | Switching, Adverse Effects and Use of Over-the-Counter Analgesics among Users of Oral Anticoagulants: A Pharmacy-based Survey. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2017 , 121, 37-43 | 3 | 8 |
| 168 | Clopidogrel-Paclitaxel Drug-Drug Interaction: A Pharmacoepidemiologic Study. <i>Clinical Pharmacology and Therapeutics</i> , 2017 , 102, 547-553 | 5.9 | 20 |
| 167 | Association of Antithrombotic Drug Use With Subdural Hematoma Risk. <i>JAMA - Journal of the American Medical Association</i> , 2017 , 317, 836-846 | 26.8 | 76 |
| 166 | Odense Pharmacoepidemiological Database: A Review of Use and Content. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2017 , 120, 419-425 | 3 | 18 |
| 165 | Therapeutic Drug Monitoring of Venlafaxine in an Everyday Clinical Setting: Analysis of Age, Sex and Dose Concentration Relationships. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2017 , 121, 298-302 | 3 | 10 |
| 164 | Statin use and mortality among ovarian cancer patients: A population-based cohort study. <i>International Journal of Cancer</i> , 2017 , 141, 279-286 | 7.3 | 20 |
| 163 | Hydrochlorothiazide use is strongly associated with risk of lip cancer. <i>Journal of Internal Medicine</i> , 2017 , 282, 322-331 | 10.5 | 87 |
| 162 | Ophthalmic nepafenac use in the Netherlands and Denmark. <i>Acta Ophthalmologica</i> , 2017 , 95, 509-517 | 3.5 | 8 |
| 161 | Metformin treatment does not affect the risk of ruptured abdominal aortic aneurysms. <i>Journal of Vascular Surgery</i> , 2017 , 66, 768-774.e2 | 1.6 | 21 |

| | | | |
|-----|---|-----|----|
| 160 | Population Exposure to Phthalate-containing Drugs. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2017 , 121, 153-158 | 3 | 8 |
| 159 | Topical Antimycotics for Oral Candidiasis in Warfarin Users. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2017 , 120, 368-372 | 3 | 11 |
| 158 | External adjustment of unmeasured confounders in a case-control study of benzodiazepine use and cancer risk. <i>British Journal of Clinical Pharmacology</i> , 2017 , 83, 2517-2527 | 3.7 | 5 |
| 157 | Statins and polyneuropathy revisited: case-control study in Denmark, 1999-2013. <i>British Journal of Clinical Pharmacology</i> , 2017 , 83, 2087-2095 | 3.7 | 14 |
| 156 | Utilization of Stimulants and Atomoxetine for Attention-Deficit/Hyperactivity Disorder among 5.4 Million Children Using Population-Based Longitudinal Data. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2017 , 120, 373-379 | 3 | 15 |
| 155 | Medication errors in pediatric inpatients: a study based on a national mandatory reporting system. <i>European Journal of Pediatrics</i> , 2017 , 176, 1697-1705 | 3.9 | 14 |
| 154 | Using probability of drug use as independent variable in a register-based pharmacoepidemiological cause-effect study-An application of the reverse waiting time distribution. <i>Pharmacoepidemiology and Drug Safety</i> , 2017 , 26, 1520-1526 | 2.6 | 2 |
| 153 | Use of beta-blockers and risk of serious upper gastrointestinal bleeding: a population-based case-control study. <i>Therapeutic Advances in Gastroenterology</i> , 2017 , 10, 919-929 | 4.5 | 0 |
| 152 | Individual-level drug utilization analyses 2016 , 68-76 | | 1 |
| 151 | Re: Pregabalin prescriptions in the United Kingdom - a drug utilisation study of The Health Improvement Network (THIN) primary care database by Asomaning et al. <i>International Journal of Clinical Practice</i> , 2016 , 70, 696 | 2.8 | |
| 150 | Subdural hematoma cases identified through a Danish patient register: diagnosis validity, clinical characteristics, and preadmission antithrombotic drug use. <i>Pharmacoepidemiology and Drug Safety</i> , 2016 , 25, 1253-1262 | 2.6 | 18 |
| 149 | Data Resource Profile: Danish online drug use statistics (MEDSTAT). <i>International Journal of Epidemiology</i> , 2016 , 45, 1401-1402g | 7.6 | 65 |
| 148 | Persistent User Bias in Case-Crossover Studies in Pharmacoepidemiology. <i>American Journal of Epidemiology</i> , 2016 , 184, 761-769 | 3.7 | 26 |
| 147 | Clinical Pharmacology in Denmark in 2016 - 40 Years with the Danish Society of Clinical Pharmacology and 20 Years as a Medical Speciality. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2016 , 119, 523-532 | 3 | 9 |
| 146 | Time for integrating clinical, lifestyle and molecular data to predict drug responses - Authors' reply. <i>EBioMedicine</i> , 2016 , 7, 11 | 8.6 | 1 |
| 145 | Abuse Potential of Pregabalin: A Systematic Review. <i>CNS Drugs</i> , 2016 , 30, 9-25 | 6.5 | 71 |
| 144 | Long-term Use of Statins and Risk of Renal Cell Carcinoma: A Population-based Case-Control Study. <i>European Urology</i> , 2016 , 69, 877-82 | 9.9 | 9 |
| 143 | Process- and patient-reported outcomes of a multifaceted medication adherence intervention for hypertensive patients in secondary care. <i>Research in Social and Administrative Pharmacy</i> , 2016 , 12, 302-18 | 2.8 | 6 |

| | | | |
|-----|--|------|----|
| 142 | Use of Pregabalin - A Nationwide Pharmacoepidemiological Drug Utilization Study with Focus on Abuse Potential. <i>Pharmacopsychiatry</i> , 2016 , 49, 155-61 | 1.9 | 36 |
| 141 | Long-term use of lithium and risk of colorectal adenocarcinoma: a nationwide case-control study. <i>British Journal of Cancer</i> , 2016 , 114, 571-5 | 8.3 | 11 |
| 140 | Phenobarbital compared to benzodiazepines in alcohol withdrawal treatment: A register-based cohort study of subsequent benzodiazepine use, alcohol recidivism and mortality. <i>Drug and Alcohol Dependence</i> , 2016 , 161, 258-64 | 4.8 | 13 |
| 139 | Long-Term Lithium Use and Risk of Renal and Upper Urinary Tract Cancers. <i>Journal of the American Society of Nephrology: JASN</i> , 2016 , 27, 249-55 | 12.3 | 24 |
| 138 | Effect of Allopurinol on Cardiovascular Outcomes in Hyperuricemic Patients: A Cohort Study. <i>American Journal of Medicine</i> , 2016 , 129, 299-306.e2 | 2.3 | 47 |
| 137 | Is Shock Index a Valid Predictor of Mortality in Emergency Department Patients With Hypertension, Diabetes, High Age, or Receipt of β or Calcium Channel Blockers?. <i>Annals of Emergency Medicine</i> , 2016 , 67, 106-113.e6 | 1.3 | 22 |
| 136 | Psoriasis patients' experiences concerning medical adherence to treatment with topical corticosteroids. <i>Psoriasis: Targets and Therapy</i> , 2016 , 6, 113-119 | 2.2 | 6 |
| 135 | Association of Pre-Pregnancy Body Mass Index, Pregnancy-Related Weight Changes, and Parity With the Risk of Developing Degenerative Musculoskeletal Conditions. <i>Arthritis and Rheumatology</i> , 2016 , 68, 1156-64 | 9.3 | 14 |
| 134 | Perception of drug teratogenicity among general practitioners and specialists in obstetrics/gynecology: a regional and national questionnaire-based survey. <i>BMC Pregnancy and Childbirth</i> , 2016 , 16, 226 | 3.1 | 6 |
| 133 | Inconsistencies in reporting of renal elimination among NOACs: the case of apixaban. <i>Pharmacoepidemiology and Drug Safety</i> , 2016 , 25, 346-8 | 2.6 | 4 |
| 132 | Generic switching of warfarin and risk of excessive anticoagulation: a Danish nationwide cohort study. <i>Pharmacoepidemiology and Drug Safety</i> , 2016 , 25, 336-43 | 2.6 | 14 |
| 131 | Early Discontinuation of Metformin in Individuals Treated with Inhibitors of Transporters of Metformin. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2016 , 118, 487-95 | 3 | 6 |
| 130 | Validity of the Prescriber Information in the Danish National Prescription Registry. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2016 , 119, 376-80 | 3 | 21 |
| 129 | Initiation and persistence with dual antiplatelet therapy after acute myocardial infarction: a Danish nationwide population-based cohort study. <i>BMJ Open</i> , 2016 , 6, e010880 | 2.9 | 27 |
| 128 | Propranolol and survival from breast cancer: a pooled analysis of European breast cancer cohorts. <i>Breast Cancer Research</i> , 2016 , 18, 119 | 8 | 29 |
| 127 | Use of tricyclic antidepressants and risk of glioma: a nationwide case-control study. <i>British Journal of Cancer</i> , 2016 , 114, 1265-8 | 8.3 | 11 |
| 126 | Depressive symptoms in women's midlife in relation to their body weight before, during and after childbearing years. <i>Obesity Science and Practice</i> , 2016 , 2, 415-425 | 2.5 | 4 |
| 125 | Determining prescription durations based on the parametric waiting time distribution. <i>Pharmacoepidemiology and Drug Safety</i> , 2016 , 25, 1451-1459 | 2.6 | 20 |

| | | | |
|-----|---|------|----|
| 124 | Identification of Associations Between Prescribed Medications and Cancer: A Nationwide Screening Study. <i>EBioMedicine</i> , 2016 , 7, 73-9 | 8.6 | 18 |
| 123 | Real-Life and RCT Participants: Alendronate Users Versus FITs' Trial Eligibility Criterion. <i>Calcified Tissue International</i> , 2016 , 99, 243-9 | 3.8 | 23 |
| 122 | Use of drugs for ADHD among adults-a multinational study among 15.8 million adults in the Nordic countries. <i>European Journal of Clinical Pharmacology</i> , 2016 , 72, 1507-1514 | 2.6 | 25 |
| 121 | Use of proton-pump inhibitors among adults: a Danish nationwide drug utilization study. <i>Therapeutic Advances in Gastroenterology</i> , 2016 , 9, 671-8 | 4.5 | 71 |
| 120 | Low-dose aspirin or other nonsteroidal anti-inflammatory drug use and prostate cancer risk: a nationwide study. <i>Cancer Causes and Control</i> , 2016 , 27, 1067-79 | 2.7 | 20 |
| 119 | Acetaminophen for Chronic Pain: A Systematic Review on Efficacy. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2016 , 118, 184-9 | 3 | 41 |
| 118 | Initiation of glucose-lowering treatment decreases international normalized ratio levels among users of vitamin K antagonists: a self-controlled register study. <i>Journal of Thrombosis and Haemostasis</i> , 2016 , 14, 129-33 | 15 | 6 |
| 117 | Use of sildenafil or other phosphodiesterase inhibitors and risk of melanoma. <i>British Journal of Cancer</i> , 2016 , 115, 895-900 | 8.3 | 24 |
| 116 | Impact of Urate Level on Cardiovascular Risk in Allopurinol Treated Patients. A Nested Case-Control Study. <i>PLoS ONE</i> , 2016 , 11, e0146172 | 3.6 | 14 |
| 115 | Change in International Normalized Ratio Among Patients Treated With Dicloxacillin and Vitamin K Antagonists. <i>JAMA - Journal of the American Medical Association</i> , 2015 , 314, 296-7 | 26.8 | 13 |
| 114 | Incidence rate of community-acquired sepsis among hospitalized acute medical patients-a population-based survey. <i>Critical Care Medicine</i> , 2015 , 43, 13-21 | 1.3 | 59 |
| 113 | Time to initial antibiotic administration, and short-term mortality among patients admitted with community-acquired severe infections with and without the presence of systemic inflammatory response syndrome: a follow-up study. <i>Emergency Medicine Journal</i> , 2015 , 32, 846-53 | 1.4 | 11 |
| 112 | The effect of statins on average survival in randomised trials, an analysis of end point postponement. <i>BMJ Open</i> , 2015 , 5, e007118 | 2.9 | 32 |
| 111 | Use of Antibiotics and Risk of Type 2 Diabetes: A Population-Based Case-Control Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015 , 100, 3633-40 | 5.4 | 84 |
| 110 | Improving Medication Adherence in Patients with Hypertension: A Randomized Trial. <i>American Journal of Medicine</i> , 2015 , 128, 1351-61 | 2.3 | 56 |
| 109 | Statin use and risk of nonmelanoma skin cancer: a nationwide study in Denmark. <i>British Journal of Cancer</i> , 2015 , 112, 153-6 | 8.3 | 10 |
| 108 | Hypokalemia in acute medical patients: risk factors and prognosis. <i>American Journal of Medicine</i> , 2015 , 128, 60-7.e1 | 2.3 | 40 |
| 107 | Statin use and exacerbations in individuals with chronic obstructive pulmonary disease. <i>Thorax</i> , 2015 , 70, 33-40 | 7.1 | 61 |

| | | | |
|-----|--|------|----|
| 106 | Is urate crystal precipitation a predictor of cardiovascular risk in hyperuricemic patients? A Danish cohort study. <i>Arthritis Research and Therapy</i> , 2015 , 17, 304 | 5.5 | 7 |
| 105 | The potential drug-drug interaction between proton pump inhibitors and warfarin. <i>Pharmacoepidemiology and Drug Safety</i> , 2015 , 24, 1337-40 | 2.6 | 11 |
| 104 | Systolic blood pressure and short-term mortality in the emergency department and prehospital setting: a hospital-based cohort study. <i>Critical Care</i> , 2015 , 19, 158 | 10.5 | 15 |
| 103 | The Danish Cardiovascular Screening Trial (DANCAVAS): study protocol for a randomized controlled trial. <i>Trials</i> , 2015 , 16, 554 | 2.7 | 35 |
| 102 | Use of acid-suppressive therapy before anti-reflux surgery in 2922 patients: a nationwide register-based study in Denmark. <i>Alimentary Pharmacology and Therapeutics</i> , 2015 , 42, 84-90 | 5.8 | 2 |
| 101 | Deviant patterns of methylphenidate use in adults: a Danish nationwide registry-based drug utilization study. <i>Pharmacoepidemiology and Drug Safety</i> , 2015 , 24, 1189-96 | 2.6 | 8 |
| 100 | Cardiovascular drugs and erectile dysfunction - a symmetry analysis. <i>British Journal of Clinical Pharmacology</i> , 2015 , 80, 1219-23 | 3.7 | 11 |
| 99 | Social adversity and regional differences in prescribing of ADHD medication for school-age children. <i>Journal of Developmental and Behavioral Pediatrics</i> , 2015 , 36, 330-41 | 2.3 | 11 |
| 98 | The Danish National Prescription Registry in studies of a biological pharmaceutical: palivizumab - validation against two external data sources. <i>Clinical Epidemiology</i> , 2015 , 7, 305-12 | 5.8 | 7 |
| 97 | Generic switching and non-persistence among medicine users: a combined population-based questionnaire and register study. <i>PLoS ONE</i> , 2015 , 10, e0119688 | 3.6 | 15 |
| 96 | Seven-day mortality can be predicted in medical patients by blood pressure, age, respiratory rate, loss of independence, and peripheral oxygen saturation (the PARIS score): a prospective cohort study with external validation. <i>PLoS ONE</i> , 2015 , 10, e0122480 | 3.6 | 17 |
| 95 | Comparison of the Five Danish Regions Regarding Demographic Characteristics, Healthcare Utilization, and Medication Use--A Descriptive Cross-Sectional Study. <i>PLoS ONE</i> , 2015 , 10, e0140197 | 3.6 | 65 |
| 94 | Antithrombotic drugs and subarachnoid haemorrhage risk. A nationwide case-control study in Denmark. <i>Thrombosis and Haemostasis</i> , 2015 , 114, 1064-75 | 6.8 | 26 |
| 93 | Use of antibiotics in children: a Danish nationwide drug utilization study. <i>Pediatric Infectious Disease Journal</i> , 2015 , 34, e16-22 | 3.3 | 35 |
| 92 | Characteristics and drug utilization patterns for heavy users of prescription drugs among the elderly: a Danish register-based drug utilization study. <i>European Journal of Clinical Pharmacology</i> , 2015 , 71, 751-758 | 2.6 | 7 |
| 91 | Do patients initiate therapy? Primary non-adherence to statins and antidepressants in Iceland. <i>International Journal of Clinical Practice</i> , 2015 , 69, 597-603 | 2.8 | 12 |
| 90 | Medically treated exacerbations in COPD by GOLD 1-4: A valid, robust, and seemingly low-biased definition. <i>Respiratory Medicine</i> , 2015 , 109, 1562-8 | 4.5 | 22 |
| 89 | Abnormal cervical cytology and health care use: a population-based register study. <i>Gynecologic Oncology</i> , 2015 , 139, 63-9 | 1.7 | 1 |

| | | | |
|----|---|------|----|
| 88 | Bacteremia is associated with excess long-term mortality: a 12-year population-based cohort study. <i>Journal of Infection</i> , 2015 , 70, 111-26 | 18.5 | 26 |
| 87 | Increased short- and long-term mortality among patients with infectious spondylodiscitis compared with a reference population. <i>Spine Journal</i> , 2015 , 15, 1233-40 | 1.5 | 44 |
| 86 | Mental disorders in motherhood according to prepregnancy BMI and pregnancy-related weight changes--A Danish cohort study. <i>Journal of Affective Disorders</i> , 2015 , 183, 322-9 | 6.4 | 12 |
| 85 | Early discontinuation of attention-deficit/hyperactivity disorder drug treatment: a Danish nationwide drug utilization study. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2015 , 116, 349-53 | 3 | 16 |
| 84 | Pharmacist-led medication review in an acute admissions unit: a systematic procedure description. <i>European Journal of Hospital Pharmacy</i> , 2015 , 22, 202-206 | 1.6 | 9 |
| 83 | AB0921 Impact of Urate Level on Cardiovascular Risk in Allopurinol Treated Patients. A Nested Case Control Study. <i>Annals of the Rheumatic Diseases</i> , 2015 , 74, 1208.2-1208 | 2.3 | |
| 82 | Risk factors for hospitalization due to community-acquired sepsis - a population-based case-control study. <i>PLoS ONE</i> , 2015 , 10, e0124838 | 3.6 | 23 |
| 81 | Opioid prescriptions before and after high-energy trauma. <i>Journal of Opioid Management</i> , 2015 , 11, 313-8 | 8.7 | 7 |
| 80 | Search for humorous and Extravagant acronyms and Thoroughly Inappropriate names For Important Clinical trials (SCIENTIFIC): qualitative and quantitative systematic study. <i>BMJ, The</i> , 2014 , 349, g7092 | 5.7 | 10 |
| 79 | Use of proton pump inhibitors after antireflux surgery: a nationwide register-based follow-up study. <i>Gut</i> , 2014 , 63, 1544-9 | 18.6 | 27 |
| 78 | Use of self-controlled designs in pharmacoepidemiology. <i>Journal of Internal Medicine</i> , 2014 , 275, 581-9 | 10.5 | 80 |
| 77 | Dynamics of vitamin K antagonist and new oral anticoagulants use in atrial fibrillation: a Danish drug utilization study. <i>Journal of Thrombosis and Haemostasis</i> , 2014 , 12, 1413-8 | 15 | 18 |
| 76 | Statin use and survival following glioblastoma multiforme. <i>Cancer Epidemiology</i> , 2014 , 38, 722-7 | 2.7 | 48 |
| 75 | Reply to Evidence for harm, comment on . . . by Kripke & Langer. <i>British Journal of Clinical Pharmacology</i> , 2014 , 78, 188-9 | 3.7 | 2 |
| 74 | Long-term use of metformin and colorectal cancer risk in type II diabetics: a population-based case-control study. <i>Cancer Medicine</i> , 2014 , 3, 1458-66 | 4.7 | 32 |
| 73 | Alcohol and breastfeeding. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2014 , 114, 168-73 | 3 | 57 |
| 72 | Children's relative age in class and use of medication for ADHD: a Danish Nationwide Study. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2014 , 55, 1244-50 | 7.7 | 26 |
| 71 | Measures of 'exposure needed for one additional patient to be harmed' in population-based case-control studies. <i>Pharmacoepidemiology and Drug Safety</i> , 2014 , 23, 868-74 | 2.6 | 10 |

| | | | |
|----|---|-----|-----|
| 70 | A nationwide study of attention-deficit/hyperactivity disorder drug use among adults in Iceland 2003-2012. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2014 , 115, 417-22 | 3 | 14 |
| 69 | Use of disulfiram and risk of cancer: a population-based case-control study. <i>European Journal of Cancer Prevention</i> , 2014 , 23, 225-32 | 1.9 | 11 |
| 68 | Multifaceted intervention including motivational interviewing to support medication adherence after stroke/transient ischemic attack: a randomized trial. <i>Cerebrovascular Diseases Extra</i> , 2014 , 4, 221-34 | 2 | 25 |
| 67 | Danish ADHD data sets. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2014 , 55, e6 | 7.7 | |
| 66 | Mortality rate in type 2 myocardial infarction: observations from an unselected hospital cohort. <i>American Journal of Medicine</i> , 2014 , 127, 295-302 | 2.3 | 118 |
| 65 | Use of exenatide and liraglutide in Denmark: a drug utilization study. <i>European Journal of Clinical Pharmacology</i> , 2014 , 70, 205-14 | 2.6 | 9 |
| 64 | Information on risk of constipation for Danish users of opioids, and their laxative use. <i>International Journal of Clinical Pharmacy</i> , 2014 , 36, 291-4 | 2.3 | 13 |
| 63 | Use of SSRIs among Danish children: a nationwide study. <i>European Child and Adolescent Psychiatry</i> , 2014 , 23, 1211-8 | 5.4 | 19 |
| 62 | Myasthenia and risk of cancer: a population-based case-control study. <i>European Journal of Neurology</i> , 2014 , 21, 773-8 | 5.8 | 9 |
| 61 | Risk of non-melanoma skin cancer in myasthenia patients treated with azathioprine. <i>European Journal of Neurology</i> , 2014 , 21, 454-8 | 5.8 | 20 |
| 60 | International Society for Pharmacoepidemiology (ISPE) statement on American Society of Clinical Oncology's new policy for relationships with companies. <i>Pharmacoepidemiology and Drug Safety</i> , 2014 , 23, 1-2 | 2.6 | 1 |
| 59 | Increasing use of antibiotics in pregnancy during the period 2000-2010: prevalence, timing, category, and demographics. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2014 , 121, 988-96 | 3.5 | 54 |
| 58 | Comparison of mortality in patients with acute myocardial infarction accidentally admitted to non-cardiology departments versus that in patients admitted to coronary care units. <i>American Journal of Cardiology</i> , 2014 , 114, 1151-7 | 2.9 | 8 |
| 57 | Primary non-adherence in general practice: a Danish register study. <i>European Journal of Clinical Pharmacology</i> , 2014 , 70, 757-63 | 2.6 | 76 |
| 56 | Patient characteristics among users of analgesic over-the-counter aspirin in a Danish pharmacy setting. <i>International Journal of Clinical Pharmacy</i> , 2014 , 36, 693-6 | 2.3 | 3 |
| 55 | Pharmacoepidemiological assessment of drug interactions with vitamin K antagonists. <i>Pharmacoepidemiology and Drug Safety</i> , 2014 , 23, 1160-7 | 2.6 | 11 |
| 54 | Potential of prescription registries to capture individual-level use of aspirin and other nonsteroidal anti-inflammatory drugs in Denmark: trends in utilization 1999-2012. <i>Clinical Epidemiology</i> , 2014 , 6, 155-68 | 5.8 | 78 |
| 53 | How well do discharge diagnoses identify hospitalised patients with community-acquired infections?--a validation study. <i>PLoS ONE</i> , 2014 , 9, e92891 | 3.6 | 31 |

| | | | |
|----|---|-----|----|
| 52 | Nurses and physicians in a medical admission unit can accurately predict mortality of acutely admitted patients: a prospective cohort study. <i>PLoS ONE</i> , 2014 , 9, e101739 | 3.6 | 36 |
| 51 | First-trimester exposure to methylphenidate: a population-based cohort study. <i>Journal of Clinical Psychiatry</i> , 2014 , 75, e88-93 | 4.3 | 34 |
| 50 | Description of a practice model for pharmacist medication review in a general practice setting. <i>Pharmacy Practice</i> , 2014 , 12, 420 | 1.7 | 6 |
| 49 | First trimester in utero exposure to methylphenidate. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2013 , 112, 73-6 | 3 | 25 |
| 48 | Short- and long-term mortality in patients with community-acquired severe sepsis and septic shock. <i>Scandinavian Journal of Infectious Diseases</i> , 2013 , 45, 577-83 | | 24 |
| 47 | Use of benzodiazepines or benzodiazepine related drugs and the risk of cancer: a population-based case-control study. <i>British Journal of Clinical Pharmacology</i> , 2013 , 75, 1356-64 | 3.7 | 35 |
| 46 | The use of medication against attention deficit/hyperactivity disorder in Denmark: a drug use study from a patient perspective. <i>European Journal of Clinical Pharmacology</i> , 2013 , 69, 589-98 | 2.6 | 40 |
| 45 | Concurrent use of tramadol and oral vitamin K antagonists and the risk of excessive anticoagulation: a register-based nested case-control study. <i>European Journal of Clinical Pharmacology</i> , 2013 , 69, 641-6 | 2.6 | 11 |
| 44 | Use of azathioprine for non-thymoma myasthenia and risk of cancer: a nationwide case-control study in Denmark. <i>European Journal of Neurology</i> , 2013 , 20, 942-8 | 5.8 | 22 |
| 43 | Cancer risk in long-term users of vitamin K antagonists: a population-based case-control study. <i>International Journal of Cancer</i> , 2013 , 132, 2606-12 | 7.3 | 21 |
| 42 | Assigning exposure duration to single prescriptions by use of the waiting time distribution. <i>Pharmacoepidemiology and Drug Safety</i> , 2013 , 22, 803-9 | 2.6 | 48 |
| 41 | Characteristics of undertreatment in COPD in the general population. <i>Chest</i> , 2013 , 144, 1811-1818 | 1.2 | 29 |
| 40 | Hospital physicians' influence on gastrointestinal protection during treatment with non-steroidal anti-inflammatory drugs and acetylsalicylic acid and the impact on prescribing in primary care. <i>PLoS ONE</i> , 2013 , 8, e81845 | 3.6 | |
| 39 | Long-term use of antiplatelet drugs by stroke patients: a follow-up study based on prescription register data. <i>European Journal of Clinical Pharmacology</i> , 2012 , 68, 1631-7 | 2.6 | 14 |
| 38 | The use of medication against attention deficit hyperactivity disorder in Denmark: a drug use study from a national perspective. <i>European Journal of Clinical Pharmacology</i> , 2012 , 68, 1443-50 | 2.6 | 49 |
| 37 | Long term use of drugs affecting the renin-angiotensin system and the risk of cancer: a population-based case-control study. <i>British Journal of Clinical Pharmacology</i> , 2012 , 74, 180-8 | 3.7 | 48 |
| 36 | Excessive anticoagulation with warfarin or phenprocoumon may have multiple causes. <i>Danish Medical Journal</i> , 2012 , 59, A4383 | 2.3 | 10 |
| 35 | Pharmaceutical interventions on prescription problems in a Danish pharmacy setting. <i>International Journal of Clinical Pharmacy</i> , 2011 , 33, 1019-27 | 2.3 | 10 |

| | | | |
|----|--|-----|------|
| 34 | Physicians' and pharmacies' overview of patients' medication. An analysis of fidelity coefficients. <i>European Journal of Clinical Pharmacology</i> , 2011 , 67, 919-24 | 2.6 | 5 |
| 33 | The Danish National Prescription Registry. <i>Scandinavian Journal of Public Health</i> , 2011 , 39, 38-41 | 2.9 | 1356 |
| 32 | Identifying patients with myasthenia for epidemiological research by linkage of automated registers. <i>Neuroepidemiology</i> , 2011 , 37, 120-8 | 5.1 | 17 |
| 31 | Increased use of inhaled corticosteroids among young Danish adult asthmatics: an observational study. <i>Respiratory Medicine</i> , 2010 , 104, 1817-24 | 4.5 | 15 |
| 30 | Cancer risk in long-term users of valproate: a population-based case-control study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009 , 18, 1714-9 | 3.6 | 24 |
| 29 | Persistence of antimuscarinic drug use. <i>European Journal of Clinical Pharmacology</i> , 2009 , 65, 309-14 | 2.6 | 85 |
| 28 | Adverse events with use of antiepileptic drugs: a prescription and event symmetry analysis. <i>Pharmacoepidemiology and Drug Safety</i> , 2009 , 18, 483-91 | 2.6 | 77 |
| 27 | Do statins protect against upper gastrointestinal bleeding?. <i>British Journal of Clinical Pharmacology</i> , 2009 , 67, 460-5 | 3.7 | 16 |
| 26 | An association between selective serotonin reuptake inhibitor use and serious upper gastrointestinal bleeding. <i>Clinical Gastroenterology and Hepatology</i> , 2009 , 7, 1314-21 | 6.6 | 81 |
| 25 | Use of a prescribed ephedrine/caffeine combination and the risk of serious cardiovascular events: a registry-based case-crossover study. <i>American Journal of Epidemiology</i> , 2008 , 168, 966-73 | 3.7 | 44 |
| 24 | Statins and nonsteroidal anti-inflammatory drugs-an analysis of prescription symmetry. <i>Pharmacoepidemiology and Drug Safety</i> , 2006 , 15, 510-1 | 2.6 | 9 |
| 23 | Templates for analysis of individual-level prescription data. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2006 , 98, 260-5 | 3 | 61 |
| 22 | Use of single and combined antithrombotic therapy and risk of serious upper gastrointestinal bleeding: population based case-control study. <i>BMJ, The</i> , 2006 , 333, 726 | 5.7 | 246 |
| 21 | Drug utilization statistics for individual-level pharmacy dispensing data. <i>Pharmacoepidemiology and Drug Safety</i> , 2005 , 14, 455-63 | 2.6 | 53 |
| 20 | Does appendectomy reduce the risk of ulcerative colitis?. <i>Epidemiology</i> , 2004 , 15, 173-8 | 3 | 25 |
| 19 | Risk of Stroke Associated With Nonsteroidal Anti-Inflammatory Drugs. <i>Stroke</i> , 2003 , 34, 379-386 | 6.5 | 79 |
| 18 | Treatment failures after antibiotic therapy of uncomplicated urinary tract infections. A prescription database study. <i>Scandinavian Journal of Primary Health Care</i> , 2002 , 20, 97-101 | 2.6 | 12 |
| 17 | Selective serotonin reuptake inhibitors and the risk of stroke: a population-based case-control study. <i>Stroke</i> , 2002 , 33, 1465-73 | 6.5 | 115 |

| | | | |
|----|--|-----|-----|
| 16 | Are users of lipid-lowering drugs at increased risk of peripheral neuropathy?. <i>European Journal of Clinical Pharmacology</i> , 2001 , 56, 931-3 | 2.6 | 78 |
| 15 | Drug prescribing among Danish children: a population-based study. <i>European Journal of Clinical Pharmacology</i> , 2001 , 57, 159-65 | 2.6 | 33 |
| 14 | Conducting pharmacoepidemiologic research in Denmark. <i>Pharmacoepidemiology and Drug Safety</i> , 2001 , 10, 619-23 | 2.6 | 59 |
| 13 | Pharmacovigilance based on prescription databases. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2000 , 86 Suppl 1, 13-5 | | 7 |
| 12 | Screening for drug related dyspepsia: an analysis of prescription symmetry. <i>European Journal of Gastroenterology and Hepatology</i> , 1998 , 10, 27-32 | 2.1 | 42 |
| 11 | Inappropriate use of sumatriptan: population based register and interview study. <i>BMJ: British Medical Journal</i> , 1998 , 316, 1352-3 | | 40 |
| 10 | Cholesterol-lowering drugs and antidepressants--a study of prescription symmetry. <i>Pharmacoepidemiology and Drug Safety</i> , 1998 , 7, 399-402 | 2.6 | 23 |
| 9 | The waiting time distribution as a graphical approach to epidemiologic measures of drug utilization. <i>Epidemiology</i> , 1997 , 8, 666-70 | 3 | 36 |
| 8 | The Waiting Time Distribution as a Graphical Approach to Epidemiologic Measures of Drug Utilization. <i>Epidemiology</i> , 1997 , 8, 666-670 | 3 | 67 |
| 7 | Use of sumatriptan in Denmark in 1994-5: an epidemiological analysis of nationwide prescription data. <i>British Journal of Clinical Pharmacology</i> , 1997 , 43, 429-33 | 3.7 | 42 |
| 6 | Evidence of Depression Provoked by Cardiovascular Medication: A Prescription Sequence Symmetry Analysis. <i>Epidemiology</i> , 1996 , 7, 478-484 | 3 | 174 |
| 5 | Are young adults with asthma treated sufficiently with inhaled steroids? A population-based study of prescription data from 1991 and 1994. <i>British Journal of Clinical Pharmacology</i> , 1996 , 41, 285-9 | 3.7 | 42 |
| 4 | Antidepressant treatment in general practice--an interview study. <i>Scandinavian Journal of Primary Health Care</i> , 1995 , 13, 281-6 | 2.6 | 16 |
| 3 | The mephenytoin oxidation polymorphism is partially responsible for the N-demethylation of imipramine. <i>Clinical Pharmacology and Therapeutics</i> , 1991 , 49, 18-23 | 5.9 | 124 |
| 2 | Characteristics and predictors of hospitalization and death in the first 9,519 cases with a positive RT-PCR test for SARS-CoV-2 in Denmark: A nationwide cohort | | 14 |
| 1 | Inhaled corticosteroid use in COVID-19 | | 1 |