

Zhijiang Wang

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2066902/zhijiang-wang-publications-by-year.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

64
papers

2,925
citations

29
h-index

53
g-index

67
ext. papers

3,640
ext. citations

8
avg, IF

5.88
L-index

#	Paper	IF	Citations
64	Designed fabrication of lightweight SiC/Si ₃ N ₄ aerogels for enhanced electromagnetic wave absorption and thermal insulation. <i>Journal of Alloys and Compounds</i> , 2022 , 901, 163651	5.7	5
63	Effective CO ₂ electroreduction toward C ₂ H ₄ boosted by Ce-doped Cu nanoparticles. <i>Chemical Engineering Journal</i> , 2021 , 133769	14.7	5
62	Dicationic Ionic Liquid @MIL-101 for the Cycloaddition of CO ₂ and Epoxides under Cocatalyst-free Conditions. <i>Crystal Growth and Design</i> , 2021 , 21, 3689-3698	3.5	5
61	Direct CO ₂ electroreduction from NH ₄ HCO ₃ electrolyte to syngas on bromine-modified Ag catalyst. <i>Energy</i> , 2021 , 216, 119250	7.9	5
60	Recent progresses in the mechanism, performance, and fabrication methods of metal-derived nanomaterials for efficient electrochemical CO ₂ reduction. <i>Journal of Materials Chemistry A</i> , 2021 , 9, 4558-4588	13	2
59	A High-Performance Zinc-Organic Framework with Accessible Open Metal Sites Catalyzes CO ₂ and Styrene Oxide into Styrene Carbonate under Mild Conditions. <i>ACS Sustainable Chemistry and Engineering</i> , 2021 , 9, 2795-2803	8.3	17
58	Efficient CO Electroreduction via Au-Complex Derived Carbon Nanotube Supported Au Nanoclusters. <i>ChemSusChem</i> , 2021 , 14, 4929-4935	8.3	1
57	Graphene-layer-coated boron carbide nanosheets with efficient electromagnetic wave absorption. <i>Applied Surface Science</i> , 2021 , 560, 150027	6.7	6
56	Ultralight, compressible, and high-temperature-resistant dual-phase SiC/Si ₃ N ₄ felt for efficient electromagnetic wave attenuation. <i>Chemical Engineering Journal</i> , 2021 , 425, 130727	14.7	1
55	Progress and perspective of electrochemical CO ₂ reduction on Pd-based nanomaterials. <i>Chemical Engineering Science</i> , 2021 , 245, 116869	4.4	6
54	Morphology characteristics and mechanical properties of hot-pressed micron/sub-micron boron carbide ceramics. <i>Materials Today Communications</i> , 2021 , 29, 102751	2.5	1
53	Effect of halogen-modification on Ag catalyst for CO ₂ electrochemical reduction to syngas from NH ₄ HCO ₃ electrolyte. <i>Journal of Environmental Chemical Engineering</i> , 2021 , 9, 106415	6.8	2
52	A facile fabrication of a multi-functional and hierarchical Zn-based MOF as an efficient catalyst for CO ₂ fixation at room-temperature. <i>Inorganic Chemistry Frontiers</i> , 2021 , 8, 3085-3095	6.8	9
51	High-temperature electromagnetic wave absorption, mechanical and thermal insulation properties of in-situ grown SiC on porous SiC skeleton. <i>Chemical Engineering Journal</i> , 2020 , 397, 125250	14.7	33
50	Synergies between electronic and geometric effects of Mo-doped Au nanoparticles for effective CO ₂ electrochemical reduction. <i>Journal of Materials Chemistry A</i> , 2020 , 8, 12291-12295	13	11
49	Study of the Effect of PGDA Solvent on Film Formation and Curing Process of Two-Component Waterborne Polyurethane Coatings by FTIR Tracking. <i>Coatings</i> , 2020 , 10, 461	2.9	1
48	Self-Assembly of Amphiphilic Linear-Dendritic Carbosilane Block Surfactant for Waterborne Polyurethane Coating. <i>Polymers</i> , 2020 , 12,	4.5	2

47	Current technology development for CO ₂ utilization into solar fuels and chemicals: A review. <i>Journal of Energy Chemistry</i> , 2020 , 49, 96-123	12	86
46	Efficient high-temperature electromagnetic wave absorption enabled by structuring binary porous SiC with multiple interfaces. <i>Carbon</i> , 2020 , 170, 517-526	10.4	25
45	Theoretical insights into the factors affecting the electrochemical reduction of CO ₂ . <i>Sustainable Energy and Fuels</i> , 2020 , 4, 4352-4369	5.8	7
44	Highly Selective Electrocatalytic Reduction of CO into Methane on Cu-Bi Nanoalloys. <i>Journal of Physical Chemistry Letters</i> , 2020 , 11, 7261-7266	6.4	20
43	Exceptional size-dependent activity enhancement in the catalytic electroreduction of N ₂ over Mo nanoparticles. <i>International Journal of Hydrogen Energy</i> , 2020 , 45, 31841-31848	6.7	5
42	Composition regulation and defects introduction via amorphous CuEu alloy shell for efficient CO ₂ electroreduction toward methane. <i>Journal of CO₂ Utilization</i> , 2020 , 41, 101285	7.6	8
41	Black reduced porous SnO ₂ nanosheets for CO ₂ electroreduction with high formate selectivity and low overpotential. <i>Applied Catalysis B: Environmental</i> , 2020 , 260, 118134	21.8	67
40	Lightweight and flexible graphene/SiC-nanowires/ poly(vinylidene fluoride) composites for electromagnetic interference shielding and thermal management. <i>Carbon</i> , 2020 , 156, 58-66	10.4	84
39	Growing dendritic SiC on 1D SiC nanowire: Enhancement of electromagnetic wave absorption performance. <i>Journal of Physics and Chemistry of Solids</i> , 2020 , 136, 109124	3.9	8
38	Dependence of reduction degree on electromagnetic absorption of graphene nanoribbon unzipped from carbon nanotube. <i>Journal of Colloid and Interface Science</i> , 2019 , 552, 196-203	9.3	23
37	Eggplant-derived SiC aerogels with high-performance electromagnetic wave absorption and thermal insulation properties. <i>Chemical Engineering Journal</i> , 2019 , 373, 598-605	14.7	85
36	Synergistic Chemisorbing and Electronic Effects for Efficient CO ₂ Reduction Using Cysteamine-Functionalized Gold Nanoparticles. <i>ACS Applied Energy Materials</i> , 2019 , 2, 192-195	6.1	18
35	Microwave absorption enhancement of porous C@CoFe ₂ O ₄ nanocomposites derived from eggshell membrane. <i>Carbon</i> , 2019 , 143, 507-516	10.4	206
34	Cobalt doping-induced strong electromagnetic wave absorption in SiC nanowires. <i>Journal of Alloys and Compounds</i> , 2019 , 781, 93-100	5.7	24
33	MWCNT/NiO-Fe ₃ O ₄ hybrid nanotubes for efficient electromagnetic wave absorption. <i>Journal of Alloys and Compounds</i> , 2018 , 748, 111-116	5.7	32
32	Facile Synthesis of Highly Defected Silicon Carbide Sheets for Efficient Absorption of Electromagnetic Waves. <i>Journal of Physical Chemistry C</i> , 2018 , 122, 18537-18544	3.8	29
31	Surface Ligand Promotion of Carbon Dioxide Reduction through Stabilizing Chemisorbed Reactive Intermediates. <i>Journal of Physical Chemistry Letters</i> , 2018 , 9, 3057-3061	6.4	44
30	Flexible, conductive, porous, fibrillar polymer/gold nanocomposites with enhanced electromagnetic interference shielding and mechanical properties. <i>Journal of Materials Chemistry C</i> , 2017 , 5, 1095-1105	7.1	83

29	Controllable Fabricating Dielectric-Dielectric SiC@C Core-Shell Nanowires for High-Performance Electromagnetic Wave Attenuation. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 40690-40696	9.5	93
28	Ultrahigh Mass Activity for Carbon Dioxide Reduction Enabled by Gold-Iron Core-Shell Nanoparticles. <i>Journal of the American Chemical Society</i> , 2017 , 139, 15608-15611	16.4	151
27	Electrochemical reduction of aqueous nitrogen (N ₂) at a low overpotential on (110)-oriented Mo nanofilm. <i>Journal of Materials Chemistry A</i> , 2017 , 5, 18967-18971	13	187
26	Light and Strong Hierarchical Porous SiC Foam for Efficient Electromagnetic Interference Shielding and Thermal Insulation at Elevated Temperatures. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 29950-29957	9.5	97
25	Catalysis of solar hydrogen production by iron atoms on the surface of Fe-doped silicon carbide. <i>Catalysis Science and Technology</i> , 2016 , 6, 7038-7041	5.5	5
24	Enhanced electrochemical reduction of CO ₂ to CO on Ag electrocatalysts with increased unoccupied density of states. <i>Journal of Materials Chemistry A</i> , 2016 , 4, 12616-12623	13	58
23	Nature of Electromagnetic-Transparent SiO ₂ Shell in Hybrid Nanostructure Enhancing Electromagnetic Attenuation. <i>Journal of Physical Chemistry C</i> , 2016 , 120, 12967-12973	3.8	31
22	Covalent interaction enhanced electromagnetic wave absorption in SiC/Co hybrid nanowires. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 6517-6525	13	127
21	Stacking fault and unoccupied densities of state dependence of electromagnetic wave absorption in SiC nanowires. <i>Journal of Materials Chemistry C</i> , 2015 , 3, 4416-4423	7.1	112
20	Fabrication of core-multishell MWCNT/Fe ₃ O ₄ /PANI/Au hybrid nanotubes with high-performance electromagnetic absorption. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 10566-10572	13	82
19	Preparation and Characterization of Highly Flexible Al ₂ O ₃ /Al/Al ₂ O ₃ Hybrid Composite. <i>Journal of Nanomaterials</i> , 2015 , 2015, 1-8	3.2	35
18	SiC@Fe ₃ O ₄ dielectric-magnetic hybrid nanowires: controllable fabrication, characterization and electromagnetic wave absorption. <i>Journal of Materials Chemistry A</i> , 2014 , 2, 16397-16402	13	175
17	Chemoselectivity-induced multiple interfaces in MWCNT/Fe ₃ O ₄ @ZnO heterotrimers for whole X-band microwave absorption. <i>Nanoscale</i> , 2014 , 6, 12298-302	7.7	164
16	Determination and Relaxation of Residual Stress in 2024 Al-30 vol.% Magnesium Borate Whisker Composites. <i>Journal of Materials Engineering and Performance</i> , 2013 , 22, 3126-3133	1.6	2
15	Durian-like multi-functional Fe ₃ O ₄ @Au nanoparticles: synthesis, characterization and selective detection of benzidine. <i>Journal of Materials Chemistry A</i> , 2013 , 1, 9746	13	19
14	Magnetite Nanocrystals on Multiwalled Carbon Nanotubes as a Synergistic Microwave Absorber. <i>Journal of Physical Chemistry C</i> , 2013 , 117, 5446-5452	3.8	168
13	Solidification of Discontinuous Magnesium Borate whisker Reinforced AA2024 Matrix Composite 2013 , 2687-2694		
12	Electric field-induced synthesis of dendritic nanostructured Fe for electromagnetic absorption application. <i>Journal of Materials Chemistry A</i> , 2013 , 1, 4571	13	60

11	Large-scale gold nanoparticle superlattice and its SERS properties for the quantitative detection of toxic carbaryl. <i>Nanoscale</i> , 2013 , 5, 5274-8	7.7	32
10	Highly sensitive and selective cartap nanosensor based on luminescence resonance energy transfer between NaYF ₄ :Yb,Ho nanocrystals and gold nanoparticles. <i>Talanta</i> , 2013 , 114, 124-30	6.2	29
9	Enhanced microwave absorption of Fe ₃ O ₄ nanocrystals after heterogeneously growing with ZnO nanoshell. <i>RSC Advances</i> , 2013 , 3, 3309	3.7	98
8	Luminescent Au ₁₁ nanocluster superlattices with high thermal stability. <i>Journal of Materials Chemistry</i> , 2012 , 22, 3632		14
7	In situ fabrication of blue ceramic coatings on wrought Al Alloy 2024 by plasma electrolytic oxidation. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , 2012 , 30, 021302	2.9	20
6	Controllable synthesis of bifunctional NaYF ₄ :Yb ³⁺ /Ho ³⁺ @SiO ₂ /Au nanoparticles with upconversion luminescence and high X-ray attenuation. <i>Journal of Alloys and Compounds</i> , 2011 , 509, 9144-9149	5.7	16
5	Effects of fluoride on the structure and properties of microarc oxidation coating on aluminium alloy. <i>Journal of Alloys and Compounds</i> , 2010 , 505, 188-193	5.7	53
4	Size-tunable synthesis of monodisperse water-soluble gold nanoparticles with high X-ray attenuation. <i>Chemistry - A European Journal</i> , 2010 , 16, 1459-63	4.8	21
3	In situ formation of Al ₂ O ₃ /Bi ₂ O ₃ /SnO ₂ composite ceramic coating by microarc oxidation on Al ₇₀ Sn alloy. <i>Applied Surface Science</i> , 2010 , 256, 3443-3447	6.7	9
2	Fabrication of hydrophobic alumina aerogel monoliths by surface modification and ambient pressure drying. <i>Applied Surface Science</i> , 2010 , 256, 5973-5977	6.7	50
1	Blue luminescence emitted from monodisperse thiolate-capped Au ₁₁ clusters. <i>ChemPhysChem</i> , 2009 , 10, 2012-5	3.2	47