Trevor Owens

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/2067272/trevor-owens-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

6,660 80 45 110 h-index g-index citations papers 6.6 7,396 120 5.79 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
110	Innate Signaling in the CNS Prevents Demyelination in a Focal EAE Model. <i>Frontiers in Neuroscience</i> , 2021 , 15, 682451	5.1	1
109	Central Nervous System-Endogenous TLR7 and TLR9 Induce Different Immune Responses and Effects on Experimental Autoimmune Encephalomyelitis. <i>Frontiers in Neuroscience</i> , 2021 , 15, 685645	5.1	2
108	An Experimental Model of Neuromyelitis Optica Spectrum Disorder-Optic Neuritis: Insights Into Disease Mechanisms. <i>Frontiers in Neurology</i> , 2021 , 12, 703249	4.1	1
107	Type I interferon-activated microglia are critical for neuromyelitis optica pathology. <i>Glia</i> , 2021 , 69, 943-	953	7
106	Microglia-Secreted Factors Enhance Dopaminergic Differentiation of Tissue- and iPSC-Derived Human Neural Stem Cells. <i>Stem Cell Reports</i> , 2021 , 16, 281-294	8	4
105	The protective effect of Angiotensin AT2-receptor stimulation in Neuromyelitis optica spectrum disorder is independent of astrocyte-derived BDNF. <i>Multiple Sclerosis and Related Disorders</i> , 2021 , 53, 103033	4	0
104	Mitochondria-A target for attenuation of astrocyte pathology. <i>Journal of Neuroimmunology</i> , 2021 , 358, 577657	3.5	O
103	Absence of miRNA-146a Differentially Alters Microglia Function and Proteome. <i>Frontiers in Immunology</i> , 2020 , 11, 1110	8.4	6
102	Protective Microglial Subset in Development, Aging, and Disease: Lessons From Transcriptomic Studies. <i>Frontiers in Immunology</i> , 2020 , 11, 430	8.4	31
101	Innate signaling within the central nervous system recruits protective neutrophils. <i>Acta Neuropathologica Communications</i> , 2020 , 8, 2	7.3	4
100	Diffusion Kurtosis Imaging maps neural damage in the EAE model of multiple sclerosis. <i>NeuroImage</i> , 2020 , 208, 116406	7.9	12
99	Protective roles for myeloid cells in neuroinflammation. <i>Scandinavian Journal of Immunology</i> , 2020 , 92, e12963	3.4	8
98	Angiotensin AT2 receptor-induced interleukin-10 attenuates neuromyelitis optica spectrum disorder-like pathology. <i>Multiple Sclerosis Journal</i> , 2020 , 26, 1187-1196	5	6
97	CSF1R Stimulation Promotes Increased Neuroprotection by CD11c+ Microglia in EAE. <i>Frontiers in Cellular Neuroscience</i> , 2018 , 12, 523	6.1	31
96	Selective localization of IgG from cerebrospinal fluid to brain parenchyma. <i>Journal of Neuroinflammation</i> , 2018 , 15, 110	10.1	5
95	Experimental Demyelination and Axonal Loss Are Reduced in MicroRNA-146a Deficient Mice. <i>Frontiers in Immunology</i> , 2018 , 9, 490	8.4	27
94	A novel microglial subset plays a key role in myelinogenesis in developing brain. <i>EMBO Journal</i> , 2017 , 36, 3292-3308	13	219

(2013-2017)

93	Effectors of Th1 and Th17 cells act on astrocytes and augment their neuroinflammatory properties. Journal of Neuroinflammation, 2017 , 14, 204	10.1	47
92	CCL2 recruits T cells into the brain in a CCR2-independent manner. <i>Apmis</i> , 2017 , 125, 945-956	3.4	13
91	The chemokine receptor CCR2 maintains plasmacytoid dendritic cell homeostasis. <i>Immunology Letters</i> , 2017 , 192, 72-78	4.1	5
90	Influence of type I IFN signaling on anti-MOG antibody-mediated demyelination. <i>Journal of Neuroinflammation</i> , 2017 , 14, 127	10.1	11
89	Microglia [Role in Immunity 2016 , 302-308		
88	Induction of endogenous Type I interferon within the central nervous system plays a protective role in experimental autoimmune encephalomyelitis. <i>Acta Neuropathologica</i> , 2015 , 130, 107-18	14.3	45
87	Pathologic and Protective Roles for Microglial Subsets and Bone Marrow- and Blood-Derived Myeloid Cells in Central Nervous System Inflammation. <i>Frontiers in Immunology</i> , 2015 , 6, 463	8.4	40
86	Hypersensitivity Responses in the Central Nervous System. <i>Frontiers in Immunology</i> , 2015 , 6, 517	8.4	4
85	Cerebrospinal fluid aquaporin-4-immunoglobulin G disrupts blood brain barrier. <i>Annals of Clinical and Translational Neurology</i> , 2015 , 2, 857-63	5.3	29
84	What is microglia neurotoxicity (Not)?. Glia, 2014, 62, 841-54	9	108
84	What is microglia neurotoxicity (Not)?. <i>Glia</i> , 2014 , 62, 841-54 Thymic CCL2 influences induction of T-cell tolerance. <i>Journal of Autoimmunity</i> , 2014 , 55, 73-85	9	108
			15
83	Thymic CCL2 influences induction of T-cell tolerance. <i>Journal of Autoimmunity</i> , 2014 , 55, 73-85 Comparison of microglia and infiltrating CD11c+ cells as antigen presenting cells for T cell	15.5	15
8 ₃	Thymic CCL2 influences induction of T-cell tolerance. <i>Journal of Autoimmunity</i> , 2014 , 55, 73-85 Comparison of microglia and infiltrating CD11c+ cells as antigen presenting cells for T cell proliferation and cytokine response. <i>Journal of Neuroinflammation</i> , 2014 , 11, 57 MOG extracellular domain (p1-125) triggers elevated frequency of CXCR3+ CD4+ Th1 cells in the	15.5	15 85
8 ₃ 8 ₂ 8 ₁	Thymic CCL2 influences induction of T-cell tolerance. <i>Journal of Autoimmunity</i> , 2014 , 55, 73-85 Comparison of microglia and infiltrating CD11c+ cells as antigen presenting cells for T cell proliferation and cytokine response. <i>Journal of Neuroinflammation</i> , 2014 , 11, 57 MOG extracellular domain (p1-125) triggers elevated frequency of CXCR3+ CD4+ Th1 cells in the CNS of mice and induces greater incidence of severe EAE. <i>Multiple Sclerosis Journal</i> , 2014 , 20, 1312-21 Chemokine receptor expression by inflammatory T cells in EAE. <i>Frontiers in Cellular Neuroscience</i> ,	15.5 10.1 5	15 85 8
8 ₃ 8 ₂ 8 ₁	Thymic CCL2 influences induction of T-cell tolerance. <i>Journal of Autoimmunity</i> , 2014 , 55, 73-85 Comparison of microglia and infiltrating CD11c+ cells as antigen presenting cells for T cell proliferation and cytokine response. <i>Journal of Neuroinflammation</i> , 2014 , 11, 57 MOG extracellular domain (p1-125) triggers elevated frequency of CXCR3+ CD4+ Th1 cells in the CNS of mice and induces greater incidence of severe EAE. <i>Multiple Sclerosis Journal</i> , 2014 , 20, 1312-21 Chemokine receptor expression by inflammatory T cells in EAE. <i>Frontiers in Cellular Neuroscience</i> , 2014 , 8, 187	15.5 10.1 5	15 85 8
8 ₃ 8 ₂ 8 ₁ 8 ₀	Thymic CCL2 influences induction of T-cell tolerance. <i>Journal of Autoimmunity</i> , 2014 , 55, 73-85 Comparison of microglia and infiltrating CD11c+ cells as antigen presenting cells for T cell proliferation and cytokine response. <i>Journal of Neuroinflammation</i> , 2014 , 11, 57 MOG extracellular domain (p1-125) triggers elevated frequency of CXCR3+ CD4+ Th1 cells in the CNS of mice and induces greater incidence of severe EAE. <i>Multiple Sclerosis Journal</i> , 2014 , 20, 1312-21 Chemokine receptor expression by inflammatory T cells in EAE. <i>Frontiers in Cellular Neuroscience</i> , 2014 , 8, 187 Interferons in the central nervous system: a few instruments play many tunes. <i>Glia</i> , 2014 , 62, 339-55 Neuromyelitis optica-like pathology is dependent on type I interferon response. <i>Experimental</i>	15.5 10.1 5 6.1	15 85 8 28 73

75	Microglia are required for astroglial Toll-like receptor 4 response and for optimal TLR2 and TLR3 response. <i>Glia</i> , 2012 , 60, 630-8	9	91
74	Blood-brain barrier disruption in CCL2 transgenic mice during pertussis toxin-induced brain inflammation. <i>Fluids and Barriers of the CNS</i> , 2012 , 9, 10	7	20
73	Surfactant protein d deficiency in mice is associated with hyperphagia, altered fat deposition, insulin resistance, and increased basal endotoxemia. <i>PLoS ONE</i> , 2012 , 7, e35066	3.7	12
72	TLR3 deficiency renders astrocytes permissive to herpes simplex virus infection and facilitates establishment of CNS infection in mice. <i>Journal of Clinical Investigation</i> , 2012 , 122, 1368-76	15.9	120
71	Stimulation of adult oligodendrogenesis by myelin-specific T cells. <i>American Journal of Pathology</i> , 2011 , 179, 2028-41	5.8	22
70	Innate immune responses in central nervous system inflammation. <i>FEBS Letters</i> , 2011 , 585, 3806-12	3.8	39
69	Interferon regulatory factor-7 modulates experimental autoimmune encephalomyelitis in mice. <i>Journal of Neuroinflammation</i> , 2011 , 8, 181	10.1	28
68	Inhibition of reactive astrocytosis in established experimental autoimmune encephalomyelitis favors infiltration by myeloid cells over T cells and enhances severity of disease. <i>Glia</i> , 2011 , 59, 166-76	9	78
67	Injury-induced type I IFN signaling regulates inflammatory responses in the central nervous system. <i>Journal of Immunology</i> , 2010 , 185, 1258-64	5.3	66
66	Inflammation in the central nervous system and Th17 responses are inhibited by IFN-gamma-Induced IL-18 binding protein. <i>Journal of Immunology</i> , 2010 , 185, 2458-66	5.3	33
65	Expression of astrocytic type 2 angiotensin receptor in central nervous system inflammation correlates with blood-brain barrier breakdown. <i>Journal of Molecular Neuroscience</i> , 2010 , 42, 89-98	3.3	11
64	The murine gammaherpesvirus-68 chemokine-binding protein M3 inhibits experimental autoimmune encephalomyelitis. <i>Journal of Neuroimmunology</i> , 2010 , 224, 45-50	3.5	6
63	Vav-1 expression correlates with NF B activation and CD40-mediated cell death in diffuse large B-cell lymphoma cell lines. <i>Hematological Oncology</i> , 2010 , 28, 142-50	1.3	7
62	Enhanced microglial clearance of myelin debris in T cell-infiltrated central nervous system. <i>Journal of Neuropathology and Experimental Neurology</i> , 2009 , 68, 845-56	3.1	26
61	Statin therapy inhibits remyelination in the central nervous system. <i>American Journal of Pathology</i> , 2009 , 174, 1880-90	5.8	99
60	Toll-like receptors in neurodegeneration. Current Topics in Microbiology and Immunology, 2009, 336, 10	5-32.9	38
59	Macrophage-independent T cell infiltration to the site of injury-induced brain inflammation. <i>Journal of Neuroimmunology</i> , 2008 , 203, 64-72	3.5	17
58	IFN-gamma enhances neurogenesis in wild-type mice and in a mouse model of Alzheimer disease. <i>FASEB Journal</i> , 2008 , 22, 2843-52	0.9	132

(2005-2008)

57	Signaling through MyD88 regulates leukocyte recruitment after brain injury. <i>Journal of Immunology</i> , 2008 , 181, 6481-90	5.3	52	
56	Perivascular spaces and the two steps to neuroinflammation. <i>Journal of Neuropathology and Experimental Neurology</i> , 2008 , 67, 1113-21	3.1	228	
55	NF-kappaB-driven STAT2 and CCL2 expression in astrocytes in response to brain injury. <i>Journal of Immunology</i> , 2008 , 181, 7284-91	5.3	62	
54	Microglial recruitment, activation, and proliferation in response to primary demyelination. <i>American Journal of Pathology</i> , 2007 , 170, 1713-24	5.8	178	
53	Downregulation of membrane type-matrix metalloproteinases in the inflamed or injured central nervous system. <i>Journal of Neuroinflammation</i> , 2007 , 4, 24	10.1	19	
52	X-linked inhibitor of apoptosis regulates T cell effector function. <i>Journal of Immunology</i> , 2007 , 179, 755	53 <u>5</u> 690	22	
51	Toll-like receptors in brain development and homeostasis. <i>Sciences STKE: Signal Transduction Knowledge Environment</i> , 2007 , 2007, pe47		28	
50	IFN-gamma-induced chemokines synergize with pertussis toxin to promote T cell entry to the central nervous system. <i>Journal of Immunology</i> , 2007 , 178, 8175-82	5.3	43	
49	Nogo-A is a reliable oligodendroglial marker in adult human and mouse CNS and in demyelinated lesions. <i>Journal of Neuropathology and Experimental Neurology</i> , 2007 , 66, 238-46	3.1	75	
48	CD8+ T cells in inflammatory demyelinating disease. <i>Journal of Neuroimmunology</i> , 2007 , 191, 79-85	3.5	42	
47	A pathogenic role for CD8+ T cells in a spontaneous model of demyelinating disease. <i>Journal of Immunology</i> , 2006 , 177, 2403-11	5.3	36	
46	Constitutive activation of extracellular signal-regulated kinase predisposes diffuse large B-cell lymphoma cell lines to CD40-mediated cell death. <i>Cancer Research</i> , 2006 , 66, 3550-7	10.1	26	
45	Metalloproteinases control brain inflammation induced by pertussis toxin in mice overexpressing the chemokine CCL2 in the central nervous system. <i>Journal of Immunology</i> , 2006 , 177, 7242-9	5.3	71	
44	Toll-like receptor 2 signaling in response to brain injury: an innate bridge to neuroinflammation. <i>Journal of Neuroscience</i> , 2006 , 26, 12826-37	6.6	163	
43	Abeta-induced meningoencephalitis is IFN-gamma-dependent and is associated with T cell-dependent clearance of Abeta in a mouse model of Alzheimer's disease. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006 , 103, 5048-53	11.5	123	
42	Continued administration of ciliary neurotrophic factor protects mice from inflammatory pathology in experimental autoimmune encephalomyelitis. <i>American Journal of Pathology</i> , 2006 , 169, 584-98	5.8	54	
41	Elevated interferon gamma expression in the central nervous system of tumour necrosis factor receptor 1-deficient mice with experimental autoimmune encephalomyelitis. <i>Immunology</i> , 2006 , 118, 527-38	7.8	26	
40	Cytokine and chemokine inter-regulation in the inflamed or injured CNS. <i>Brain Research Reviews</i> , 2005 , 48, 178-84		104	

39	Toll-like receptors on astrocytes: patterning for immunity. <i>Journal of Neuroimmunology</i> , 2005 , 159, 1-2	3.5	9
38	Proliferating resident microglia express the stem cell antigen CD34 in response to acute neural injury. <i>Glia</i> , 2005 , 50, 121-31	9	109
37	Reactive microgliosis engages distinct responses by microglial subpopulations after minor central nervous system injury. <i>Journal of Neuroscience Research</i> , 2005 , 82, 507-14	4.4	51
36	Neutrophils that infiltrate the central nervous system regulate T cell responses. <i>Journal of Immunology</i> , 2005 , 174, 5124-31	5.3	70
35	Cytokines in CNS Inflammation 2005 , 113-136		
34	Key metalloproteinases are expressed by specific cell types in experimental autoimmune encephalomyelitis. <i>Journal of Immunology</i> , 2004 , 173, 5209-18	5.3	122
33	A role for interferon-gamma in focal cerebral ischemia in mice. <i>Journal of Neuropathology and Experimental Neurology</i> , 2004 , 63, 942-55	3.1	56
32	Bone marrow-derived versus parenchymal sources of inducible nitric oxide synthase in experimental autoimmune encephalomyelitis. <i>Journal of Neuroimmunology</i> , 2004 , 150, 70-9	3.5	14
31	Constitutive expression of a costimulatory ligand on antigen-presenting cells in the nervous system drives demyelinating disease. <i>FASEB Journal</i> , 2003 , 17, 1910-2	0.9	42
30	Chemokine expression by glial cells directs leukocytes to sites of axonal injury in the CNS. <i>Journal of Neuroscience</i> , 2003 , 23, 7922-30	6.6	388
29	The enigma of multiple sclerosis: inflammation and neurodegeneration cause heterogeneous dysfunction and damage. <i>Current Opinion in Neurology</i> , 2003 , 16, 259-65	7.1	46
28	The enigma of multiple sclerosis: inflammation and neurodegeneration cause heterogeneous dysfunction and damage. <i>Current Opinion in Neurology</i> , 2003 , 16, 259-265	7.1	60
27	Chemokines in experimental autoimmune encephalomyelitis and multiple sclerosis. <i>Advances in Experimental Medicine and Biology</i> , 2003 , 520, 120-32	3.6	17
26	Immune response induction in the central nervous system. <i>Frontiers in Bioscience - Landmark</i> , 2002 , 7, d427-38	2.8	6
25	Identification of new therapeutic targets for prevention of CNS inflammation. <i>Expert Opinion on Therapeutic Targets</i> , 2002 , 6, 203-15	6.4	18
24	CD40-mediated apoptosis in murine B-lymphoma lines containing mutated p53. <i>Experimental Cell Research</i> , 2002 , 280, 201-11	4.2	9
23	Genetic models for CNS inflammation. <i>Nature Medicine</i> , 2001 , 7, 161-6	50.5	151
22	Naive T lymphocytes traffic to inflamed central nervous system, but require antigen recognition for activation. <i>European Journal of Immunology</i> , 2000 , 30, 1002-9	6.1	85

[1994-2000]

21	chemokine macrophage inflammatory protein-1alpha or its CCR5 receptor. <i>European Journal of Immunology</i> , 2000 , 30, 1410-5	6.1	144
20	Elevated interferon-gamma in CNS inflammatory disease: a potential complication for bone marrow reconstitution in MS. <i>Journal of Neuroimmunology</i> , 2000 , 108, 40-4	3.5	5
19	IFNgamma enhances microglial reactions to hippocampal axonal degeneration. <i>Journal of Neuroscience</i> , 2000 , 20, 3612-21	6.6	67
18	IFN-gamma shapes immune invasion of the central nervous system via regulation of chemokines. <i>Journal of Immunology</i> , 2000 , 164, 2759-68	5.3	270
17	Immune regulation and CNS autoimmune disease. Journal of Neuroimmunology, 1999, 100, 181-9	3.5	35
16	Chemokine expression in GKO mice (lacking interferon-gamma) with experimental autoimmune encephalomyelitis. <i>Journal of NeuroVirology</i> , 1999 , 5, 95-101	3.9	67
15	Interferon-gamma in progression to chronic demyelination and neurological deficit following acute EAE. <i>Molecular and Cellular Neurosciences</i> , 1998 , 12, 376-89	4.8	90
14	Astrogliosis in the neonatal and adult murine brain post-trauma: elevation of inflammatory cytokines and the lack of requirement for endogenous interferon-gamma. <i>Journal of Neuroscience</i> , 1997 , 17, 3664-74	6.6	139
13	Increased severity of experimental autoimmune encephalomyelitis, chronic macrophage/microglial reactivity, and demyelination in transgenic mice producing tumor necrosis factor-alpha in the central nervous system. <i>European Journal of Immunology</i> , 1997 , 27, 905-13	6.1	129
12	The central nervous system environment controls effector CD4+ T cell cytokine profile in experimental allergic encephalomyelitis. <i>European Journal of Immunology</i> , 1997 , 27, 2840-7	6.1	97
11	Glutamate metabolism is down-regulated in astrocytes during experimental allergic encephalomyelitis. <i>Glia</i> , 1997 , 20, 79-85	9	86
10	PK11195 binding to the peripheral benzodiazepine receptor as a marker of microglia activation in multiple sclerosis and experimental autoimmune encephalomyelitis. <i>Journal of Neuroscience Research</i> , 1997 , 50, 345-53	4.4	251
9	PK11195 binding to the peripheral benzodiazepine receptor as a marker of microglia activation in multiple sclerosis and experimental autoimmune encephalomyelitis 1997 , 50, 345		1
8	Interferon-gamma confers resistance to experimental allergic encephalomyelitis. <i>European Journal of Immunology</i> , 1996 , 26, 1641-6	6.1	416
7	Immunotherapy for multiple sclerosis: from theory to practice. <i>Nature Medicine</i> , 1996 , 2, 1074-5	50.5	16
6	The Immunology of Multiple Sclerosis and its Animal Model, Experimental Allergic Encephalomyelitis. <i>Neurologic Clinics</i> , 1995 , 13, 51-73	4.5	127
5	Co-stimulation by anti-immunoglobulin is required for B cell activation by CD40Llow T cells. <i>European Journal of Immunology</i> , 1994 , 24, 2993-9	6.1	18
4	Inflammatory cytokines in the brain: does the CNS shape immune responses?. <i>Trends in Immunology</i> , 1994 , 15, 566-71		146

3	Loss rather than downregulation of CD4+ T cells as a mechanism for remission from experimental allergic encephalomyelitis. <i>Journal of Neuroimmunology</i> , 1993 , 44, 193-8	3.5	35
2	Direct demonstration of the infiltration of murine central nervous system by Pgp-1/CD44high CD45RB(low) CD4+ T cells that induce experimental allergic encephalomyelitis. <i>Journal of Neuroimmunology</i> , 1992 , 40, 57-69	3.5	86
1	A role for adhesion molecules in contact-dependent T help for B cells. <i>European Journal of Immunology</i> , 1991 , 21, 979-83	6.1	34