Beth Stuart

List of Publications by Year
in descending order

127 papers	3,992 citations	136950 32 h-index	149698 56 g-index
139 all docs	139 docs citations	139 times ranked	6069 citing authors

#	ARTICLE	IF	CITATIONS
1	Effects of internet-based training on antibiotic prescribing rates for acute respiratory-tract infections: a multinational, cluster, randomised, factorial, controlled trial. Lancet, The, 2013, 382, 1175-1182.	13.7	329
2	Amoxicillin for acute lower-respiratory-tract infection in primary care when pneumonia is not suspected: a 12-country, randomised, placebo-controlled trial. Lancet Infectious Diseases, The, 2013, 13, 123-129.	9.1	187
3	Physical activity, mental health and well-being of adults during initial COVID-19 containment strategies: A multi-country cross-sectional analysis. Journal of Science and Medicine in Sport, 2021, 24, 320-326.	1.3	169
4	Delayed antibiotic prescribing strategies for respiratory tract infections in primary care: pragmatic, factorial, randomised controlled trial. BMJ, The, 2014, 348, g1606-g1606.	6.0	137
5	An internet-based intervention with brief nurse support to manage obesity in primary care (POWeR+): a pragmatic, parallel-group, randomised controlled trial. Lancet Diabetes and Endocrinology,the, 2016, 4, 821-828.	11.4	137
6	Routine use of patient reported outcome measures (PROMs) for improving treatment of common mental health disorders in adults. The Cochrane Library, 2016, 2016, CD011119.	2.8	133
7	Home and Online Management and Evaluation of Blood Pressure (HOME BP) using a digital intervention in poorly controlled hypertension: randomised controlled trial. BMJ, The, 2021, 372, m4858.	6.0	106
8	An internet-delivered handwashing intervention to modify influenza-like illness and respiratory infection transmission (PRIMIT): a primary care randomised trial. Lancet, The, 2015, 386, 1631-1639.	13.7	101
9	Antibiotic prescription strategies for acute sore throat: a prospective observational cohort study. Lancet Infectious Diseases, The, 2014, 14, 213-219.	9.1	100
10	Report from the fifth international consensus meeting to harmonize core outcome measures for atopic eczema/dermatitis clinical trials (HOME initiative). British Journal of Dermatology, 2018, 178, e332-e341.	1.5	96
11	Does Brief Telephone Support Improve Engagement With a Web-Based Weight Management Intervention? Randomized Controlled Trial. Journal of Medical Internet Research, 2014, 16, e95.	4.3	85
12	Predictors of suppurative complications for acute sore throat in primary care: prospective clinical cohort study. BMJ, The, 2013, 347, f6867-f6867.	6.0	84
13	Evaluation of a web-based intervention to reduce antibiotic prescribing for LRTI in six European countries: quantitative process analysis of the GRACE/INTRO randomised controlled trial. Implementation Science, 2013, 8, 134.	6.9	84
14	Fractional flow reserve derived from computed tomography coronary angiography in the assessment and management of stable chest pain: the FORECAST randomized trial. European Heart Journal, 2021, 42, 3844-3852.	2.2	74
15	Ibuprofen, paracetamol, and steam for patients with respiratory tract infections in primary care: pragmatic randomised factorial trial. BMJ, The, 2013, 347, f6041-f6041.	6.0	70
16	Andrographis paniculata (ChuÄn XÄ«n LiÃ¡n) for symptomatic relief of acute respiratory tract infections in adults and children: A systematic review and meta-analysis. PLoS ONE, 2017, 12, e0181780.	2.5	62
17	Development and internal validation of a clinical rule to improve antibiotic use in children presenting to primary care with acute respiratory tract infection and cough: a prognostic cohort study. Lancet Respiratory Medicine,the, 2016, 4, 902-910.	10.7	61
18	Early-childhood BMI trajectories: evidence from a prospective, nationally representative British cohort study. Nutrition and Diabetes, 2016, 6, e198-e198.	3.2	60

#	Article	IF	Citations
19	Managing Antidepressant Discontinuation: A Systematic Review. Annals of Family Medicine, 2019, 17, 52-60.	1.9	60
20	Antibiotic prescription strategies and adverse outcome for uncomplicated lower respiratory tract infections: prospective cough complication cohort (3C) study. BMJ: British Medical Journal, 2017, 357, j2148.	2.3	58
21	Preferential Consolidation of Emotional Memory During Sleep: A Meta-Analysis. Frontiers in Psychology, 2019, 10, 1014.	2.1	52
22	Recommended core outcome instruments for health-related quality of life, long-term control and itch intensity in atopic eczema trials: results of the HOME VII consensus meeting*. British Journal of Dermatology, 2021, 185, 139-146.	1.5	52
23	Emollient bath additives for the treatment of childhood eczema (BATHE): multicentre pragmatic parallel group randomised controlled trial of clinical and cost effectiveness. BMJ: British Medical Journal, 2018, 361, k1332.	2.3	50
24	Machine learning detection of Atrial Fibrillation using wearable technology. PLoS ONE, 2020, 15, e0227401.	2.5	47
25	Death audits and reviews for reducing maternal, perinatal and child mortality. The Cochrane Library, 2020, 3, CD012982.	2.8	47
26	Asthma Trajectories in Early Childhood: Identifying Modifiable Factors. PLoS ONE, 2014, 9, e111922.	2.5	42
27	Delayed antibiotic prescribing for respiratory tract infections: individual patient data meta-analysis. BMJ, The, 2021, 373, n808.	6.0	42
28	Did NICE guidelines and the Quality Outcomes Framework change GP antidepressant prescribing in England? Observational study with time trend analyses 2003–2013. Journal of Affective Disorders, 2015, 186, 171-177.	4.1	41
29	Mulberry-extract improves glucose tolerance and decreases insulin concentrations in normoglycaemic adults: Results of a randomised double-blind placebo-controlled study. PLoS ONE, 2017, 12, e0172239.	2.5	41
30	Changes in rates of recorded depression in English primary care 2003–2013: Time trend analyses of effects of the economic recession, and the GP contract quality outcomes framework (QOF). Journal of Affective Disorders, 2015, 180, 68-78.	4.1	40
31	Using an Analysis of Behavior Change to Inform Effective Digital Intervention Design: How Did the PRIMIT Website Change Hand Hygiene Behavior Across 8993 Users?. Annals of Behavioral Medicine, 2017, 51, 423-431.	2.9	40
32	Internet-Based Vestibular Rehabilitation for Older Adults With Chronic Dizziness: A Randomized Controlled Trial in Primary Care. Annals of Family Medicine, 2017, 15, 209-216.	1.9	38
33	Predictors of pneumonia in lower respiratory tract infections: 3C prospective cough complication cohort study. European Respiratory Journal, 2017, 50, 1700434.	6.7	38
34	Antibiotic Prescribing for Acute Respiratory Tract Infections 12 Months After Communication and CRP Training: A Randomized Trial. Annals of Family Medicine, 2019, 17, 125-132.	1.9	38
35	Screening for Atrial Fibrillation Using Economical and Accurate Technology (From the SAFETY Study). American Journal of Cardiology, 2018, 122, 1339-1344.	1.6	36
36	Randomised controlled trial and economic analysis of an internet-based weight management programme: POWeR+ (Positive Online Weight Reduction). Health Technology Assessment, 2017, 21, 1-62.	2.8	36

#	ARTICLE	IF	CITATIONS
37	Amoxicillin for acute lower respiratory tract infection in primary care: subgroup analysis of potential high-risk groups. British Journal of General Practice, 2014, 64, e75-e80.	1.4	34
38	Primary care randomised controlled trial of a tailored interactive website for the self-management of respiratory infections (Internet Doctor). BMJ Open, 2016, 6, e009769.	1.9	33
39	Effects on Engagement and Health Literacy Outcomes of Web-Based Materials Promoting Physical Activity in People With Diabetes: An International Randomized Trial. Journal of Medical Internet Research, 2017, 19, e21.	4.3	33
40	Antibiotics for lower respiratory tract infection in children presenting in primary care in England (ARTIC PC): a double-blind, randomised, placebo-controlled trial. Lancet, The, 2021, 398, 1417-1426.	13.7	32
41	Antibiotic use in the care home setting: a retrospective cohort study analysing routine data. BMC Geriatrics, 2015, 15, 71.	2.7	31
42	PRImary care Streptococcal Management (PRISM) study: identifying clinical variables associated with Lancefield group A Î²-haemolytic streptococci and Lancefield non-Group A streptococcal throat infections from two cohorts of patients presenting with an acute sore throat. BMJ Open, 2013, 3, e003943.	1.9	30
43	Local care and treatment of liver disease (LOCATE) â€" A cluster-randomized feasibility study to discover, assess and manage early liver disease in primary care. PLoS ONE, 2018, 13, e0208798.	2.5	29
44	Prevalence, diagnosis, and disease course of pertussis in adults with acute cough: a prospective, observational study in primary care. British Journal of General Practice, 2015, 65, e662-e667.	1.4	28
45	Using an internet intervention to support self-management of low back pain in primary care: findings from a randomised controlled feasibility trial (SupportBack). BMJ Open, 2018, 8, e016768.	1.9	28
46	Characterising cancer-associated fibroblast heterogeneity in non-small cell lung cancer: a systematic review and meta-analysis. Scientific Reports, 2021, 11, 3727.	3.3	27
47	Topical preparations for the treatment of mildâ€‐toâ€‐moderate acne vulgaris: systematic review and network metaâ€‐analysis*. British Journal of Dermatology, 2021, 185, 512-525.	1.5	27
48	Depression management in primary care: an observational study of management changes related to PHQ-9 score for depression monitoring. British Journal of General Practice, 2012, 62, e451-e457.	1.4	26
49	Effectiveness of the probiotic Streptococcus salivarius K12 for the treatment and/or prevention of sore throat: a systematic review. Clinical Microbiology and Infection, 2019, 25, 673-680.	6.0	26
50	Standardized reporting of the Eczema Area and Severity Index (EASI) and the Patient-Oriented Eczema Measure (POEM): a recommendation by the Harmonising Outcome Measures for Eczema (HOME) Initiative. British Journal of Dermatology, 2018, 179, 540-541.	1.5	25
51	Validation of Treatment Escalation as a Definition of Atopic Eczema Flares. PLoS ONE, 2015, 10, e0124770.	2.5	24
52	Internet-based vestibular rehabilitation for adults aged 50 years and over: a protocol for a randomised controlled trial. BMJ Open, 2014, 4, e005871-e005871.	1.9	23
53	Cost-effectiveness of internet-based training for primary care clinicians on antibiotic prescribing for acute respiratory tract infections in Europe. Journal of Antimicrobial Chemotherapy, 2018, 73, 3189-3198.	3.0	23
54	Home and Online Management and Evaluation of Blood Pressure (HOME BP) digital intervention for self-management of uncontrolled, essential hypertension: a protocol for the randomised controlled HOME BP trial. BMJ Open, 2016, 6, e012684.	1.9	21

#	Article	IF	Citations
55	Amoxicillin for acute lower respiratory tract infection in primary care: subgroup analysis by bacterial and viral aetiology. Clinical Microbiology and Infection, 2018, 24, 871-876.	6.0	21
56	Predictors of clinical deterioration in patients with suspected COVID-19 managed in a â€˜virtual hospitalâ€™ setting: a cohort study. BMJ Open, 2021, 11, e045356.	1.9	21
57	Independent determinants of disease-related quality of life in COPD &ndash; scope for nonpharmacologic interventions?. International Journal of COPD, 2018, Volume 13, 247-256.	2.3	19
58	Impact of antibiotics for children presenting to general practice with cough on adverse outcomes: secondary analysis from a multicentre prospective cohort study. British Journal of General Practice, 2018, 68, e682-e693.	1.4	19
59	Corticosteroids for acute and subacute cough following respiratory tract infection: a systematic review. Family Practice, 2013, 30, 492-500.	1.9	18
60	Effectiveness of steam inhalation and nasal irrigation for chronic or recurrent sinus symptoms in primary care: a pragmatic randomized controlled trial. Cmaj, 2016, 188, 940-949.	2.0	18
61	Feasibility trial of a digital self-management intervention â€˜My Breathing Mattersâ€™ to improve asthma-related quality of life for UK primary care patients with asthma. BMJ Open, 2019, 9, e032465.	1.9	18
62	Infection Control Behavior at Home During the COVID-19 Pandemic: Observational Study of a Web-Based Behavioral Intervention (Germ Defence). Journal of Medical Internet Research, 2021, 23, e22197.	4.3	18
63	Self-management for chronic widespread pain including fibromyalgia: A systematic review and meta-analysis. PLoS ONE, 2021, 16, e0254642.	2.5	17
64	Using an internet intervention to support self-management of low back pain in primary care: protocol for a randomised controlled feasibility trial (SupportBack). BMJ Open, 2015, 5, e009524.	1.9	16
65	Distinguishing between emotional distress and psychiatric disorder in primary care attenders: A cross sectional study of the four-dimensional symptom questionnaire (4DSQ). Journal of Affective Disorders, 2015, 184, 198-204.	4.1	16
66	Findings from a feasibility study to improve GP elicitation of patient concerns in UK general practice consultations. Patient Education and Counseling, 2018, 101, 1394-1402.	2.2	15
67	The elicitation and management of multiple health concerns in GP consultations. Patient Education and Counseling, 2019, 102, 687-693.	2.2	15
68	Amoxicillin for clinically unsuspected pneumonia in primary care: subgroup analysis. European Respiratory Journal, 2016, 47, 327-330.	6.7	14
69	Patient-reported outcome measures for monitoring primary care patients with depression: PROMDEP feasibility randomised trial. BMJ Open, 2017, 7, e015266.	1.9	14
70	Adding emollient bath additives to standard eczema management for children with eczema: the BATHE RCT. Health Technology Assessment, 2018, 22, 1-116.	2.8	14
71	Symptom response to antibiotic prescribing strategies in acute sore throat in adults: the DESCARTE prospective cohort study in UK general practice. British Journal of General Practice, 2017, 67, e634-e642.	1.4	13
72	Exploring the appropriateness of antibiotic prescribing for common respiratory tract infections in UK primary care. Journal of Antimicrobial Chemotherapy, 2020, 75, 236-242.	3.0	13

#	ARTICLE	IF	CITATIONS
73	IDENTIFYING INDIVIDUALS ENGAGING IN RISKY SEXUAL BEHAVIOUR FOR CHLAMYDIA INFECTION IN THE UK: A LATENT CLASS APPROACH. Journal of Biosocial Science, 2010, 42, 27-42.	1.2	12
74	Predictors of Adverse Outcomes in Uncomplicated Lower Respiratory Tract Infections. Annals of Family Medicine, 2019, 17, 231-238.	1.9	12
75	Supporting self-care for eczema: protocol for two randomised controlled trials of ECO (Eczema Care) Tj ETQq1 1 0.784314 rgBT /Ove	1.9	12
76	Physical Activity, Mental Health and Wellbeing of Adults within and during the Easing of COVID-19 Restrictions, in the United Kingdom and New Zealand. International Journal of Environmental Research and Public Health, 2022, 19, 1792.	2.6	12
77	Views and experiences of seeking information and help for vitiligo: a qualitative study of written accounts. BMJ Open, 2018, 8, e018652.	1.9	11
78	REDUCE (Reviewing long-term antidepressant use by careful monitoring in everyday practice) internet and telephone support to people coming off long-term antidepressants: protocol for a randomised controlled trial. Trials, 2020, 21, 419.	1.6	11
79	Reducing antibiotic use in uncomplicated urinary tract infections in adult women: a systematic review and individual participant data meta-analysis. Clinical Microbiology and Infection, 2022, 28, 1558-1566.	6.0	11
80	Bath additives for the treatment of childhood eczema (BATHE): protocol for multicentre parallel group randomised trial. BMJ Open, 2015, 5, e009575.	1.9	10
81	Mulberry extract to modULate Blood glucosE Responses in noRmoglYcaemic adults (MULBERRY): study protocol for a randomised controlled trial. Trials, 2015, 16, 486.	1.6	10
82	Measuring long-term disease control in patients with atopic dermatitis: AÂvalidation study of well-controlled weeks. Journal of Allergy and Clinical Immunology, 2017, 140, 1580-1586.	2.9	10
83	Renewed: Protocol for a randomised controlled trial of a digital intervention to support quality of life in cancer survivors. BMJ Open, 2019, 9, e024862.	1.9	10
84	Relationship between microbiology of throat swab and clinical course among primary care patients with acute cough: a prospective cohort study. Family Practice, 2020, 37, 332-339.	1.9	10
85	Planning and optimising a digital intervention to protect older adultsâ€™ cognitive health. Pilot and Feasibility Studies, 2021, 7, 158.	1.2	10
86	Quality of stepped-wedge trial reporting can be reliably assessed using anÂupdated CONSORT: crowd-sourcing systematic review. Journal of Clinical Epidemiology, 2019, 107, 77-88.	5.0	9
87	Standardised Chinese herbal treatment delivered by GPs compared with individualised treatment administered by practitioners of Chinese herbal medicine for women with recurrent urinary tract infections (RUTI): study protocol for a randomised controlled trial. Trials, 2016, 17, 358.	1.6	8
88	Probiotic capsules and xylitol chewing gum to manage symptoms of pharyngitis: a randomized controlled factorial trial. Cmaj, 2017, 189, E1543-E1550.	2.0	8
89	A non-linear optimisation method to extract summary statistics from Kaplan-Meier survival plots using the published P value. BMC Medical Research Methodology, 2020, 20, 269.	3.1	8
90	Patient-reported outcome measures for monitoring primary care patients with depression (PROMDEP): study protocol for a randomised controlled trial. Trials, 2020, 21, 441.	1.6	8

#	Article	IF	Citations
91	A feasibility trial of a digital mindfulness-based intervention to improve asthma-related quality of life for primary care patients with asthma. Journal of Behavioral Medicine, 2022, 45, 133-147.	2.1	8
92	Influence of the duration of penicillin prescriptions on outcomes for acute sore throat in adults: the DESCARTE prospective cohort study in UK general practice. British Journal of General Practice, 2017, 67, e623-e633.	1.4	7
93	Recommended core outcome instruments for health-related quality of life, long-term control and itch intensity in atopic eczema trials: results of the HOME VII consensus meeting. British Journal of Dermatology, 2020, 185, 139.	1.5	7
94	'Watchful waiting' or 'active monitoring' in depression management in primary care: Exploring the recalled content of general practitioner consultations. Journal of Affective Disorders, 2013, 145, 120-125.	4.1	6
95	Adherence-adjusted estimates of benefits and harms from treatment with amoxicillin for LRTI: secondary analysis of a 12-country randomised placebo-controlled trial using randomisation-based efficacy estimators. BMJ Open, 2015, 5, e006160-e006160.	1.9	6
96	Determinants of initiation, implementation, and discontinuation of amoxicillin by adults with acute cough in primary care. Patient Preference and Adherence, 2017, Volume 11, 561-569.	1.8	6
97	Delayed antibiotic prescribing for respiratory tract infections: protocol of an individual patient data meta-analysis. BMJ Open, 2019, 9, e026925.	1.9	6
98	The RUTI trial: A feasibility study exploring Chinese herbal medicine for the treatment of recurrent urinary tract infections.. Journal of Ethnopharmacology, 2019, 243, 111935.	4.1	6
99	Implementing a digital intervention for managing uncontrolled hypertension in Primary Care: a mixed methods process evaluation. Implementation Science, 2021, 16, 57.	6.9	6
100	Measurement properties of patient-reported outcome measures for eczema control: a systematic review. Journal of the European Academy of Dermatology and Venereology, 2021, 35, 1987-1993.	2.4	6
101	Completeness of reporting and risks of overstating impact in cluster randomised trials: a systematic review. The Lancet Global Health, 2021, 9, e1163-e1168.	6.3	6
102	Complementary and alternative healthcare use by participants in the PACE trial of treatments for chronic fatigue syndrome. Journal of Psychosomatic Research, 2016, 87, 37-42.	2.6	5
103	Pelargonium sidoides root extract for the treatment of acute cough due to lower respiratory tract infection in adults: a feasibility double-blind, placebo-controlled randomised trial. BMC Complementary Medicine and Therapies, 2021, 21, 48.	2.7	5
104	Primary Care implementation of Germ Defence, a digital behaviour change intervention to improve household infection control during the COVID-19 pandemic: A structured summary of a study protocol for a randomised controlled trial. Trials, 2021, 22, 263.	1.6	5
105	Feasibility of weekly participant-reported data collection in a pragmatic randomised controlled trial in primary care: experiences from the BATHE trial (Bath Additives for the Treatment of cHildhood) Tj ETQq1 1 0.784314 rgBT /Overloc		
106	Supporting self-management of low back pain with an internet intervention in primary care: a protocol for a randomised controlled trial of clinical and cost-effectiveness (SupportBack 2). BMJ Open, 2020, 10, e040543.	1.9	4
107	Clustering of continuous and binary outcomes at the general practice level in individually randomised studies in primary care - a review of 10 years of primary care trials. BMC Medical Research Methodology, 2020, 20, 83.	3.1	4
108	Patient-reported outcome measures for acne: a mixed-methods validation study (acne PROMs). BMJ Open, 2021, 11, e034047.	1.9	4

#	Article	IF	Citations
109	A descriptive survey of cancer helplines in the United Kingdom: Who they are, the services offered, and the accessibility of those services. Psycho-Oncology, 2017, 26, 1140-1146.	2.3	3
110	Specialist call handlers' perspectives on providing help on a cancer helpline: A qualitative interview study. European Journal of Cancer Care, 2019, 28, e13081.	1.5	3
111	Do patient characteristics matter when calculating sample size for eczema clinical trials?. Skin Health and Disease, 2021, 1, e42.	1.5	3
112	Antibiotics for lower respiratory tract infection in children presenting in primary care (ARTIC-PC): the predictive value of molecular testing. Clinical Microbiology and Infection, 2022, 28, 1238-1244.	6.0	3
113	OUP accepted manuscript. Family Practice, 2021, , .	1.9	2
114	The Active Brains Digital Intervention to Reduce Cognitive Decline in Older Adults: Protocol for a Feasibility Randomized Controlled Trial. JMIR Research Protocols, 2020, 9, e18929.	1.0	2
115	Accessing genitourinary medicine clinics: does it matter where you live?. Journal of Family Planning and Reproductive Health Care, 2011, 37, 152-157.	0.8	1
116	Accuracy of rapid point-of-care antibody test in patients with suspected or confirmed COVID-19. Journal of Infection, 2022, 84, 94-118.	3.3	1
117	Development and Validation of Population Clusters for Integrating Health and Social Care: Protocol for a Mixed Methods Study in Multiple Long-Term Conditions (Cluster-Artificial Intelligence for) Tj ETQq1 1 0.784314 rgBT /Overlock 10		
118	Antibiotics in acute non-pneumonic lower-respiratory tract infection – Authors' reply. Lancet Infectious Diseases, The, 2013, 13, 833-834.	9.1	0
119	Influence of lung function on course of disease and response to antibiotic therapy in adult primary care patients with acute cough: a post hoc analysis of patients enrolled in a prospective multicentre study. Npj Primary Care Respiratory Medicine, 2014, 24, 14067.	2.6	0
120	Looking deeper into POWeR+. Lancet Diabetes and Endocrinology,the, 2016, 4, 887-888.	11.4	0
121	Predictors of rheumatic fever in sore throat patients: a systematic review and meta-analysis. Transactions of the Royal Society of Tropical Medicine and Hygiene, 2022, 116, 286-297.	1.8	0
122	S3…Comparisons in early and late presentation to hospital in COVID-19 patients. , 2021, , .		0
123	Authors' reply to Bradley. BMJ, The, 2021, 373, n1518.	6.0	0
124	Understanding GPs' views and experiences of using clinical prediction rules in the management of respiratory infections: a qualitative study. BJGP Open, 2021, 5, BJGPO.2021.0096.	1.8	0
125	The Effect of Amoxicillin in Adult Patients Presenting to Primary Care with Acute Cough Predicted to Have Pneumonia or a Combined Viral-Bacterial Infection. Antibiotics, 2021, 10, 817.	3.7	0
126	Supporting Self-management Among Young People With Acne Vulgaris Through a Web-Based Behavioral Intervention: Development and Feasibility Randomized Controlled Trial. JMIR Dermatology, 2021, 4, e25918.	0.7	0

#	Article	IF	Citations
127	A Digital Intervention for Respiratory Tract Infections (Internet Dr): Process Evaluation to Understand How to Support Self-care for Minor Ailments. JMIR Formative Research, 2022, 6, e24239.	1.4	0