
Empar GarcÃ-a-RosellÃ³

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2068932/publications.pdf

Version: 2024-02-01



#	Article	IF	CITATIONS
1	The addition of Lactobacillus spp. negatively affects Mycoplasma bovis viability in bovine cervical mucus. BMC Veterinary Research, 2020, 16, 251.	1.9	12
2	Vaginal Microbiota Is Stable throughout the Estrous Cycle in Arabian Mares. Animals, 2020, 10, 2020.	2.3	27
3	The Addition of Lactobacillus spp., Enrofloxacin or Doxycycline Negatively Affects the Viability of Mycoplasma bovis in Diluted Bovine Semen. Animals, 2020, 10, 837.	2.3	6
4	Vaginal Microbiota Changes During Estrous Cycle in Dairy Heifers. Frontiers in Veterinary Science, 2020, 7, 371.	2.2	41
5	Use of Probiotics in Intravaginal Sponges in Sheep: A Pilot Study. Animals, 2020, 10, 719.	2.3	18
6	Effect of exogenous progesterone administration on luteal sensitivity to <scp>PGF</scp> during the early development of the corpus luteum in mares and cows. Reproduction in Domestic Animals, 2017, 52, 1074-1080.	1.4	2
7	Male pronucleus formation after ICSI: effect of oocyte cysteine or sperm Triton X-100 treatments. Czech Journal of Animal Science, 2015, 60, 241-249.	1.3	1
8	Analysis of RhoE expression in the testis, epididymis and ductus deferens, and the effects of its deficiency in mice. Journal of Anatomy, 2014, 225, 583-590.	1.5	1
9	Effect of the Bovine Oviductal Fluid on <i>In Vitro</i> Fertilization, Development and Gene Expression of <i>In Vitro</i> â€Produced Bovine Blastocysts. Reproduction in Domestic Animals, 2013, 48, 331-338.	1.4	43
10	Use of a split or single prostaglandin F2α treatment in a 6-day synchronization protocol for nonlactating dairy cows. Journal of Dairy Science, 2013, 96, 1647-1652.	3.4	6
11	Effects of d-cloprostenol dose and corpus luteum age on ovulation, luteal function, and morphology in nonlactating dairy cows with early corpora lutea. Journal of Dairy Science, 2012, 95, 4389-4395.	3.4	15
12	Viability of ICSI oocytes after caffeine treatment and sperm membrane removal with Triton X-100 in pigs. Theriogenology, 2011, 76, 1658-1666.	2.1	10
13	The effect of a single high dose of PGF2α administered to dairy cattle 3.5 days after ovulation on luteal function, morphology, and follicular dynamics. Theriogenology, 2011, 76, 1736-1743.	2.1	11
14	<i>SRY</i> â€Negative XX Sex Reversal in a French Bulldog. Reproduction in Domestic Animals, 2011, 46, 185-188.	1.4	10
15	The use of R-roscovitine to fit the â€~time frame' on <i>in vitro</i> porcine embryo production by intracytoplasmic sperm injection. Zygote, 2009, 17, 63-70.	1.1	6
16	Intracytoplasmic Sperm Injection in Livestock Species: An Update. Reproduction in Domestic Animals, 2009, 44, 143-151.	1.4	51
17	Effect of sperm treatment on efficiency of EGFP-expressing porcine embryos produced by ICSI-SMGT. Theriogenology, 2009, 72, 506-518.	2.1	40
18	Influence of Sperm Pretreatment on the Efficiency of Intracytoplasmic Sperm Injection in Pigs. Journal of Andrology, 2006, 27, 268-275.	2.0	21

#	Article	IF	CITATIONS
19	Analysis of different factors influencing the intracytoplasmic sperm injection (ICSI) yield in pigs. Theriogenology, 2006, 66, 1857-1865.	2.1	16