## Yongsug Suh

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/206967/publications.pdf

Version: 2024-02-01

41 239
papers citations h-3

8 14
h-index g-index

41 41 docs citations

41 times ranked 209 citing authors

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | A Comparative Study on Control Algorithm for Active Front-End Rectifier of Large Motor Drives Under Unbalanced Input. IEEE Transactions on Industry Applications, 2011, 47, 1419-1431.   | 4.9 | 48        |
| 2  | Application of IGCT in High-Power Rectifiers. IEEE Transactions on Industry Applications, 2009, 45, 1628-1636.   | 4.9 | 30        |
| 3  | A Power Conversion System for AC Furnace With Enhanced Arc Stability. IEEE Transactions on Industry Applications, 2010, 46, 2526-2535.   | 4.9 | 23        |
| 4  | Analysis and Control of Neutral-Point Deviation in Three-Level NPC Converter Under Unbalanced Three-Phase AC Grid. IEEE Transactions on Industry Applications, 2019, 55, 4944-4955.  | 4.9 | 16        |
| 5  | Arc Stability Control of a High-Power Thyristor Rectifier System in a DC Arc Furnace. IEEE Transactions on Power Electronics, 2014, 29, 6342-6351.   | 7.9 | 14        |
| 6  | A Comparative Study of Medium-Voltage Power Converter Topologies for Plasma Torch Under Dynamic Operating Conditions. IEEE Transactions on Industrial Electronics, 2009, 56, 2150-2161.  | 7.9 | 12        |
| 7  | Comparison of high power semiconductor devices losses in 5MW PMSG MV wind turbines. , 2014, , .  |     | 10        |
| 8  | A Study on High-Current Rectifier Systems With Mitigated Time-Varying Magnetic Field Generation at AC Input and DC Output Busbars. IEEE Transactions on Power Electronics, 2012, 27, 1212-1219.                                    | 7.9 | 9         |
| 9  | Optimized coupling factor design of multiple-phase coupled inductor for minimum inductor current ripple operation in EV charger systems. , 2017, , .   |     | 8         |
| 10 | Low Dissipative Snubber Using Flyback-Type Transformer for 10 kV IGCT in 7 MW Wind Turbine Systems. IEEE Transactions on Power Electronics, 2018, 33, 5898-5908.   | 7.9 | 8         |
| 11 | Design of Optimized Coupling Factor for Minimum Inductor Current Ripple in DC-DC Converter Using Multiwinding Coupled Inductor. IEEE Transactions on Industry Applications, 2021, 57, 3978-3989.                                   | 4.9 | 7         |
| 12 | Low dissipative snubber using flyback type transformer for 10 kV IGCT in 7 MW wind turbine systems. , 2015, , .  |     | 6         |
| 13 | Comparison of voltage source and current source based Converter in 5MW PMSG wind turbine systems. , 2015, , .  |     | 5         |
| 14 | Impedance Matching Scheme of Electrical Variable Capacitors Using SiC MOSFET for $13.56 \mathrm{MHz}$ RF Plasma Systems. , $2019$ , , .  |     | 4         |
| 15 | Multiwinding Flyback Clamp Snubber for 10 kV IGCT With Reduced Voltage Stress on Clamp Recovery Diodes. IEEE Transactions on Industry Applications, 2020, 56, 2729-2740.   | 4.9 | 4         |
| 16 | Flyback-type di/dt snubber for 10kV IGCT in MV wind turbines. , 2014, , .  |     | 3         |
| 17 | Field excitation scheme using a machine-side 4-leg converter in MW-range WRSG wind turbine systems. , 2017, , .  |     | 3         |
| 18 | Next-Generation Variable Capacitors to Reduce Capacitance Variable Time Using SiC MOSFETs and p-i-n Diodes in 13.56-MHz RF Plasma Systems. IEEE Journal of Emerging and Selected Topics in Power Electronics, 2022, 10, 1353-1362. | 5.4 | 3         |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Design of coupled inductor for minimum inductor current ripple in rapid traction battery charger systems. , 2014, , .  |     | 2         |
| 20 | Design of optimized coupling factor for minimum inductor current ripple in rapid EV charger systems using multi-winding coupled inductor. , 2015, , .  |     | 2         |
| 21 | Analysis of neutral point deviation in 3-level NPC converter under unbalanced 3-phase AC grid., 2016,,.  |     | 2         |
| 22 | Multi-winding Flyback Type Snubber for $10 \text{kV}$ IGCT with Reduced Voltage Stress on Recovery Diodes. , $2018,  ,  .$   |     | 2         |
| 23 | Electrical variable capacitor using symmetrical switch configuration for reducing switch voltage in RF plasma systems. Journal of Power Electronics, 2020, 20, 1562-1572.                      | 1.5 | 2         |
| 24 | Analysis and Minimization of Neutral Point Current Deviation in Grid Tied 3-level NPC Converter under Various Grid Fault Conditions. , 2020, , .   |     | 2         |
| 25 | Analysis and Control of Neutral Point Current Deviation in Grid Tied 3-level NPC Converter under Various Grid Unbalanced Conditions. , 2020, , .   |     | 2         |
| 26 | Auto-Bias Electrical Variable Capacitor of Reduced Active Component Count and Voltage Stress for 13.56 MHz RF Plasma Process. IEEE Transactions on Industry Applications, 2022, 58, 4994-5004. | 4.9 | 2         |
| 27 | A Control Method of Reduced Reactive Power Ripple in Grid-connected Converters under Unbalanced Grid Conditions. , 2022, , .   |     | 2         |
| 28 | Optimized coupling factor of multi-winding coupled inductor for minimum inductor current ripple in rapid traction battery charger system. , $2015$ , , .                                       |     | 1         |
| 29 | Improved operating range for three-phase three-switch buck-type rectifier using carrier based PWM. , $2016,$ , .   |     | 1         |
| 30 | Loss analysis of current source converter for 10kV IGCT in 7MW PMSG wind turbine systems. , 2016, , .  |     | 1         |
| 31 | Current Source Type PMSG Wind Turbine System with Three-phase Three-switch Buck-type Rectifier for Machine-side Converter., 2018,,.  |     | 1         |
| 32 | Pulse current generator with improved waveform fidelity for high-voltage capacitively coupled plasma systems. Journal of Power Electronics, 2020, 20, 1316-1327.                               | 1.5 | 1         |
| 33 | Current-Source-Type Pulse Current Generator With Reduced Waveform Distortion for Capacitively Coupled Plasma Systems. IEEE Transactions on Industry Applications, 2021, 57, 2578-2590.         | 4.9 | 1         |
| 34 | Cascaded Snubber Scheme Using Flyback Type Transformer for 10kV IGCT Applications. , 2019, , .   |     | 1         |
| 35 | Design of Optimized Coupling Factor for Minimum Inductor Current Ripple in DC-DC Converter using Multi-winding Coupled Inductor. , 2019, , .   |     | 1         |
| 36 | A power conversion system for ac furnace with enhanced arc stability., 2009,,.   |     | 0         |

| #  | Article   | IF | CITATIONS |
|----|---|----|-----------|
| 37 | A medium voltage power supply with enhanced ignition characteristics for plasma torch in waste disposal system. , 2010, , .                         |    | O         |
| 38 | A study on high current rectifier systems with mitigated time-varying magnetic field generation at ac input and dc output busbars. , $2011, \ldots$ |    | O         |
| 39 | Control algorithm of high power rectifier system in DC arc furnace for improved arc stability. , 2013, , .  |    | O         |
| 40 | Loss analysis of flyback type snubber with nonlinear magnetic properties for $10 \text{kV}$ IGCT applications., $2017$ ,,.                          |    | 0         |
| 41 | Electrical Variable Capacitor Using Symmetrical Switch Configuration in RF Plasma System. , 2019, , .   |    | 0         |