

Volker Arndt

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2069818/volker-arndt-publications-by-year.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

244
papers

14,522
citations

64
h-index

115
g-index

267
ext. papers

17,884
ext. citations

7.4
avg, IF

5.81
L-index

#	Paper	IF	Citations
244	Rare germline copy number variants (CNVs) and breast cancer risk.. <i>Communications Biology</i> , 2022 , 5, 65	6.7	0
243	Common variants in breast cancer risk loci predispose to distinct tumor subtypes.. <i>Breast Cancer Research</i> , 2022 , 24, 2	8.3	3
242	Phase III study of the European Organisation for Research and Treatment of Cancer Quality of Life cancer survivorship core questionnaire.. <i>Journal of Cancer Survivorship</i> , 2022 , 1	5.1	0
241	A Genome-Wide Gene-Based Gene-Environment Interaction Study of Breast Cancer in More than 90,000 Women. <i>Cancer Research Communications</i> , 2022 , 2, 211-219		0
240	Beyond GWAS of Colorectal Cancer: Evidence of Interaction with Alcohol Consumption and Putative Causal Variant for the 10q24.2 Region.. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2022 , OF1-OF13	4	0
239	Comorbidities, Rather Than Older Age, Are Strongly Associated With Higher Utilization of Healthcare in Colorectal Cancer Survivors. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2021 , 1-11	7.3	2
238	The COVID-19 Pandemic and Cancer Patients in Germany: Impact on Treatment, Follow-Up Care and Psychological Burden.. <i>Frontiers in Public Health</i> , 2021 , 9, 788598	6	5
237	Germline variants and breast cancer survival in patients with distant metastases at primary breast cancer diagnosis. <i>Scientific Reports</i> , 2021 , 11, 19787	4.9	0
236	Health and life insurance-related problems in very long-term cancer survivors in Germany: a population-based study. <i>Journal of Cancer Research and Clinical Oncology</i> , 2021 , 1	4.9	
235	Response to Li and Hopper. <i>American Journal of Human Genetics</i> , 2021 , 108, 527-529	11	1
234	Identifying classes of the pain, fatigue, and depression symptom cluster in long-term prostate cancer survivors-results from the multi-regional Prostate Cancer Survivorship Study in Switzerland (PROCAS). <i>Supportive Care in Cancer</i> , 2021 , 29, 6259-6269	3.9	3
233	Health-Related Quality of Life in Very Long-Term Cancer Survivors 14-24 Years Post-Diagnosis Compared to Population Controls: A Population-Based Study. <i>Cancers</i> , 2021 , 13,	6.6	3
232	Inpatient rehabilitation therapy among colorectal cancer patients - utilization and association with prognosis: a cohort study. <i>Acta Oncologica</i> , 2021 , 60, 1000-1010	3.2	2
231	Krebsprävalenz in Deutschland 2017. <i>Onkologie</i> , 2021 , 27, 717-723	0.1	2
230	Functional annotation of the 2q35 breast cancer risk locus implicates a structural variant in influencing activity of a long-range enhancer element. <i>American Journal of Human Genetics</i> , 2021 , 108, 1190-1203	11	1
229	Combined Associations of a Polygenic Risk Score and Classical Risk Factors With Breast Cancer Risk. <i>Journal of the National Cancer Institute</i> , 2021 , 113, 329-337	9.7	14
228	CYP3A7*1C allele: linking premenopausal oestrogen and progesterone levels with risk of hormone receptor-positive breast cancers. <i>British Journal of Cancer</i> , 2021 , 124, 842-854	8.7	2

227	Genetically predicted circulating concentrations of micronutrients and risk of colorectal cancer among individuals of European descent: a Mendelian randomization study. <i>American Journal of Clinical Nutrition</i> , 2021 , 113, 1490-1502	7	5
226	Estimation of the Potentially Avoidable Excess Deaths Associated with Socioeconomic Inequalities in Cancer Survival in Germany. <i>Cancers</i> , 2021 , 13,	6.6	4
225	A case-only study to identify genetic modifiers of breast cancer risk for BRCA1/BRCA2 mutation carriers. <i>Nature Communications</i> , 2021 , 12, 1078	17.4	4
224	Genetic architectures of proximal and distal colorectal cancer are partly distinct. <i>Gut</i> , 2021 , 70, 1325-1334	19.2	7
223	Prevalence of benefit finding and posttraumatic growth in long-term cancer survivors: results from a multi-regional population-based survey in Germany. <i>British Journal of Cancer</i> , 2021 , 125, 877-883	8.7	2
222	Distress mediates the relationship between cognitive appraisal of medical care and benefit finding/posttraumatic growth in long-term cancer survivors. <i>Cancer</i> , 2021 , 127, 3680-3690	6.4	0
221	Association of germline genetic variants with breast cancer-specific survival in patient subgroups defined by clinic-pathological variables related to tumor biology and type of systemic treatment. <i>Breast Cancer Research</i> , 2021 , 23, 86	8.3	1
220	Mendelian randomisation study of smoking exposure in relation to breast cancer risk. <i>British Journal of Cancer</i> , 2021 , 125, 1135-1145	8.7	0
219	Breast Cancer Risk Factors and Survival by Tumor Subtype: Pooled Analyses from the Breast Cancer Association Consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021 , 30, 623-642	4	4
218	Quality of life, distress, and posttraumatic growth 5 years after colorectal cancer diagnosis according to history of inpatient rehabilitation. <i>Journal of Cancer Research and Clinical Oncology</i> , 2021 , 1	4.9	0
217	Genome-wide association study identifies 32 novel breast cancer susceptibility loci from overall and subtype-specific analyses. <i>Nature Genetics</i> , 2020 , 52, 572-581	36.3	76
216	Physical activity and long-term fatigue among colorectal cancer survivors - a population-based prospective study. <i>BMC Cancer</i> , 2020 , 20, 438	4.8	3
215	Health-related quality of life in long-term prostate cancer survivors after nerve-sparing and non-nerve-sparing radical prostatectomy-Results from the multiregional PROCAS study. <i>Cancer Medicine</i> , 2020 , 9, 5416-5424	4.8	1
214	Germline HOXB13 mutations p.G84E and p.R217C do not confer an increased breast cancer risk. <i>Scientific Reports</i> , 2020 , 10, 9688	4.9	2
213	Mendelian Randomization of Circulating Polyunsaturated Fatty Acids and Colorectal Cancer Risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020 , 29, 860-870	4	12
212	Berleben nach primär metastasiertem Brustkrebs. <i>Onkologe</i> , 2020 , 26, 487-496	0.1	
211	Transcriptome-wide association study of breast cancer risk by estrogen-receptor status. <i>Genetic Epidemiology</i> , 2020 , 44, 442-468	2.6	9
210	The relative risk of second primary cancers in Switzerland: a population-based retrospective cohort study. <i>BMC Cancer</i> , 2020 , 20, 51	4.8	15

209	A network analysis to identify mediators of germline-driven differences in breast cancer prognosis. <i>Nature Communications</i> , 2020 , 11, 312	17.4	20
208	Association of laparoscopic colectomy versus open colectomy on the long-term health-related quality of life of colon cancer survivors. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2020 , 34, 5593-5603	5.2	3
207	Cancer-Related Fatigue: Causes and Current Treatment Options. <i>Current Treatment Options in Oncology</i> , 2020 , 21, 17	5.4	61
206	Beiträge der Epidemiologie bei der Sekundärprävention von Krebserkrankungen. <i>Onkologe</i> , 2020 , 26, 393-401	0.1	0
205	Fine-mapping of 150 breast cancer risk regions identifies 191 likely target genes. <i>Nature Genetics</i> , 2020 , 52, 56-73	36.3	56
204	Data from Population-based Cancer Registration for Secondary Data Analysis: Methodological Challenges and Perspectives. <i>Gesundheitswesen</i> , 2020 , 82, S62-S71	0.5	2
203	Age-specific health-related quality of life in disease-free long-term prostate cancer survivors versus male population controls-results from a population-based study. <i>Supportive Care in Cancer</i> , 2020 , 28, 2875-2885	3.9	6
202	Age-specific prevalence and determinants of depression in long-term breast cancer survivors compared to female population controls. <i>Cancer Medicine</i> , 2020 , 9, 8713-8721	4.8	10
201	Prevalence and severity of long-term physical, emotional, and cognitive fatigue across 15 different cancer entities. <i>Cancer Medicine</i> , 2020 , 9, 8053-8061	4.8	13
200	Genome-wide Modeling of Polygenic Risk Score in Colorectal Cancer Risk. <i>American Journal of Human Genetics</i> , 2020 , 107, 432-444	11	31
199	The relationship between posttraumatic growth and health-related quality of life in adult cancer survivors: A systematic review. <i>Journal of Affective Disorders</i> , 2020 , 276, 159-168	6.6	15
198	Physical Activity and Long-term Quality of Life among Colorectal Cancer Survivors-A Population-based Prospective Study. <i>Cancer Prevention Research</i> , 2020 , 13, 611-622	3.2	2
197	Beiträge der Epidemiologie bei der Primärprävention von Krebserkrankungen. <i>Onkologe</i> , 2019 , 25, 7-13	0.1	1
196	World Health Organization cardiovascular disease risk charts: revised models to estimate risk in 21 global regions. <i>The Lancet Global Health</i> , 2019 , 7, e1332-e1345	13.6	239
195	Two truncating variants in FANCC and breast cancer risk. <i>Scientific Reports</i> , 2019 , 9, 12524	4.9	2
194	Incidence, mortality, and survival trends of soft tissue and bone sarcoma in Switzerland between 1996 and 2015. <i>Cancer Epidemiology</i> , 2019 , 63, 101596	2.8	20
193	Trends of incidence and survival of patients with chronic myelomonocytic leukemia between 1999 and 2014: A comparison between Swiss and American population-based cancer registries. <i>Cancer Epidemiology</i> , 2019 , 59, 51-57	2.8	10
192	Health-related quality of life in long-term survivors with localised prostate cancer by therapy-Results from a population-based study. <i>European Journal of Cancer Care</i> , 2019 , 28, e13076	2.4	11

191	Genome-wide association and transcriptome studies identify target genes and risk loci for breast cancer. <i>Nature Communications</i> , 2019 , 10, 1741	17.4	47
190	The association of cancer-related fatigue with all-cause mortality of colorectal and endometrial cancer survivors: Results from the population-based PROFILES registry. <i>Cancer Medicine</i> , 2019 , 8, 3227-3236	4.8	9
189	Health-related quality of life in long-term disease-free breast cancer survivors versus female population controls in Germany. <i>Breast Cancer Research and Treatment</i> , 2019 , 175, 499-510	4.4	20
188	Genome-wide association study of germline variants and breast cancer-specific mortality. <i>British Journal of Cancer</i> , 2019 , 120, 647-657	8.7	28
187	Age-specific health-related quality of life in long-term and very long-term colorectal cancer survivors versus population controls - a population-based study. <i>Acta Oncologica</i> , 2019 , 58, 801-810	3.2	19
186	Novel Common Genetic Susceptibility Loci for Colorectal Cancer. <i>Journal of the National Cancer Institute</i> , 2019 , 111, 146-157	9.7	67
185	The role of psychosocial resources for long-term breast, colorectal, and prostate cancer survivors: prevalence and associations with health-related quality of life. <i>Supportive Care in Cancer</i> , 2019 , 27, 275-288	3.9	4
184	Cancer survivorship in Deutschland [Epidemiologie und Definitionen 2019 , 34, 158-164	0.2	9
183	The p.Arg658* truncating variant is associated with risk of triple-negative breast cancer. <i>Npj Breast Cancer</i> , 2019 , 5, 38	7.8	12
182	Return to work after cancer. A multi-regional population-based study from Germany. <i>Acta Oncologica</i> , 2019 , 58, 811-818	3.2	27
181	Age at Diagnosis and Sex Are Associated With Long-term Deficits in Disease-Specific Health-Related Quality of Life of Survivors of Colon and Rectal Cancer: A Population-Based Study. <i>Diseases of the Colon and Rectum</i> , 2019 , 62, 1294-1304	3.1	8
180	Polygenic Risk Scores for Prediction of Breast Cancer and Breast Cancer Subtypes. <i>American Journal of Human Genetics</i> , 2019 , 104, 21-34	11	363
179	Equalization of four cardiovascular risk algorithms after systematic recalibration: individual-participant meta-analysis of 86 prospective studies. <i>European Heart Journal</i> , 2019 , 40, 621-631	9.5	52
178	Mendelian randomization analysis of C-reactive protein on colorectal cancer risk. <i>International Journal of Epidemiology</i> , 2019 , 48, 767-780	7.8	18
177	Cardiovascular Risk Factors Associated With Venous Thromboembolism. <i>JAMA Cardiology</i> , 2019 , 4, 163-173	17.3	102
176	Discovery of common and rare genetic risk variants for colorectal cancer. <i>Nature Genetics</i> , 2019 , 51, 76-83	36.3	177
175	Associations of obesity and circulating insulin and glucose with breast cancer risk: a Mendelian randomization analysis. <i>International Journal of Epidemiology</i> , 2019 , 48, 795-806	7.8	52
174	The BRCA2 c.68-7T>A variant is not pathogenic: A model for clinical calibration of spliceogenicity. <i>Human Mutation</i> , 2018 , 39, 729-741	4.7	16

173	Population-based cancer survivorship research: Experiences from Germany and the Netherlands. <i>Journal of Cancer Policy</i> , 2018 , 15, 87-91	1	7
172	Risk thresholds for alcohol consumption: combined analysis of individual-participant data for 599 912 current drinkers in 83 prospective studies. <i>Lancet, The</i> , 2018 , 391, 1513-1523	40	530
171	Trends of incidence, mortality, and survival of multiple myeloma in Switzerland between 1994 and 2013. <i>Cancer Epidemiology</i> , 2018 , 53, 105-110	2.8	16
170	Joint associations of a polygenic risk score and environmental risk factors for breast cancer in the Breast Cancer Association Consortium. <i>International Journal of Epidemiology</i> , 2018 , 47, 526-536	7.8	53
169	Incidence Trends of Cervical Cancer and Its Precancerous Lesions in Women of Central Switzerland from 2000 until 2014. <i>Frontiers in Medicine</i> , 2018 , 5, 58	4.9	7
168	Health-related quality of life among long-term (8 years) prostate cancer survivors by primary intervention: a systematic review. <i>Health and Quality of Life Outcomes</i> , 2018 , 16, 22	3	18
167	Potential determinants of physical inactivity among long-term colorectal cancer survivors. <i>Journal of Cancer Survivorship</i> , 2018 , 12, 679-690	5.1	7
166	Quality of life and physical activity in long-term (8 years post-diagnosis) colorectal cancer survivors - systematic review. <i>Health and Quality of Life Outcomes</i> , 2018 , 16, 112	3	44
165	A transcriptome-wide association study of 229,000 women identifies new candidate susceptibility genes for breast cancer. <i>Nature Genetics</i> , 2018 , 50, 968-978	36.3	101
164	Improvement of relative survival in elderly patients with acute myeloid leukaemia emerging from population-based cancer registries in Switzerland between 2001 and 2013. <i>Cancer Epidemiology</i> , 2018 , 52, 55-62	2.8	6
163	"Still a Cancer Patient"-Associations of Cancer Identity With Patient-Reported Outcomes and Health Care Use Among Cancer Survivors. <i>JNCI Cancer Spectrum</i> , 2018 , 2, pky031	4.6	11
162	Mendelian randomisation study of age at menarche and age at menopause and the risk of colorectal cancer. <i>British Journal of Cancer</i> , 2018 , 118, 1639-1647	8.7	7
161	Quality of life in long-term and very long-term cancer survivors versus population controls in Germany. <i>Acta Oncologica</i> , 2017 , 56, 190-197	3.2	77
160	Trends of classification, incidence, mortality, and survival of MDS patients in Switzerland between 2001 and 2012. <i>Cancer Epidemiology</i> , 2017 , 46, 85-92	2.8	17
159	Hypomorphic Missense Variants Confer Moderate Risks of Breast Cancer. <i>Cancer Research</i> , 2017 , 77, 2789-2799	10.1	49
158	Association analysis identifies 65 new breast cancer risk loci. <i>Nature</i> , 2017 , 551, 92-94	50.4	643
157	Identification of ten variants associated with risk of estrogen-receptor-negative breast cancer. <i>Nature Genetics</i> , 2017 , 49, 1767-1778	36.3	186
156	Reproductive profiles and risk of breast cancer subtypes: a multi-center case-only study. <i>Breast Cancer Research</i> , 2017 , 19, 119	8.3	26

155	Gene-environment interactions involving functional variants: Results from the Breast Cancer Association Consortium. <i>International Journal of Cancer</i> , 2017 , 141, 1830-1840	7.5	13
154	Height, selected genetic markers and prostate cancer risk: results from the PRACTICAL consortium. <i>British Journal of Cancer</i> , 2017 , 117, 734-743	8.7	5
153	Evaluation of completeness of case ascertainment in Swiss cancer registration. <i>European Journal of Cancer Prevention</i> , 2017 , 26, 139-146	2	20
152	Progredienzangst 5 Jahre nach Krebsdiagnose. <i>Onkologe</i> , 2017 , 23, 295-299	0.1	0
151	Genetic modifiers of CHEK2*1100delC-associated breast cancer risk. <i>Genetics in Medicine</i> , 2017 , 19, 599-603	6.3	51
150	Krebs – eine globale Herausforderung. <i>Onkologe</i> , 2017 , 23, 793-806	0.1	0
149	Body mass index and breast cancer survival: a Mendelian randomization analysis. <i>International Journal of Epidemiology</i> , 2017 , 46, 1814-1822	7.8	27
148	– a novel candidate breast cancer susceptibility locus on 6q14.1. <i>Oncotarget</i> , 2017 , 8, 102769-102782	3.3	3
147	Improvement of Relative Survival in Elderly Patients with Acute Myeloid Leukemia Emerging from Population-Based Cancer Registries in Switzerland from 2001-2013. <i>Blood</i> , 2017 , 130, 863-863	2.2	0
146	No clinical utility of KRAS variant rs61764370 for ovarian or breast cancer. <i>Gynecologic Oncology</i> , 2016 , 141, 386-401	4.9	15
145	Genome-Wide Meta-Analyses of Breast, Ovarian, and Prostate Cancer Association Studies Identify Multiple New Susceptibility Loci Shared by at Least Two Cancer Types. <i>Cancer Discovery</i> , 2016 , 6, 1052-67	24.4	104
144	Identification of four novel susceptibility loci for oestrogen receptor negative breast cancer. <i>Nature Communications</i> , 2016 , 7, 11375	17.4	64
143	Functional mechanisms underlying pleiotropic risk alleles at the 19p13.1 breast-ovarian cancer susceptibility locus. <i>Nature Communications</i> , 2016 , 7, 12675	17.4	53
142	Fear of recurrence in long-term cancer survivors-Do cancer type, sex, time since diagnosis, and social support matter?. <i>Health Psychology</i> , 2016 , 35, 1329-1333	5	53
141	Fine scale mapping of the 17q22 breast cancer locus using dense SNPs, genotyped within the Collaborative Oncological Gene-Environment Study (COGs). <i>Scientific Reports</i> , 2016 , 6, 32512	4.9	16
140	Atlas of prostate cancer heritability in European and African-American men pinpoints tissue-specific regulation. <i>Nature Communications</i> , 2016 , 7, 10979	17.4	37
139	Age- and Tumor Subtype-Specific Breast Cancer Risk Estimates for CHEK2*1100delC Carriers. <i>Journal of Clinical Oncology</i> , 2016 , 34, 2750-60	2.2	107
138	No evidence that protein truncating variants in BRIP1 are associated with breast cancer risk: implications for gene panel testing. <i>Journal of Medical Genetics</i> , 2016 , 53, 298-309	5.8	83

137	Breast cancer risk variants at 6q25 display different phenotype associations and regulate ESR1, RMND1 and CCDC170. <i>Nature Genetics</i> , 2016 , 48, 374-86	36.3	93
136	Genetic variation in the immunosuppression pathway genes and breast cancer susceptibility: a pooled analysis of 42,510 cases and 40,577 controls from the Breast Cancer Association Consortium. <i>Human Genetics</i> , 2016 , 135, 137-54	6.3	6
135	RAD51B in Familial Breast Cancer. <i>PLoS ONE</i> , 2016 , 11, e0153788	3.7	18
134	Trends of Classification, Incidence, Mortality, and Survival of MDS Patients in Switzerland Between 2001 and 2012. <i>Blood</i> , 2016 , 128, 5539-5539	2.2	
133	Association of breast cancer risk with genetic variants showing differential allelic expression: Identification of a novel breast cancer susceptibility locus at 4q21. <i>Oncotarget</i> , 2016 , 7, 80140-80163	3.3	21
132	Genetically Predicted Body Mass Index and Breast Cancer Risk: Mendelian Randomization Analyses of Data from 145,000 Women of European Descent. <i>PLoS Medicine</i> , 2016 , 13, e1002105	11.6	80
131	Fine-Mapping of the 1p11.2 Breast Cancer Susceptibility Locus. <i>PLoS ONE</i> , 2016 , 11, e0160316	3.7	11
130	Fine-scale mapping of 8q24 locus identifies multiple independent risk variants for breast cancer. <i>International Journal of Cancer</i> , 2016 , 139, 1303-1317	7.5	26
129	PALB2, CHEK2 and ATM rare variants and cancer risk: data from COGS. <i>Journal of Medical Genetics</i> , 2016 , 53, 800-811	5.8	121
128	Identification of independent association signals and putative functional variants for breast cancer risk through fine-scale mapping of the 12p11 locus. <i>Breast Cancer Research</i> , 2016 , 18, 64	8.3	25
127	Genetic predisposition to ductal carcinoma in situ of the breast. <i>Breast Cancer Research</i> , 2016 , 18, 22	8.3	31
126	Association of genetic susceptibility variants for type 2 diabetes with breast cancer risk in women of European ancestry. <i>Cancer Causes and Control</i> , 2016 , 27, 679-93	2.8	15
125	Aktuelle Entwicklungen der Krebsinzidenz und Mortalität in Deutschland. <i>Best Practice Onkologie</i> , 2016 , 11, 38-45	0	1
124	Evidence that the 5p12 Variant rs10941679 Confers Susceptibility to Estrogen-Receptor-Positive Breast Cancer through FGF10 and MRPS30 Regulation. <i>American Journal of Human Genetics</i> , 2016 , 99, 903-911	11	43
123	Inherited variants in the inner centromere protein (INCENP) gene of the chromosomal passenger complex contribute to the susceptibility of ER-negative breast cancer. <i>Carcinogenesis</i> , 2015 , 36, 256-71	4.6	12
122	Genome-wide association analysis of more than 120,000 individuals identifies 15 new susceptibility loci for breast cancer. <i>Nature Genetics</i> , 2015 , 47, 373-80	36.3	406
121	Polymorphisms in a Putative Enhancer at the 10q21.2 Breast Cancer Risk Locus Regulate NRBF2 Expression. <i>American Journal of Human Genetics</i> , 2015 , 97, 22-34	11	26
120	Identification of novel genetic markers of breast cancer survival. <i>Journal of the National Cancer Institute</i> , 2015 , 107,	9.7	38

119	Large-scale genomic analyses link reproductive aging to hypothalamic signaling, breast cancer susceptibility and BRCA1-mediated DNA repair. <i>Nature Genetics</i> , 2015 , 47, 1294-1303	36.3	226
118	Multiple novel prostate cancer susceptibility signals identified by fine-mapping of known risk loci among Europeans. <i>Human Molecular Genetics</i> , 2015 , 24, 5589-602	5.6	54
117	Annexin A1 expression in a pooled breast cancer series: association with tumor subtypes and prognosis. <i>BMC Medicine</i> , 2015 , 13, 156	11.4	37
116	Height and Breast Cancer Risk: Evidence From Prospective Studies and Mendelian Randomization. <i>Journal of the National Cancer Institute</i> , 2015 , 107,	9.7	74
115	Fine-scale mapping of the 4q24 locus identifies two independent loci associated with breast cancer risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015 , 24, 1680-91	4	17
114	Identification and characterization of novel associations in the CASP8/ALS2CR12 region on chromosome 2 with breast cancer risk. <i>Human Molecular Genetics</i> , 2015 , 24, 285-98	5.6	35
113	Investigation of gene-environment interactions between 47 newly identified breast cancer susceptibility loci and environmental risk factors. <i>International Journal of Cancer</i> , 2015 , 136, E685-96	7.5	26
112	Utilisation of psychosocial and informational services in immigrant and non-immigrant German cancer survivors. <i>Psycho-Oncology</i> , 2015 , 24, 919-25	3.9	12
111	Large-Scale Genomic Analyses Link Reproductive Aging to Hypothalamic Signaling, Breast Cancer Susceptibility, and BRCA1-Mediated DNA Repair. <i>Obstetrical and Gynecological Survey</i> , 2015 , 70, 758-762 ^{2.4}		
110	Prediction of breast cancer risk based on profiling with common genetic variants. <i>Journal of the National Cancer Institute</i> , 2015 , 107,	9.7	324
109	Epidemiology in ovarian carcinoma: Lessons from autopsy. <i>Gynecologic Oncology</i> , 2015 , 138, 417-20	4.9	3
108	Fine-mapping identifies two additional breast cancer susceptibility loci at 9q31.2. <i>Human Molecular Genetics</i> , 2015 , 24, 2966-84	5.6	36
107	Fine-scale mapping of the 5q11.2 breast cancer locus reveals at least three independent risk variants regulating MAP3K1. <i>American Journal of Human Genetics</i> , 2015 , 96, 5-20	11	59
106	Trends in incidence of oesophageal and gastric cancer according to morphology and anatomical location, in Switzerland 1982-2011. <i>Swiss Medical Weekly</i> , 2015 , 145, w14245	3.1	7
105	A large-scale assessment of two-way SNP interactions in breast cancer susceptibility using 46,450 cases and 42,461 controls from the breast cancer association consortium. <i>Human Molecular Genetics</i> , 2014 , 23, 1934-46	5.6	28
104	Identification of new genetic susceptibility loci for breast cancer through consideration of gene-environment interactions. <i>Genetic Epidemiology</i> , 2014 , 38, 84-93	2.6	24
103	FGF receptor genes and breast cancer susceptibility: results from the Breast Cancer Association Consortium. <i>British Journal of Cancer</i> , 2014 , 110, 1088-100	8.7	20
102	Evidence that breast cancer risk at the 2q35 locus is mediated through IGFBP5 regulation. <i>Nature Communications</i> , 2014 , 4, 4999	17.4	87

101	Genetic variation in mitotic regulatory pathway genes is associated with breast tumor grade. <i>Human Molecular Genetics</i> , 2014 , 23, 6034-46	5.6	11
100	Genetic variation at CYP3A is associated with age at menarche and breast cancer risk: a case-control study. <i>Breast Cancer Research</i> , 2014 , 16, R51	8.3	12
99	MicroRNA related polymorphisms and breast cancer risk. <i>PLoS ONE</i> , 2014 , 9, e109973	3.7	37
98	Genetic predisposition to in situ and invasive lobular carcinoma of the breast. <i>PLoS Genetics</i> , 2014 , 10, e1004285	6	38
97	Fear of recurrence in long-term breast cancer survivors--still an issue. Results on prevalence, determinants, and the association with quality of life and depression from the cancer survivorship--a multi-regional population-based study. <i>Psycho-Oncology</i> , 2014 , 23, 547-54	3.9	130
96	Common non-synonymous SNPs associated with breast cancer susceptibility: findings from the Breast Cancer Association Consortium. <i>Human Molecular Genetics</i> , 2014 , 23, 6096-111	5.6	48
95	Stage-specific associations between beta blocker use and prognosis after colorectal cancer. <i>Cancer</i> , 2014 , 120, 1178-86	6.4	64
94	Refined histopathological predictors of BRCA1 and BRCA2 mutation status: a large-scale analysis of breast cancer characteristics from the BCAC, CIMBA, and ENIGMA consortia. <i>Breast Cancer Research</i> , 2014 , 16, 3419	8.3	82
93	Fear of recurrence and disease progression in long-term (15 years) cancer survivors--a systematic review of quantitative studies. <i>Psycho-Oncology</i> , 2013 , 22, 1-11	3.9	293
92	Fine-scale mapping of the FGFR2 breast cancer risk locus: putative functional variants differentially bind FOXA1 and E2F1. <i>American Journal of Human Genetics</i> , 2013 , 93, 1046-60	11	80
91	Multiple independent variants at the TERT locus are associated with telomere length and risks of breast and ovarian cancer. <i>Nature Genetics</i> , 2013 , 45, 371-84, 384e1-2	36.3	422
90	Functional variants at the 11q13 risk locus for breast cancer regulate cyclin D1 expression through long-range enhancers. <i>American Journal of Human Genetics</i> , 2013 , 92, 489-503	11	167
89	Circulating 25-hydroxyvitamin D serum concentration and total cancer incidence and mortality: a systematic review and meta-analysis. <i>Preventive Medicine</i> , 2013 , 57, 753-64	4.3	87
88	Vitamin D receptor polymorphism and colorectal cancer-specific and all-cause mortality. <i>Cancer Epidemiology</i> , 2013 , 37, 905-7	2.8	16
87	Genome-wide association studies identify four ER negative-specific breast cancer risk loci. <i>Nature Genetics</i> , 2013 , 45, 392-8, 398e1-2	36.3	327
86	Large-scale genotyping identifies 41 new loci associated with breast cancer risk. <i>Nature Genetics</i> , 2013 , 45, 353-61, 361e1-2	36.3	813
85	Quality of life in long-term breast cancer survivors - a 10-year longitudinal population-based study. <i>Acta Oncologica</i> , 2013 , 52, 1119-28	3.2	103
84	Evidence of gene-environment interactions between common breast cancer susceptibility loci and established environmental risk factors. <i>PLoS Genetics</i> , 2013 , 9, e1003284	6	112

83	Vitamin D receptor genotype rs731236 (Taq1) and breast cancer prognosis. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2013 , 22, 437-42	4	20
82	Genome-wide association analysis identifies three new breast cancer susceptibility loci. <i>Nature Genetics</i> , 2012 , 44, 312-8	36.3	237
81	9q31.2-rs865686 as a susceptibility locus for estrogen receptor-positive breast cancer: evidence from the Breast Cancer Association Consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012 , 21, 1783-91	4	17
80	11q13 is a susceptibility locus for hormone receptor positive breast cancer. <i>Human Mutation</i> , 2012 , 33, 1123-32	4.7	33
79	Repeated measures of body mass index and risk of health related outcomes. <i>European Journal of Epidemiology</i> , 2012 , 27, 215-24	12.1	20
78	19p13.1 is a triple-negative-specific breast cancer susceptibility locus. <i>Cancer Research</i> , 2012 , 72, 1795-803	3.1	93
77	Comparison of 6q25 breast cancer hits from Asian and European Genome Wide Association Studies in the Breast Cancer Association Consortium (BCAC). <i>PLoS ONE</i> , 2012 , 7, e42380	3.7	49
76	Trends in breast cancer survival in Germany from 1976 to 2008--a period analysis by age and stage. <i>Cancer Epidemiology</i> , 2011 , 35, 399-406	2.8	29
75	Gamma-glutamyltransferase, general and cause-specific mortality in 19,000 construction workers followed over 20 years. <i>Journal of Hepatology</i> , 2011 , 55, 594-601	13.4	21
74	Liver enzymes: interaction analysis of smoking with alcohol consumption or BMI, comparing AST and ALT to EGT. <i>PLoS ONE</i> , 2011 , 6, e27951	3.7	16
73	Meta-analysis: Circulating vitamin D and ovarian cancer risk. <i>Gynecologic Oncology</i> , 2011 , 121, 369-75	4.9	65
72	Meta-analysis: Serum vitamin D and colorectal adenoma risk. <i>Preventive Medicine</i> , 2011 , 53, 10-6	4.3	43
71	Genetic variants within miR-126 and miR-335 are not associated with breast cancer risk. <i>Breast Cancer Research and Treatment</i> , 2011 , 127, 549-54	4.4	16
70	Confirmation of 5p12 as a susceptibility locus for progesterone-receptor-positive, lower grade breast cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011 , 20, 2222-31	4	27
69	Health-related quality of life during the 10 years after diagnosis of colorectal cancer: a population-based study. <i>Journal of Clinical Oncology</i> , 2011 , 29, 3263-9	2.2	116
68	Associations of common variants at 1p11.2 and 14q24.1 (RAD51L1) with breast cancer risk and heterogeneity by tumor subtype: findings from the Breast Cancer Association Consortium. <i>Human Molecular Genetics</i> , 2011 , 20, 4693-706	5.6	66
67	Age-specific administration of chemotherapy and long-term quality of life in stage II and III colorectal cancer patients: a population-based prospective cohort. <i>Oncologist</i> , 2011 , 16, 1741-51	5.7	27
66	Benefit finding and post-traumatic growth in long-term colorectal cancer survivors: prevalence, determinants, and associations with quality of life. <i>British Journal of Cancer</i> , 2011 , 105, 1158-65	8.7	86

65	Smoking and Glutaryltransferase: opposite interactions with alcohol consumption and body mass index. <i>PLoS ONE</i> , 2010 , 5, e13116	3.7	8
64	Smoking habits and occupational disability: a cohort study of 14,483 construction workers. <i>Occupational and Environmental Medicine</i> , 2010 , 67, 84-90	2.1	29
63	Response: Re: Protection From Right- and Left-Sided Colorectal Neoplasms After Colonoscopy: Population-Based Study. <i>Journal of the National Cancer Institute</i> , 2010 , 102, 990-991	9.7	1
62	Protection from right- and left-sided colorectal neoplasms after colonoscopy: population-based study. <i>Journal of the National Cancer Institute</i> , 2010 , 102, 89-95	9.7	454
61	Male sex and smoking have a larger impact on the prevalence of colorectal neoplasia than family history of colorectal cancer. <i>Clinical Gastroenterology and Hepatology</i> , 2010 , 8, 870-6	6.9	71
60	Low risk of colorectal cancer and advanced adenomas more than 10 years after negative colonoscopy. <i>Gastroenterology</i> , 2010 , 138, 870-6	13.3	115
59	Meta-analysis: serum vitamin D and breast cancer risk. <i>European Journal of Cancer</i> , 2010 , 46, 2196-205	7.5	160
58	Quality of life among long-term (8 years) colorectal cancer survivors--systematic review. <i>European Journal of Cancer</i> , 2010 , 46, 2879-88	7.5	188
57	Gamma-glutamyltransferase and disability pension: a cohort study of construction workers in Germany. <i>Hepatology</i> , 2010 , 51, 482-90	11.2	10
56	Serum uric acid and risk of occupational disability: findings from a cohort study of male construction workers in Germany. <i>Arthritis Care and Research</i> , 2010 , 62, 1278-86	4.7	4
55	Overweight, obesity and risk of work disability: a cohort study of construction workers in Germany. <i>Occupational and Environmental Medicine</i> , 2009 , 66, 402-9	2.1	34
54	Helicobacter pylori infection and gastric cancer risk: evaluation of 15 H. pylori proteins determined by novel multiplex serology. <i>Cancer Research</i> , 2009 , 69, 6164-70	10.1	66
53	Meta-analysis: longitudinal studies of serum vitamin D and colorectal cancer risk. <i>Alimentary Pharmacology and Therapeutics</i> , 2009 , 30, 113-25	6.1	152
52	Meta-analysis of longitudinal studies: Serum vitamin D and prostate cancer risk. <i>Cancer Epidemiology</i> , 2009 , 33, 435-45	2.8	79
51	Epidemiology of stomach cancer. <i>Methods in Molecular Biology</i> , 2009 , 472, 467-77	1.4	415
50	Quality of life over 5 years in women with breast cancer after breast-conserving therapy versus mastectomy: a population-based study. <i>Journal of Cancer Research and Clinical Oncology</i> , 2008 , 134, 1311-8	4.8	133
49	Cancer survival in Germany and the United States at the beginning of the 21st century: an up-to-date comparison by period analysis. <i>International Journal of Cancer</i> , 2007 , 121, 395-400	7.5	52
48	Up-to-date monitoring of childhood cancer long-term survival in Europe: tumours of the sympathetic nervous system, retinoblastoma, renal and bone tumours, and soft tissue sarcomas. <i>Annals of Oncology</i> , 2007 , 18, 1722-33	10.3	21

47	Gender differences in colorectal cancer: implications for age at initiation of screening. <i>British Journal of Cancer</i> , 2007 , 96, 828-31	8.7	152
46	Up-to-date monitoring of childhood cancer long-term survival in Europe: central nervous system tumours. <i>Annals of Oncology</i> , 2007 , 18, 1734-42	10.3	14
45	Timely disclosure of progress in childhood cancer survival by period analysis in the Automated Childhood Cancer Information System. <i>Annals of Oncology</i> , 2007 , 18, 1554-60	10.3	15
44	Trends in population-based cancer survival in Germany: to what extent does progress reach older patients?. <i>Annals of Oncology</i> , 2007 , 18, 1253-9	10.3	31
43	Recent major progress in long-term cancer patient survival disclosed by modeled period analysis. <i>Journal of Clinical Oncology</i> , 2007 , 25, 3274-80	2.2	95
42	Up-to-date monitoring of childhood cancer long-term survival in Europe: leukaemias and lymphomas. <i>Annals of Oncology</i> , 2007 , 18, 1569-77	10.3	10
41	Up-to-date monitoring of childhood cancer long-term survival in Europe: methodology and application to all forms of cancer combined. <i>Annals of Oncology</i> , 2007 , 18, 1561-8	10.3	20
40	Body mass index and premature mortality in physically heavily working men--a ten-year follow-up of 20,000 construction workers. <i>Journal of Occupational and Environmental Medicine</i> , 2007 , 49, 913-21	2	13
39	A population-based study of the impact of specific symptoms on quality of life in women with breast cancer 1 year after diagnosis. <i>Cancer</i> , 2006 , 107, 2496-503	6.4	131
38	Restrictions in quality of life in colorectal cancer patients over three years after diagnosis: a population based study. <i>European Journal of Cancer</i> , 2006 , 42, 1848-57	7.5	92
37	Epidemiology in Aging Research 2006 , 143-152		
36	CANCER AMONG OLDER ADULTS: INCIDENCE, PROGNOSIS AND NEW AVENUES OF PREVENTION 2006 , 139-151		2
35	Period analysis of cancer patient survival in datasets from which the month of diagnosis has been removed. <i>European Journal of Cancer</i> , 2005 , 41, 438-44	7.5	1
34	Reduction of clinically manifest colorectal cancer by endoscopic screening: empirical evaluation and comparison of screening at various ages. <i>European Journal of Cancer Prevention</i> , 2005 , 14, 231-7	2	7
33	Long-term survival rates of patients with prostate cancer in the prostate-specific antigen screening era: population-based estimates for the year 2000 by period analysis. <i>Journal of Clinical Oncology</i> , 2005 , 23, 441-7	2.2	67
32	Further enhanced monitoring of cancer patient survival by stage-adjusted period analysis. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2005 , 14, 1917-21	4	2
31	Persistence of restrictions in quality of life from the first to the third year after diagnosis in women with breast cancer. <i>Journal of Clinical Oncology</i> , 2005 , 23, 4945-53	2.2	109
30	Construction work and risk of occupational disability: a ten year follow up of 14,474 male workers. <i>Occupational and Environmental Medicine</i> , 2005 , 62, 559-66	2.1	121

29	All-cause and cause specific mortality in a cohort of 20 000 construction workers; results from a 10 year follow up. <i>Occupational and Environmental Medicine</i> , 2004 , 61, 419-25	2.1	44
28	Quality of life in patients with colorectal cancer 1 year after diagnosis compared with the general population: a population-based study. <i>Journal of Clinical Oncology</i> , 2004 , 22, 4829-36	2.2	237
27	Is Helicobacter pylori infection a necessary condition for noncardia gastric cancer?. <i>American Journal of Epidemiology</i> , 2004 , 159, 252-8	3.8	133
26	Epidemiology in aging research. <i>Experimental Gerontology</i> , 2004 , 39, 679-86	4.5	18
25	Recent increase in cancer survival according to age: higher survival in all age groups, but widening age gradient. <i>Cancer Causes and Control</i> , 2004 , 15, 903-10	2.8	28
24	Age-specific detriments to quality of life among breast cancer patients one year after diagnosis. <i>European Journal of Cancer</i> , 2004 , 40, 673-80	7.5	155
23	Modification of SAS macros for a more efficient analysis of relative survival rates. <i>European Journal of Cancer</i> , 2004 , 40, 778-9	7.5	18
22	An alternative approach to age adjustment of cancer survival rates. <i>European Journal of Cancer</i> , 2004 , 40, 2317-22	7.5	60
21	Age, alcohol consumption, and all-cause mortality. <i>Annals of Epidemiology</i> , 2004 , 14, 750-3	6.4	11
20	Provider delay among patients with breast cancer in Germany: a population-based study. <i>Journal of Clinical Oncology</i> , 2003 , 21, 1440-6	2.2	75
19	Risk of gastric cancer among smokers infected with Helicobacter pylori. <i>International Journal of Cancer</i> , 2002 , 98, 446-9	7.5	54
18	Patient delay and stage of diagnosis among breast cancer patients in Germany -- a population based study. <i>British Journal of Cancer</i> , 2002 , 86, 1034-40	8.7	161
17	Interaction between alcohol dehydrogenase II gene, alcohol consumption, and risk for breast cancer. <i>British Journal of Cancer</i> , 2002 , 87, 519-23	8.7	19
16	Socio-demographic factors, health behavior and late-stage diagnosis of breast cancer in Germany: a population-based study. <i>Journal of Clinical Epidemiology</i> , 2001 , 54, 719-27	5.7	48
15	Individual and joint contribution of family history and Helicobacter pylori infection to the risk of gastric carcinoma. <i>Cancer</i> , 2000 , 88, 274-9	6.4	101
14	Effects of Short Interpregnancy Intervals on Small-for-Gestational Age and Preterm Births. <i>Epidemiology</i> , 1999 , 10, 250-254	3.1	46
13	Elevated liver enzyme activity in construction workers: prevalence and impact on early retirement and all-cause mortality. <i>International Archives of Occupational and Environmental Health</i> , 1998 , 71, 405-12	3.2	53
12	Early retirement due to permanent disability in relation to smoking in workers of the construction industry. <i>Journal of Occupational and Environmental Medicine</i> , 1998 , 40, 63-8	2	30

11	The association between alcohol consumption and all-cause mortality in a cohort of male employees in the German construction industry. <i>International Journal of Epidemiology</i> , 1997 , 26, 85-91	7.8	27
10	Disorders of the back and spine in construction workers. Prevalence and prognostic value for disability. <i>Spine</i> , 1997 , 22, 1481-6	3.3	22
9	Chronic respiratory disease morbidity in construction workers: patterns and prognostic significance for permanent disability and overall mortality. <i>European Respiratory Journal</i> , 1997 , 10, 1093-9	13.6	6
8	Distribution, determinants, and prognostic value of gamma-glutamyltransferase for all-cause mortality in a cohort of construction workers from southern Germany. <i>Preventive Medicine</i> , 1997 , 26, 305-10	4.3	81
7	Body weight, pre-existing disease, and all-cause mortality in a cohort of male employees in the German construction industry. <i>Journal of Clinical Epidemiology</i> , 1997 , 50, 1099-106	5.7	12
6	Smoking patterns and mortality attributable to smoking in a cohort of 3528 construction workers. <i>European Journal of Epidemiology</i> , 1996 , 12, 335-40	12.1	6
5	Older workers in the construction industry: results of a routine health examination and a five year follow up. <i>Occupational and Environmental Medicine</i> , 1996 , 53, 686-91	2.1	54
4	Common variants in breast cancer risk loci predispose to distinct tumor subtypes		1
3	Long-lasting reduction of risk of colorectal cancer following screening endoscopy		16
2	Fine-mapping of 150 breast cancer risk regions identifies 178 high confidence target genes		2
1	Genome-wide association study identifies 32 novel breast cancer susceptibility loci from overall and subtype-specific analyses		2