

Lone Krebs

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/207113/publications.pdf>

Version: 2024-02-01

68
papers

1,589
citations

331259

21
h-index

344852

36
g-index

86
all docs

86
docs citations

86
times ranked

1937
citing authors

#	ARTICLE	IF	CITATIONS
1	Incidence of postpartum hemorrhage and risk factors for recurrence in the subsequent pregnancy. Archives of Gynecology and Obstetrics, 2023, 307, 1217-1224.	0.8	5
2	Neonatal complications and neurophysiological development in twins – a long-term follow-up study. Journal of Maternal-Fetal and Neonatal Medicine, 2022, 35, 372-378.	0.7	3
3	Preterm birth, stillbirth and early neonatal mortality during the Danish COVID-19 lockdown. European Journal of Pediatrics, 2022, 181, 1175-1184.	1.3	27
4	Maternal first trimester iron status and its association with obstetric and perinatal outcomes. Archives of Gynecology and Obstetrics, 2022, 306, 1359-1371.	0.8	2
5	Outcome of subsequent pregnancies in women with complete uterine rupture: A population-based case-control study. Acta Obstetrica Et Gynecologica Scandinavica, 2022, 101, 506-513.	1.3	6
6	A Nationwide Observational Study of Chlamydia trachomatis Infections in Denmark during the COVID-19 Pandemic. Acta Dermato-Venereologica, 2022, , .	0.6	3
7	First-trimester biomarkers and the risk of cerebral palsy. Early Human Development, 2022, 167, 105564.	0.8	1
8	Declining prevalence of cerebral palsy in children born at term in Denmark. Developmental Medicine and Child Neurology, 2022, 64, 715-722.	1.1	9
9	Why we succeed and fail in detecting fetal growth restriction: A population-based study. Acta Obstetrica Et Gynecologica Scandinavica, 2021, 100, 893-899.	1.3	6
10	Continuing decline in the prevalence of cerebral palsy in Denmark for birth years 2008–2013. European Journal of Paediatric Neurology, 2021, 30, 155-161.	0.7	14
11	Breech and induction. Time for evidence-based informed consent. Acta Obstetrica Et Gynecologica Scandinavica, 2021, 100, 1157-1157.	1.3	1
12	The Role of Leptin in Fetal Growth during Pre-Eclampsia. International Journal of Molecular Sciences, 2021, 22, 4569.	1.8	29
13	COVID-19 in pregnancy – characteristics and outcomes of pregnant women admitted to hospital because of SARS-CoV-2 infection in the Nordic countries. Acta Obstetrica Et Gynecologica Scandinavica, 2021, 100, 1611-1619.	1.3	34
14	Maternal obesity and metabolic disorders associate with congenital heart defects in the offspring: A systematic review. PLoS ONE, 2021, 16, e0252343.	1.1	19
15	SARS-CoV-2 infection in pregnancy in Denmark – characteristics and outcomes after confirmed infection in pregnancy: A nationwide, prospective, population-based cohort study. Acta Obstetrica Et Gynecologica Scandinavica, 2021, 100, 2097-2110.	1.3	25
16	Severe Acute Respiratory Syndrome Coronavirus 2 (SARS-CoV-2) Antibodies at Delivery in Women, Partners, and Newborns. Obstetrics and Gynecology, 2021, 137, 49-55.	1.2	47
17	Does caesarean delivery in the first pregnancy increase the risk for adverse outcome in the second? A registry-based cohort study on first and second singleton births in Norway. BMJ Open, 2020, 10, e037717.	0.8	7
18	Induction of labour in nulliparous women- quick or slow: a cohort study comparing slow-release vaginal insert with low-dose misoprostol oral tablets. BMC Pregnancy and Childbirth, 2020, 20, 79.	0.9	13

#	ARTICLE	IF	CITATIONS
19	Re: Antenatal magnesium sulphate for the prevention of cerebral palsy in infants born preterm: a double-blind, randomised, placebo-controlled, multicentre trial. BJOG: an International Journal of Obstetrics and Gynaecology, 2020, 127, 1295-1296.	1.1	1
20	Are the Danish stillbirth rates still record low? A nationwide ecological study. BMJ Open, 2020, 10, e040716.	0.8	3
21	Adherence to guidelines and suboptimal practice in term breech delivery with perinatal death- a population-based case-control study in Norway. BMC Pregnancy and Childbirth, 2019, 19, 330.	0.9	6
22	Maternal short-term complications after planned cesarean delivery without medical indication: A registry-based study. Acta Obstetrica Et Gynecologica Scandinavica, 2019, 98, 905-912.	1.3	15
23	Leptin and Adiponectin as markers for preeclampsia in obese pregnant women, a cohort study. Pregnancy Hypertension, 2019, 15, 78-83.	0.6	27
24	Lessons learnt from anonymized review of cases of peripartum hysterectomy by international experts: A qualitative pilot study. Acta Obstetrica Et Gynecologica Scandinavica, 2019, 98, 955-957.	1.3	4
25	Postpartum urinary tract infection by mode of delivery: a Danish nationwide cohort study. BMJ Open, 2018, 8, e018479.	0.8	14
26	The effect of obesity on early fetal growth and pregnancy duration: a cohort study. Journal of Maternal-Fetal and Neonatal Medicine, 2018, 31, 2941-2946.	0.7	5
27	National Rates of Uterine Rupture are not Associated with Rates of Previous Caesarean Delivery: Results from the Nordic Obstetric Surveillance Study. Paediatric and Perinatal Epidemiology, 2017, 31, 176-182.	0.8	4
28	Mode of first delivery and severe maternal complications in the subsequent pregnancy. Acta Obstetrica Et Gynecologica Scandinavica, 2017, 96, 1053-1062.	1.3	25
29	Short- and long-term perinatal outcome in twin pregnancies affected by weight discordance. Acta Obstetrica Et Gynecologica Scandinavica, 2017, 96, 233-242.	1.3	20
30	Adiponectin and leptin as first trimester markers for gestational diabetes mellitus: a cohort study. Clinical Chemistry and Laboratory Medicine, 2017, 55, 1805-1812.	1.4	50
31	Ultrasound Diagnoses of an Iliac Artery Aneurysm during the Second Trimester of Preganancy. Ultrasound International Open, 2017, 03, E120-E121.	0.3	0
32	Operative technique at caesarean delivery and risk of complete uterine rupture in a subsequent trial of labour at term. A registry case-control study. PLoS ONE, 2017, 12, e0187850.	1.1	11
33	Can Intrapartum Cardiotocography Predict Uterine Rupture among Women with Prior Caesarean Delivery?: A Population Based Case-Control Study. PLoS ONE, 2016, 11, e0146347.	1.1	13
34	Potentially Avoidable Peripartum Hysterectomies in Denmark: A Population Based Clinical Audit. PLoS ONE, 2016, 11, e0161302.	1.1	9
35	Breech delivery at a University Hospital in Tanzania. BMC Pregnancy and Childbirth, 2016, 16, 342.	0.9	9
36	The effect of maneuvers for shoulder delivery on perineal trauma: a randomized controlled trial. Acta Obstetrica Et Gynecologica Scandinavica, 2016, 95, 1070-1077.	1.3	9

#	ARTICLE	IF	CITATIONS
37	Dating of Pregnancy in First versus Second Trimester in Relation to Post-Term Birth Rate: A Cohort Study. PLoS ONE, 2016, 11, e0147109.	1.1	8
38	Emergency peripartum hysterectomy: results from the prospective Nordic Obstetric Surveillance Study (<sc>NOSS</sc>). Acta Obstetrica Et Gynecologica Scandinavica, 2015, 94, 745-754.	1.3	29
39	The Nordic Obstetric Surveillance Study: a study of complete uterine rupture, abnormally invasive placenta, peripartum hysterectomy, and severe blood loss at delivery. Acta Obstetrica Et Gynecologica Scandinavica, 2015, 94, 734-744.	1.3	55
40	Uterine rupture without previous caesarean delivery: a population-based cohort study. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2015, 195, 151-155.	0.5	39
41	Incidence of Incisional Hernia after Cesarean Delivery: A Register-Based Cohort Study. PLoS ONE, 2014, 9, e108829.	1.1	15
42	Validation of Registries: A Neglected, but Indispensable Investment. Paediatric and Perinatal Epidemiology, 2014, 28, 351-352.	0.8	3
43	Sharp compared with blunt fascial incision at cesarean delivery: a randomized controlled trial with each case as her own control. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2014, 172, 40-45.	0.5	5
44	Use of ICD-10 codes to monitor uterine rupture: validation of a national birth registry. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2014, 173, 23-28.	0.5	23
45	The Nordic medical birth registers â€œ a potential goldmine for clinical research. Acta Obstetrica Et Gynecologica Scandinavica, 2014, 93, 132-137.	1.3	113
46	The effect of primary delivery of the anterior compared with the posterior shoulder on perineal trauma: a study protocol for a randomized controlled trial. Trials, 2014, 15, 291.	0.7	4
47	Randomised trial of cervical cerclage, with and without occlusion, for the prevention of preterm birth in women suspected for cervical insufficiency. BJOG: an International Journal of Obstetrics and Gynaecology, 2013, 120, 613-620.	1.1	32
48	Subcuticular Suture Compared With Staples for Skin Closure After Cesarean Delivery. Obstetrics and Gynecology, 2013, 122, 878-884.	1.2	23
49	Cytokines and the Risk of Preterm Delivery in Twin Pregnancies. Obstetrics and Gynecology, 2012, 120, 60-68.	1.2	15
50	Consequences of the Term Breech Trial in Denmark. Acta Obstetrica Et Gynecologica Scandinavica, 2011, 90, 767-771.	1.3	117
51	Vaginal micronized progesterone and risk of preterm delivery in highâ€risk twin pregnancies: secondary analysis of a placeboâ€controlled randomized trial and metaâ€analysis. Ultrasound in Obstetrics and Gynecology, 2011, 38, 281-287.	0.9	60
52	Prevention of preterm delivery in twin gestations (PREDICT): a multicenter, randomized, placeboâ€controlled trial on the effect of vaginal micronized progesterone. Ultrasound in Obstetrics and Gynecology, 2011, 38, 272-280.	0.9	164
53	ADAM 12 may be used to reduce the false positive rate of first trimester combined screening for Down syndrome. Prenatal Diagnosis, 2010, 30, 110-114.	1.1	11
54	The proform of eosinophil major basic protein: a new maternal serum marker for adverse pregnancy outcome. Prenatal Diagnosis, 2009, 29, 1013-1019.	1.1	13

#	ARTICLE	IF	CITATIONS
55	First trimester maternal serum pregnancy-specific beta-1-glycoprotein (SP1) as a marker of adverse pregnancy outcome. <i>Prenatal Diagnosis</i> , 2009, 29, 1256-1261.	1.1	46
56	Leptin in first trimester pregnancy serum: no reduction associated with small-for-gestational-age infants. <i>Reproductive BioMedicine Online</i> , 2009, 18, 832-837.	1.1	8
57	First-trimester combined screening for Down syndrome: prediction of low birth weight, small for gestational age and preterm delivery in a cohort of non-selected women. <i>Prenatal Diagnosis</i> , 2008, 28, 247-253.	1.1	41
58	First trimester maternal serum PAPP-A, hCG and ADAM12 in prediction of small-for-gestational-age fetuses. <i>Prenatal Diagnosis</i> , 2008, 28, 1131-1135.	1.1	54
59	The relation of breech presentation at term to epilepsy in childhood. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2006, 127, 26-28.	0.5	11
60	Breech at term. Early and late consequences of mode of delivery. <i>Danish Medical Bulletin</i> , 2005, 52, 234-52.	0.3	2
61	Methodological difficulties in the comparison of indicators of perinatal health across Europe. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2003, 111, S33-S44.	0.5	36
62	Elective cesarean delivery for term breech. <i>Obstetrics and Gynecology</i> , 2003, 101, 690-696.	1.2	35
63	Elective Cesarean Delivery for Term Breech. <i>Obstetrics and Gynecology</i> , 2003, 101, 690-696.	1.2	14
64	Are intrapartum and neonatal deaths in breech delivery at term potentially avoidable? "A blinded controlled audit. <i>Journal of Perinatal Medicine</i> , 2002, 30, 220-4.	0.6	11
65	Long-term outcome in term breech infants with low Apgar score" a population-based follow-up. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2001, 100, 5-8.	0.5	36
66	The relation of breech presentation at term to cerebral palsy. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1999, 106, 943-947.	1.1	45
67	Breech at term mode of delivery?: A register-based study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 1995, 74, 702-706.	1.3	29
68	The Constancy of the Relation between Pressure and Flow in the Upper Urinary Tract of the Pig. <i>Urologia Internationalis</i> , 1990, 45, 317-320.	0.6	0