

# Couillard Catherine

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/2071178/couillard-catherine-publications-by-year.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

36

papers

699

citations

14

h-index

26

g-index

38

ext. papers

757

ext. citations

4.1

avg, IF

3.6

L-index

#	Paper	IF	Citations
36	Morphometrics and processing yield of <i>Cucumaria frondosa</i> (Holothuroidea) from the St. Lawrence Estuary, Canada. <i>PLoS ONE</i> , <b>2021</b> , 16, e0245238	3.7	1
35	Comparison of a visual method, mass-based and surface-based gonadal indices and gonad histology to assess sexual maturity in the waved whelk, <i>Buccinum undatum</i> . <i>Fisheries Research</i> , <b>2020</b> , 224, 105468	2.3	0
34	Early back-calculated size-at-age of Atlantic yellow eels sampled along ecological gradients in the Gironde and St. Lawrence hydrographical systems. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , <b>2018</b> , 75, 1270-1279	2.4	2
33	Effect of Decadal Changes in Freshwater Flows and Temperature on the Larvae of two Forage Fish Species in Coastal Nurseries of the St. Lawrence Estuary. <i>Estuaries and Coasts</i> , <b>2017</b> , 40, 268-285	2.8	1
32	Biotransformation, antioxidant and histopathological biomarker responses to contaminants in European and American yellow eels from the Gironde and St. Lawrence estuaries. <i>Chemosphere</i> , <b>2017</b> , 188, 292-303	8.4	6
31	Effect of body size on response to emersion and molt increment of post-ovigerous female American lobsters <i>Homarus americanus</i> (H. Milne Edwards, 1837) (Decapoda: Nephropidae) from southern and northern Gulf of St. Lawrence, Canada. <i>Journal of Crustacean Biology</i> , <b>2017</b> , 37, 426-435	0.8	1
30	Temporal variations in embryotoxicity of Lake Ontario American eel ( <i>Anguilla rostrata</i> ) extracts to developing <i>Fundulus heteroclitus</i> . <i>Science of the Total Environment</i> , <b>2016</b> , 541, 765-775	10.2	4
29	Sublethal exposure to azamethiphos causes neurotoxicity, altered energy allocation and high mortality during simulated live transport in American lobster. <i>Ecotoxicology and Environmental Safety</i> , <b>2015</b> , 115, 291-9	7	9
28	Assessment of Fat Reserves Adequacy in the First Migrant Silver American Eels of a Large-Scale Stocking Experiment. <i>North American Journal of Fisheries Management</i> , <b>2014</b> , 34, 802-813	1.1	14
27	Applicability of the TCDD-TEQ approach to predict sublethal embryotoxicity in <i>Fundulus heteroclitus</i> . <i>Aquatic Toxicology</i> , <b>2014</b> , 149, 133-44	5.1	8
26	Effects of chronic exposures to the herbicides atrazine and glyphosate to larvae of the threespine stickleback ( <i>Gasterosteus aculeatus</i> ). <i>Ecotoxicology and Environmental Safety</i> , <b>2013</b> , 89, 174-81	7	26
25	A multibiomarker approach on the Atlantic tomcod ( <i>Microgadus tomcod</i> ) in the St. Lawrence Estuary. <i>Environmental Science and Pollution Research</i> , <b>2013</b> , 20, 749-60	5.1	2
24	A simple and reliable in vivo EROD activity measurement in single <i>Fundulus heteroclitus</i> embryo and larva. <i>Marine Environmental Research</i> , <b>2013</b> , 84, 17-23	3.3	18
23	Relative potency of PCB126 to TCDD for sublethal embryotoxicity in the mummichog ( <i>Fundulus heteroclitus</i> ). <i>Aquatic Toxicology</i> , <b>2013</b> , 128-129, 203-14	5.1	13
22	Spatial trends of organochlorinated pesticides, polychlorinated biphenyls, and polybrominated diphenyl ethers in Atlantic Anguillid eels. <i>Chemosphere</i> , <b>2013</b> , 90, 1719-28	8.4	25
21	Embryonic exposure to environmentally relevant concentrations of PCB126 affect prey capture ability of <i>Fundulus heteroclitus</i> larvae. <i>Marine Environmental Research</i> , <b>2011</b> , 71, 257-65	3.3	22
20	Natural and anthropogenic factors shape metazoan parasite community structure in mummichog ( <i>Fundulus heteroclitus</i> ) from two estuaries in New Brunswick, Canada. <i>Folia Parasitologica</i> , <b>2011</b> , 58, 240-8	1.8	24

19	Hybrid ELISAs for vitellogenins of the endangered copper redhorse <i>Moxostoma hubbsi</i> and the shorthead redhorse <i>Moxostoma macrolepidotum</i> (Cypriniformes, catostomidae). <i>Ecotoxicology and Environmental Safety</i> , <b>2010</b> , 73, 883-92	7	12
18	Utilisation des poissons pour évaluer les effets biologiques des contaminants dans l'estuaire du Saint-Laurent et le fjord du Saguenay. <i>Revue Des Sciences De L'Eau</i> , <b>2009</b> , 22, 291-314	0.2	5
17	Large and growing environmental reservoirs of Deca-BDE present an emerging health risk for fish and marine mammals. <i>Marine Pollution Bulletin</i> , <b>2009</b> , 58, 7-10	6.7	140
16	A fish bioassay to evaluate the toxicity associated with the ingestion of benzo[a]pyrene-contaminated benthic prey. <i>Environmental Toxicology and Chemistry</i> , <b>2009</b> , 28, 772-81	3.8	11
15	Effects of salinity on sublethal toxicity of atrazine to mummichog ( <i>Fundulus heteroclitus</i> ) larvae. <i>Marine Environmental Research</i> , <b>2008</b> , 65, 158-70	3.3	24
14	Chemical-environment interactions affecting the risk of impacts on aquatic organisms: A review with a Canadian perspective - Interactions affecting exposure. <i>Environmental Reviews</i> , <b>2008</b> , 16, 1-17	4.5	18
13	Chemical-environment interactions affecting the risk of impacts on aquatic organisms: A review with a Canadian perspective - Interactions affecting vulnerability. <i>Environmental Reviews</i> , <b>2008</b> , 16, 19-44	4.5	31
12	Effects of deBDE and PCB-126 on hepatic concentrations of PBDEs and methoxy-PBDEs in Atlantic tomcod. <i>Environmental Science &amp; Technology</i> , <b>2006</b> , 40, 3211-6	10.3	20
11	Effect of dispersant on the composition of the water-accommodated fraction of crude oil and its toxicity to larval marine fish. <i>Environmental Toxicology and Chemistry</i> , <b>2005</b> , 24, 1496-504	3.8	102
10	Low hepatic ethoxyresorufin-O-deethylase activity correlates with high organochlorine concentrations in Atlantic tomcod from the Canadian east coast. <i>Environmental Toxicology and Chemistry</i> , <b>2005</b> , 24, 2459-69	3.8	15
9	Organochlorine contaminants in mummichog ( <i>Fundulus heteroclitus</i> ) living downstream from a bleached kraft pulp mill in the Miramichi Estuary, New Brunswick, Canada. <i>Environmental Toxicology and Chemistry</i> , <b>1999</b> , 18, 2545-2556	3.8	4
8	Modifications of the reproductive period in mummichog ( <i>Fundulus heteroclitus</i> ) living downstream from a bleached kraft pulp mill in the Miramichi Estuary, New Brunswick, Canada. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , <b>1997</b> , 54, 2564-2573	2.4	36
7	A processing plant survey of external lesions of American eels ( <i>Anguilla rostrata</i> ) from Lake Ontario and the St. Lawrence River, Canada. <i>Preventive Veterinary Medicine</i> , <b>1997</b> , 31, 19-32	3.1	2
6	A telephone survey of eel fishermen regarding external lesions and mortalities of American eels ( <i>Anguilla rostrata</i> ) from Lake Ontario and the St. Lawrence River basin, Canada. <i>Preventive Veterinary Medicine</i> , <b>1997</b> , 31, 33-49	3.1	2
5	Pigmented macrophage aggregates: A toxic response in fish exposed to bleached-kraft mill effluent?. <i>Environmental Toxicology and Chemistry</i> , <b>1996</b> , 15, 1844-1854	3.8	73
4	Pigmented macrophage aggregates: A toxic response in fish exposed to bleached-kraft mill effluent? <b>1996</b> , 15, 1844		7
3	Lesions and parasites in white suckers, <i>Catostomus commersoni</i> , in bleached-kraft pulp mill-contaminated and reference rivers. <i>Environmental Toxicology and Chemistry</i> , <b>1995</b> , 14, 1051-1060	3.8	6
2	Critical period of sensitivity to petroleum toxicity in the chicken embryo. <i>Environmental Toxicology and Chemistry</i> , <b>1991</b> , 10, 249-253	3.8	6

- 1 Bioassays for the toxicity of petroleum oils in chicken embryos. *Environmental Toxicology and Chemistry*, **1991**, 10, 533-538

3.8 8