

Joan Massagué © Solá ©

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2071747/publications.pdf>

Version: 2024-02-01

253
papers

121,818
citations

¹⁹¹
150
h-index

⁶⁴⁰
256
g-index

269
all docs

269
docs citations

269
times ranked

84663
citing authors

#	ARTICLE	IF	CITATIONS
1	Metabolic Profiling Reveals a Dependency of Human Metastatic Breast Cancer on Mitochondrial Serine and One-Carbon Unit Metabolism. <i>Molecular Cancer Research</i> , 2022, 18, 599-611.	1.5	56
2	Targeting S100A9 and ALDH1A1 Retinoic Acid Signaling to Suppress Brain Relapse in EGFR-Mutant Lung Cancer. <i>Cancer Discovery</i> , 2022, 12, 1002-1021.	7.7	22
3	Genomic characterization of metastatic patterns from prospective clinical sequencing of 25,000 patients. <i>Cell</i> , 2022, 185, 563-575.e11.	13.5	223
4	Kathryn Anderson, grand dame of developmental biology. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, e2101148118.	3.3	0
5	Metastasis-Initiating Cells and Ecosystems. <i>Cancer Discovery</i> , 2021, 11, 971-994.	7.7	134
6	The transcription factor Rreb1 regulates epithelial architecture, invasiveness, and vasculogenesis in early mouse embryos. <i>ELife</i> , 2021, 10, .	2.8	7
7	Anti-tumor effects of an ID antagonist with no observed acquired resistance. <i>Npj Breast Cancer</i> , 2021, 7, 58.	2.3	8
8	Cytotoxic lymphocytes target characteristic biophysical vulnerabilities in cancer. <i>Immunity</i> , 2021, 54, 1037-1054.e7.	6.6	56
9	Targeting metastatic cancer. <i>Nature Medicine</i> , 2021, 27, 34-44.	15.2	447
10	ID1 Mediates Escape from TGF β 2 Tumor Suppression in Pancreatic Cancer. <i>Cancer Discovery</i> , 2020, 10, 142-157.	7.7	59
11	TGF β 2 orchestrates fibrogenic and developmental EMTs via the RAS effector RREB1. <i>Nature</i> , 2020, 577, 566-571.	13.7	271
12	52. BrMPANEL: A PUBLIC RESOURCE OF ORGANOTROPIC CELL LINES. <i>Neuro-Oncology Advances</i> , 2020, 2, ii10-ii11.	0.4	0
13	Brain Metastasis Cell Lines Panel: A Public Resource of Organotropic Cell Lines. <i>Cancer Research</i> , 2020, 80, 4314-4323.	0.4	51
14	Regenerative lineages and immune-mediated pruning in lung cancer metastasis. <i>Nature Medicine</i> , 2020, 26, 259-269.	15.2	274
15	L1CAM defines the regenerative origin of metastasis-initiating cells in colorectal cancer. <i>Nature Cancer</i> , 2020, 1, 28-45.	5.7	137
16	The Human Tumor Atlas Network: Charting Tumor Transitions across Space and Time at Single-Cell Resolution. <i>Cell</i> , 2020, 181, 236-249.	13.5	334
17	Guidelines and definitions for research on epithelial-mesenchymal transition. <i>Nature Reviews Molecular Cell Biology</i> , 2020, 21, 341-352.	16.1	1,195
18	Structural basis for distinct roles of SMAD2 and SMAD3 in FOXH1 pioneer-directed TGF β 2 signaling. <i>Genes and Development</i> , 2019, 33, 1506-1524.	2.7	61

#	ARTICLE	IF	CITATIONS
19	H3K18ac Primes Mesendodermal Differentiation upon Nodal Signaling. <i>Stem Cell Reports</i> , 2019, 13, 642-656.	2.3	16
20	Dynamic Incorporation of Histone H3 Variants into Chromatin Is Essential for Acquisition of Aggressive Traits and Metastatic Colonization. <i>Cancer Cell</i> , 2019, 36, 402-417.e13.	7.7	69
21	A rectal cancer organoid platform to study individual responses to chemoradiation. <i>Nature Medicine</i> , 2019, 25, 1607-1614.	15.2	320
22	Genome-scale screens identify JNK/JUN signaling as a barrier for pluripotency exit and endoderm differentiation. <i>Nature Genetics</i> , 2019, 51, 999-1010.	9.4	90
23	Transforming Growth Factor- β Signaling in Immunity and Cancer. <i>Immunity</i> , 2019, 50, 924-940.	6.6	1,360
24	Flura-seq identifies organ-specific metabolic adaptations during early metastatic colonization. <i>ELife</i> , 2019, 8, .	2.8	46
25	Labeling and Isolation of Fluorouracil Tagged RNA by Cytosine Deaminase Expression. <i>Bio-protocol</i> , 2019, 9, e3433.	0.2	2
26	TGF- β Inhibition and Immunotherapy: Checkmate. <i>Immunity</i> , 2018, 48, 626-628.	6.6	103
27	Contextual determinants of TGF- β action in development, immunity and cancer. <i>Nature Reviews Molecular Cell Biology</i> , 2018, 19, 419-435.	16.1	557
28	Pericyte-like spreading by disseminated cancer cells activates YAP and MRTF for metastatic colonization. <i>Nature Cell Biology</i> , 2018, 20, 966-978.	4.6	186
29	Understanding the molecular mechanisms driving metastasis. <i>Molecular Oncology</i> , 2017, 11, 3-4.	2.1	52
30	Complement Component 3 Adapts the Cerebrospinal Fluid for Leptomeningeal Metastasis. <i>Cell</i> , 2017, 168, 1101-1113.e13.	13.5	219
31	Tissue factor-specific ultra-bright SERRS nanostars for Raman detection of pulmonary micrometastases. <i>Nanoscale</i> , 2017, 9, 1110-1119.	2.8	41
32	Structural basis for genome wide recognition of 5-bp GC motifs by SMAD transcription factors. <i>Nature Communications</i> , 2017, 8, 2070.	5.8	81
33	The p53 Family Coordinates Wnt and Nodal Inputs in Mesendodermal Differentiation of Embryonic Stem Cells. <i>Cell Stem Cell</i> , 2017, 20, 70-86.	5.2	121
34	Carcinoma-associated astrocyte gap junctions promote brain metastasis by cGAMP transfer. <i>Nature</i> , 2016, 533, 493-498.	13.7	677
35	TGF- β Tumor Suppression through a Lethal EMT. <i>Cell</i> , 2016, 164, 1015-1030.	13.5	488
36	Metastatic colonization by circulating tumour cells. <i>Nature</i> , 2016, 529, 298-306.	13.7	1,498

#	ARTICLE	IF	CITATIONS
37	Arresting supporters: targeting neutrophils in metastasis. <i>Cell Research</i> , 2016, 26, 273-274.	5.7	15
38	Metastatic Latency and Immune Evasion through Autocrine Inhibition of WNT. <i>Cell</i> , 2016, 165, 45-60.	13.5	583
39	Therapy-induced tumour secretomes promote resistance and tumour progression. <i>Nature</i> , 2015, 520, 368-372.	13.7	389
40	Structural determinants of Smad function in TGF- β 2 signaling. <i>Trends in Biochemical Sciences</i> , 2015, 40, 296-308.	3.7	297
41	Surviving at a Distance: Organ-Specific Metastasis. <i>Trends in Cancer</i> , 2015, 1, 76-91.	3.8	419
42	Metastatic Competence Can Emerge with Selection of Preexisting Oncogenic Alleles without a Need of New Mutations. <i>Cancer Research</i> , 2015, 75, 3713-3719.	0.4	48
43	Invasion and Metastasis. , 2015, , 269-284.e2.		5
44	Loss of the multifunctional RNA-binding protein RBM47 as a source of selectable metastatic traits in breast cancer. <i>ELife</i> , 2014, 3, .	2.8	115
45	<i>RARRES3</i> suppresses breast cancer lung metastasis by regulating adhesion and differentiation. <i>EMBO Molecular Medicine</i> , 2014, 6, 865-881.	3.3	65
46	Serpins Promote Cancer Cell Survival and Vascular Co-Option in Brain Metastasis. <i>Cell</i> , 2014, 156, 1002-1016.	13.5	672
47	Metastatic Stem Cells: Sources, Niches, and Vital Pathways. <i>Cell Stem Cell</i> , 2014, 14, 306-321.	5.2	591
48	Analysis of tumour- and stroma-supplied proteolytic networks reveals a brain-metastasis-promoting role for <i>Cathepsin S</i> . <i>Nature Cell Biology</i> , 2014, 16, 876-888.	4.6	300
49	Immunostaining Protocol: P-Stat3 (Xenograft and Mice). <i>Bio-protocol</i> , 2014, 4, .	0.2	0
50	Selection of Bone Metastasis Seeds by Mesenchymal Signals in the Primary Tumor Stroma. <i>Cell</i> , 2013, 154, 1060-1073.	13.5	359
51	Epigenetic expansion of VHL-HIF signal output drives multiorgan metastasis in renal cancer. <i>Nature Medicine</i> , 2013, 19, 50-56.	15.2	174
52	Origins of Metastatic Traits. <i>Cancer Cell</i> , 2013, 24, 410-421.	7.7	457
53	TGF- β 2-Id1 Signaling Opposes Twist1 and Promotes Metastatic Colonization via a Mesenchymal-to-Epithelial Transition. <i>Cell Reports</i> , 2013, 5, 1228-1242.	2.9	205
54	Signalling change: signal transduction through the decades. <i>Nature Reviews Molecular Cell Biology</i> , 2013, 14, 393-398.	16.1	53

#	ARTICLE	IF	CITATIONS
55	Hypoxia Signaling "License to Metastasize". <i>Cancer Discovery</i> , 2013, 3, 1103-1104.	7.7	7
56	Extracellular matrix players in metastatic niches. <i>EMBO Journal</i> , 2012, 31, 254-256.	3.5	85
57	Molecular Pathways: VCAM-1 as a Potential Therapeutic Target in Metastasis. <i>Clinical Cancer Research</i> , 2012, 18, 5520-5525.	3.2	121
58	Dependency of Colorectal Cancer on a TGF- β -Driven Program in Stromal Cells for Metastasis Initiation. <i>Cancer Cell</i> , 2012, 22, 571-584.	7.7	881
59	Intracerebral infusion of the bispecific targeted toxin DTATEGF in a mouse xenograft model of a human metastatic non-small cell lung cancer. <i>Journal of Neuro-Oncology</i> , 2012, 109, 229-238.	1.4	17
60	TGF β signalling in context. <i>Nature Reviews Molecular Cell Biology</i> , 2012, 13, 616-630.	16.1	2,619
61	A CXCL1 Paracrine Network Links Cancer Chemoresistance and Metastasis. <i>Cell</i> , 2012, 150, 165-178.	13.5	913
62	Field Cancerization: Something New Under the Sun. <i>Cell</i> , 2012, 149, 1179-1181.	13.5	43
63	Structural Basis for the Versatile Interactions of Smad7 with Regulator WW Domains in TGF- β Pathways. <i>Structure</i> , 2012, 20, 1726-1736.	1.6	93
64	Ubiquitin removal in the TGF- β pathway. <i>Nature Cell Biology</i> , 2012, 14, 656-657.	4.6	37
65	TGF β control of stem cell differentiation genes. <i>FEBS Letters</i> , 2012, 586, 1953-1958.	1.3	133
66	TGF β signaling in development and disease. <i>FEBS Letters</i> , 2012, 586, 1833-1833.	1.3	93
67	Clinical implications of cancer self-seeding. <i>Nature Reviews Clinical Oncology</i> , 2011, 8, 369-377.	12.5	266
68	Breast cancer cells produce tenascin C as a metastatic niche component to colonize the lungs. <i>Nature Medicine</i> , 2011, 17, 867-874.	15.2	740
69	A Poised Chromatin Platform for TGF- β Access to Master Regulators. <i>Cell</i> , 2011, 147, 1511-1524.	13.5	251
70	Macrophage Binding to Receptor VCAM-1 Transmits Survival Signals in Breast Cancer Cells that Invade the Lungs. <i>Cancer Cell</i> , 2011, 20, 538-549.	7.7	493
71	VCAM-1 Promotes Osteolytic Expansion of Indolent Bone Micrometastasis of Breast Cancer by Engaging β 1-Positive Osteoclast Progenitors. <i>Cancer Cell</i> , 2011, 20, 701-714.	7.7	445
72	Phase II Trial of Saracatinib (AZD0530), an Oral SRC-inhibitor for the Treatment of Patients with Hormone Receptor-negative Metastatic Breast Cancer. <i>Clinical Breast Cancer</i> , 2011, 11, 306-311.	1.1	118

#	ARTICLE	IF	CITATIONS
73	Breast Cancer Methylomes Establish an Epigenomic Foundation for Metastasis. <i>Science Translational Medicine</i> , 2011, 3, 75ra25.	5.8	242
74	Off-target effects dominate a large-scale RNAi screen for modulators of the TGF- β 2 pathway and reveal microRNA regulation of TGFBR2. <i>Silence: A Journal of RNA Regulation</i> , 2011, 2, 3.	8.0	78
75	Breast Cancer Tumor Size, Nodal Status, and Prognosis: Biology Trumps Anatomy. <i>Journal of Clinical Oncology</i> , 2011, 29, 2610-2612.	0.8	33
76	MicroRNA-335 inhibits tumor reinitiation and is silenced through genetic and epigenetic mechanisms in human breast cancer. <i>Genes and Development</i> , 2011, 25, 226-231.	2.7	193
77	A Smad action turnover switch operated by WW domain readers of a phosphoserine code. <i>Genes and Development</i> , 2011, 25, 1275-1288.	2.7	207
78	TIF1 β 3 Knockdown Enhances Hematopoietic Stem Cell Self Renewal with Preferential Myeloid Differentiation and Delayed Erythropoiesis. <i>Blood</i> , 2011, 118, 4829-4829.	0.6	8
79	HER2 Silences Tumor Suppression in Breast Cancer Cells by Switching Expression of C/EBP β Isoforms. <i>Cancer Research</i> , 2010, 70, 9927-9936.	0.4	44
80	Modeling metastasis in the mouse. <i>Current Opinion in Pharmacology</i> , 2010, 10, 571-577.	1.7	104
81	Diverted Total Synthesis Leads to the Generation of Promising Cell-Migration Inhibitors for Treatment of Tumor Metastasis: In vivo and Mechanistic Studies on the Migrastatin Core Ether Analog. <i>Journal of the American Chemical Society</i> , 2010, 132, 3224-3228.	6.6	62
82	ADAMTS1 and MMP1 proteolytically engage EGF-like ligands in an osteolytic signaling cascade for bone metastasis. <i>Genes and Development</i> , 2009, 23, 1882-1894.	2.7	264
83	Multimodality imaging of TGF β 2 signaling in breast cancer metastases. <i>FASEB Journal</i> , 2009, 23, 2662-2672.	0.2	50
84	Latent Bone Metastasis in Breast Cancer Tied to Src-Dependent Survival Signals. <i>Cancer Cell</i> , 2009, 16, 67-78.	7.7	609
85	Roles of TGF β 2 in metastasis. <i>Cell Research</i> , 2009, 19, 89-102.	5.7	739
86	Genes that mediate breast cancer metastasis to the brain. <i>Nature</i> , 2009, 459, 1005-1009.	13.7	1,587
87	Metastasis: from dissemination to organ-specific colonization. <i>Nature Reviews Cancer</i> , 2009, 9, 274-284.	12.8	2,287
88	WNT/TCF Signaling through LEF1 and HOXB9 Mediates Lung Adenocarcinoma Metastasis. <i>Cell</i> , 2009, 138, 51-62.	13.5	532
89	Nuclear CDKs Drive Smad Transcriptional Activation and Turnover in BMP and TGF- β 2 Pathways. <i>Cell</i> , 2009, 139, 757-769.	13.5	627
90	Tumor Self-Seeding by Circulating Cancer Cells. <i>Cell</i> , 2009, 139, 1315-1326.	13.5	1,182

#	ARTICLE	IF	CITATIONS
91	Ubiquitin Ligase Nedd4L Targets Activated Smad2/3 to Limit TGF- β Signaling. <i>Molecular Cell</i> , 2009, 36, 457-468.	4.5	306
92	Endogenous human microRNAs that suppress breast cancer metastasis. <i>Nature</i> , 2008, 451, 147-152.	13.7	1,743
93	Cell regulation. <i>Current Opinion in Cell Biology</i> , 2008, 20, 117-118.	2.6	5
94	A Very Private TGF- β Receptor Embrace. <i>Molecular Cell</i> , 2008, 29, 149-150.	4.5	73
95	TGF- β Primes Breast Tumors for Lung Metastasis Seeding through Angiopoietin-like 4. <i>Cell</i> , 2008, 133, 66-77.	13.5	852
96	TGF- β in Cancer. <i>Cell</i> , 2008, 134, 215-230.	13.5	3,312
97	Molecular Basis of Metastasis. <i>New England Journal of Medicine</i> , 2008, 359, 2814-2823.	13.9	929
98	Genome-wide Impact of the BRG1 SWI/SNF Chromatin Remodeler on the Transforming Growth Factor β Transcriptional Program. <i>Journal of Biological Chemistry</i> , 2008, 283, 1146-1155.	1.6	103
99	<i>miR-200c</i> genes mediate tumor reinitiation during breast cancer lung metastasis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 19506-19511.	3.3	238
100	Lung metastasis genes couple breast tumor size and metastatic spread. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 6740-6745.	3.3	331
101	Sorting Out Breast-Cancer Gene Signatures. <i>New England Journal of Medicine</i> , 2007, 356, 294-297.	13.9	121
102	Balancing BMP Signaling through Integrated Inputs into the Smad1 Linker. <i>Molecular Cell</i> , 2007, 25, 441-454.	4.5	381
103	Selective compounds define Hsp90 as a major inhibitor of apoptosis in small-cell lung cancer. <i>Nature Chemical Biology</i> , 2007, 3, 498-507.	3.9	156
104	Genetic determinants of cancer metastasis. <i>Nature Reviews Genetics</i> , 2007, 8, 341-352.	7.7	716
105	Beyond tumorigenesis: cancer stem cells in metastasis. <i>Cell Research</i> , 2007, 17, 3-14.	5.7	551
106	Mediators of vascular remodelling co-opted for sequential steps in lung metastasis. <i>Nature</i> , 2007, 446, 765-770.	13.7	629
107	The logic of TGF- β signaling. <i>FEBS Letters</i> , 2006, 580, 2811-2820.	1.3	657
108	Hematopoiesis Controlled by Distinct TIF1- β and Smad4 Branches of the TGF- β Pathway. <i>Cell</i> , 2006, 125, 929-941.	13.5	335

#	ARTICLE	IF	CITATIONS
109	Cancer Metastasis: Building a Framework. <i>Cell</i> , 2006, 127, 679-695.	13.5	3,702
110	Is cancer a disease of self-seeding?. <i>Nature Medicine</i> , 2006, 12, 875-878.	15.2	329
111	C/EBP β at the core of the TGF β 2 cyostatic response and its evasion in metastatic breast cancer cells. <i>Cancer Cell</i> , 2006, 10, 203-214.	7.7	259
112	Dephosphorylation of the Linker Regions of Smad1 and Smad2/3 by Small C-terminal Domain Phosphatases Has Distinct Outcomes for Bone Morphogenetic Protein and Transforming Growth Factor- β 2 Pathways. <i>Journal of Biological Chemistry</i> , 2006, 281, 40412-40419.	1.6	147
113	A FoxO-Smad synexpression group in human keratinocytes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 12747-12752.	3.3	221
114	Unique players in the BMP pathway: Small C-terminal domain phosphatases dephosphorylate Smad1 to attenuate BMP signaling. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 11940-11945.	3.3	117
115	Identifying Site-specific Metastasis Genes and Functions. <i>Cold Spring Harbor Symposia on Quantitative Biology</i> , 2005, 70, 149-158.	2.0	91
116	Genes that mediate breast cancer metastasis to lung. <i>Nature</i> , 2005, 436, 518-524.	13.7	2,581
117	TGF- β 2 directly targets cytotoxic T cell functions during tumor evasion of immune surveillance. <i>Cancer Cell</i> , 2005, 8, 369-380.	7.7	1,057
118	Cyclin-dependent Kinase Inhibitors Uncouple Cell Cycle Progression from Mitochondrial Apoptotic Functions in DNA-damaged Cancer Cells. <i>Journal of Biological Chemistry</i> , 2005, 280, 32018-32025.	1.6	36
119	Smad transcription factors. <i>Genes and Development</i> , 2005, 19, 2783-2810.	2.7	2,063
120	Breast cancer bone metastasis mediated by the Smad tumor suppressor pathway. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 13909-13914.	3.3	500
121	Distinct organ-specific metastatic potential of individual breast cancer cells and primary tumors. <i>Journal of Clinical Investigation</i> , 2005, 115, 44-55.	3.9	606
122	Transforming growth factor β -induced cell cycle arrest of human hematopoietic cells requires p57KIP2 up-regulation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004, 101, 15231-15236.	3.3	221
123	Opposite Smad and Chicken Ovalbumin Upstream Promoter Transcription Factor Inputs in the Regulation of the Collagen VII Gene Promoter by Transforming Growth Factor- β 2. <i>Journal of Biological Chemistry</i> , 2004, 279, 23759-23765.	1.6	18
124	Nucleocytoplasmic shuttling of signal transducers. <i>Nature Reviews Molecular Cell Biology</i> , 2004, 5, 209-219.	16.1	240
125	G1 cell-cycle control and cancer. <i>Nature</i> , 2004, 432, 298-306.	13.7	1,082
126	Epithelial-Mesenchymal Transitions. <i>Cell</i> , 2004, 118, 277-279.	13.5	1,369

#	ARTICLE	IF	CITATIONS
127	Integration of Smad and Forkhead Pathways in the Control of Neuroepithelial and Glioblastoma Cell Proliferation. <i>Cell</i> , 2004, 117, 211-223.	13.5	903
128	Platelets and metastasis revisited: a novel fatty link. <i>Journal of Clinical Investigation</i> , 2004, 114, 1691-1693.	3.9	87
129	Platelets and metastasis revisited: a novel fatty link. <i>Journal of Clinical Investigation</i> , 2004, 114, 1691-1693.	3.9	55
130	A multigenic program mediating breast cancer metastasis to bone. <i>Cancer Cell</i> , 2003, 3, 537-549.	7.7	2,325
131	Cytostatic and apoptotic actions of TGF- β^2 in homeostasis and cancer. <i>Nature Reviews Cancer</i> , 2003, 3, 807-820.	12.8	1,486
132	Mechanisms of TGF- β^2 Signaling from Cell Membrane to the Nucleus. <i>Cell</i> , 2003, 113, 685-700.	13.5	5,290
133	A Self-Enabling TGF β^2 Response Coupled to Stress Signaling. <i>Molecular Cell</i> , 2003, 11, 915-926.	4.5	495
134	Distinct Domain Utilization by Smad3 and Smad4 for Nucleoporin Interaction and Nuclear Import. <i>Journal of Biological Chemistry</i> , 2003, 278, 42569-42577.	1.6	102
135	Transforming growth factor β^2 signaling impairs Neu-induced mammary tumorigenesis while promoting pulmonary metastasis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003, 100, 8430-8435.	3.3	409
136	Mad Upregulation and Id2 Repression Accompany Transforming Growth Factor (TGF)- β^2 -mediated Epithelial Cell Growth Suppression. <i>Journal of Biological Chemistry</i> , 2003, 278, 35444-35450.	1.6	85
137	Direct signaling by the BMP type II receptor via the cytoskeletal regulator LIMK1. <i>Journal of Cell Biology</i> , 2003, 162, 1089-1098.	2.3	292
138	Features of a Smad3 MH1-DNA Complex. <i>Journal of Biological Chemistry</i> , 2003, 278, 20327-20331.	1.6	64
139	Integration of Smad and MAPK pathways: a link and a linker revisited. <i>Genes and Development</i> , 2003, 17, 2993-2997.	2.7	201
140	Adapting a transforming growth factor β^2 -related tumor protection strategy to enhance antitumor immunity. <i>Blood</i> , 2002, 99, 3179-3187.	0.6	310
141	Direct Binding of Smad1 and Smad4 to Two Distinct Motifs Mediates Bone Morphogenetic Protein-specific Transcriptional Activation of <i>Id1</i> Gene. <i>Journal of Biological Chemistry</i> , 2002, 277, 3176-3185.	1.6	260
142	E2F4/5 and p107 as Smad Cofactors Linking the TGF β^2 Receptor to c-myc Repression. <i>Cell</i> , 2002, 110, 19-32.	13.5	443
143	Smad2 Nucleocytoplasmic Shuttling by Nucleoporins CAN/Nup214 and Nup153 Feeds TGF β^2 Signaling Complexes in the Cytoplasm and Nucleus. <i>Molecular Cell</i> , 2002, 10, 271-282.	4.5	229
144	Myc suppression of the p21Cip1 Cdk inhibitor influences the outcome of the p53 response to DNA damage. <i>Nature</i> , 2002, 419, 729-734.	13.7	618

#	ARTICLE	IF	CITATIONS
145	Breast cancer banishes p27 from nucleus. <i>Nature Medicine</i> , 2002, 8, 1076-1078.	15.2	91
146	The TGF β^2 Receptor Activation Process. <i>Molecular Cell</i> , 2001, 8, 671-682.	4.5	346
147	Crystal Structure of a Phosphorylated Smad2. <i>Molecular Cell</i> , 2001, 8, 1277-1289.	4.5	271
148	Epidermal growth factor signaling via Ras controls the Smad transcriptional co-repressor TGIF. <i>EMBO Journal</i> , 2001, 20, 128-136.	3.5	147
149	Repression of p15INK4b expression by Myc through association with Miz-1. <i>Nature Cell Biology</i> , 2001, 3, 392-399.	4.6	504
150	TGF β^2 influences Myc, Miz-1 and Smad to control the CDK inhibitor p15INK4b. <i>Nature Cell Biology</i> , 2001, 3, 400-408.	4.6	448
151	Defective repression of c-myc in breast cancer cells: A loss at the core of the transforming growth factor β growth arrest program. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001, 98, 992-999.	3.3	307
152	BF-1 Interferes with Transforming Growth Factor β^2 Signaling by Associating with Smad Partners. <i>Molecular and Cellular Biology</i> , 2000, 20, 6201-6211.	1.1	94
153	Mutations in TGIF cause holoprosencephaly and link NODAL signalling to human neural axis determination. <i>Nature Genetics</i> , 2000, 25, 205-208.	9.4	368
154	The nuclear import function of Smad2 is masked by SARA and unmasked by TGF β -dependent phosphorylation. <i>Nature Cell Biology</i> , 2000, 2, 559-562.	4.6	138
155	How cells read TGF- β^2 signals. <i>Nature Reviews Molecular Cell Biology</i> , 2000, 1, 169-178.	16.1	1,745
156	Networks of tumor suppressors. <i>EMBO Reports</i> , 2000, 1, 115-119.	2.0	4
157	NEW EMBO MEMBERS REVIEW: Transcriptional control by the TGF-beta/Smad signaling system. <i>EMBO Journal</i> , 2000, 19, 1745-1754.	3.5	1,781
158	Engagement of Bone Morphogenetic Protein Type IB Receptor and Smad1 Signaling by Anti-M β 1/4llerian Hormone and Its Type II Receptor. <i>Journal of Biological Chemistry</i> , 2000, 275, 27973-27978.	1.6	144
159	Inhibition of the Transforming Growth Factor β^2 Signaling Pathway by the AML1/ETO Leukemia-associated Fusion Protein. <i>Journal of Biological Chemistry</i> , 2000, 275, 40282-40287.	1.6	84
160	Different Sensitivity of the Transforming Growth Factor- β^2 Cell Cycle Arrest Pathway to c-Myc and MDM-2. <i>Journal of Biological Chemistry</i> , 2000, 275, 32066-32070.	1.6	20
161	Distinct Oligomeric States of SMAD Proteins in the Transforming Growth Factor- β^2 Pathway. <i>Journal of Biological Chemistry</i> , 2000, 275, 40710-40717.	1.6	102
162	TGF β^2 Signaling in Growth Control, Cancer, and Heritable Disorders. <i>Cell</i> , 2000, 103, 295-309.	13.5	2,239

#	ARTICLE	IF	CITATIONS
163	OAZ Uses Distinct DNA- and Protein-Binding Zinc Fingers in Separate BMP-Smad and Olf Signaling Pathways. <i>Cell</i> , 2000, 100, 229-240.	13.5	399
164	Structural Basis of Smad2 Recognition by the Smad Anchor for Receptor Activation. <i>Science</i> , 2000, 287, 92-97.	6.0	276
165	Controlling TGF- β signaling. <i>Genes and Development</i> , 2000, 14, 627-644.	2.7	1,384
166	BF-1 Interferes with Transforming Growth Factor β Signaling by Associating with Smad Partners. <i>Molecular and Cellular Biology</i> , 2000, 20, 6201-6211.	1.1	5
167	Controlling TGF-beta signaling. <i>Genes and Development</i> , 2000, 14, 627-44.	2.7	1,386
168	Multiple Modes of Repression by the Smad Transcriptional Corepressor TGIF. <i>Journal of Biological Chemistry</i> , 1999, 274, 37105-37110.	1.6	170
169	Smad1 Recognition and Activation by the ALK1 Group of Transforming Growth Factor- β Family Receptors. <i>Journal of Biological Chemistry</i> , 1999, 274, 3672-3677.	1.6	200
170	Smad4/DPC4 Silencing and Hyperactive Ras Jointly Disrupt Transforming Growth Factor- β Antiproliferative Responses in Colon Cancer Cells. <i>Journal of Biological Chemistry</i> , 1999, 274, 33637-33643.	1.6	134
171	Wounding Smad. <i>Nature Cell Biology</i> , 1999, 1, E117-E119.	4.6	40
172	Inhibition of transforming growth factor- β /SMAD signalling by the interferon- γ /STAT pathway. <i>Nature</i> , 1999, 397, 710-713.	13.7	770
173	Ubiquitin-dependent degradation of TGF- β -activated Smad2. <i>Nature Cell Biology</i> , 1999, 1, 472-478.	4.6	321
174	Crystal Structure of the Cytoplasmic Domain of the Type I TGF β Receptor in Complex with FKBP12. <i>Cell</i> , 1999, 96, 425-436.	13.5	415
175	A Smad Transcriptional Corepressor. <i>Cell</i> , 1999, 97, 29-39.	13.5	523
176	TGF- β signaling blockade inhibits PTHrP secretion by breast cancer cells and bone metastases development. <i>Journal of Clinical Investigation</i> , 1999, 103, 197-206.	3.9	882
177	Physical and Functional Interaction of SMADs and p300/CBP. <i>Journal of Biological Chemistry</i> , 1998, 273, 22865-22868.	1.6	307
178	Carboxy-terminally truncated Gli3 proteins associate with Smads. <i>Nature Genetics</i> , 1998, 20, 325-326.	9.4	104
179	TGF- β signaling and cancer: structural and functional consequences of mutations in Smads. <i>Trends in Molecular Medicine</i> , 1998, 4, 257-262.	2.6	153
180	SMADs: mediators and regulators of TGF- β signaling. <i>Current Opinion in Genetics and Development</i> , 1998, 8, 103-111.	1.5	450

#	ARTICLE	IF	CITATIONS
181	Crystal Structure of a Smad MH1 Domain Bound to DNA. <i>Cell</i> , 1998, 94, 585-594.	13.5	929
182	TGF- β^2 SIGNAL TRANSDUCTION. <i>Annual Review of Biochemistry</i> , 1998, 67, 753-791.	5.0	4,586
183	Distinct Altered Patterns of p27KIP1 Gene Expression in Benign Prostatic Hyperplasia and Prostatic Carcinoma. <i>Journal of the National Cancer Institute</i> , 1998, 90, 1284-1291.	3.0	275
184	Differential Interaction of the Cyclin-dependent Kinase (Cdk) Inhibitor p27Kip1 with Cyclin A-Cdk2 and Cyclin D2-Cdk4. <i>Journal of Biological Chemistry</i> , 1997, 272, 25863-25872.	1.6	249
185	Role of the Juxtamembrane Domains of the Transforming Growth Factor- β Precursor and the β^2 -Amyloid Precursor Protein in Regulated Ectodomain Shedding. <i>Journal of Biological Chemistry</i> , 1997, 272, 17160-17165.	1.6	104
186	Repression of the CDK activator Cdc25A and cell-cycle arrest by cytokine TGF- β^2 in cells lacking the CDK inhibitor p15. <i>Nature</i> , 1997, 387, 417-422.	13.7	356
187	Mutations increasing autoinhibition inactivate tumour suppressors Smad2 and Smad4. <i>Nature</i> , 1997, 388, 82-87.	13.7	345
188	A structural basis for mutational inactivation of the tumour suppressor Smad4. <i>Nature</i> , 1997, 388, 87-93.	13.7	436
189	Mechanism of TGF- β^2 receptor inhibition by FKBP12. <i>EMBO Journal</i> , 1997, 16, 3866-3876.	3.5	322
190	TGF- β^2 Signaling: Receptors, Transducers, and Mad Proteins. <i>Cell</i> , 1996, 85, 947-950.	13.5	860
191	Nomenclature: Vertebrate Mediators of TGF- β^2 Family Signals. <i>Cell</i> , 1996, 87, 173.	13.5	177
192	A human Mad protein acting as a BMP-regulated transcriptional activator. <i>Nature</i> , 1996, 381, 620-623.	13.7	639
193	Crossing receptor boundaries. <i>Nature</i> , 1996, 382, 29-30.	13.7	49
194	Crystal structure of the p27Kip1 cyclin-dependent-kinase inhibitor bound to the cyclin A-Cdk2 complex. <i>Nature</i> , 1996, 382, 325-331.	13.7	880
195	Partnership between DPC4 and SMAD proteins in TGF- β^2 signalling pathways. <i>Nature</i> , 1996, 383, 832-836.	13.7	871
196	Interaction of Transforming Growth Factor- β^2 Receptor I with Farnesyl-protein Transferase- β in Yeast and Mammalian Cells. <i>Journal of Biological Chemistry</i> , 1996, 271, 13931-13934.	1.6	44
197	Diverse Cell Surface Protein Ectodomains Are Shed by a System Sensitive to Metalloprotease Inhibitors. <i>Journal of Biological Chemistry</i> , 1996, 271, 11376-11382.	1.6	371
198	Cell-cycle inhibition by independent CDK and PCNA binding domains in p21Cip1. <i>Nature</i> , 1995, 375, 159-161.	13.7	530

#	ARTICLE	IF	CITATIONS
199	Mechanism of CDK activation revealed by the structure of a cyclinA-CDK2 complex. <i>Nature</i> , 1995, 376, 313-320.	13.7	1,355
200	Signaling Activity of Homologous and Heterologous Transforming Growth Factor- β Receptor Kinase Complexes. <i>Journal of Biological Chemistry</i> , 1995, 270, 7134-7141.	1.6	71
201	Cell multiplication. <i>Current Opinion in Cell Biology</i> , 1995, 7, 769-772.	2.6	11
202	<i>Drosophila</i> Dpp signaling is mediated by the punt gene product: A dual ligand-binding type II receptor of the TGF β receptor family. <i>Cell</i> , 1995, 80, 899-908.	13.5	269
203	Mammalian anti proliferative signals and their targets. <i>Current Opinion in Genetics and Development</i> , 1995, 5, 91-96.	1.5	123
204	Characterization and Cloning of a Receptor for BMP-2 and BMP-4 from NIH 3T3 Cells. <i>Molecular and Cellular Biology</i> , 1994, 14, 5961-5974.	1.1	337
205	The TGF- β family and its composite receptors. <i>Trends in Cell Biology</i> , 1994, 4, 172-178.	3.6	557
206	Mechanism of activation of the TGF- β receptor. <i>Nature</i> , 1994, 370, 341-347.	13.7	2,237
207	Interleukin-2-mediated elimination of the p27Kip1 cyclin-dependent kinase inhibitor prevented by rapamycin. <i>Nature</i> , 1994, 372, 570-573.	13.7	911
208	Cyclic AMP-induced G1 phase arrest mediated by an inhibitor (p27Kip1) of cyclin-dependent kinase 4 activation. <i>Cell</i> , 1994, 79, 487-496.	13.5	741
209	Identification of two bone morphogenetic protein type I receptors in <i>Drosophila</i> and evidence that Brk25D is a decapentaplegic receptor. <i>Cell</i> , 1994, 78, 239-250.	13.5	268
210	Characterization and relationship of dpp receptors encoded by the saxophone and thick veins genes in <i>Drosophila</i> . <i>Cell</i> , 1994, 78, 251-261.	13.5	317
211	Cloning of p27Kip1, a cyclin-dependent kinase inhibitor and a potential mediator of extracellular antimitogenic signals. <i>Cell</i> , 1994, 78, 59-66.	13.5	2,065
212	TGF- β receptors and actions. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 1994, 1222, 71-80.	1.9	273
213	Dexamethasone Enhancement of Betaglycan (TGF- β Type III Receptor) Gene Expression in Osteoblast-like Cells. <i>Experimental Cell Research</i> , 1994, 211, 301-306.	1.2	33
214	Transforming Growth Factor Receptor Gene TGFBR2 Maps to Human Chromosome Band 3p22. <i>Genomics</i> , 1994, 20, 114-115.	1.3	51
215	Identification and expression of two forms of the human transforming growth factor- β -binding protein endoglin with distinct cytoplasmic regions. <i>European Journal of Immunology</i> , 1993, 23, 2340-2345.	1.6	201
216	The daf-4 gene encodes a bone morphogenetic protein receptor controlling <i>C. elegans</i> dauer larva development. <i>Nature</i> , 1993, 365, 644-649.	13.7	368

#	ARTICLE	IF	CITATIONS
217	Betaglycan presents ligand to the TGF β signaling receptor. <i>Cell</i> , 1993, 73, 1435-1444.	13.5	851
218	Membrane-Anchored Growth Factors. <i>Annual Review of Biochemistry</i> , 1993, 62, 515-541.	5.0	641
219	Negative regulators of growth. <i>Current Opinion in Genetics and Development</i> , 1992, 2, 28-32.	1.5	18
220	Novel activin receptors: Distinct genes and alternative mRNA splicing generate a repertoire of serine/threonine kinase receptors. <i>Cell</i> , 1992, 68, 97-108.	13.5	500
221	TGF β signals through a heteromeric protein kinase receptor complex. <i>Cell</i> , 1992, 71, 1003-1014.	13.5	1,465
222	Receptors for the TGF β family. <i>Cell</i> , 1992, 69, 1067-1070.	13.5	704
223	The cytoplasmic carboxy-terminal amino acid specifies cleavage of membrane TGF β into soluble growth factor. <i>Cell</i> , 1992, 71, 1157-1165.	13.5	136
224	TGF β receptors. <i>Molecular Reproduction and Development</i> , 1992, 32, 99-104.	1.0	113
225	Role of transforming growth factor- β in chondrogenic pattern formation in the embryonic limb: Stimulation of mesenchymal condensation and fibronectin gene expression by exogenous TGF β and evidence for endogenous TGF β -like activity. <i>Developmental Biology</i> , 1991, 145, 99-109.	0.9	223
226	Structure and expression of the membrane proteoglycan betaglycan, a component of the TGF β receptor system. <i>Cell</i> , 1991, 67, 785-795.	13.5	653
227	Transforming growth factor- β . <i>Biochemical Society Transactions</i> , 1991, 19, 259-262.	1.6	11
228	A helping hand from proteoglycans. <i>Current Biology</i> , 1991, 1, 117-119.	1.8	24
229	Mechanisms in TGF β Action. <i>Novartis Foundation Symposium</i> , 1991, 157, 51-65.	1.2	11
230	TGF- β Receptors and TGF- β Binding Proteoglycans: Recent Progress in Identifying Their Functional Properties. <i>Annals of the New York Academy of Sciences</i> , 1990, 593, 59-72.	1.8	218
231	Growth inhibition by TGF β linked to suppression of retinoblastoma protein phosphorylation. <i>Cell</i> , 1990, 62, 175-185.	13.5	791
232	The Transforming Growth Factor-beta Family. <i>Annual Review of Cell Biology</i> , 1990, 6, 597-641.	26.0	3,045
233	The TGF β precursor expressed on the cell surface binds to the EGF receptor on adjacent cells, leading to signal transduction. <i>Cell</i> , 1989, 56, 495-506.	13.5	469
234	Characterization of high molecular weight transforming growth factor .alpha. produced by rat hepatocellular carcinoma cells. <i>Biochemistry</i> , 1988, 27, 6487-6494.	1.2	103

#	ARTICLE	IF	CITATIONS
235	[17] Identification of receptor for type- β transforming growth factor. Methods in Enzymology, 1987, 146, 174-195.	0.4	130
236	[10] Purification of type- β transforming growth factor from transformed cells. Methods in Enzymology, 1987, 146, 103-112.	0.4	3
237	[13] Identification of receptor proteins for type- β transforming growth factor. Methods in Enzymology, 1987, 146, 143-153.	0.4	8
238	The TGF- β family of growth and differentiation factors. Cell, 1987, 49, 437-438.	13.5	743
239	The transforming growth factor- β system, a complex pattern of cross-reactive ligands and receptors. Cell, 1987, 48, 409-415.	13.5	715
240	Multiple type- β transforming growth factors and their receptors. Journal of Cellular Physiology, 1987, 133, 43-47.	2.0	57
241	Integral membrane glycoprotein properties of the prohormone pro-transforming growth factor- β . Nature, 1987, 326, 883-885.	13.7	101
242	Two forms of transforming growth factor- β distinguished by multipotential haematopoietic progenitor cells. Nature, 1987, 329, 539-541.	13.7	400
243	Internalization of transforming growth factor- β and its receptor in BALB/c 3T3 fibroblasts. Journal of Cellular Physiology, 1986, 128, 216-222.	2.0	78
244	Human Platelet-Derived Transforming Growth Factor- β Stimulates Parameters of Bone Growth in Fetal Rat Calvariae*. Endocrinology, 1986, 119, 2306-2312.	1.4	192
245	[14] Affinity cross-linking of receptors for insulin and the insulin-like growth factors I and II. Methods in Enzymology, 1985, 109, 179-187.	0.4	13
246	Modulation of type β transforming growth factor receptors by a phorbol ester tumor promoter. Journal of Cellular Biochemistry, 1985, 27, 23-30.	1.2	8
247	The transforming growth factors. Trends in Biochemical Sciences, 1985, 10, 237-240.	3.7	69
248	The insulin receptor: structural features. Trends in Biochemical Sciences, 1981, 6, 222-225.	3.7	73
249	STRUCTURAL FEATURES OF THE INSULIN EFFECTOR SYSTEM: RELATION TO HEXOSE TRANSPORT ACTIVATION. Annals of the New York Academy of Sciences, 1980, 358, 282-291.	1.8	3
250	Multiple phosphorylation of rabbit muscle glycogen synthase by glycogen synthase kinase-1. FEBS Letters, 1979, 106, 279-283.	1.3	12
251	Glycogen synthase: A new activity ratio assay expressing a high sensitivity to the phosphorylation state. FEBS Letters, 1979, 106, 284-288.	1.3	168
252	The inactivation of glycogen phosphorylase is not a prerequisite for the activation of liver glycogen synthase. FEBS Letters, 1979, 99, 321-324.	1.3	35

#	ARTICLE	IF	CITATIONS
253	Insulin control of rat hepatocyte glycogen synthase and phosphorylase in the absence of glucose. FEBS Letters, 1977, 82, 317-320.	1.3	62