

Sebastian E Illanes

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/207331/sebastian-e-illanes-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

72
papers

2,426
citations

25
h-index

48
g-index

74
ext. papers

2,974
ext. citations

3.7
avg, IF

4.99
L-index

#	Paper	IF	Citations
72	Increased Circulating Levels of PCSK9 and Pro-Atherogenic Lipoprotein Profile in Pregnant Women with Maternal Supraphysiological Hypercholesterolemia. <i>Antioxidants</i> , 2022 , 11, 869	7.1	1
71	Maternal exposure to a high-magnitude earthquake during pregnancy influences pre-reading skills in early childhood. <i>Scientific Reports</i> , 2021 , 11, 9244	4.9	0
70	A reasoned approach towards administering COVID-19 vaccines to pregnant women. <i>Prenatal Diagnosis</i> , 2021 , 41, 1018-1035	3.2	3
69	The Role of Long Non-Coding RNAs in Trophoblast Regulation in Preeclampsia and Intrauterine Growth Restriction. <i>Genes</i> , 2021 , 12,	4.2	3
68	Early pregnancy levels of gingival crevicular fluid matrix metalloproteinases-8 and -9 are associated with the severity of periodontitis and the development of gestational diabetes mellitus. <i>Journal of Periodontology</i> , 2021 , 92, 205-215	4.6	11
67	Circulating syndecan-1 is reduced in pregnancies with poor fetal growth and its secretion regulated by matrix metalloproteinases and the mitochondria. <i>Scientific Reports</i> , 2021 , 11, 16595	4.9	1
66	Development and analytical validation of real-time PCR for the detection of <i>Streptococcus agalactiae</i> in pregnant women. <i>BMC Pregnancy and Childbirth</i> , 2020 , 20, 352	3.2	0
65	Mechanisms and evidence of vertical transmission of infections in pregnancy including SARS-CoV-2s. <i>Prenatal Diagnosis</i> , 2020 , 40, 1655-1670	3.2	34
64	Circulating cord blood HDL-S1P complex preserves the integrity of the feto-placental vasculature. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2020 , 1865, 158632	5	9
63	Care of the pregnant woman with coronavirus disease 2019 in labor and delivery: anesthesia, emergency cesarean delivery, differential diagnosis in the acutely ill parturient, care of the newborn, and protection of the healthcare personnel. <i>American Journal of Obstetrics and Gynecology</i> , 2020 , 223, 66-74.e3	6.4	72
62	Increased Circulating Levels of Tissue-Type Plasminogen Activator Are Associated with the Risk of Spontaneous Abortion During the First Trimester of Pregnancy. <i>Diagnostics</i> , 2020 , 10,	3.8	4
61	Diagnostic Performance of First Trimester Screening of Preeclampsia Based on Uterine Artery Pulsatility Index and Maternal Risk Factors in Routine Clinical Use. <i>Diagnostics</i> , 2020 , 10,	3.8	2
60	Routine screening for SARS CoV-2 in unselected pregnant women at delivery 2020 , 15, e0239887		
59	Routine screening for SARS CoV-2 in unselected pregnant women at delivery 2020 , 15, e0239887		
58	Routine screening for SARS CoV-2 in unselected pregnant women at delivery 2020 , 15, e0239887		
57	Routine screening for SARS CoV-2 in unselected pregnant women at delivery 2020 , 15, e0239887		
56	Routine screening for SARS CoV-2 in unselected pregnant women at delivery 2020 , 15, e0239887		

55	Routine screening for SARS CoV-2 in unselected pregnant women at delivery 2020 , 15, e0239887		
54	Normality Ranges of Menstrual Fluid Volume During Reproductive Life Using Direct Quantification of Menses with Vaginal Cups. <i>Gynecologic and Obstetric Investigation</i> , 2019 , 84, 390-395	2.5	6
53	Patients with acute cervical insufficiency without intra-amniotic infection/inflammation treated with cerclage have a good prognosis. <i>Journal of Perinatal Medicine</i> , 2019 , 47, 500-509	2.7	12
52	Ultrasound-Guided Extraction of Intrauterine Devices With Nonvisible Threads: 254 Consecutive Cases: An Effective, Noninvasive Technique. <i>Journal of Ultrasound in Medicine</i> , 2019 , 38, 3073-3077	2.9	1
51	Angiogenic Properties of Menstrual Stem Cells Are Impaired in Women with a History of Preeclampsia. <i>Stem Cells International</i> , 2019 , 2019, 1916542	5	1
50	Reduced FOXM1 Expression Limits Trophoblast Migration and Angiogenesis and Is Associated With Preeclampsia. <i>Reproductive Sciences</i> , 2019 , 26, 580-590	3	8
49	Oral extracellular vesicles in early pregnancy can identify patients at risk of developing gestational diabetes mellitus. <i>PLoS ONE</i> , 2019 , 14, e0218616	3.7	15
48	Small Extracellular Vesicles Released from Ovarian Cancer Spheroids in Response to Cisplatin Promote the Pro-Tumorigenic Activity of Mesenchymal Stem Cells. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	15
47	First trimester prediction of gestational diabetes mellitus using plasma biomarkers: a case-control study. <i>Journal of Perinatal Medicine</i> , 2019 , 47, 161-168	2.7	17
46	Erythropoietin induces bone marrow and plasma fibroblast growth factor 23 during acute kidney injury. <i>Kidney International</i> , 2018 , 93, 1131-1141	9.9	67
45	Effects of earthquake on perinatal outcomes: A Chilean register-based study. <i>PLoS ONE</i> , 2018 , 13, e0191340	3.7	9
44	Periodontitis and placental growth factor in oral fluids are early pregnancy predictors of gestational diabetes mellitus. <i>Journal of Periodontology</i> , 2018 , 89, 1052-1060	4.6	7
43	Maternal plasma concentrations of the placental specific sFLT-1 variant, sFLT-1 e15a, in fetal growth restriction and preeclampsia. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2017 , 30, 635-639 ²		11
42	Oxidative damage and nitric oxide synthase induction by surgical uteroplacental circulation restriction in the rabbit fetal heart. <i>Prenatal Diagnosis</i> , 2017 , 37, 453-459	3.2	4
41	Placental Exosomes as Early Biomarker of Preeclampsia: Potential Role of Exosomal MicroRNAs Across Gestation. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017 , 102, 3182-3194	5.6	156
40	The Crosstalk between Ovarian Cancer Stem Cell Niche and the Tumor Microenvironment. <i>Stem Cells International</i> , 2017 , 2017, 5263974	5	29
39	Plasma cross-gestational sphingolipidomic analyses reveal potential first trimester biomarkers of preeclampsia. <i>PLoS ONE</i> , 2017 , 12, e0175118	3.7	19
38	The immunosuppressive signature of menstrual blood mesenchymal stem cells entails opposite effects on experimental arthritis and graft versus host diseases. <i>Stem Cells</i> , 2016 , 34, 456-69	5.8	49

37	Jumonji Domain Containing Protein 6 Is Decreased in Human Preeclamptic Placentas and Regulates sFLT-1 Splice Variant Production. <i>Biology of Reproduction</i> , 2016 , 94, 59	3.9	14
36	Fetal programming and gestational diabetes mellitus. <i>Placenta</i> , 2016 , 48 Suppl 1, S54-S60	3.4	55
35	Gestational Diabetes Mellitus Is Associated With Changes in the Concentration and Bioactivity of Placenta-Derived Exosomes in Maternal Circulation Across Gestation. <i>Diabetes</i> , 2016 , 65, 598-609	0.9	148
34	Metformin as a prevention and treatment for preeclampsia: effects on soluble fms-like tyrosine kinase 1 and soluble endoglin secretion and endothelial dysfunction. <i>American Journal of Obstetrics and Gynecology</i> , 2016 , 214, 356.e1-356.e15	6.4	121
33	Impairment of Angiogenic Sphingosine Kinase-1/Sphingosine-1-Phosphate Receptors Pathway in Preeclampsia. <i>PLoS ONE</i> , 2016 , 11, e0157221	3.7	10
32	Nitric oxide synthase and changes in oxidative stress levels in embryonic kidney observed in a rabbit model of intrauterine growth restriction. <i>Prenatal Diagnosis</i> , 2016 , 36, 628-35	3.2	5
31	Placental biomarkers and angiogenic factors in oral fluids of patients with preeclampsia. <i>Prenatal Diagnosis</i> , 2016 , 36, 476-82	3.2	19
30	Correlation between Maternal Characteristics during Early Pregnancy, Fetal Growth Rate and Newborn Weight in Healthy Pregnancies. <i>Gynecologic and Obstetric Investigation</i> , 2016 , 81, 202-6	2.5	4
29	Applying SWATH Mass Spectrometry to Investigate Human Cervicovaginal Fluid During the Menstrual Cycle. <i>Biology of Reproduction</i> , 2015 , 93, 39	3.9	11
28	Placental exosomes in normal and complicated pregnancy. <i>American Journal of Obstetrics and Gynecology</i> , 2015 , 213, S173-81	6.4	210
27	NFAT5 Is Up-Regulated by Hypoxia: Possible Implications in Preeclampsia and Intrauterine Growth Restriction. <i>Biology of Reproduction</i> , 2015 , 93, 14	3.9	14
26	Placental Aromatase Is Deficient in Placental Ischemia and Preeclampsia. <i>PLoS ONE</i> , 2015 , 10, e0139682	3.7	39
25	Ovarian cancer cell invasiveness is associated with discordant exosomal sequestration of Let-7 miRNA and miR-200. <i>Journal of Translational Medicine</i> , 2014 , 12, 4	8.5	139
24	Prediction of gestational diabetes early in pregnancy: targeting the long-term complications. <i>Gynecologic and Obstetric Investigation</i> , 2014 , 77, 145-9	2.5	28
23	Preterm labour: association between labour physiology, tocolysis and prevention. <i>Expert Opinion on Investigational Drugs</i> , 2014 , 23, 759-71	5.9	10
22	Extravillous trophoblast cells-derived exosomes promote vascular smooth muscle cell migration. <i>Frontiers in Pharmacology</i> , 2014 , 5, 175	5.6	73
21	Innate immune system and preeclampsia. <i>Frontiers in Immunology</i> , 2014 , 5, 244	8.4	79
20	The promising potential of menstrual stem cells for antenatal diagnosis and cell therapy. <i>Frontiers in Immunology</i> , 2014 , 5, 205	8.4	56

19	Placenta-derived exosomes continuously increase in maternal circulation over the first trimester of pregnancy. <i>Journal of Translational Medicine</i> , 2014 , 12, 204	8.5	214
18	A gestational profile of placental exosomes in maternal plasma and their effects on endothelial cell migration. <i>PLoS ONE</i> , 2014 , 9, e98667	3.7	217
17	Fas ligand(+) fallopian tube epithelium induces apoptosis in both Fas receptor(+) T lymphocytes and endometrial cells. <i>Fertility and Sterility</i> , 2013 , 100, 550-60.e3	4.8	5
16	First trimester prediction of early onset preeclampsia using demographic, clinical, and sonographic data: a cohort study. <i>Prenatal Diagnosis</i> , 2013 , 33, 732-6	3.2	31
15	Levels of key enzymes of methionine-homocysteine metabolism in preeclampsia. <i>BioMed Research International</i> , 2013 , 2013, 731962	3	19
14	Metabolic pathways involved in 2-methoxyestradiol synthesis and their role in preeclampsia. <i>Reproductive Sciences</i> , 2013 , 20, 1020-9	3	25
13	Low 2-methoxyestradiol levels at the first trimester of pregnancy are associated with the development of pre-eclampsia. <i>Prenatal Diagnosis</i> , 2012 , 32, 1053-8	3.2	25
12	Intrauterine growth restriction modifies the normal gene expression in kidney from rabbit fetuses. <i>Early Human Development</i> , 2012 , 88, 899-904	2.2	17
11	Fetal evaluation of the modified-myocardial performance index in pregnancies complicated by diabetes. <i>Prenatal Diagnosis</i> , 2012 , 32, 943-8	3.2	27
10	Pathogenesis of preeclampsia: the genetic component. <i>Journal of Pregnancy</i> , 2012 , 2012, 632732	2.5	64
9	Gestational diabetes mellitus: a positive predictor of type 2 diabetes?. <i>International Journal of Endocrinology</i> , 2012 , 2012, 721653	2.7	8
8	NFAT5 is activated by hypoxia: role in ischemia and reperfusion in the rat kidney. <i>PLoS ONE</i> , 2012 , 7, e39665	3.7	23
7	Management of red cell alloimmunisation in pregnancy: the non-invasive monitoring of the disease. <i>Prenatal Diagnosis</i> , 2010 , 30, 668-73	3.2	25
6	Maternal and fetal serum transformed alpha-fetoprotein levels in normal pregnancy. <i>Journal of Obstetrics and Gynaecology Research</i> , 2009 , 35, 271-6		1
5	Noninvasive approach for the management of hemolytic disease of the fetus. <i>Expert Review of Hematology</i> , 2009 , 2, 577-82	2.8	16
4	Maternal serum transformed alpha-fetoprotein levels in women with intrauterine growth retardation. <i>Fetal Diagnosis and Therapy</i> , 2007 , 22, 294-8	2.4	7
3	Maternal serum alpha-fetoprotein, fetal middle cerebral artery blood flow velocity and fetal haemoglobin in pregnancies at risk of fetal anaemia. <i>Prenatal Diagnosis</i> , 2006 , 26, 101-4	3.2	9
2	TORCH test for fetal medicine indications: only CMV is necessary in the United Kingdom. <i>Prenatal Diagnosis</i> , 2005 , 25, 1028-31	3.2	64

- 1 Management of fetal growth restriction. *Seminars in Fetal and Neonatal Medicine*, **2004**, 9, 395-401 3.7 22