

# Omar Almaini

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2073433/publications.pdf>

Version: 2024-02-01

163  
papers

15,075  
citations

23567

58  
h-index

17592

121  
g-index

164  
all docs

164  
docs citations

164  
times ranked

6705  
citing authors

#	ARTICLE	IF	CITATIONS
1	An ALMA survey of the S2CLS UDS field: optically invisible submillimetre galaxies. Monthly Notices of the Royal Astronomical Society, 2021, 502, 3426-3435.	4.4	38
2	Infrared lags in the light curves of AGNs measured using a deep survey. Monthly Notices of the Royal Astronomical Society: Letters, 2021, 503, L47-L50.	3.3	0
3	The VANDELS ESO public spectroscopic survey. Astronomy and Astrophysics, 2021, 647, A150.	5.1	46
4	An ALMA survey of the SCUBA-2 Cosmology Legacy Survey UKIDSS/UDS field: halo masses for submillimetre galaxies. Monthly Notices of the Royal Astronomical Society, 2021, 504, 172-184.	4.4	11
5	From starburst to quiescence: post-starburst galaxies and their large-scale clustering over cosmic time. Monthly Notices of the Royal Astronomical Society, 2021, 504, 4533-4550.	4.4	14
6	Cosmic Evolution of the $H_2$ Mass Density and the Epoch of Molecular Gas. Astrophysical Journal, 2021, 912, 62.	4.5	8
7	An ALMA survey of the SCUBA-2 CLS UDS field: physical properties of 707 sub-millimetre galaxies. Monthly Notices of the Royal Astronomical Society, 2020, 494, 3828-3860.	4.4	155
8	The clustering of X-ray AGN at $0.5 < z < 4.5$ : host galaxies dictate dark matter halo mass. Monthly Notices of the Royal Astronomical Society, 2020, 494, 1693-1704.	4.4	9
9	The star formation histories of $z \sim 1$ post-starburst galaxies. Monthly Notices of the Royal Astronomical Society, 2020, 494, 529-548.	4.4	48
10	An ALMA survey of the SCUBA-2 cosmology legacy survey UKIDSS/UDS field: Dust attenuation in high-redshift Lyman-break galaxies. Monthly Notices of the Royal Astronomical Society, 2020, 492, 4927-4944.	4.4	7
11	Long-term NIR variability in the UKIDSS Ultra Deep Survey: a new probe of AGN activity at high redshift. Monthly Notices of the Royal Astronomical Society, 2020, 493, 3026-3035.	4.4	7
12	An ALMA Survey of the SCUBA-2 Cosmology Legacy Survey UKIDSS/UDS Field: The Far-infrared/Radio Correlation for High-redshift Dusty Star-forming Galaxies. Astrophysical Journal, 2020, 903, 138.	4.5	15
13	An ALMA survey of the SCUBA-2 Cosmology Legacy Survey UKIDSS/UDS field: source catalogue and properties. Monthly Notices of the Royal Astronomical Society, 2019, 487, 4648-4668.	4.4	77
14	Revealing the Stellar Mass and Dust Distributions of Submillimeter Galaxies at Redshift 2. Astrophysical Journal, 2019, 879, 54.	4.5	56
15	High-velocity outflows in massive post-starburst galaxies at $z > 1$ . Monthly Notices of the Royal Astronomical Society, 2019, 489, 1139-1151.	4.4	19
16	A machine-learning approach for identifying the counterparts of submillimetre galaxies and applications to the GOODS-North field. Monthly Notices of the Royal Astronomical Society, 2019, 489, 1770-1786.	4.4	5
17	Radio Spectra and Sizes of Atacama Large Millimeter/submillimeter Array-identified Submillimeter Galaxies: Evidence of Age-related Spectral Curvature and Cosmic-Ray Diffusion?. Astrophysical Journal, 2019, 883, 204.	4.5	17
18	An ALMA survey of the SCUBA-2 Cosmology Legacy Survey UKIDSS/UDS field: high-resolution dust continuum morphologies and the link between sub-millimetre galaxies and spheroid formation. Monthly Notices of the Royal Astronomical Society, 2019, 490, 4956-4974.	4.4	61

#	ARTICLE	IF	CITATIONS
19	Compact star-forming galaxies preferentially quenched to become PSBs in $z < 1$ clusters. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019, 482, 1640-1650.	4.4	12
20	The VANDELS ESO public spectroscopic survey: Observations and first data release. <i>Astronomy and Astrophysics</i> , 2018, 616, A174.	5.1	93
21	The structure of post-starburst galaxies at $0.5 < z < 2$ : evidence for two distinct quenching routes at different epochs. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018, 480, 381-401.	4.4	46
22	The UKIRT Hemisphere Survey: definition and J-band data release. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018, 473, 5113-5125.	4.4	94
23	Growing up in a megalopolis: environmental effects on galaxy evolution in a supercluster at $z \approx 0.65$ in UKIDSS UDS. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018, 475, 4148-4169.	4.4	14
24	The enhancement of rapidly quenched galaxies in distant clusters at $0.5 < z < 1.0$ . <i>Monthly Notices of the Royal Astronomical Society</i> , 2018, 476, 1242-1257.	4.4	35
25	A Machine-learning Method for Identifying Multiwavelength Counterparts of Submillimeter Galaxies: Training and Testing Using AS2UDS and ALESS. <i>Astrophysical Journal</i> , 2018, 862, 101.	4.5	22
26	Cosmic CARNage II: the evolution of the galaxy stellar mass function in observations and galaxy formation models. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018, 480, 1197-1210.	4.4	14
27	An ALMA Survey of the SCUBA-2 Cosmology Legacy Survey UKIDSS/UDS Field: Number Counts of Submillimeter Galaxies. <i>Astrophysical Journal</i> , 2018, 860, 161.	4.5	65
28	An ALMA Survey of the SCUBA-2 Cosmology Legacy Survey UKIDSS/UDS Field: Identifying Candidate $z \approx 4.5$ [C II] Emitters. <i>Astrophysical Journal</i> , 2018, 861, 100.	4.5	28
29	X-UDS: The <i>Chandra</i> Legacy Survey of the UKIDSS Ultra Deep Survey Field. <i>Astrophysical Journal, Supplement Series</i> , 2018, 236, 48.	7.7	55
30	A direct calibration of the $IRX \propto \tau^2$ relation in Lyman-break Galaxies at $z = 3 \text{--} 5$ . <i>Monthly Notices of the Royal Astronomical Society</i> , 2018, 479, 4355-4366.	4.4	36
31	The SCUBA-2 Cosmology Legacy Survey: Multi-wavelength Properties of ALMA-identified Submillimeter Galaxies in UKIDSS UDS. <i>Astrophysical Journal</i> , 2017, 839, 58.	4.5	93
32	CANDELS: Elevated Black Hole Growth in the Progenitors of Compact Quiescent Galaxies at $z \approx 2$ . <i>Astrophysical Journal</i> , 2017, 846, 112.	4.5	72
33	The SCUBA-2 Cosmology Legacy Survey: 850 $\mu$ m maps, catalogues and number counts. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017, 465, 1789-1806.	4.4	216
34	Galaxy Zoo: quantitative visual morphological classifications for 48 000 galaxies from CANDELS. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017, 464, 4420-4447.	4.4	70
35	Enhancement of AGN in a protocluster at $z = 1.6$ . <i>Monthly Notices of the Royal Astronomical Society</i> , 2017, 470, 2170-2178.	4.4	31
36	SCUBA-2 Ultra Deep Imaging EAO Survey (STUDIES): Faint-end Counts at 450 $\mu$ m. <i>Astrophysical Journal</i> , 2017, 850, 37.	4.5	40

#	ARTICLE	IF	CITATIONS
37	Massive post-starburst galaxies at $z \gtrsim 1$ are compact proto-spheroids. Monthly Notices of the Royal Astronomical Society, 2017, 472, 1401-1412.	4.4	60
38	The impact of protocluster environments at $z = 1.6$ . Monthly Notices of the Royal Astronomical Society, 2017, 464, 876-884.	4.4	12
39	Exploring the progenitors of brightest cluster galaxies at $z \sim 2$ . Monthly Notices of the Royal Astronomical Society, 2017, 464, 1393-1414.	4.4	13
40	The SCUBA-2 Cosmology Legacy Survey: the clustering of submillimetre galaxies in the UKIDSS UDS field. Monthly Notices of the Royal Astronomical Society, 2017, 464, 1380-1392.	4.4	68
41	A consistent measure of the merger histories of massive galaxies using close-pair statistics – I. Major mergers at $z \lesssim 3.5$ . Monthly Notices of the Royal Astronomical Society, 2017, 470, 3507-3531.	4.4	86
42	FAINT SUBMILLIMETER GALAXIES IDENTIFIED THROUGH THEIR OPTICAL/NEAR-INFRARED COLORS. I. SPATIAL CLUSTERING AND HALO MASSES. Astrophysical Journal, 2016, 831, 91.	4.5	35
43	The identification of post-starburst galaxies at $z \sim 1$ using multiwavelength photometry: a spectroscopic verification. Monthly Notices of the Royal Astronomical Society: Letters, 2016, 459, L114-L118.	3.3	26
44	The evolution of post-starburst galaxies from $z=2$ to 0.5. Monthly Notices of the Royal Astronomical Society, 2016, 463, 832-844.	4.4	102
45	The evolution of galaxies at constant number density: a less biased view of star formation, quenching, and structural formation. Monthly Notices of the Royal Astronomical Society, 2016, 461, 1112-1129.	4.4	19
46	The structure and evolution of a forming galaxy cluster at $z = 1.62$ . Monthly Notices of the Royal Astronomical Society, 2016, 459, 387-401.	4.4	17
47	THE SCUBA-2 COSMOLOGY LEGACY SURVEY: MULTIWAVELENGTH COUNTERPARTS TO $10^{3 <sup>3</sup>}$ SUBMILLIMETER GALAXIES IN THE UKIDSS-UDS FIELD. Astrophysical Journal, 2016, 820, 82.	4.5	56
48	The SCUBA-2 Cosmology Legacy Survey: the submillimetre properties of Lyman-break galaxies at $z \sim 3-5$ . Monthly Notices of the Royal Astronomical Society, 2015, 446, 1293-1304.	4.4	43
49	The formation history of massive cluster galaxies as revealed by CARLA. Monthly Notices of the Royal Astronomical Society, 2015, 452, 2318-2336.	4.4	25
50	THE SCUBA-2 COSMOLOGY LEGACY SURVEY: ALMA RESOLVES THE REST-FRAME FAR-INFRARED EMISSION OF SUB-MILLIMETER GALAXIES. Astrophysical Journal, 2015, 799, 81.	4.5	185
51	Deconstructing the galaxy stellar mass function with UKIDSS and CANDELS: the impact of colour, structure and environment. Monthly Notices of the Royal Astronomical Society, 2015, 447, 2-24.	4.4	95
52	STELLAR MASSES FROM THE CANDELS SURVEY: THE GOODS-SOUTH AND UDS FIELDS. Astrophysical Journal, 2015, 801, 97.	4.5	218
53	Rest-frame ultraviolet spectra of massive galaxies at $z \sim 3$ : evidence of high-velocity outflows. Astronomy and Astrophysics, 2014, 565, A5.	5.1	11
54	Minor versus major mergers: the stellar mass growth of massive galaxies from $z \sim 3$ using number density selection techniques. Monthly Notices of the Royal Astronomical Society, 2014, 445, 2198-2213.	4.4	51

#	ARTICLE	IF	CITATIONS
55	A new method for classifying galaxy SEDs from multiwavelength photometry. Monthly Notices of the Royal Astronomical Society, 2014, 440, 1880-1898.	4.4	59
56	Galaxy Zoo: CANDELS barred discs and bar fractions... Monthly Notices of the Royal Astronomical Society, 2014, 445, 3466-3474.	4.4	70
57	THE SCUBA-2 COSMOLOGY LEGACY SURVEY: ULTRALUMINOUS STAR-FORMING GALAXIES IN A $z < 1.6$ CLUSTER. Astrophysical Journal, 2014, 782, 19.	4.5	48
58	The Hawk-I UDS and GOODS Survey (HUGS): Survey design and deep $K$ -band number counts. Astronomy and Astrophysics, 2014, 570, A11.	5.1	89
59	The redshift and mass dependence on the formation of the Hubble sequence at $z > 1$ from CANDELS/UDS. Monthly Notices of the Royal Astronomical Society, 2013, 433, 1185-1201.	4.4	121
60	The prevalence of AGN feedback in massive galaxies at $z \approx 1$ . Monthly Notices of the Royal Astronomical Society, 2013, 433, 2647-2656.	4.4	36
61	The SCUBA-2 Cosmology Legacy Survey: blank-field number counts of 450- $\mu$ m-selected galaxies and their contribution to the cosmic infrared background. Monthly Notices of the Royal Astronomical Society, 2013, 432, 53-61.	4.4	89
62	The ages, masses and star formation rates of spectroscopically confirmed $z \approx 6$ galaxies in CANDELS. Monthly Notices of the Royal Astronomical Society, 2013, 429, 302-322.	4.4	47
63	Studying the emergence of the red sequence through galaxy clustering: host halo masses at $z > 2$ . Monthly Notices of the Royal Astronomical Society, 2013, 431, 3045-3059.	4.4	86
64	Evidence for a correlation between the sizes of quiescent galaxies and local environment to $z \approx 2$ . Monthly Notices of the Royal Astronomical Society, 2013, 435, 207-221.	4.4	74
65	The SCUBA-2 Cosmology Legacy Survey: demographics of the 450- $\mu$ m population. Monthly Notices of the Royal Astronomical Society, 2013, 436, 430-448.	4.4	35
66	High-velocity outflows from young star-forming galaxies in the UKIDSS Ultra-Deep Survey. Monthly Notices of the Royal Astronomical Society, 2013, 433, 194-208.	4.4	111
67	CANDELS OBSERVATIONS OF THE ENVIRONMENTAL DEPENDENCE OF THE COLOR-MASS-MORPHOLOGY RELATION AT $z < 1.6$ . Astrophysical Journal, 2013, 770, 58.	4.5	59
68	CANDELS MULTIWAVELENGTH CATALOGS: SOURCE IDENTIFICATION AND PHOTOMETRY IN THE CANDELS UKIDSS ULTRA-DEEP SURVEY FIELD. Astrophysical Journal, Supplement Series, 2013, 206, 10.	7.7	252
69	The sizes, masses and specific star formation rates of massive galaxies at $1.3 < z < 1.5$ : strong evidence in favour of evolution via minor mergers. Monthly Notices of the Royal Astronomical Society, 2013, 428, 1088-1106.	4.4	144
70	Obscured quasars at high redshift in the UKIDSS Ultra Deep Survey. Proceedings of the International Astronomical Union, 2013, 9, 48-51.	0.0	0
71	UKIDSS UDS Progress and Science Highlights. Thirty Years of Astronomical Discovery With UKIRT, 2013, , 309-321.	0.3	2
72	Exploring Massive Galaxy Evolution with the UKIDSS Ultra-Deep Survey. Thirty Years of Astronomical Discovery With UKIRT, 2013, , 323-327.	0.3	1

#	ARTICLE	IF	CITATIONS
73	Improved constraints on the expansion rate of the Universe up to $z \approx 1.1$ from the spectroscopic evolution of cosmic chronometers. <i>Journal of Cosmology and Astroparticle Physics</i> , 2012, 2012, 006-006.	5.4	581
74	AVERAGE METALLICITY AND STAR FORMATION RATE OF $\text{Ly}\alpha$ EMITTERS PROBED BY A TRIPLE NARROWBAND SURVEY. <i>Astrophysical Journal</i> , 2012, 745, 12.	4.5	107
75	The emergence of the red sequence at $z \sim 2$ seen through galaxy clustering in the UKIDSS UDS. <i>Proceedings of the International Astronomical Union</i> , 2012, 8, 105-108.	0.0	0
76	THE NATURE OF EXTREMELY RED $\text{H}\alpha$ [4.5] &gt; 4 GALAXIES REVEALED WITH SEDS AND CANDELS. <i>Astrophysical Journal Letters</i> , 2012, 750, L20.	8.3	55
77	Radio imaging of the Subaru/XMM-Newton Deep Field- III. Evolution of the radio luminosity function beyond $z = 1$ . <i>Monthly Notices of the Royal Astronomical Society</i> , 2012, 421, 3060-3083.	4.4	101
78	A remarkably high fraction of strong $\text{Ly}\alpha$ emitters amongst luminous redshift $6.0 < z < 6.5$ Lyman-break galaxies in the UKIDSS Ultra-Deep Survey. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012, 422, 1425-1435.	4.4	111
79	On the co-evolution of supermassive black holes and their host galaxies since $z = 3$ . <i>Monthly Notices of the Royal Astronomical Society</i> , 2011, 410, 1174-1196.	4.4	35
80	A near-infrared morphological comparison of high-redshift submillimetre and radio galaxies: massive star-forming discs versus relaxed spheroids. <i>Monthly Notices of the Royal Astronomical Society</i> , 2011, 412, 295-317.	4.4	52
81	The stellar mass function of the most-massive galaxies at $3 < z < 5$ in the UKIDSS Ultra Deep Survey. <i>Monthly Notices of the Royal Astronomical Society</i> , 2011, 413, 162-176.	4.4	107
82	Environments of active galactic nuclei at $z < 1.5$ in the UKIDSS Ultra-Deep Survey. <i>Monthly Notices of the Royal Astronomical Society</i> , 2011, 415, 2626-2636.	4.4	26
83	Galaxy environments in the UKIDSS Ultra Deep Survey. <i>Monthly Notices of the Royal Astronomical Society</i> , 2011, 413, 1678-1686.	4.4	36
84	CANDELS: THE COSMIC ASSEMBLY NEAR-INFRARED DEEP EXTRAGALACTIC LEGACY SURVEY—THE $\text{HUBBLE SPACE TELESCOPE}$ OBSERVATIONS, IMAGING DATA PRODUCTS, AND MOSAICS. <i>Astrophysical Journal, Supplement Series</i> , 2011, 197, 36.	7.7	1,549
85	CANDELS: THE COSMIC ASSEMBLY NEAR-INFRARED DEEP EXTRAGALACTIC LEGACY SURVEY. <i>Astrophysical Journal, Supplement Series</i> , 2011, 197, 35.	7.7	1,590
86	DIORAMAS: a wide-field visible and near-infrared imaging multi-slit spectrograph for the EELT. <i>Proceedings of SPIE</i> , 2010, , .	0.8	0
87	AzTEC half square degree survey of the SHADES fields I. Maps, catalogues and source counts. <i>Monthly Notices of the Royal Astronomical Society</i> , 2010, 401, 160-176.	4.4	105
88	A new measurement of the evolving near-infrared galaxy luminosity function out to $z \approx 4$ : a continuing challenge to theoretical models of galaxy formation. <i>Monthly Notices of the Royal Astronomical Society</i> , 2010, 401, 1166-1176.	4.4	126
89	X-ray groups and clusters of galaxies in the Subaru-XMM Deep Field. <i>Monthly Notices of the Royal Astronomical Society</i> , 2010, 403, 2063-2076.	4.4	99
90	Clustering properties of galaxies selected in stellar mass: breaking down the link between luminous and dark matter in massive galaxies from $z = 0$ to $z = 2$ . <i>Monthly Notices of the Royal Astronomical Society</i> , 2010, 406, 147-164.	4.4	53

#	ARTICLE	IF	CITATIONS
91	The evolution of galaxy clustering since $z=3$ using the UKIDSS Ultra Deep Survey: the divergence of passive and star-forming galaxies. Monthly Notices of the Royal Astronomical Society, 2010, 407, 1212-1222.	4.4	42
92	The star formation history of K-selected galaxies. Monthly Notices of the Royal Astronomical Society, 2009, 394, 3-20.	4.4	140
93	The distribution of active galactic nuclei in a large sample of galaxy clusters. Monthly Notices of the Royal Astronomical Society, 2009, 392, 1509-1531.	4.4	53
94	Spectral energy distributions of type 2 quasi-stellar objects: obscured star formation at high redshifts. Monthly Notices of the Royal Astronomical Society, 2009, 400, 1199-1207.	4.4	14
95	The luminosity function, halo masses and stellar masses of luminous Lyman-break galaxies at redshifts $5 < z < 6$ . Monthly Notices of the Royal Astronomical Society, 2009, 395, 2196-2209.	4.4	146
96	Exploring the infrared/radio correlation at high redshift. Monthly Notices of the Royal Astronomical Society, 2008, 386, 953-962.	4.4	101
97	A pilot survey for KX QSOs in the UKIDSS Ultra Deep Survey Field. Monthly Notices of the Royal Astronomical Society, 2008, 389, 407-414.	4.4	53
98	The clustering and abundance of star-forming and passive galaxies at $z < 2$ . Monthly Notices of the Royal Astronomical Society, 2008, 391, 1301-1307.	4.4	44
99	The UKIRT wide-field camera. Astronomy and Astrophysics, 2007, 467, 777-784.	5.1	519
100	AEGIS: The Diversity of Bright Near-IR-selected Distant Red Galaxies. Astrophysical Journal, 2007, 660, L55-L58.	4.5	29
101	Evidence for a large fraction of Compton-thick quasars at high redshift. Monthly Notices of the Royal Astronomical Society: Letters, 2007, 379, L6-L10.	3.3	38
102	The United Kingdom Infrared Telescope Infrared Deep Sky Survey First Data Release. Monthly Notices of the Royal Astronomical Society, 2007, 375, 213-226.	4.4	179
103	0.5 Mpc-scale extended X-ray emission in the $z=2.48$ radio galaxy 4C 23.56. Monthly Notices of the Royal Astronomical Society, 2007, 376, 151-156.	4.4	22
104	The evolution of the near-infrared galaxy luminosity function and colour bimodality up to $z \approx 2$ from the UKIDSS Ultra Deep Survey Early Data Release. Monthly Notices of the Royal Astronomical Society, 2007, 380, 585-595.	4.4	158
105	The UKIRT Infrared Deep Sky Survey (UKIDSS). Monthly Notices of the Royal Astronomical Society, 2007, 379, 1599-1617.	4.4	1,940
106	Environmental dependence of active galactic nuclei activity in the supercluster A901/2. Monthly Notices of the Royal Astronomical Society, 2007, 380, 1467-1487.	4.4	54
107	Number counts and clustering properties of bright distant red galaxies in the UKIDSS Ultra Deep Survey Early Data Release. Monthly Notices of the Royal Astronomical Society: Letters, 2007, 376, L20-L24.	3.3	40
108	The colour selection of distant galaxies in the UKIDSS Ultra Deep Survey Early Data Release. Monthly Notices of the Royal Astronomical Society: Letters, 2007, 379, L25-L29.	3.3	42

#	ARTICLE	IF	CITATIONS
109	Extremely red objects in the UKIDSS Ultra Deep Survey Early Data Release. Monthly Notices of the Royal Astronomical Society: Letters, 2006, 373, L21-L25.	3.3	31
110	Galaxy clusters at $0.6 < z < 1.4$ in the UKIDSS Ultra Deep Survey Early Data Release. Monthly Notices of the Royal Astronomical Society: Letters, 2006, 373, L26-L30.	3.3	42
111	The discovery of a significant sample of massive galaxies at redshifts $5 < z < 6$ in the UKIDSS Ultra Deep Survey early data release. Monthly Notices of the Royal Astronomical Society, 2006, 372, 357-368.	4.4	44
112	The UKIRT Infrared Deep Sky Survey Early Data Release. Monthly Notices of the Royal Astronomical Society, 2006, 372, 1227-1252.	4.4	180
113	The SCUBA Half-Degree Extragalactic Survey - II. Submillimetre maps, catalogue and number counts. Monthly Notices of the Royal Astronomical Society, 2006, 372, 1621-1652.	4.4	360
114	A Complete Multiwavelength Characterization of Faint Chandra X-Ray Sources Seen in the Spitzer Wide-Area Infrared Extragalactic (SWIRE) Survey. Astronomical Journal, 2005, 129, 2074-2101.	4.7	66
115	Submillimetre detection of a high-redshift type 2 QSO. Monthly Notices of the Royal Astronomical Society, 2005, 356, 1571-1575.	4.4	33
116	Short time-scale optical variability of the dwarf Seyfert nucleus in NGC 4395. Monthly Notices of the Royal Astronomical Society, 2005, 358, 781-794.	4.4	7
117	Correlations between bright submillimetre sources and low-redshift galaxies. Monthly Notices of the Royal Astronomical Society, 2005, 358, 875-882.	4.4	17
118	The SCUBA Half-Degree Extragalactic Survey - I. Survey motivation, design and data processing. Monthly Notices of the Royal Astronomical Society, 2005, 363, 563-580.	4.4	74
119	Discovery of the galaxy counterpart of HDF 850.1, the brightest submillimetre source in the Hubble Deep Field. Monthly Notices of the Royal Astronomical Society, 2004, 350, 769-784.	4.4	70
120	The European Large-Area SO Survey (ELAIS): the final band-merged catalogue. Monthly Notices of the Royal Astronomical Society, 2004, 351, 1290-1306.	4.4	121
121	Mid-infrared sources in the ELAIS Deep X-ray Survey. Monthly Notices of the Royal Astronomical Society, 2004, 355, 97-105.	4.4	14
122	Dust and Gas Obscuration in ELAIS Deep X-ray Survey Reddened Quasars. Astrophysical Journal, 2004, 610, 140-150.	4.5	14
123	THE SEARCH FOR AGN IN DISTANT GALAXY CLUSTERS. , 2004, , .		0
124	AGN ACTIVITY IN HIGH REDSHIFT CLUSTERS AND PROTOCLUSTERS. , 2004, , .		0
125	Do sub-mm sources and quasars form an evolutionary sequence?. Astronomische Nachrichten, 2003, 324, 109-112.	1.2	2
126	Obscured active galactic nuclei from the ELAIS Deep X-ray Survey. Monthly Notices of the Royal Astronomical Society, 2003, 339, 397-409.	4.4	26



#	ARTICLE	IF	CITATIONS
127	The ELAIS deep X-ray survey – I. Chandra source catalogue and first results. Monthly Notices of the Royal Astronomical Society, 2003, 343, 293-305.	4.4	66
128	The content of active galactic nuclei in the $z = 0.83$ cluster MS 1054–0321. Monthly Notices of the Royal Astronomical Society, 2003, 343, 924-932.	4.4	36
129	The nature, evolution, clustering and X-ray properties of extremely red galaxies in the Chandra Deep Field South/Great Observatories Origins Deep Survey field. Monthly Notices of the Royal Astronomical Society, 2003, 346, 803-817.	4.4	64
130	The coincidence and angular clustering of Chandra and SCUBA sources. Monthly Notices of the Royal Astronomical Society, 2003, 338, 303-311.	4.4	73
131	The X-ray Variability of High-Redshift QSOs. International Astronomical Union Colloquium, 2002, 184, 251-256.	0.1	0
132	The X-ray variability of high-redshift QSOs. Monthly Notices of the Royal Astronomical Society, 2002, 330, 390-398.	4.4	34
133	The SCUBA 8-mJy survey – II. Multiwavelength analysis of bright submillimetre sources. Monthly Notices of the Royal Astronomical Society, 2002, 331, 839-852.	4.4	61
134	Deep radio imaging of the SCUBA 8-mJy survey fields: submillimetre source identifications and redshift distribution. Monthly Notices of the Royal Astronomical Society, 2002, 337, 1-25.	4.4	318
135	The clustering, number counts and morphology of extremely red ( $R-K > 5$ ) galaxies to $K < 21$ . Monthly Notices of the Royal Astronomical Society, 2002, 337, 1282-1298.	4.4	93
136	The 0.5-10 keV spectra of broad-line quasars and the X-ray background. AIP Conference Proceedings, 2001, , .	0.4	0
137	Starburst activity in a ROSAT narrow emission-line galaxy. Monthly Notices of the Royal Astronomical Society, 2001, 324, 305-312.	4.4	6
138	The extended counterpart of submm source Lockman 850.1. Astronomy and Astrophysics, 2001, 378, 70-75.	5.1	46
139	A deep ROSAT survey – XV. The average QSO spectrum and its evolution. Monthly Notices of the Royal Astronomical Society, 2000, 314, 138-144.	4.4	15
140	X-ray variability in a deep, flux-limited sample of QSOs. Monthly Notices of the Royal Astronomical Society, 2000, 315, 325-336.	4.4	54
141	The European Large Area ISO Survey – I. Goals, definition and observations. Monthly Notices of the Royal Astronomical Society, 2000, 316, 749-767.	4.4	173
142	X-ray absorption and rapid variability of the dwarf Seyfert nucleus of NGC 4395. Monthly Notices of the Royal Astronomical Society, 2000, 318, 879-888.	4.4	51
143	Stellar contributors to the hard X-ray background?. Monthly Notices of the Royal Astronomical Society, 2000, 318, L21-L24.	4.4	8
144	Deep survey sources, and predictions for XMM and AXAF. Advances in Space Research, 2000, 25, 853-859.	2.6	0

#	ARTICLE	IF	CITATIONS
145	Obscured AGN and the X-ray background. <i>Advances in Space Research</i> , 1999, 23, 1161-1166.	2.6	0
146	ASCA observations of deep ROSAT fields – IV. Infrared and hard X-ray observations of an obscured high-redshift QSO. <i>Monthly Notices of the Royal Astronomical Society</i> , 1999, 305, 125-131.	4.4	22
147	The AGN contribution to deep submillimetre surveys and the far-infrared background. <i>Monthly Notices of the Royal Astronomical Society</i> , 1999, 305, L59-L63.	4.4	86
148	The AGN content of ROSAT and ASCA deep surveys. <i>Astronomische Nachrichten</i> , 1998, 319, 21-24.	1.2	0
149	QSO X-ray spectral evolution. <i>Astronomische Nachrichten</i> , 1998, 319, 25-25.	1.2	2
150	Faint galaxies and the X-ray background. <i>Astronomische Nachrichten</i> , 1998, 319, 55-58.	1.2	5
151	Do nuclear starbursts obscure the X-ray background?. <i>Monthly Notices of the Royal Astronomical Society</i> , 1998, 297, L11-L15.	4.4	87
152	ASCA observations of deep ROSAT fields – III. The discovery of an obscured Type 2 AGN at $z = 0.67$ . <i>Monthly Notices of the Royal Astronomical Society</i> , 1998, 297, L53-L56.	4.4	26
153	ASCA observations of deep ROSAT fields – I. The nature of the X-ray source populations. <i>Monthly Notices of the Royal Astronomical Society</i> , 1997, 291, 203-210.	4.4	36
154	AGN predictions for the Hubble Deep Field and the X-ray background. <i>Monthly Notices of the Royal Astronomical Society</i> , 1997, 288, L19-L22.	4.4	6
155	AX J1749+684: a narrow-emission-line galaxy with a flat X-ray spectrum. <i>Monthly Notices of the Royal Astronomical Society</i> , 1997, 291, L17-L22.	4.4	13
156	A deep ROSAT survey – XIV. X-ray emission from faint galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 1997, 291, 372-382.	4.4	19
157	A deep ROSAT survey – XII. The X-ray spectra of faint ROSAT sources. <i>Monthly Notices of the Royal Astronomical Society</i> , 1996, 282, 295-303.	4.4	36
158	A deep ROSAT survey – VIII. X-ray detection of the evolved galaxy cluster 0055+279. <i>Monthly Notices of the Royal Astronomical Society</i> , 1995, 276, 706-714.	4.4	3
159	The UKIDSS Ultra Deep Survey – Mapping the Early Stages of Galaxy Formation. , 0, , 337-342.		0
160	On the evolution of clustering of 24- $\mu$ m-selected galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 0, 383, 1131-1142.	4.4	33
161	The VANDELS ESO public spectroscopic survey. <i>Monthly Notices of the Royal Astronomical Society</i> , 0, , .	4.4	79
162	The Links Between AGN and Galaxy Formation. , 0, , 211-228.		0

#	ARTICLE	IF	CITATIONS
163	Deep Optical and Near-IR Observations of the XMM/Chandra Regions in ELAIS. , 0, , 298-298.		0