

# Monica Rodrigues Perracini

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2074831/publications.pdf>

Version: 2024-02-01

84  
papers

2,277  
citations

212478

28  
h-index

286692

43  
g-index

87  
all docs

87  
docs citations

87  
times ranked

3089  
citing authors

#	ARTICLE	IF	CITATIONS
1	Examining the factors associated with functional capacity of community-dwelling older adults using the ICF framework: a cross-sectional study from the Frailty in Brazilian Older Adults Study (FIBRA). <i>Physiotherapy Theory and Practice</i> , 2023, 39, 2454-2469.	0.6	3
2	Research utilisation in older people care: Translation, cross-cultural adaptation and validation of instruments into Brazilian Portuguese. <i>International Journal of Older People Nursing</i> , 2023, 18, .	0.6	0
3	Mobilisation and physiotherapy intervention following hip fracture: snapshot survey across six countries from the Fragility Fracture Network Physiotherapy Group. <i>Disability and Rehabilitation</i> , 2022, 44, 6788-6795.	0.9	2
4	What long-term care interventions have been published between 2010 and 2020? Results of a WHO scoping review identifying long-term care interventions for older people around the world. <i>BMJ Open</i> , 2022, 12, e054492.	0.8	9
5	A Recommended Package of Long-Term Care Services to Promote Healthy Ageing Based on a WHO Global Expert Consensus Study. <i>Journal of the American Medical Directors Association</i> , 2022, 23, 297-303.e14.	1.2	8
6	The Four Square Step Test is a useful mobility tool for discriminating older persons with frailty syndrome. <i>Experimental Gerontology</i> , 2022, 161, 111699.	1.2	3
7	Progressive Resistance Training Program Characteristics in Rehabilitation Programs Following Hip Fracture: A Meta-Analysis and Meta-Regression. <i>Geriatric Orthopaedic Surgery and Rehabilitation</i> , 2022, 13, 215145932210907.	0.6	1
8	Precisão da medida de mobilidade no espaço de vida para discriminar fragilidade e sarcopenia em idosos. <i>Revista Brasileira De Geriatria E Gerontologia</i> , 2022, 25, .	0.1	0
9	Accuracy of the life-space mobility measure for discriminating frailty and sarcopenia in older people. <i>Revista Brasileira De Geriatria E Gerontologia</i> , 2022, 25, .	0.1	1
10	The potential of assessment based on the WHO framework of intrinsic capacity in fragility fracture prevention. <i>Aging Clinical and Experimental Research</i> , 2022, 34, 2635-2643.	1.4	7
11	Older adults'™ views on barriers and facilitators to participate in a multifactorial falls prevention program: Results from Prevuedas Brasil. <i>Archives of Gerontology and Geriatrics</i> , 2021, 92, 104287.	1.4	7
12	Interferential current and photobiomodulation in knee osteoarthritis: A randomized, placebo-controlled, double-blind clinical trial. <i>Clinical Rehabilitation</i> , 2021, 35, 026921552110120.	1.0	5
13	Impact of COVID-19 Pandemic on Life-Space Mobility of Older Adults Living in Brazil: REMOBILIZE Study. <i>Frontiers in Public Health</i> , 2021, 9, 643640.	1.3	35
14	Are foot deformity and plantar sensitivity impairment associated with physical function of community-dwelling older adults?. <i>Brazilian Journal of Physical Therapy</i> , 2021, , .	1.1	5
15	Physical Activity, Exercise, and Physical Rehabilitation. <i>Perspectives in Nursing Management and Care for Older Adults</i> , 2021, , 189-198.	0.1	0
16	Domains of Balance Training Delivered in Rehabilitation Programs Following Hip Fracture Surgery in Older Adults. <i>Journal of Geriatric Physical Therapy</i> , 2021, Publish Ahead of Print, .	0.6	1
17	Rehabilitation Following Hip Fracture. <i>Practical Issues in Geriatrics</i> , 2021, , 183-222.	0.3	13
18	Impact of the COVID-19 Pandemic on the Time of Utilitarian Walking and Walking as Exercise Among Brazilian Community-Dwelling Older Adults: The REMOBILIZE Study. <i>Journal of Aging and Physical Activity</i> , 2021, , 1-9.	0.5	0

#	ARTICLE	IF	CITATIONS
19	Diagnostic Accuracy of the Short Physical Performance Battery for Detecting Frailty in Older People. <i>Physical Therapy</i> , 2020, 100, 90-98.	1.1	56
20	Multidimensional investigation of chronic pain experience and physical functioning following hip fracture surgery: clinical implications. <i>British Journal of Pain</i> , 2020, 14, 5-13.	0.7	13
21	The walking cane length influences the postural sway of community-dwelling older women. <i>Physiotherapy Research International</i> , 2020, 25, e1804.	0.7	3
22	Sedentary behavior: barriers and facilitators among older adults after hip fracture surgery. A qualitative study. <i>Brazilian Journal of Physical Therapy</i> , 2020, 24, 407-414.	1.1	12
23	Effect of Senior Dance (DanSE) on Fall Risk Factors in Older Adults: A Randomized Controlled Trial. <i>Physical Therapy</i> , 2020, 100, 600-608.	1.1	19
24	Dual-task training with progression from variable- to fixed-priority instructions versus dual-task training with variable-priority on gait speed in community-dwelling older adults: A protocol for a randomized controlled trial. <i>BMC Geriatrics</i> , 2020, 20, 76.	1.1	4
25	Utilitarian walking and walking as exercise among community-dwelling older adults: what factors influence it?. <i>Revista Brasileira De Geriatria E Gerontologia</i> , 2020, 23, .	0.1	1
26	Carga de fragilidade em idosos com Diabetes Mellitus tipo 2 e fatores relacionados. <i>Research, Society and Development</i> , 2020, 9, e365985645.	0.0	0
27	Factors associated with the functional performance of older adults with type 2 Diabetes Mellitus. <i>Research, Society and Development</i> , 2020, 9, e51391110185.	0.0	0
28	Effects of thermotherapy and transcutaneous electrical nerve stimulation on patients with primary dysmenorrhea: A randomized, placebo-controlled, double-blind clinical trial. <i>Complementary Therapies in Medicine</i> , 2019, 47, 102188.	1.3	17
29	WHODAS 2.0-BO. <i>Revista De Saude Publica</i> , 2019, 53, 19.	0.7	6
30	Abdominal obesity, dynapenia and dynapenic-abdominal obesity as factors associated with falls. <i>Brazilian Journal of Physical Therapy</i> , 2019, 23, 497-505.	1.1	39
31	Usefulness, assessment and normative data of the Functional Reach Test in older adults: A systematic review and meta-analysis. <i>Archives of Gerontology and Geriatrics</i> , 2019, 81, 149-170.	1.4	46
32	Physical Activity Level and Risk of Falling in Community-Dwelling Older Adults: Systematic Review and Meta-Analysis. <i>Journal of Aging and Physical Activity</i> , 2019, 27, 34-43.	0.5	18
33	The Berg Balance Scale as a clinical screening tool to predict fall risk in older adults: a systematic review. <i>Physiotherapy</i> , 2018, 104, 383-394.	0.2	97
34	Low-level laser therapy and interferential current in patients with knee osteoarthritis: a randomized controlled trial protocol. <i>Pain Management</i> , 2018, 8, 157-166.	0.7	13
35	MAXIMUM WALKING SPEED CAN IMPROVE THE DIAGNOSTIC VALUE OF FRAILTY AMONG COMMUNITY-DWELLING OLDER ADULTS A CROSS-SECTIONAL STUDY. <i>Journal of Frailty &amp; Aging,the</i> , 2018, 8, 1-3.	0.8	6
36	Physiotherapy following fragility fractures. <i>Injury</i> , 2018, 49, 1413-1417.	0.7	45

#	ARTICLE	IF	CITATIONS
37	Comparison of Two Methods for Estimating Adjustable One-Point Cane Length in Community-Dwelling Older Adults. <i>Physiotherapy Research International</i> , 2017, 22, e1641.	0.7	2
38	What are the Main Physical Functioning Factors Associated With Falls Among Older People With Different Perceived Fall Risk?. <i>Physiotherapy Research International</i> , 2017, 22, e1664.	0.7	21
39	What are the sociodemographic and health determinants for older adults continue to participate in work?. <i>Archives of Gerontology and Geriatrics</i> , 2017, 71, 136-141.	1.4	8
40	Microwave diathermy and transcutaneous electrical nerve stimulation effects in primary dysmenorrhea: clinical trial protocol. <i>Pain Management</i> , 2017, 7, 359-366.	0.7	11
41	Physical activity in older people – Case studies of how to make change happen. <i>Best Practice and Research in Clinical Rheumatology</i> , 2017, 31, 260-274.	1.4	22
42	Prevalence of obesity, sarcopenic obesity and associated factors: A FIBRA Network study. <i>Fisioterapia Em Movimento</i> , 2017, 30, 161-169.	0.4	13
43	Characteristics of falls in elderly persons residing in the community: a population-based study. <i>Revista Brasileira De Geriatria E Gerontologia</i> , 2017, 20, 691-701.	0.1	10
44	Effectiveness of a physical exercise intervention program in improving functional mobility in older adults after hip fracture in later stage rehabilitation: protocol of a randomized clinical trial (REACTIVE Study). <i>BMC Geriatrics</i> , 2016, 16, 198.	1.1	18
45	Effectiveness of Senior Dance on risk factors for falls in older adults (DanSE): a study protocol for a randomised controlled trial. <i>BMJ Open</i> , 2016, 6, e013995.	0.8	22
46	Handgrip strength cutoff points to identify mobility limitation in community-dwelling older people and associated factors. <i>Journal of Nutrition, Health and Aging</i> , 2016, 20, 306-315.	1.5	61
47	Correlates of excessive daytime sleepiness in community-dwelling older adults: an exploratory study. <i>Revista Brasileira De Epidemiologia</i> , 2015, 18, 607-617.	0.3	14
48	Association among measures of mobility-related disability and self-perceived fatigue among older people: a population-based study. <i>Brazilian Journal of Physical Therapy</i> , 2015, 19, 194-200.	1.1	16
49	Fatores associados a quedas e quedas recorrentes em idosos: estudo de base populacional. <i>Revista Brasileira De Geriatria E Gerontologia</i> , 2014, 17, 49-60.	0.1	23
50	Virtual reality using games for improving physical functioning in older adults: a systematic review. <i>Journal of NeuroEngineering and Rehabilitation</i> , 2014, 11, 156.	2.4	173
51	New values anthropometry for classification of nutritional status in the elderly. <i>Journal of Nutrition, Health and Aging</i> , 2014, 18, 655-661.	1.5	8
52	Frailty and cardiovascular risk in community-dwelling elderly: a population-based study. <i>Clinical Interventions in Aging</i> , 2014, 9, 1677.	1.3	54
53	Effectiveness of a multifactorial falls prevention program in community-dwelling older people when compared to usual care: study protocol for a randomised controlled trial (Prevquedas Brazil). <i>BMC Geriatrics</i> , 2013, 13, 27.	1.1	15
54	Gait speed correlates in a multiracial population of community-dwelling older adults living in Brazil: a cross-sectional population-based study. <i>BMC Public Health</i> , 2013, 13, 182.	1.2	33

#	ARTICLE	IF	CITATIONS
55	Prevalence and correlates of dizziness in community-dwelling older people: a cross sectional population based study. BMC Geriatrics, 2013, 13, 4.	1.1	47
56	Aging, Diabetes, and Hypertension Are Associated With Decreased Nasal Mucociliary Clearance. Chest, 2013, 143, 1091-1097.	0.4	62
57	Influência de gênero, idade e renda sobre o bem-estar de idosos cuidadores e não cuidadores. Revista Brasileira De Geriatria E Gerontologia, 2013, 16, 663-680.	0.1	12
58	The work ability index and functional capacity among older workers. Brazilian Journal of Physical Therapy, 2013, 17, 382-391.	1.1	34
59	Relationships between gender, age, family conditions, physical and mental health, and social isolation of elderly caregivers. International Psychogeriatrics, 2012, 24, 472-483.	0.6	80
60	Fall-related factors among less and more active older outpatients. Brazilian Journal of Physical Therapy, 2012, 16, 166-172.	1.1	19
61	Análise multifatorial do perfil de idosos ativos com história de quedas. Revista Brasileira De Geriatria E Gerontologia, 2012, 15, 693-706.	0.1	4
62	Gait characteristics of younger-old and older-old adults walking overground and on a compliant surface. Brazilian Journal of Physical Therapy, 2012, 16, 375-380.	1.1	15
63	Characteristics associated with activity restriction induced by fear of falling in community-dwelling elderly. Brazilian Journal of Physical Therapy, 2011, , .	1.1	20
64	Tontura em idosos da comunidade: estudo de base populacional. Brazilian Journal of Otorhinolaryngology, 2011, 77, 691-699.	0.4	19
65	Disability rank in vestibular older adults. Geriatrics and Gerontology International, 2011, 11, 50-54.	0.7	10
66	Dizziness in community-dwelling older adults: a population-based study. Brazilian Journal of Otorhinolaryngology, 2011, 77, 691-9.	0.4	22
67	Alinhamento de cabeça e ombros em pacientes com hipofunção vestibular unilateral. Brazilian Journal of Physical Therapy, 2010, 14, 330-336.	1.1	11
68	Validation of the brazilian version of the berg balance scale for patients with parkinson's disease. Arquivos De Neuro-Psiquiatria, 2009, 67, 831-835.	0.3	49
69	Factors associated with functional balance and mobility among elderly diabetic outpatients. Arquivos Brasileiros De Endocrinologia E Metabologia, 2009, 53, 834-843.	1.3	35
70	Aquatic physiotherapy for vestibular rehabilitation in patients with unilateral vestibular hypofunction: Exploratory prospective study. Journal of Vestibular Research: Equilibrium and Orientation, 2008, 18, 139-146.	0.8	23
71	Aquatic physiotherapy for vestibular rehabilitation in patients with unilateral vestibular hypofunction: exploratory prospective study. Journal of Vestibular Research: Equilibrium and Orientation, 2008, 18, 139-46.	0.8	8
72	Versão brasileira do Dynamic Gait Index. Revista Brasileira De Otorrinolaringologia, 2006, 72, 817-825.	0.2	38

#	ARTICLE	IF	CITATIONS
73	Caracterização clínica de idosos com disfunção vestibular crônica. Revista Brasileira De Otorrinolaringologia, 2006, 72, 515-522.	0.2	22
74	Fatores associados ao equilíbrio funcional em idosos com disfunção vestibular crônica. Revista Brasileira De Otorrinolaringologia, 2006, 72, 683-690.	0.2	35
75	Avaliação do desempenho dos testes funcional reach e lateral reach em amostra populacional brasileira. Brazilian Journal of Physical Therapy, 2006, 10, 381.	1.1	13
76	Functional balance associated factors in the elderly with chronic vestibular disorder. Brazilian Journal of Otorhinolaryngology, 2006, 72, 683-690.	0.4	31
77	Circumstances and consequences of falls in elderly people with vestibular disorder. Brazilian Journal of Otorhinolaryngology, 2006, 72, 388-392.	0.4	35
78	Clinical evaluation of elderly people with chronic vestibular disorder. Brazilian Journal of Otorhinolaryngology, 2006, 72, 515-522.	0.4	44
79	Dynamic Gait Index - Brazilian Version. Brazilian Journal of Otorhinolaryngology, 2006, 72, 817-825.	0.4	34
80	Circunstâncias e consequências de quedas em idosos com vestibulopatia crônica. Revista Brasileira De Otorrinolaringologia, 2006, 72, 388-393.	0.2	31
81	Levodopa effect upon functional balance of Parkinson's disease patients. Parkinsonism and Related Disorders, 2004, 10, 411-415.	1.1	32
82	Two-year follow-up study of elderly residents in S. Paulo, Brazil: methodology and preliminary results. Revista De Saude Publica, 1998, 32, 397-407.	0.7	111
83	Significance and management of disability among urban elderly residents in Brazil. Journal of Cross-Cultural Gerontology, 1993, 8, 313-323.	0.5	49
84	Defining, reporting, and monitoring near-falls in older adults: a scoping review protocol. Geriatrics Gerontology and Aging, 0, 15, .	0.3	0