
## Thiago Andrade Patente

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2075995/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Human Dendritic Cells: Their Heterogeneity and Clinical Application Potential in Cancer Immunotherapy. Frontiers in Immunology, 2018, 9, 3176.	4.8	261
2	Dendritic cells are what they eat: how their metabolism shapes T helper cell polarization. Current Opinion in Immunology, 2019, 58, 16-23.	5.5	48
3	Plasma extracellular superoxide dismutase concentration, allelic variations in the SOD3 gene and risk of myocardial infarction and all-cause mortality in people with type 1 and type 2 diabetes. Cardiovascular Diabetology, 2015, 14, 845.	6.8	47
4	Glutathione peroxidase-1 gene (GPX1) variants, oxidative stress and risk of kidney complications in people with type 1 diabetes. Metabolism: Clinical and Experimental, 2016, 65, 12-19.	3.4	37
5	LKB1 expressed in dendritic cells governs the development and expansion of thymus-derived regulatory T cells. Cell Research, 2019, 29, 406-419.	12.0	34
6	Gain-of-function variants in NLRP1 protect against the development of diabetic kidney disease: NLRP1 inflammasome role in metabolic stress sensing?. Clinical Immunology, 2018, 187, 46-49.	3.2	31
7	Acetate Improves the Killing of Streptococcus pneumoniae by Alveolar Macrophages via NLRP3 Inflammasome and Glycolysis-HIF-11± Axis. Frontiers in Immunology, 2022, 13, 773261.	4.8	27
8	Macrophage inflammatory state in Type 1 diabetes: triggered by NLRP3/iNOS pathway and attenuated by docosahexaenoic acid. Clinical Science, 2021, 135, 19-34.	4.3	25
9	Sex-specific associations of variants in regulatory regions of NADPH oxidase-2 ( <i>CYBB</i> ) and glutathione peroxidase 4 ( <i>GPX4</i> ) genes with kidney disease in type 1 diabetes. Free Radical Research, 2013, 47, 804-810.	3.3	19
10	Catalase activity, allelic variations in the catalase gene and risk of kidney complications in patients with type 1 diabetes. Diabetologia, 2013, 56, 2733-2742.	6.3	14
11	Allelic variations in the CYBA gene of NADPH oxidase and risk of kidney complications in patients with type 1 diabetes. Free Radical Biology and Medicine, 2015, 86, 16-24.	2.9	14
12	Association of single nucleotide polymorphisms in the gene encoding GLUT1 and diabetic nephropathy in Brazilian patients with type 1 diabetes mellitus. Clinica Chimica Acta, 2015, 444, 170-175.	1.1	10
13	Glutathione peroxidase 4 functional variant rs713041 modulates the risk for cardiovascular autonomic neuropathy in individuals with type 1 diabetes. Diabetes and Vascular Disease Research, 2019, 16, 297-299.	2.0	10
14	Allelic variations in genes belonging to glutathione system increase proliferative retinopathy risk in type 1 diabetes individuals. Gene, 2019, 703, 120-124.	2.2	7
15	Linkage disequilibrium with HLA-DRB1-DQB1 haplotypes explains the association of TNF-308G>A variant with type 1 diabetes in a Brazilian cohort. Gene, 2015, 568, 50-54.	2.2	6
16	Association of a variant in the regulatory region of NADPH oxidase 4 gene and metabolic syndrome in patients with chronic hepatitis C. European Journal of Medical Research, 2015, 20, 45.	2.2	6
17	Fasciola hepatica Fatty Acid Binding Protein 1 Modulates T cell Polarization by Promoting Dendritic Cell Thrombospondin-1 Secretion Without Affecting Metabolic Homeostasis in Obese Mice. Frontiers in Immunology, 2022, 13, .	4.8	3
18	mTORC1 signaling in antigen-presenting cells of the skin restrains CD8+ TÂcell priming. Cell Reports, 2022, 40, 111032.	6.4	3

#	Article	IF	CITATIONS
19	Frequency determination of breast tumor-reactive CD4 and CD8 T cells in humans: unveiling the antitumor immune response. Oncolmmunology, 2019, 8, 1607674.	4.6	2
20	mTORC1 Signalling in Antigen-Presenting Cells of the Skin Restrains CD8+ T Cell Priming. SSRN Electronic Journal, 0, , .	0.4	0
21	Abstract 2800: Oral cancer cell-derived extracellular vesicles can modulate an immunosuppressive microenvironment through M2 phenotype polarization. , 2019, , .		0
22	Abstract B80: Frequency of tumor-reactive T cells in the blood of breast cancer patients and healthy donors. , 2020, , .		0
23	Abstract 2800: Oral cancer cell-derived extracellular vesicles can modulate an immunosuppressive microenvironment through M2 phenotype polarization. , 2019, , .		0