
Eva Skrivanova

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2077262/publications.pdf Version: 2024-02-01



FUA SKRIVANOVA

#	Article	IF	CITATIONS
1	In Vitro Growth-Inhibitory Synergistic Effect of Zinc Pyrithione in Combination with Gentamicin against Bacterial Skin Pathogens of Livestock. Antibiotics, 2022, 11, 960.	3.7	0
2	Bacterial Skin Infections in Livestock and Plant-Based Alternatives to Their Antibiotic Treatment. Animals, 2021, 11, 2473.	2.3	10
3	In Vitro Antibacterial Effect of the Methanolic Extract of the Korean Soybean Fermented Product Doenjang against Staphylococcus aureus. Animals, 2021, 11, 2319.	2.3	5
4	In vitro antagonistic inhibitory effects of palm seed crude oils and their main constituent, lauric acid, with oxacillin in Staphylococcus aureus. Scientific Reports, 2021, 11, 177.	3.3	12
5	In Vitro Selective Growth-Inhibitory Activities of Phytochemicals, Synthetic Phytochemical Analogs, and Antibiotics against Diarrheagenic/Probiotic Bacteria and Cancer/Normal Intestinal Cells. Pharmaceuticals, 2020, 13, 233.	3.8	16
6	Effects of Dietary Hemp Seed and Flaxseed on Growth Performance, Meat Fatty Acid Compositions, Liver Tocopherol Concentration and Bone Strength of Cockerels. Animals, 2020, 10, 458.	2.3	28
7	Colonization of Germ-Free Piglets with Commensal Lactobacillus amylovorus, Lactobacillus mucosae, and Probiotic E. coli Nissle 1917 and Their Interference with Salmonella Typhimurium. Microorganisms, 2019, 7, 273.	3.6	12
8	Hempseed increases gamma-tocopherol in egg yolks and the breaking strength of tibias in laying hens. PLoS ONE, 2019, 14, e0217509.	2.5	15
9	High Mobility Group Box 1 and TLR4 Signaling Pathway in Gnotobiotic Piglets Colonized/Infected with L. amylovorus, L. mucosae, E. coli Nissle 1917 and S. Typhimurium. International Journal of Molecular Sciences, 2019, 20, 6294.	4.1	13
10	Effect of dietary fat type on intestinal digestibility of fatty acids, fatty acid profiles of breast meat and abdominal fat, and mRNA expression of lipid-related genes in broiler chickens. PLoS ONE, 2018, 13, e0196035.	2.5	21
11	Limestone particle size and <i>Aspergillus niger</i> phytase in the diet of older hens. Italian Journal of Animal Science, 2017, 16, 608-615.	1.9	7
12	Comparative study of the hypocholesterolemic and hypolipidemic activity of alginate and amidated alginate in rats. International Journal of Biological Macromolecules, 2017, 105, 620-624.	7.5	19
13	<i>In vitro</i> growth-inhibitory activity of <i>Calophyllum inophyllum</i> ethanol leaf extract against diarrhoea-causing bacteria. Tropical Journal of Pharmaceutical Research, 2017, 16, 2207.	0.3	2
14	Pregastric and caecal fermentation pattern in Syrian hamsters. Mammalia, 2016, 80, .	0.7	2
15	In Vitro Selective Growth-Inhibitory Effect of 8-Hydroxyquinoline on Clostridium perfringens versus Bifidobacteria in a Medium Containing Chicken Ileal Digesta. PLoS ONE, 2016, 11, e0167638.	2.5	10
16	Potential Use of Caprylic Acid in Broiler Chickens: Effect on Salmonella Enteritidis. Foodborne Pathogens and Disease, 2015, 12, 62-67.	1.8	8
17	Multilocus Sequence Typing of <i>Cronobacter</i> Strains Isolated from Retail Foods and Environmental Samples. Foodborne Pathogens and Disease, 2015, 12, 514-521.	1.8	29
18	Use of Caprylic Acid in Broiler Chickens: Effect on Campylobacter jejuni. Foodborne Pathogens and Disease, 2015, 12, 712-718.	1.8	7

EVA SKRIVANOVA

#	Article	IF	CITATIONS
19	Comparative Study on the Hypocholesterolemic Activity of Amidated Polysaccharides and Psyllium. BioResources, 2015, 11, .	1.0	0
20	Gender-based differences in the effect of dietary cholesterol in rats. Open Life Sciences, 2012, 7, 980-986.	1.4	4
21	Inhibitory effect of organic acids on arcobacters in culture and their use for control of Arcobacter butzleri on chicken skin. International Journal of Food Microbiology, 2011, 144, 367-371.	4.7	18
22	Comparative effect of amidated pectin and psyllium on cholesterol homeostasis in rats. Open Life Sciences, 2010, 5, 299-303.	1.4	4
23	Changes in the bacterial population of the caecum and stomach of the rabbit in response to addition of dietary caprylic acid. Veterinary Microbiology, 2010, 144, 334-339.	1.9	13
24	Effects of amidated pectin alone and combined with cholestyramine on cholesterol homeostasis in rats fed a cholesterol-containing diet. Carbohydrate Polymers, 2010, 80, 989-992.	10.2	12
25	Inhibitory activity of rabbit milk and medium-chain fatty acids against enteropathogenic Escherichia coli O128. Veterinary Microbiology, 2009, 135, 358-362.	1.9	33
26	Effects of caprylic acid and triacylglycerols of both caprylic and capric acid in rabbits experimentally infected with enteropathogenic Escherichia coli O103. Veterinary Microbiology, 2008, 126, 372-376.	1.9	35