

Jin Geng

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2077439/publications.pdf>

Version: 2024-02-01

20
papers

672
citations

759055

12
h-index

794469

19
g-index

20
all docs

20
docs citations

20
times ranked

1060
citing authors

#	ARTICLE	IF	CITATIONS
1	Trimethylamine N-oxide promotes atherosclerosis via CD36-dependent MAPK/JNK pathway. <i>Biomedicine and Pharmacotherapy</i> , 2018, 97, 941-947.	2.5	201
2	Berberine treatment reduces atherosclerosis by mediating gut microbiota in apoE ^{-/-} mice. <i>Biomedicine and Pharmacotherapy</i> , 2018, 107, 1556-1563.	2.5	83
3	Trimethylamine N-Oxide Exacerbates Cardiac Fibrosis via Activating the NLRP3 Inflammasome. <i>Frontiers in Physiology</i> , 2019, 10, 866.	1.3	82
4	PM2.5 promotes plaque vulnerability at different stages of atherosclerosis and the formation of foam cells via TLR4/MyD88/NF κ B pathway. <i>Ecotoxicology and Environmental Safety</i> , 2019, 176, 76-84.	2.9	57
5	Exposure to particulate matter induces cardiomyocytes apoptosis after myocardial infarction through NF κ B activation. <i>Biochemical and Biophysical Research Communications</i> , 2017, 488, 224-231.	1.0	38
6	Premature senescence of cardiac fibroblasts and atrial fibrosis in patients with atrial fibrillation. <i>Oncotarget</i> , 2017, 8, 57981-57990.	0.8	36
7	Long non-coding RNA MEG3 knockdown attenuates endoplasmic reticulum stress-mediated apoptosis by targeting p53 following myocardial infarction. <i>Journal of Cellular and Molecular Medicine</i> , 2019, 23, 8369-8380.	1.6	28
8	PM2.5 induces endothelial dysfunction via activating NLRP3 inflammasome. <i>Environmental Toxicology</i> , 2021, 36, 1886-1893.	2.1	27
9	Glycosylated hemoglobin levels and clinical outcomes in nondiabetic patients with coronary artery disease. <i>Medicine (United States)</i> , 2017, 96, e6784.	0.4	21
10	Outcomes of off- and on-hours admission in ST-segment elevation myocardial infarction patients undergoing primary percutaneous coronary intervention. <i>Medicine (United States)</i> , 2016, 95, e4093.	0.4	17
11	Diagnostic Accuracy of Magnifying Endoscopy with Narrow Band Imaging and Its Diagnostic Value for Invasion Depth Staging in Esophageal Squamous Cell Carcinoma: A Systematic Review and Meta-Analysis. <i>BioMed Research International</i> , 2018, 2018, 1-11.	0.9	15
12	Subclinical hyperthyroidism increases risk of coronary heart disease events in type 2 diabetes mellitus. <i>Endocrine</i> , 2015, 49, 557-559.	1.1	14
13	Catheter ablation versus rate control in patients with atrial fibrillation and heart failure. <i>Medicine (United States)</i> , 2017, 96, e9179.	0.4	11
14	Two ghrelin receptor agonists for adults with malnutrition: a systematic review and meta-analysis. <i>Nutrition Journal</i> , 2016, 15, 97.	1.5	9
15	High mobility group box 1 was associated with thrombosis in patients with atrial fibrillation. <i>Medicine (United States)</i> , 2018, 97, e0132.	0.4	9
16	Change in lipid profile and risk of new-onset atrial fibrillation in patients with chronic heart failure. <i>Medicine (United States)</i> , 2018, 97, e12485.	0.4	8
17	Thyroid stimulating hormone levels and risk of coronary heart disease in patients with type 2 diabetes mellitus. <i>International Journal of Cardiology</i> , 2014, 174, 851-853.	0.8	7
18	Renoprotective effect of nicorandil in patients undergoing percutaneous coronary intervention: a meta-analysis of 4 randomized controlled trials. <i>Oncotarget</i> , 2018, 9, 11837-11845.	0.8	5

#	ARTICLE	IF	CITATIONS
19	Off-hours presentation is associated with short-term mortality but not with long-term mortality in patients with ST-segment elevation myocardial infarction: A meta-analysis. PLoS ONE, 2017, 12, e0189572.	1.1	4
20	Clinical effect of selective interventional therapy on sub-acute ST-segment elevation myocardial infarction under the guidance of fractional flow reserve and coronary arteriography. European Journal of Medical Research, 2018, 23, 27.	0.9	0