

Jin Geng

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2077439/publications.pdf>

Version: 2024-02-01

20
papers

672
citations

759055

12
h-index

794469

19
g-index

20
all docs

20
docs citations

20
times ranked

1060
citing authors

#	ARTICLE	IF	CITATIONS
1	<scp>PM2</scp>.5 induces endothelial dysfunction via activating <scp>NLRP3</scp> inflammasome. Environmental Toxicology, 2021, 36, 1886-1893.	2.1	27
2	Trimethylamine N-Oxide Exacerbates Cardiac Fibrosis via Activating the NLRP3 Inflammasome. Frontiers in Physiology, 2019, 10, 866.	1.3	82
3	Long non-coding RNA MEG3 knockdown attenuates endoplasmic reticulum stress-mediated apoptosis by targeting p53 following myocardial infarction. Journal of Cellular and Molecular Medicine, 2019, 23, 8369-8380.	1.6	28
4	PM2.5 promotes plaque vulnerability at different stages of atherosclerosis and the formation of foam cells via TLR4/MyD88/NF- κ B pathway. Ecotoxicology and Environmental Safety, 2019, 176, 76-84.	2.9	57
5	High mobility group box 1 was associated with thrombosis in patients with atrial fibrillation. Medicine (United States), 2018, 97, e0132.	0.4	9
6	Trimethylamine N-oxide promotes atherosclerosis via CD36-dependent MAPK/JNK pathway. Biomedicine and Pharmacotherapy, 2018, 97, 941-947.	2.5	201
7	Change in lipid profile and risk of new-onset atrial fibrillation in patients with chronic heart failure. Medicine (United States), 2018, 97, e12485.	0.4	8
8	Berberine treatment reduces atherosclerosis by mediating gut microbiota in apoE-/- mice. Biomedicine and Pharmacotherapy, 2018, 107, 1556-1563.	2.5	83
9	Diagnostic Accuracy of Magnifying Endoscopy with Narrow Band Imaging and Its Diagnostic Value for Invasion Depth Staging in Esophageal Squamous Cell Carcinoma: A Systematic Review and Meta-Analysis. BioMed Research International, 2018, 2018, 1-11.	0.9	15
10	Clinical effect of selective interventional therapy on sub-acute ST-segment elevation myocardial infarction under the guidance of fractional flow reserve and coronary arteriography. European Journal of Medical Research, 2018, 23, 27.	0.9	0
11	Renoprotective effect of nicorandil in patients undergoing percutaneous coronary intervention: a meta-analysis of 4 randomized controlled trials. Oncotarget, 2018, 9, 11837-11845.	0.8	5
12	Exposure to particulate matter induces cardiomyocytes apoptosis after myocardial infarction through NF- κ B activation. Biochemical and Biophysical Research Communications, 2017, 488, 224-231.	1.0	38
13	Glycosylated hemoglobin levels and clinical outcomes in nondiabetic patients with coronary artery disease. Medicine (United States), 2017, 96, e6784.	0.4	21
14	Catheter ablation versus rate control in patients with atrial fibrillation and heart failure. Medicine (United States), 2017, 96, e9179.	0.4	11
15	Off-hours presentation is associated with short-term mortality but not with long-term mortality in patients with ST-segment elevation myocardial infarction: A meta-analysis. PLoS ONE, 2017, 12, e0189572.	1.1	4
16	Premature senescence of cardiac fibroblasts and atrial fibrosis in patients with atrial fibrillation. Oncotarget, 2017, 8, 57981-57990.	0.8	36
17	Two ghrelin receptor agonists for adults with malnutrition: a systematic review and meta-analysis. Nutrition Journal, 2016, 15, 97.	1.5	9
18	Outcomes of off- and on-hours admission in ST-segment elevation myocardial infarction patients undergoing primary percutaneous coronary intervention. Medicine (United States), 2016, 95, e4093.	0.4	17

#	ARTICLE	IF	CITATIONS
19	Subclinical hyperthyroidism increases risk of coronary heart disease events in type 2 diabetes mellitus. <i>Endocrine</i> , 2015, 49, 557-559.	1.1	14
20	Thyroid stimulating hormone levels and risk of coronary heart disease in patients with type 2 diabetes mellitus. <i>International Journal of Cardiology</i> , 2014, 174, 851-853.	0.8	7