

Caroline Bergenfelz

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2077832/publications.pdf>

Version: 2024-02-01

22
papers

1,207
citations

686830

13
h-index

676716

22
g-index

22
all docs

22
docs citations

22
times ranked

2580
citing authors

#	ARTICLE	IF	CITATIONS
1	Peripheral Blood Mononuclear Cell Populations Correlate with Outcome in Patients with Metastatic Breast Cancer. <i>Cells</i> , 2022, 11, 1639.	1.8	8
2	HAMLET a human milk protein-lipid complex induces a pro-inflammatory phenotype of myeloid cells. <i>European Journal of Immunology</i> , 2021, 51, 965-977.	1.6	5
3	Clinical relevance of systemic monocytic-MDSCs in patients with metastatic breast cancer. <i>Cancer Immunology, Immunotherapy</i> , 2020, 69, 435-448.	2.0	44
4	Niche- and Gender-Dependent Immune Reactions in Relation to the Microbiota Profile in Pediatric Patients with Otitis Media with Effusion. <i>Infection and Immunity</i> , 2020, 88, .	1.0	12
5	Inflammatory macrophage derived TNF \pm downregulates estrogen receptor β via FOXO3a inactivation in human breast cancer cells. <i>Experimental Cell Research</i> , 2020, 390, 111932.	1.2	7
6	The Generation and Identity of Human Myeloid-Derived Suppressor Cells. <i>Frontiers in Oncology</i> , 2020, 10, 109.	1.3	77
7	The serine protease HtrA plays a key role in heat-induced dispersal of pneumococcal biofilms. <i>Scientific Reports</i> , 2020, 10, 22455.	1.6	7
8	Human G-MDSCs are neutrophils at distinct maturation stages promoting tumor growth in breast cancer. <i>Life Science Alliance</i> , 2020, 3, e202000893.	1.3	14
9	Impact of systemic therapy on circulating leukocyte populations in patients with metastatic breast cancer. <i>Scientific Reports</i> , 2019, 9, 13451.	1.6	21
10	Wnt5a is a TLR2/4-ligand that induces tolerance in human myeloid cells. <i>Communications Biology</i> , 2019, 2, 176.	2.0	24
11	Growing and Characterizing Biofilms Formed by <i>Streptococcus pneumoniae</i> . <i>Methods in Molecular Biology</i> , 2019, 1968, 147-171.	0.4	9
12	Low NF- κ B Activation and Necroptosis in Alveolar Macrophages: A New Virulence Property of <i>Streptococcus pneumoniae</i> . <i>Journal of Infectious Diseases</i> , 2017, 216, 402-404.	1.9	5
13	In Vitro and In Vivo Biofilm Formation by Pathogenic Streptococci. <i>Methods in Molecular Biology</i> , 2017, 1535, 285-299.	0.4	9
14	<i>Streptococcus pneumoniae</i> Otitis Media Pathogenesis and How It Informs Our Understanding of Vaccine Strategies. <i>Current Otorhinolaryngology Reports</i> , 2017, 5, 115-124.	0.2	41
15	On the origin of myeloid-derived suppressor cells. <i>Oncotarget</i> , 2017, 8, 3649-3665.	0.8	156
16	Cancer-associated fibroblast-secreted CXCL16 attracts monocytes to promote stroma activation in triple-negative breast cancers. <i>Nature Communications</i> , 2016, 7, 13050.	5.8	135
17	Systemic Monocytic-MDSCs Are Generated from Monocytes and Correlate with Disease Progression in Breast Cancer Patients. <i>PLoS ONE</i> , 2015, 10, e0127028.	1.1	116
18	S100A9 expressed in ER α ⁺ PgR $^{+}$ breast cancers induces inflammatory cytokines and is associated with an impaired overall survival. <i>British Journal of Cancer</i> , 2015, 113, 1234-1243.	2.9	35

#	ARTICLE	IF	CITATIONS
19	Expression of functional toll like receptor 4 in estrogen receptor/progesterone receptor-negative breast cancer. <i>Breast Cancer Research</i> , 2015, 17, 130.	2.2	41
20	WNT5A induces release of exosomes containing pro-angiogenic and immunosuppressive factors from malignant melanoma cells. <i>Molecular Cancer</i> , 2014, 13, 88.	7.9	213
21	A high frequency of MDSCs in sepsis patients, with the granulocytic subtype dominating in gram-positive cases. <i>Journal of Leukocyte Biology</i> , 2014, 96, 685-693.	1.5	128
22	Wnt5a Induces a Tolerogenic Phenotype of Macrophages in Sepsis and Breast Cancer Patients. <i>Journal of Immunology</i> , 2012, 188, 5448-5458.	0.4	100