

Douglas Benjamin

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2078195/publications.pdf>

Version: 2024-02-01

620
papers

41,518
citations

4146
87
h-index

4228
174
g-index

649
all docs

649
docs citations

649
times ranked

12763
citing authors

#	ARTICLE	IF	CITATIONS
1	Observation of a new particle in the search for the Standard Model Higgs boson with the ATLAS detector at the LHC. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 716, 1-29.	4.1	6,386
2	The ATLAS Experiment at the CERN Large Hadron Collider. Journal of Instrumentation, 2008, 3, S08003-S08003.	1.2	1,752
3	The ATLAS Simulation Infrastructure. European Physical Journal C, 2010, 70, 823-874.	3.9	1,187
4	Combined Measurement of the Higgs Boson Mass in<mml:math>\mathrm{Collisions\ at\ } s = 7\ \mathrm{TeV}\ and\ 8\ \mathrm{TeV}\ with\ the\ ATLAS\ and\ CMS\ Experiments. Physical\ Review\ Letters, 2015, 114, 191803.	7.8	1,062
5	Performance of the ATLAS trigger system in 2015. European Physical Journal C, 2017, 77, 317.	3.9	489
6	Measurements of the Higgs boson production and decay rates and constraints on its couplings from a combined ATLAS and CMS analysis of the LHC pp collision data at $s = 7\ \mathrm{TeV}$ and $8\ \mathrm{TeV}$. Journal of High Energy Physics, 2016, 2016, 1.	4.7	473
7	Muon reconstruction performance of the ATLAS detector in proton-proton collision data at $s = 13\ \mathrm{TeV}$. European Physical Journal C, 2016, 76, 292.	3.9	453
8	Improved luminosity determination in pp collisions at $\sqrt{s} = 7\ \mathrm{TeV}$ using the ATLAS detector at the LHC. European Physical Journal C, 2013, 73, 2518.	3.9	362
9	Topological cell clustering in the ATLAS calorimeters and its performance in LHC Run 1. European Physical Journal C, 2017, 77, 490.	3.9	325
10	Evidence for the spin-0 nature of the Higgs boson using ATLAS data. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2013, 726, 120-144.	4.1	307
11	Performance of pile-up mitigation techniques for jets in pp collisions at $\sqrt{s} = 8\ \mathrm{TeV}$. European Physical Journal C, 2016, 76, 581.	3.9	298
12	Luminosity determination in pp collisions at $\sqrt{s} = 8\ \mathrm{TeV}$ using the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 653.	3.9	279
13	Measurements of the Higgs boson production and decay rates and coupling strengths using pp collision data at $\sqrt{s} = 7\ \mathrm{TeV}$ and $8\ \mathrm{TeV}$ in the ATLAS experiment. European Physical Journal C, 2016, 76, 6.	3.9	274
14	Jet energy measurement and its systematic uncertainty in proton-proton collisions at $\sqrt{s} = 7\ \mathrm{TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 17.	3.9	268
15	Performance of the ATLAS Trigger System in 2010. European Physical Journal C, 2012, 72, 1.	3.9	259
16	Electron performance measurements with the ATLAS detector using the 2010 LHC proton-proton collision data. European Physical Journal C, 2012, 72, 1.	3.9	248
17	Search for new phenomena in final states with an energetic jet and large missing transverse momentum in pp collisions at $\sqrt{s} = 8\ \mathrm{TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 299.	3.9	238
18			

#	ARTICLE	IF	CITATIONS
19	ment of the pseudorapidity and transverse momentum dependence of the elliptic flow of charged particles in lead+lead collisions at $\sqrt{s} = 2.76 \text{ TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012, 72, 1.	4.1	231
20	Performance of missing transverse momentum reconstruction in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ with ATLAS. <i>European Physical Journal C</i> , 2012, 72, 1.	3.9	230
21	<i>Observation of Long-Range Elliptic Azimuthal Anisotropies in</i> $\sqrt{s} = 7 \text{ TeV}$ <i>Collisions with the ATLAS Detector</i> . <i>Physical Review Letters</i> , 2016, 116, 172301.	7.8	228
22	Measurement of the W -boson mass in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 110.	3.9	218
23	Measurement of the muon reconstruction performance of the ATLAS detector using 2011 and 2012 LHC proton+proton collision data. <i>European Physical Journal C</i> , 2014, 74, 3130.	3.9	213
24	Jet energy resolution in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ recorded in 2010 with the ATLAS detector. <i>European Physical Journal C</i> , 2013, 73, 2306.	3.9	209
25	Electron reconstruction and identification efficiency measurements with the ATLAS detector using the 2011 LHC proton+proton collision data. <i>European Physical Journal C</i> , 2014, 74, 2941.	3.9	204
26	Search for an additional, heavy Higgs boson in the $H \rightarrow ZZ \rightarrow 2l^+ 2l^-$ decay channel at $\sqrt{s} = 8 \text{ TeV}$ in pp collision data with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 45.	3.9	197
27	<i>Measurement of the Inelastic Proton-Proton Cross Section at</i> $\sqrt{s} = 13 \text{ TeV}$ <i>and transverse momentum dependence of inclusive jet suppression in</i> lead+lead collisions at $\sqrt{s} = 2.76 \text{ TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2014, 73, 195.	4.1	195
28	Measurement of the Inelastic Proton-Proton Cross Section at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS Detector at the LHC. <i>Physical Review Letters</i> , 2016, 117, 182002.	7.8	185
29	Performance of missing transverse momentum reconstruction with the ATLAS detector using proton+proton collisions at $\sqrt{s} = 13 \text{ TeV}$. <i>European Physical Journal C</i> , 2018, 78, 903.	3.9	181
30	Luminosity determination in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ using the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2011, 71, 1.	3.9	179
31	Measurement of the distributions of event-by-event flow harmonics in lead-lead collisions at $\sqrt{s_{NN}} = 2.76 \text{ TeV}$ with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	175
32	Study of the spin and parity of the Higgs boson in diboson decays with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 476.	3.9	174
33	Electron and photon energy calibration with the ATLAS detector using LHC Run 1 data. <i>European Physical Journal C</i> , 2014, 74, 1.	3.9	172
34	Observation of Higgs boson production in association with a top quark pair at the LHC with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018, 784, 173-191.	4.1	169
35	<i>Search for Scalar Diphoton Resonances in the Mass Range 650-6000 GeV with the ATLAS Detector</i> in Collision Data at $\sqrt{s} = 13 \text{ TeV}$. <i>Physical Review Letters</i> , 2014, 113, 171801.	7.8	168
36	Search for new high-mass phenomena in the dilepton final state using 36 fb^{-1} of proton-proton collision data at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	168

#	ARTICLE	IF	CITATIONS
37	Measurement of the transverse momentum and ϕ^* distributions of Drell-Yan lepton pairs in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 291.	3.9	154
38	Measurement of the top quark-pair production cross section with ATLAS in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. European Physical Journal C, 2011, 71, 1.	3.9	146
39	Search for direct production of charginos, neutralinos and sleptons in final states with two leptons and missing transverse momentum in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	145
40	Jet reconstruction and performance using particle flow with the ATLAS Detector. European Physical Journal C, 2017, 77, 466.	3.9	145
41	Precision measurement and interpretation of inclusive $W^+ W^+$, $W^- W^-$. European Physical Journal C, 2017, 77, 367.	3.9	145
42	Combination of the Searches for Pair-Produced Vectorlike Partners of the Third-Generation Quarks at $\sqrt{s} = 7 \text{ and } 8 \text{ TeV}$ with the ATLAS Detector. Physical Review Letters, 2018, 121, 211801.	7.8	145
43	Measurement of the $t\bar{t}$ production cross-section using $e\mu$ events with b -tagged jets in $p\bar{p}$ collisions at $\sqrt{s} = 7 \text{ and } 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2014, 74, 3109.	3.9	143
44	ATLAS Run 1 searches for direct pair production of third-generation squarks at the Large Hadron Collider. European Physical Journal C, 2015, 75, 510.	3.9	138
45	Search for dark matter candidates and large extra dimensions in events with a jet and missing transverse momentum with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.1	138
46	Search for dark matter and other new phenomena in events with an energetic jet and large missing transverse momentum using the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	137
47	Measurements of the Nuclear Modification Factor for Jets in $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS Detector. Physical Review Letters, 2015, 114, 072302.	4.7	136
48	Combination of Searches for Invisible Higgs Boson Decays with the ATLAS Experiment. Physical Review Letters, 2019, 122, 231801.	7.8	135
49	Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2018, 78, 199.	3.9	132
50	Measurement of the Z/γ^* boson transverse momentum distribution in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	131
51	Search for Invisible Decays of a Higgs Boson Produced in Association with a Z boson in ATLAS. Physical Review Letters, 2014, 112, .	7.8	130
52	ATLAS b-jet identification performance and efficiency measurement with $t\bar{t}$ events in pp collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2019, 79, 1.	3.9	130
53	Search for Dark Matter in Events with a Hadronically Decaying Z Boson and Missing Transverse Momentum in pp Collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS Detector. Physical Review Letters, 2014, 112, 041802.	7.8	129

#	ARTICLE	IF	CITATIONS
55	Search for squarks and gluinos with the ATLAS detector in final states with jets and missing transverse momentum using $s = 8 \text{ TeV}$ proton-proton collision data. Journal of High Energy Physics, 2014, 2014, 1.	4.7	128
56	Search for charged Higgs bosons decaying via $H \rightarrow t\bar{t}$ in pp collision data at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	4.7	126
57	Search for electroweak production of supersymmetric particles in final states with two or three leptons at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 995.	3.9	125
58	Electron and photon performance measurements with the ATLAS detector using the 2015–2017 LHC proton-proton collision data. Journal of Instrumentation, 2019, 14, P12006-P12006.	1.2	124
59	Search for electroweak production of charginos and sleptons decaying into final states with two leptons and missing transverse momentum in $\sqrt{s} = 13 \text{ TeV}$ pp collisions using the Evidence for Electroweak Production of m0, 2010, 80, 1. xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline">$\sqrt{s} = 13 \text{ TeV}$	3.9	124
60	xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline">p_T^{miss} $\geq 20 \text{ GeV}$ in $\sqrt{s} = 8 \text{ TeV}$ pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 123.	7.8	123
61	Search for the Standard Model Higgs boson produced in association with top quarks and decaying into $b\bar{b}$ in $\sqrt{s} = 8 \text{ TeV}$ pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 123.	3.9	123
62	Measurement of the inclusive isolated prompt photon cross section in $\sqrt{s} = 8 \text{ TeV}$ pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Physical Review D, 2011, 83, 092002.	4.7	121
63			

#	ARTICLE	IF	CITATIONS
73	Search for heavy resonances decaying into W/W in the $eu\ mu\ u\ e\ \bar{e}\ \bar{\nu}_e$ final state in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 24.	3.9	108
74	Measurement of the inclusive jet cross-section in pp collisions at $\sqrt{s} = 2.76$ TeV and comparison to the inclusive jet cross-section at $\sqrt{s} = 7$ TeV using the ATLAS detector. European Physical Journal C, 2013, 73, 2509.	3.9	105
75	Search for direct third-generation squark pair production in final states with missing transverse momentum and two b-jets in $\sqrt{s} = 8$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	102
76	Search for heavy neutrinos and right-handed W bosons in events with two leptons and jets in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. European Physical Journal C, 2012, 72, 2056.	3.9	101
77	Search for heavy ZZ resonances in the $e^+e^- + e^+e^- + e^+e^-$ final states using proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 293.	3.9	101
78	Rapidity gap cross sections measured with the ATLAS detector in pp collisions at $\sqrt{s} = 7$ TeV. European Physical Journal C, 2012, 72, 1.	3.9	100
79	Search for Higgs Boson Pair Production in the $b\bar{b}b\bar{b}$ Final State Using pp Collision Data at $\sqrt{s} = 8$ TeV from the ATLAS Detector. Physical Review Letters, 2015, 114, 081802.	7.8	98
80	Search for Heavy Higgs Bosons Decaying into Two Tau Leptons with the ATLAS Detector Using $\langle mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" display="block">\langle mml:mi>p</mml:mi>\langle mml:mi>p</mml:mi>\langle mml:math> Collisions at \langle mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" display="block">\langle mml:mrow>\langle mml:msqrt>\langle mml:mrow>\langle mml:mi>s</mml:mi>\langle mml:mi>s</mml:mi>\langle mml:mrow>\langle mml:msqrt>\langle mml:mo>= </mml:mo>\langle mml:math>$	7.8	97
81	Physical Review Letters, 2020, 125, 051801.		
81	Constraints on the off-shell Higgs boson signal strength in the high-mass ZZ and WW final states with the ATLAS detector. European Physical Journal C, 2015, 75, 335.	3.9	95
82	Search for new phenomena in events with at least three photons collected in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 210.	3.9	95
83	Performance of electron and photon triggers in ATLAS during LHC Run 2. European Physical Journal C, 2020, 80, 1.	3.9	93
84	Measurements of the W production cross sections in association with jets with the ATLAS detector. European Physical Journal C, 2015, 75, 82.	3.9	92
85	Search for Higgs boson pair production in the $b\bar{b}b\bar{b}$ final state from pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 412.	3.9	90
86	Search for the $b\bar{b} \rightarrow b\bar{b}$ decay of the Standard Model Higgs boson in associated (W/Z)H production with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	89
87	Jet mass and substructure of inclusive jets in $\sqrt{s} = 7$ TeV pp collisions with the ATLAS experiment. Journal of High Energy Physics, 2012, 2012, 1.	4.7	88
88	Search for direct production of charginos and neutralinos in events with three leptons and missing transverse momentum in $\sqrt{s} = 8$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	88
89	Measurement of $W\pm$ and Z -boson production cross sections in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 752, 601-621.		
90	Electron efficiency measurements with the ATLAS detector using 2012 LHC proton-proton collision data. European Physical Journal C, 2017, 77, 195.	3.9	87

#	ARTICLE	IF	CITATIONS
91	Measurement of multi-particle azimuthal correlations in pp, p \bar{A} + \bar{A} Pb and low-multiplicity Pb \bar{A} + \bar{A} Pb collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 428.	3.9	86
92	A Roadmap for HEP Software and Computing R&D for the 2020s. Computing and Software for Big Science, 2019, 3, 1.	2.9	85
93	Search for heavy Majorana neutrinos with the ATLAS detector in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. Journal of High Energy Physics, 2015, 2015, 1.	4.7	84
94	Search for neutral Higgs bosons of the minimal supersymmetric standard model in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	82
95	Observation of an Excited State with the ATLAS Detector. Physical Review Letters, 2014, 113, 212004.	4.7	82
96	Muon reconstruction and identification efficiency in ATLAS using the full Run 2 pp collision data set at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2021, 81, 1.	3.9	82
97	ATLAS search for new phenomena in dijet mass and angular distributions using pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2013, 2013, 1.	4.7	81
98	Measurement of the prompt J/psi pair production cross-section in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2017, 77, 76.	3.9	81
99	Search for dark matter at $\sqrt{s} = 13 \text{ TeV}$ in final states containing an energetic photon and large missing transverse momentum with the ATLAS detector. European Physical Journal C, 2017, 77, 393.	3.9	80
100	Search for production of WW/WZ/WW/Z resonances decaying to a lepton, neutrino and jets in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 209.	3.9	79
101	Search for lepton-flavour-violating decays of the Higgs and Z bosons with the ATLAS detector. European Physical Journal C, 2017, 77, 70.	3.9	79
102	Search for heavy particles decaying into top-quark pairs using lepton-plus-jets events in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 565.	3.9	79
103	Search for high-mass diboson resonances with boson-tagged jets in proton-proton collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1-39.	4.7	78
104	Light-quark and gluon jet discrimination in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2014, 74, 3023.	3.9	77
105	Search for dark matter in events with heavy quarks and missing transverse momentum in pp collisions with the ATLAS detector. European Physical Journal C, 2015, 75, 92.	3.9	77
106	Electron reconstruction and identification in the ATLAS experiment using the 2015 and 2016 LHC proton-proton collision data at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2019, 79, 1.	3.9	77
107	Angular analysis of B0 $\rightarrow K^- \pi^+ \eta'$ decays in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	76
108	Performance of the ATLAS track reconstruction algorithms in dense environments in LHC Run 2. European Physical Journal C, 2017, 77, 673.	3.9	75

#	ARTICLE	IF	CITATIONS
109	Measurement of quarkonium production in proton-lead and proton-proton collisions at $\sqrt{s} = 5.02 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 171.	3.9	75
110	Observation of Light-by-Light Scattering in Ultraperipheral Pb-Pb Collisions with the ATLAS Detector. Physical Review Letters, 2019, 123, 052001.	7.8	75
111	Search for resonant diboson production in the $\ell\ell q\bar{q}$ final state in $p\bar{p}$ collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 69.	3.9	74
112	Search for Heavy Higgs Bosons A/H Decaying to a Top Quark Pair in $p\bar{p}$ Collisions at $s = 8 \text{ TeV}$ with the ATLAS Detector. Physical Review Letters, 2017, 119, 191803.	7.8	74
113	Measurement of the inclusive and dijet cross-sections of b-jets in $p\bar{p}$ collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	3.9	73
114	Measurement of the production cross section of jets in association with a Z boson in $p\bar{p}$ collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	73
115	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run-1 data. European Physical Journal C, 2016, 76, 666.	3.9	73
116	Search for squarks and gluinos in final states with jets and missing transverse momentum at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 392.	3.9	73
117	Search for supersymmetry at $\sqrt{s} = 13 \text{ TeV}$ in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. European Physical Journal C, 2016, 76, 259.	3.9	72
118	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum at $\sqrt{s} = 8 \text{ TeV}$ proton-proton collisions using the ATLAS experiment. Journal of High Energy Physics, 2013, 2013, 1.	4.7	71
119	Search for production of vector-like quark pairs and of four top quarks in the lepton-plus-jets final state in $p\bar{p}$ collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	71
120	Search for a high-mass Higgs boson decaying to a W boson pair in $p\bar{p}$ collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	71
121	Reconstruction of primary vertices at the ATLAS experiment in Run 1 proton-proton collisions at the LHC. European Physical Journal C, 2017, 77, 332.	3.9	71
122	Identification and energy calibration of hadronically decaying tau leptons with the ATLAS experiment in $p\bar{p}$ collisions at $\sqrt{s} = 8 \text{ TeV}$. European Physical Journal C, 2015, 75, 303.	3.9	70
123	Search for resonances in diphoton events at $s = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	70
124	Search for Resonant and Nonresonant Higgs Boson Pair Production in the $b\bar{b}$ Decay Channel in $\text{H} \rightarrow \tau^+\tau^-$. Physical Review Letters, 2018, 121, 191801.	7.8	70
125	Search for charged Higgs bosons decaying via $\text{H} \rightarrow \tau^+\tau^-$, $\text{H} \rightarrow \nu\bar{\nu}$ in fully hadronic final states using $p\bar{p}$ collision data at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	69
126	Measurement of flow harmonics with multi-particle cumulants in Pb+Pb collisions at $\sqrt{s_{\text{NN}}} = 2.76 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2014, 74, 3157.	3.9	68

#	ARTICLE	IF	CITATIONS
127	ATLAS data quality operations and performance for 2015–2018 data-taking. <i>Journal of Instrumentation</i> , 2020, 15, P04003-P04003.	1.2	68
128	Search for new resonances in mass distributions of jet pairs using 139 fb^{-1} of pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	68
129	Measurement of charged-particle spectra in Pb+Pb collisions at $s_{\text{NN}} = 2.76 \text{ TeV}$ with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	67
130	Search for direct pair production of a chargino and a neutralino decaying to the 125 GeV Higgs boson in $\sqrt{s} = 8 \text{ TeV}$ pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 208.	3.9	67
131	Search for long-lived charginos based on a disappearing-track signature in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1. Dijet Resonance Search with Weak Supervision Using mml:math $\text{xmlns:mml="http://www.w3.org/1998/Math/MathML"}$ $\text{display="inline"><mml:mrow><mml:msqrt><mml:mrow><mml:mi>s</mml:mi></mml:mrow></mml:msqrt><mml:mo>=</mml:mo><mml:math}$ $\text{<mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML"}$ $\text{display="inline"><mml:mi>p</mml:mi><mml:mi>p</mml:mi></mml:math> Collisions in the ATLAS Detector. Physical Review Letters, 2020, 125, 131801.$	4.7	67
132	Search for top squark pair production in final states with one isolated lepton, jets, and missing transverse momentum in $s = 8 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	67
133	A search for $t\bar{t}$ resonances using lepton-plus-jets events in proton-proton collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	66
134	A search for pair-produced resonances in four-jet final states at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 250.	3.9	66
135	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum using $\sqrt{s} = 7 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2011, 2011, 1.	4.7	65
136	Measurement of the $W \rightarrow l\nu$ and $Z \rightarrow ll$ production cross sections in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2010, 2010, 1.	4.7	64
137	Measurement of isolated-photon pair production in pp collisions at $\sqrt{s}=7 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	64
138	Measurement of the production of prompt and non-prompt J/ψ mesons in association with a Z boson in pp collisions at $\sqrt{s}=8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 229.	4.7	64
139	Evidence for the $H \rightarrow b\bar{b}$ decay with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	64
140	Jet energy scale and resolution measured in proton-proton collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	64
141	Measurement of the differential cross-sections of prompt and non-prompt production of J/ψ and $\psi(2S)$ in pp collisions at $\sqrt{s}=7 \text{ and } 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 283.	3.9	63
142	Measurement of the Higgs boson mass in the $H \rightarrow ZZ \rightarrow 4\ell$ and $H \rightarrow ll\ell^+\ell^-$ channels with mml:math $\text{xmlns:mml="http://www.w3.org/1998/Math/MathML" altimg="sil1.gif"}$ $\text{overflow="scroll"><mml:msqrt><mml:mrow><mml:mi>s</mml:mi></mml:mrow></mml:msqrt><mml:mo>=</mml:mo><mml:math}$ TeV pp collisions using the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018, 784, 345-366.	3.9	64

#	ARTICLE	IF	CITATIONS
145	Performance of the ATLAS muon trigger in pp collisions at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2015, 75, 120.	3.9	62
146	Identification of boosted, hadronically decaying W bosons and comparisons with ATLAS data taken at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2016, 76, 154.	3.9	62
147	Performance of the ATLAS muon triggers in Run 2. Journal of Instrumentation, 2020, 15, P09015-P09015.	1.2	62
148	Measurement of ZZ production in pp collisions at $\sqrt{s} = 7$ TeV and limits on anomalous ZZZ and $ZZ\bar{Z}$ couplings with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	61
149	Measurements of top quark pair relative differential cross-sections with ATLAS in pp collisions at $\sqrt{s} = 7$ TeV. European Physical Journal C, 2013, 73, 1. Search for a Charged Higgs Boson Produced in the Vector-Boson Fusion Mode with Decay mml:math $\text{xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"}$ $\text{display}=\text{"inline"}$ $\langle \text{mml:msup} \langle \text{mml:mi} \rangle H \langle / \text{mml:mi} \rangle \langle \text{mml:mo} \rangle \hat{\pm} \langle / \text{mml:mo} \rangle \langle / \text{mml:msup} \rangle \langle \text{mml:mo} \rangle \text{stretchy}=\text{"false"} \rangle \hat{\pm} \langle / \text{mml:mo} \rangle \langle \text{mml:msup} \langle \text{mml:mi} \rangle W \langle / \text{mml:mi} \rangle \langle \text{mml:mo} \rangle \hat{\pm} \langle / \text{mml:mo} \rangle \langle / \text{mml:msup} \rangle \langle \text{mml:mi} \rangle Z \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle$ $\text{xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"}$ $\text{display}=\text{"inline"}$ $\langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle \text{Collisions at} \langle \text{mml:math}$ xmlns:m	3.9	61
150	Charged-particle distributions at low transverse momentum in $\sqrt{s} = 13$ TeV pp interactions measured with the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 502.	3.9	61
152	Performance of algorithms that reconstruct missing transverse momentum in $\sqrt{s} = 8$ TeV proton-proton collisions in the ATLAS detector. European Physical Journal C, 2017, 77, 241.	3.9	61
153	Prompt and non-prompt J/ψ and $\psi(2S)$ suppression at high transverse momentum in 5.02 TeV Pb+Pb collisions with the ATLAS experiment. European Physical Journal C, 2018, 78, 762.	3.9	61
154	Search for doubly charged scalar bosons decaying into same-sign W boson pairs with the ATLAS detector. European Physical Journal C, 2019, 79, 58.	3.9	61
155	A search for the dimuon decay of the Standard Model Higgs boson with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2021, 812, 135980.	4.1	61
156	Measurement of multi-jet cross sections in proton-proton collisions at a 7 TeV center-of-mass energy. European Physical Journal C, 2011, 71, 1.	3.9	60
157	Summary of the searches for squarks and gluinos using $\sqrt{s} = 8$ TeV pp collisions with the ATLAS experiment at the LHC. Journal of High Energy Physics, 2015, 2015, 1.	4.7	60
158	Search for anomalous production of prompt same-sign lepton pairs and pair-produced doubly charged Higgs bosons with $\sqrt{s} = 8$ TeV pp collisions using the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	60
159	Search for a new resonance decaying to a W or Z boson and a Higgs boson in the $e^+e^- \rightarrow b\bar{b}$ final states with the ATLAS detector. European Physical Journal C, 2015, 75, 263.	3.9	60
160	Measurement of the centrality dependence of the charged-particle pseudorapidity distribution in proton-lead collisions at $\sqrt{s_{\text{NN}}} = 5.02$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 199.	3.9	60
161	Search for dark matter produced in association with bottom or top quarks in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 18.	3.9	60
162	Measurement of $W \pm Z$ production in proton-proton collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	3.9	59

#	ARTICLE	IF	CITATIONS
163	Search for resonances decaying into top-quark pairs using fully hadronic decays in pp collisions with ATLAS at $\sqrt{s} = 7 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	59
164	Measurement of the production of a W boson in association with a charm quark in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	59
165	Search for direct top-squark pair production in final states with two leptons in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	59
166	Measurement of longitudinal flow decorrelations in Pb+Pb collisions at $\sqrt{s_{\text{NN}}} = 2.76 \text{ s} = 2.76 \text{ and } 5.0$. <i>European Physical Journal C</i> , 2018, 78, 142.	3.9	59
167	Search for charged Higgs bosons decaying via $H^\pm \rightarrow l^\pm \bar{\nu}_l$, in the $l_\pm + \text{jets}$ and $l_\pm + \text{lepton}$ final states with 36 fb^{-1} of pp collision data recorded at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	59
168	Muon reconstruction efficiency and momentum resolution of the ATLAS experiment in proton-proton collisions at $\sqrt{s} = 7 \text{ s} = 7 \text{ TeV}$ in 2010. <i>European Physical Journal C</i> , 2014, 74, 3034.	3.9	58
169	Measurement of the W boson polarization in top quark decays with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	57
170	Measurement of Top Quark Polarization in Top-Antitop Events from Proton-Proton Collisions at $\sqrt{s} = 7 \text{ TeV}$. <i>Physical Review Letters</i> , 2013, 111, 232002.	7.8	57
171	Measurement of the jet fragmentation function and transverse profile in proton-proton collisions at a center-of-mass energy of 7 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2011, 71, 1.	3.9	56
172	Search for supersymmetry in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in $\sqrt{s} = 8 \text{ s} = 8 \text{ TeV}$ pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 318.	3.9	56
173	Fiducial, total and differential cross-section measurements of t-channel single top-quark production in pp collisions at 8 TeV using data collected by the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 531.	3.9	56
174	Search for charged Higgs bosons decaying into top and bottom quarks at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	56
175	Search for direct top squark pair production in events with a Z boson, b-jets and missing transverse momentum in $\sqrt{s} = 8 \text{ TeV}$ pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 2883.	3.9	55
176	Summary of the ATLAS experiment's sensitivity to supersymmetry after LHC Run 1 interpreted in the phenomenological MSSM. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	55
177	Search for pair production of Higgs bosons in the $b\bar{b}$ final state using proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	55
178	Search for a heavy top-quark partner in final states with two leptons with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	54
179	Search for high-mass resonances decaying to dilepton final states in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	54
180	Measurements of fiducial cross-sections for $t\bar{t}$ production with one or two additional b-jets in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 11.	3.9	54

#	ARTICLE	IF	CITATIONS
181	Hunt for new phenomena using large jet multiplicities and missing transverse momentum with ATLAS in 4.7 fb^{-1} of $\sqrt{s} = 7 \text{ TeV}$ proton-proton collisions. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	53
182	Measurement of the cross-section for W boson production in association with b-jets in pp collisions at $\sqrt{s}=7 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	53
183	Search for Higgs boson pair production in the $\gamma\gamma WW^{\ast\ast} \rightarrow \ell^+\ell^- W W \rightarrow$ channel using $\sqrt{s}=13 \text{ TeV}$ pp collision data recorded at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 1007.	3.9	53
184	Search for the Decay of the Higgs Boson to Charm Quarks with the ATLAS Experiment. <i>Physical Review Letters</i> , 2018, 120, 211802. <i>Observation of Electroweak Production of a Same-Sign $\ell^+\ell^-$ Pair in the $\gamma\gamma WW^{\ast\ast}$ Channel</i>	7.8	53
185	$\text{xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"}$ $\text{display}=\text{"inline"}$ $\langle \text{mml:mi} \rangle W \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle$ Boson Pair in Association with Two Jets in $\langle \text{mml:math} \text{ xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"}$ $\text{display}=\text{"inline"}$ $\langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle$ Collisions at $\langle \text{mml:math} \text{ xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"}$ $\text{display}=\text{"block"}$ $\langle \text{mml:math} \text{ xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"}$ $\text{display}=\text{"block"}$	7.8	53
186	Search for the neutral Higgs bosons of the minimal supersymmetric standard model in pp collisions at $\sqrt{s}=7 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	52
187	Performance of jet substructure techniques for large-R jets in proton-proton collisions at $\sqrt{s}=7 \text{ TeV}$ using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	52
188	Search for lepton-flavour-violating $H \rightarrow \ell^+ \ell^-$, decays of the Higgs boson with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	52
189	Measurement of the top quark mass in the $\star t \rightarrow \text{lepton+jets}$ and $\star t \rightarrow \text{dilepton}$ channels using $\sqrt{s}=7 \text{ TeV}$ ATLAS data. <i>European Physical Journal C</i> , 2015, 75, 330. <i>Measurement of the top quark mass in the $\star t \rightarrow \text{lepton+jets}$ and $\star t \rightarrow \text{dilepton}$ channels using $\sqrt{s}=7 \text{ TeV}$ ATLAS data</i>	3.9	52
190	$\text{xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"}$ $\text{altimg}=\text{"si1.gif"}$ $\text{overflow}=\text{"scroll"}$ $\langle \text{mml:mi} \rangle t \langle / \text{mml:mi} \rangle \langle \text{mml:mover}$ $\text{accent}=\text{"true"}$ $\langle \text{mml:mrow} \rangle \langle \text{mml:mi} \rangle t \langle / \text{mml:mi} \rangle \langle / \text{mml:mrow} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mo}$ $\text{stretchy}=\text{"false"}$ $\langle \text{mml:mo} \rangle \langle / \text{mml:mo} \rangle \langle \text{mml:mrow} \rangle \langle / \text{mml:mover} \rangle \langle \text{mml:mo}$	4.1	52
191	Search for the direct production of charginos and neutralinos in final states with tau leptons in $\sqrt{s}=13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 154.	3.9	52
192	Measurement of the top quark mass with the template method in the $\star t \rightarrow \text{lepton+jets}$ channel using ATLAS data. <i>European Physical Journal C</i> , 2012, 72, 2046. <i>Measurements of Four-Lepton Production at the $\star t \rightarrow \text{lepton+jets}$ Channel</i>	3.9	51
193	$\text{xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"}$ $\text{display}=\text{"block"}$ $\langle \text{mml:mi} \rangle Z \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle$ Resonance in $\langle \text{mml:math}$ $\text{xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"}$ $\text{display}=\text{"block"}$ $\langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle$ Collisions at $\langle \text{mml:math}$ $\text{xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"}$	7.8	51
194	Search for minimal supersymmetric standard model Higgs Bosons $H \rightarrow Z Z^{\prime}$ and for a $Z^{\prime \prime}$ boson in the $\star au au$ final state produced in pp collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 585.	3.9	51
195	Measurement of the charged-particle multiplicity inside jets from $\sqrt{s}=8 \text{ TeV}$ pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 322.	3.9	51
196	Measurement of jet fragmentation in Pb+Pb and pp collisions at $\sqrt{s_{\text{NN}}} = 2.76 \text{ TeV}$ and $\sqrt{s} = 2.76 \text{ TeV}$. <i>European Physical Journal C</i> , 2017, 77, 379.	3.9	51
197	Measurement of the azimuthal anisotropy of charged particles produced in $\sqrt{s_{\text{NN}}} = 5.02 \text{ TeV}$ Pb+Pb collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 997.	3.9	51
198	Reconstruction of hadronic decay products of tau leptons with the ATLAS experiment. <i>European Physical Journal C</i> , 2016, 76, 295.	3.9	50

#	ARTICLE	IF	CITATIONS
199	Search for direct top squark pair production in final states with two leptons in $\sqrt{s} = 13\text{TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 898. Search for High-Mass Resonances Decaying to mml:math $\text{xmlns:mml} = \text{http://www.w3.org/1998/Math/MathML}$ $\text{display} = \text{"inline"} > \langle \text{mml:mi} \rangle \bar{t}, \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle \bar{l}^{\frac{1}{2}} \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle \text{ in } \langle \text{mml:math}$	3.9	50
200	$\text{xmlns:mml} = \text{http://www.w3.org/1998/Math/MathML}$ $\text{display} = \text{"inline"} > \langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle \text{ Collisions at } \langle \text{mml:math}$ $\text{xmlns:mml} = \text{http://www.w3.org/1998/Math/MathML}$ $\text{display} = \text{"inline"} > \langle \text{mml:msort} \rangle \langle \text{mml:mi} \rangle s \langle / \text{mml:mi} \rangle$	7.8	50
201	Search for a new heavy gauge-boson resonance decaying into a lepton and missing transverse momentum in 36 fb^{-1} pp collisions at. European Physical Journal C, 2018, 78, 401.	3.9	50
202	Search for heavy neutral leptons in decays of W bosons produced in 13 TeV pp collisions using prompt and displaced signatures with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1. Search for Dark Matter in Events with Missing Transverse Momentum and a Higgs-Boson Decaying to Two Photons in mml:math $\text{xmlns:mml} = \text{http://www.w3.org/1998/Math/MathML}$ $\text{display} = \text{"inline"} > \langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle \text{ Collisions at } \langle \text{mml:math}$	4.7	50
203	$\text{xmlns:mml} = \text{http://www.w3.org/1998/Math/MathML}$ $\text{display} = \text{"inline"} > \langle \text{mml:msort} \rangle \langle \text{mml:mi} \rangle Z \langle / \text{mml:mi} \rangle \langle \text{mml:msort} \rangle \langle \text{mml:mo} \rangle = \langle \text{mml:mo} \rangle \langle \text{mml:mn} \rangle 8 \langle / \text{mml:mn} \rangle \langle \text{mml:mtext} \rangle \text{Higgs and } \langle \text{mml:math}$ $\text{xmlns:mml} = \text{http://www.w3.org/1998/Math/MathML}$ $\text{display} = \text{"inline"} > \langle \text{mml:mrow} \rangle \langle \text{mml:mi} \rangle Z \langle / \text{mml:mi} \rangle \langle / \text{mml:mrow} \rangle \langle \text{mml:math} \rangle \text{ Boson Decays to } \langle \text{mml:math}$ $\text{xmlns:mml} = \text{http://www.w3.org/1998/Math/MathML}$ $\text{display} = \text{"inline"} > \langle \text{mml:mrow} \rangle \langle \text{mml:mi} \rangle J \langle / \text{mml:mi} \rangle \langle \text{mml:mo} \rangle / \langle / \text{mml:mo} \rangle \langle \text{mml:mi} \rangle \bar{l}^{\frac{1}{2}} \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle l^{\frac{1}{2}} \langle / \text{mml:mi} \rangle \langle / \text{mml:mrow} \rangle \langle \text{mml:mi} \rangle$	7.8	49
204	$\text{xmlns:mml} = \text{http://www.w3.org/1998/Math/MathML}$ display="inline">> <mml:mrow><mml:mi>J</mml:mi><mml:mo>/</mml:mo><mml:mi>l</mml:mi><mml:mo>*</mml:mo><mml:mi>l</mml:mi></mml:mrow><mml:mi>		

#	ARTICLE	IF	CITATIONS
217	Study of the rare decays of $B^0 \rightarrow B^- \pi^+$ and $B^0 \rightarrow B^- \eta$ into muon pairs from data collected during the LHC Run 1 with the ATLAS detector. European Physical Journal C, 2016, 76, 513.	3.9	46
218	Measurement of the Higgs boson coupling properties in the $H \rightarrow ZZ \rightarrow 4\ell$ decay channel at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	46
219	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run 2 data collected in 2015 and 2016. European Physical Journal C, 2019, 79, 1. Measurements of gluon-gluon fusion and vector-boson fusion Higgs boson production cross-sections in the $H \rightarrow WW \rightarrow 2\ell 2\nu$ decay channel in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 789, 508-529.	3.9	46
220	Search for charged Higgs bosons decaying into a top quark and a bottom quark at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.1	46
221	Measurement of the cross section for top-quark pair production in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector using final states with two high-p T leptons. Journal of High Energy Physics, 2012, 2012, 1. Measurement of the top quark pair production cross section in pp collisions at $\sqrt{s} = 7$ TeV in dilepton final states with ATLAS. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 707, 459-477.	4.7	46
222	Search for pair-produced massive coloured scalars in four-jet final states with the ATLAS detector in proton-proton collisions at $\sqrt{s} = 7$ TeV. European Physical Journal C, 2013, 73, 1.	3.9	45
223	Single hadron response measurement and calorimeter jet energy scale uncertainty with the ATLAS detector at the LHC. European Physical Journal C, 2013, 73, 1.	3.9	45
224	Measurement of the $t\bar{t}$ production cross section in the tau + jets channel using the ATLAS detector. European Physical Journal C, 2013, 73, 2328.	3.9	45
225	Measurements of fiducial and differential cross sections for Higgs boson production in the diphoton decay channel at $s = 8$ TeV with ATLAS. Journal of High Energy Physics, 2014, 2014, 1.	4.7	45
226	Measurement of differential production cross-sections for a Z boson in association with b-jets in 7 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	45
227	Search for supersymmetry at $\sqrt{s} = 8$ TeV in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	45
228	Search for new particles in events with one lepton and missing transverse momentum in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	45
229	Search for a scalar partner of the top quark in the jets plus missing transverse momentum final state at $s = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	45
230	Measurement of the inclusive isolated prompt photon cross section in pp collisions at $s = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	44
231	Search for the Standard Model Higgs boson in the $H \rightarrow \tau^+ \tau^-$ decay mode in $\sqrt{s} = 7$ TeV pp collisions with ATLAS. Journal of High Energy Physics, 2012, 2012, 1.	4.7	43
232	Search for charged Higgs bosons in the $H \rightarrow tb$ decay channel in pp collisions at $s = 8$ TeV using the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	43

#	ARTICLE	IF	CITATIONS
235	Search for single production of vector-like quarks decaying into Wb in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 442.	3.9	43
236	Search for single top-quark production via flavour-changing neutral currents at 8 TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 55.	3.9	43
237	Constraints on off-shell Higgs boson production and the Higgs boson total width in ZZ and ZZ final states with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 786, 223-244.	4.1	43
238	Measurement of the top quark pair production charge asymmetry in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	42
239	Search for squarks and gluinos in events with isolated leptons, jets and missing transverse momentum at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	42
240	Two-particle Bose-Einstein correlations in pp collisions at $\sqrt{s} = 0.9 \text{ and } 7 \text{ TeV}$ measured with the ATLAS detector. European Physical Journal C, 2015, 75, 466.	3.9	42
241	Combined measurement of differential and total cross sections in the H and H decay channels at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 786, 114-133.		
242	Performance of top-quark and W-boson tagging with ATLAS in Run 2 of the LHC. European Physical Journal C, 2019, 79, 1.	3.9	42
243	Search for supersymmetric particles in events with lepton pairs and large missing transverse momentum in $\sqrt{s}=7 \text{ TeV}$ proton-proton collisions with the ATLAS experiment. European Physical Journal C, 2011, 71, 1.	3.9	41
244	Search for direct pair production of the top squark in all-hadronic final states in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	41
245	Measurement of the production and lepton charge asymmetry of W bosons in Pb+Pb collisions at $\sqrt{s_{NN}} = 2.76 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 23.	3.9	41
246	Measurement of the t t Z and t t W production cross sections in multilepton final states using 3.2 fb -1 of pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2017, 77, 40.	3.9	41
247	Scattering in $\sqrt{s} = 13 \text{ TeV}$ collisions at $\sqrt{s} = 13 \text{ TeV}$. Search for low-Mass Dijet Resonances Using Trigger-level Jets with the ATLAS Detector. European Physical Journal C, 2018, 78, 41.		
248	Collisions at $\sqrt{s} = 13 \text{ TeV}$. Search for low-Mass Dijet Resonances Using Trigger-level Jets with the ATLAS Detector. European Physical Journal C, 2018, 78, 41.	7.8	41
249	Measurement of W production cross sections and gauge boson polarisation in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1. Physical Review Letters, 2018, 121, 081801.	3.9	41
250	Higgs boson production cross-section measurements and their EFT interpretation in the 4ell decay channel at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	41
251	Limits on the production of the standard model Higgs boson in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	3.9	40
252	A search for t resonances in lepton+jets events with highly boosted top quarks collected in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	4.7	40

#	ARTICLE	IF	CITATIONS
253	Measurements of jet vetoes and azimuthal decorrelations in dijet events produced in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2014, 74, 3117.	3.9	40
254	Search for the direct production of charginos, neutralinos and staus in final states with at least two hadronically decaying taus and missing transverse momentum in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	40
255	Differential top-antitop cross-section measurements as a function of observables constructed from final-state particles using pp collisions at $s = 7 \text{ TeV}$ in the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	40
256	Study of the $B_c^+ \rightarrow J/\psi D_s^+ \rightarrow B_c + \bar{D}_s^+$ and $B_c^+ \rightarrow J/\psi D_s^* \rightarrow B_c + \bar{D}_s^*$ decays with the ATLAS detector. European Physical Journal C, 2016, 76, 4.	3.9	40
257	Search for heavy resonances decaying into a W or Z boson and a Higgs boson in final states with leptons and b -jets in 36 fb^{-1} of $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	40
258	Measurements of b -jet tagging efficiency with the ATLAS detector using $t\bar{t}$ events at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	4.7	40
259	Properties of Higgs Boson Interactions with Top Quarks in the mml:math http://www.w3.org/1998/Math/MathML and mml:math http://www.w3.org/1998/Math/MathML	7.8	40
260	Search for heavy resonances decaying into a pair of Z bosons in the $\ell^+\ell^-\ell^+\ell^-$ and $\ell^+\ell^-\mu^+\mu^-$ final states using 139 fb^{-1} of proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	40
261	Search for massive colored scalars in four-jet final states in $\sqrt{s} = 7 \text{ TeV}$ proton-proton collisions with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	3.9	39
262	Search for invisible decays of the Higgs boson produced in association with a hadronically decaying vector boson in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 337.	3.9	39
263	Search for flavour-changing neutral current top-quark decays to φZ in pp collision data collected with the ATLAS detector at $\sqrt{s} = 8 \text{ TeV}$. European Physical Journal C, 2016, 76, 12.	3.9	39
264	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at $\sqrt{s} = 8 \text{ TeV}$. European Physical Journal C, 2016, 76, 87.	3.9	39
265	Search for a Structure in the mml:math http://www.w3.org/1998/Math/MathML and mml:msubsup $\text{B}_n^{(m)}$ mml:mi mml:msubsup mml:mn mml:msubsup mml:msubsup Invariant Mass Spectrum with the ATLAS Experiment. Physical Review Letters, 2018, 120, 202007.	4.7	39
266	Search for heavy Majorana or Dirac neutrinos and right-handed W gauge bosons in final states with two charged leptons and two jets at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	39
267	Search for strong production of supersymmetric particles in final states with missing transverse momentum and at least three b -jets at $s = 8 \text{ TeV}$ proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	38
268	Measurement of the double-differential high-mass Drell-Yan cross section in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	38
269	Search for pair production of vector-like top quarks in events with one lepton, jets, and missing transverse momentum in $s = 13 \text{ TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	38
270	Search for Higgs boson pair production in the $\text{upgamma upgamma boverline{b}}$ final state with 13 TeV pp collision data collected by the ATLAS experiment. Journal of High Energy Physics, 2018, 2018, 1.	4.7	38

#	ARTICLE	IF	CITATIONS
271	Measurement of electroweak W/\bar{W} boson pair production in association with two jets in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019, 790, 133402.	4.1	38
272	Measurements of WH and ZH production in the $H \rightarrow b\bar{b}$ decay channel in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	38
273	Search for second generation scalar leptoquarks in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2012, 72, 1.	3.9	37
274	Search for bottom squark pair production in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 547.	3.9	37
275	Measurement of the W boson polarisation in $t\bar{t}\ell^-\ell^+$ events from pp collisions at $\sqrt{s} = 8 \text{ TeV}$ in the lepton+jets channel with ATLAS. <i>European Physical Journal C</i> , 2017, 77, 264.	3.9	37
276	Search for supersymmetry in final states with missing transverse momentum and multiple b-jets in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	37
277	Electron and photon energy calibration with the ATLAS detector using 2015–2016 LHC proton-proton collision data. <i>Journal of Instrumentation</i> , 2019, 14, P03017-P03017.	1.2	37
278	Search for squarks and gluinos in final states with jets and missing transverse momentum using 139 fb^{-1} of pp collision data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	37
279	ATLAS search for a heavy gauge boson decaying to a charged lepton and a neutrino in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. <i>European Physical Journal C</i> , 2012, 72, 1.	3.9	36
280	Search for same-sign top-quark production and fourth-generation down-type quarks in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	36
281	Measurement of the polarisation of W bosons produced with large transverse momentum in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS experiment. <i>European Physical Journal C</i> , 2012, 72, 1.	3.9	36
282	Measurement of dijet cross-sections in pp collisions at 7 TeV centre-of-mass energy using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	36
283	Search for heavy lepton resonances decaying to a Z boson and a lepton in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	36
284	Search for heavy long-lived multi-charged particles in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 362.	3.9	36
285	Search for the Dimuon Decay of the Higgs Boson in pp Collisions at $s = 13 \text{ TeV}$ with the ATLAS Detector. <i>Physical Review Letters</i> , 2017, 119, 051802.	7.8	36
286	Search for pair production of heavy vector-like quarks decaying to high-p T W bosons and b quarks in the lepton-plus-jets final state in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	36
287	Measurement of flow harmonics correlations with mean transverse momentum in lead-lead and proton-lead collisions at $\sqrt{s_{NN}} = 5.02 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	36
288	Search for pairs of scalar leptoquarks decaying into quarks and electrons or muons in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	36

#	ARTICLE	IF	CITATIONS
289	Search for a scalar partner of the top quark in the all-hadronic $\$t\{ar[t]\}$$$ plus missing transverse momentum final state at $\$sqrt[s]=13\text{\AA TeV}$ with the ATLAS detector. European Physical Journal C, 2020, 100, 1.	3.9	36
290	Search for Quantum Black Hole Production in High-Invariant-Mass $\langle mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline">\langle mml:mrow \mathvariant="bold">\text{Lepton}$ $\langle mml:mtext \rangle \langle mml:mo \rangle + \langle mml:mo \rangle \langle mml:mtext \mathvariant="bold">\text{Jet}$ $\langle mml:mtext \rangle \langle mml:mrow \rangle \langle mml:math \rangle \text{Final States Using}$ $\langle mml:math \rangle \langle mml:mi \rangle p \langle mml:mi \rangle \langle mml:mi \rangle p \langle mml:mi \rangle \langle mml:math \rangle \text{Collisions at}$ $\langle mml:math \rangle \langle mml:mi \rangle p \langle mml:mi \rangle \langle mml:mi \rangle p \langle mml:mi \rangle \langle mml:math \rangle \text{Search for pair and single production of new heavy quarks that decay to a Z boson and a}$ third-generation quark in pp collisions at $s = 8 \sqrt{s}=8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	7.8	35
291	Measurement of the production cross section of prompt J/ψ mesons in association with a $W \pm$ boson in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	35
292	Search for $W' \rightarrow tb \rightarrow q\bar{q}bb$ decays in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 165. Search for Scalar Charm Quark Pair Production in $\langle mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline">\langle mml:mrow \mathvariant="bold">\text{W}' \rightarrow tb \rightarrow q\bar{q}bb$ decays in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 165. Search for Scalar Charm Quark Pair Production in $\langle mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline">\langle mml:mrow \mathvariant="bold">\text{W}' \rightarrow tb \rightarrow q\bar{q}bb$ decays in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 165.	3.9	35
293	Measurement of the inclusive jet cross-section in proton-proton collisions at $s = 7 \sqrt{s}=7 \text{ TeV}$ using 4.5 fb^{-1} of data with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	35
294	Identification and rejection of pile-up jets at high pseudorapidity with the ATLAS detector. European Physical Journal C, 2017, 77, 580.	3.9	35
295	Study of energy response and resolution of the ATLAS barrel calorimeter to hadrons of energies from 20 to 350 GeV. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2010, 621, 134-150.	1.6	34
296	A search for flavour changing neutral currents in top-quark decays in pp collision data collected with the ATLAS detector at $\sqrt{s}=7\text{TeV}$. Journal of High Energy Physics, 2012, 2012, 1.	4.7	34
297	Multi-channel search for squarks and gluinos in $\sqrt{s}=7\text{TeV}$ pp collisions with the ATLAS detector at the LHC. European Physical Journal C, 2013, 73, 2362.	3.9	34
298	Measurements of top-quark pair differential and double-differential cross-sections in the $e\ell + \text{jets}$ channel with pp collisions at $\sqrt{s}=13\text{TeV}$ using the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	34
299	Search for direct production of electroweakinos in final states with one lepton, missing transverse momentum and a Higgs boson decaying into two b-jets in pp collisions at $\sqrt{s}=13\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	34
300	Inclusive search for same-sign dilepton signatures in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2011, 2011, 1.	4.7	33
301	Measurement of jet shapes in top-quark pair events at $\sqrt{s} = 7 \text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2013, 73, 2676.	3.9	33
302	Analysis of events with b-jets and a pair of leptons of the same charge in pp collisions at $s = 8 \sqrt{s}=8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	33
303	Searches for heavy long-lived charged particles with the ATLAS detector in proton-proton collisions at $s = 8 \sqrt{s}=8 \text{ TeV}$. Journal of High Energy Physics, 2015, 2015, 1.	4.7	33
304	Measurement of the angular coefficients in Z-boson events using electron and muon pairs from data taken at $s = 8 \sqrt{s}=8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	33

#	ARTICLE	IF	CITATIONS
307	Measurements of $\tilde{t}(2S)$ and $X(3872) \rightarrow J/\psi + \ell\bar{\ell}$ production in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	33
308	Measurement of the Soft-Drop Jet Mass in $\langle \text{mml:math} \rangle$ Collisions at $\langle \text{mml:math} \rangle$ with the ATLAS Detector. <i>Physical Review Letters</i> , 2018, 121, 092001.	7.8	33
309	Search for pair production of up-type vector-like quarks and for four-top-quark events in final states with multiple b-jets with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	33
310	Search for invisible Higgs boson decays in vector boson fusion at $\langle \text{mml:math} \rangle$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019, 793, 499-519.	4.7	33
311	Search for third generation scalar leptoquarks in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	32
312	Measurement of $t\bar{t} c_1$ and $t\bar{t} c_2$ production with $s = 7 \text{ TeV}$ pp collisions at ATLAS. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	32
313	Determination of the strong coupling constant α_s from transverse energy correlations in multijet events at $\sqrt{s} = 8 \text{ TeV}$. <i>European Physical Journal C</i> , 2017, 77, 872.	3.9	32
314	Measurements of the Higgs boson inclusive and differential fiducial cross sections in the 4ℓ decay channel at $\sqrt{s} = 13 \text{ TeV}$. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	32
315	Measurements of underlying-event properties using neutral and charged particles in pp collisions at $\sqrt{s} = 900 \text{ GeV}$ and $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2011, 71, 1.	3.9	31
316	Search for light scalar top-quark pair production in final states with two leptons with the ATLAS detector in $\sqrt{s} = 7 \text{ TeV}$ proton-proton collisions. <i>European Physical Journal C</i> , 2012, 72, 1.	3.9	31
317	Measurement of the differential cross-section of B^+ meson production in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ at ATLAS. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	31
318	Search for gluinos in events with an isolated lepton, jets and missing transverse momentum at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 565.	3.9	31
319	Measurement of the $Z\bar{Z}$ production cross section in $\langle \text{mml:math} \rangle$ Collisions at $\langle \text{mml:math} \rangle$ with the ATLAS Detector. <i>Physical Review Letters</i> , 2017, 118, 121801.	7.8	31
320	A search for prompt lepton-jets in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	31
321	Measurement of inclusive and differential cross sections in the $H \rightarrow ZZ^* \rightarrow 4\ell$ decay channel in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	31
322	Search for supersymmetry in final states with two same-sign or three leptons and jets using 36 fb^{-1} of $\sqrt{s} = 13 \text{ TeV}$ pp collision data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	31
323	Search for $W W/W Z$ resonance production in $\ell\ell qq$ final states in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	31
324	Search for Higgs boson decays to beyond-the-Standard-Model light bosons in four-lepton events with the ATLAS detector at $\sqrt{s} = 13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	31

#	ARTICLE	IF	CITATIONS
325	The ATLAS TRT Barrel Detector. <i>Journal of Instrumentation</i> , 2008, 3, P02014-P02014.	1.2	30
326	Evidence of $t\bar{t}$ production in $\sqrt{s} = 7$ TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	7.8	30
327	Search for invisible particles produced in association with single-top-quarks in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 79.	3.9	30
328	Measurement of the $t\bar{t}$ production cross-section as a function of jet multiplicity and jet transverse momentum in 7 TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	30
329	Study of hard double-parton scattering in four-jet events in pp collisions at $s = 7$ TeV with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	30
330	Charged-particle distributions in pp interactions at $\sqrt{s} = 8$ TeV measured with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 403.	3.9	30
331	Searches for the $Z\bar{l}^3$ decay mode of the Higgs boson and for new high-mass resonances in pp collisions at $s = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	30
332	Study of $WW\gamma$ and $WZ\gamma$ production in pp collisions at $\sqrt{s} = 8$ TeV. <i>European Physical Journal C</i> , 2017, 77, 646.	3.9	30
333	Search for new phenomena in events with same-charge leptons and b-jets in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	30
334	Searches for third-generation scalar leptoquarks in pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	30
335	Evidence for $t\bar{t}$ production in the multilepton final state in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	30
336	Forward-backward correlations and charged-particle azimuthal distributions in pp interactions using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	29
337	A measurement of the calorimeter response to single hadrons and determination of the jet energy scale uncertainty using LHC Run-1 pp-collision data with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 26.	3.9	29
338	Measurement of the inclusive cross-sections of single top-quark and top-antiquark t-channel production in pp collisions at $s = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	29
339	Study of the material of the ATLAS inner detector for Run 2 of the LHC. <i>Journal of Instrumentation</i> , 2017, 12, P12009-P12009.	1.2	29
340	Search for dark matter in events with a hadronically decaying vector boson and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	29
341	Searches for heavy ZZ and ZW resonances in the $q\bar{q}$ and $t\bar{t}$ final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	29
342	Search for heavy diboson resonances in semileptonic final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	29

#	ARTICLE	IF	CITATIONS
343	Measurement of the forward-backward asymmetry of electron and muon pair-production in pp collisions at $s = 7 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	28
344	Measurement of lepton differential distributions and the top quark mass in $t\bar{t}$. <i>European Physical Journal C</i> , 2017, 77, 804.	3.9	28
345	Measurement of WW/WZ production with the hadronically decaying boson reconstructed as one or two jets in pp collisions at $s = 8 \text{ TeV}$ with ATLAS, and constraints on anomalous gauge couplings. <i>European Physical Journal C</i> , 2017, 77, 563.	3.9	28
346	Measurement of the Drell-Yan triple-differential cross section in pp collisions at $s = 8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	28
347	Search for the Higgs boson produced in association with a vector boson and decaying into two spin-zero particles in the $H \rightarrow 4b$ channel in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	28
348	Search for long-lived neutral particles in pp collisions at $s = 13 \text{ TeV}$ that decay into displaced hadronic jets in the ATLAS calorimeter. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	28
349	In situ calibration of large-radius jet energy and mass in 13 TeV proton-proton collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	28
350	Fluctuations of anisotropic flow in Pb+Pb collisions at $s = 5.02 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	28
351	Measurement of the transverse momentum distribution of Drell-Yan lepton pairs in proton-proton collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	28
352	Measurement of the Lund Jet Plane Using Charged Particles in 13 TeV Proton-Proton Collisions with the ATLAS Detector. <i>Physical Review Letters</i> , 2020, 124, 222002.	7.8	28
353	Search for chargino-neutralino pair production in final states with three leptons and missing transverse momentum in $s = 13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	28
354	The ATLAS TRT end-cap detectors. <i>Journal of Instrumentation</i> , 2008, 3, P10003-P10003.	1.2	27
355	Search for New Phenomena in Dijet Angular Distributions in Proton-Proton Collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS Detector. <i>Physical Review Letters</i> , 2015, 114, 221802.	3.9	27
356	Search for metastable heavy charged particles with large ionisation energy loss in pp collisions at $s = 8 \text{ TeV}$ using the ATLAS experiment. <i>European Physical Journal C</i> , 2015, 75, 407.	3.9	27
357	Measurement of the $WW + WZ$ cross section and limits on anomalous triple gauge couplings using final states with one lepton, missing transverse momentum, and two jets with the ATLAS detector at $s = 7 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	27
358	Measurements of top-quark pair differential cross-sections in the $e\mu$ channel in pp collisions at $s = 13 \text{ TeV}$ using the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 292.	3.9	27
359	Search for new phenomena using the invariant mass distribution of same-flavour opposite-sign dilepton pairs in events with missing transverse momentum in $s = 13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 625.	3.9	27
360	Search for single production of vector-like quarks decaying into Wb in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	27

#	ARTICLE	IF	CITATIONS
361	Measurement of the top-quark mass in $t\bar{t}$ + 1-jet events collected with the ATLAS detector in pp collisions at $\sqrt{s} = 8$ TeV. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	27
362	Search for pair production of third-generation scalar leptoquarks decaying into a top quark and a \tilde{l}_{μ} -lepton in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	27
363	Measurements of electroweak W_{jj} production and constraints on anomalous gauge couplings with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 474.	3.9	26
364	Search for a heavy Higgs boson decaying into a Z boson and another heavy Higgs boson in the $ell ell bb$ and $ell ell WW$ final states in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	26
365	The ATLAS Transition Radiation Tracker (TRT) proportional drift tube: design and performance. <i>Journal of Instrumentation</i> , 2008, 3, P02013-P02013.	1.2	25
366	A search for $\star t\bar{t}$ resonances with the ATLAS detector in 2.05 fb^{-1} of proton-proton collisions at $\sqrt{s} = 7$ TeV. <i>European Physical Journal C</i> , 2012, 72, 2083.	3.9	25
367	Search for top and bottom squarks from gluino pair production in final states with missing transverse energy and at least three b-jets with the ATLAS detector. <i>European Physical Journal C</i> , 2012, 72, 1.	3.9	25
368	Measurement of the low-mass Drell-Yan differential cross section at $s = 7$ TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	25
369	Determination of the top-quark pole mass using $t\bar{t}$ + 1-jet events collected with the ATLAS experiment in 7 TeV pp collisions. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	25
370	Searches for heavy diboson resonances in pp collisions at $s = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	25
371	Search for triboson $WW^{\pm}WW^{\pm}$ production in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 141.	3.9	25
372	Operation and performance of the ATLAS Tile Calorimeter in Run 1. <i>European Physical Journal C</i> , 2018, 78, 987.	3.9	25
373	A strategy for a general search for new phenomena using data-derived signal regions and its application within the ATLAS experiment. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	25
374	Search for Magnetic Monopoles and Stable High-Electric-Charge Objects in 13 TeV Proton-Proton Collisions with the ATLAS Detector. <i>Physical Review Letters</i> , 2020, 124, 031802.	7.8	25
375	Search for the Higgs boson produced in association with a W boson and decaying to four b-quarks via two spin-zero particles in pp collisions at 13 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 605.	3.9	24
376	Search for supersymmetry in a final state containing two photons and missing transverse momentum in \varvec{s} $\hat{s} = 13$ TeV \varvec{pp} . <i>European Physical Journal C</i> , 2016, 76, 517.	3.9	24
377	Measurement of the cross-section and charge asymmetry of W bosons produced in proton-proton collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	24
378	Measurement of fiducial and differential WW production cross-sections at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	24

#	ARTICLE	IF	CITATIONS
379	Search for new non-resonant phenomena in high-mass dilepton final states with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	24
380	A measurement of the ratio of the production cross sections for W and Z bosons in association with jets with the ATLAS detector. European Physical Journal C, 2014, 74, 3168.	3.9	23
381	Measurement of the underlying event in jet events from 7TeV proton-proton collisions with the ATLAS detector. European Physical Journal C, 2014, 74, 1. Determination of the Ratio of Quark Fragmentation Fractions $\frac{\int_{x_1}^{x_2} \frac{d^2\Gamma}{dx_1 dx_2} dx_1}{\int_{x_1}^{x_2} \frac{d^2\Gamma}{dx_1 dx_2} dx_1} = \frac{\int_{x_1}^{x_2} \frac{d^2\Gamma}{dx_1 dx_2} dx_1}{\int_{x_1}^{x_2} \frac{d^2\Gamma}{dx_1 dx_2} dx_1}$	3.9	23
382	Physical Review Letters, 2015, 115, 262001.	7.8	23
383	A search for high-mass resonances decaying to $\tilde{l}_1, \tilde{l}_2, \tilde{\chi}_1^0$ in pp collisions at $\sqrt{s} = 8\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	23
384	Measurement of three-jet production cross-sections in $p\ p$ collisions at 7TeV centre-of-mass energy using the ATLAS detector. European Physical Journal C, 2015, 75, 228.	3.9	23
385	Search for new phenomena in different-flavour high-mass dilepton final states in pp collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 541.	3.9	23
386	Measurement of the inclusive jet cross-sections in proton-proton collisions at $s = 8\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1. Comparison of Fragmentation Functions for Jets Dominated by Light Quarks and Gluons from $\langle \text{mml:math} \rangle \text{p} \langle /text{mml:math} \rangle \text{p} \langle \text{mml:math} \rangle \text{p} \langle /text{mml:math} \rangle \text{p}$ and $\langle \text{mml:math} \rangle \text{p} \langle /text{mml:math} \rangle \text{p} \langle \text{mml:math} \rangle \text{p} \langle /text{mml:math} \rangle \text{p}$	4.7	23
387	$\langle \text{mml:math} \rangle \text{p} \langle /text{mml:math} \rangle \text{p} \langle \text{mml:math} \rangle \text{p} \langle /text{mml:math} \rangle \text{p}$ and $\langle \text{mml:math} \rangle \text{p} \langle /text{mml:math} \rangle \text{p} \langle \text{mml:math} \rangle \text{p} \langle /text{mml:math} \rangle \text{p}$ Collisions in ATLAS. Physical Review Letters, 2019, 122, 042001.	7.8	23
388	Search for doubly and singly charged Higgs bosons decaying into vector bosons in multi-lepton final states with the ATLAS detector using proton-proton collisions at $\sqrt{s} = 13\text{TeV}$. Journal of High Energy Physics, 2021, 2021, 1.	4.7	23
389	AtFast3: The Next Generation of Fast Simulation in ATLAS. Computing and Software for Big Science, 2022, 6, 1.	2.9	23
390	Measurement of event shapes at large momentum transfer with the ATLAS detector in pp collisions at $\sqrt{s} = 7\text{TeV}$. European Physical Journal C, 2012, 72, 1.	3.9	22
391	Measurement of the centrality and pseudorapidity dependence of the integrated elliptic flow in lead-lead collisions at $\sqrt{s_{NN}} = 2.76\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2014, 74, 2982.	3.9	22
392	Measurement of the electroweak production of dijets in association with a Z-boson and distributions sensitive to vector boson fusion in proton-proton collisions at $\sqrt{s} = 8\text{TeV}$ using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	22
393	Measurement of the $t\bar{t}\rightarrow W\bar{W}$ and $t\bar{t}\rightarrow Z\bar{Z}$ production cross sections in pp collisions at $s = 8\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	22
394	Study of $(W/Z)H$ production and Higgs boson couplings using $H\rightarrow W\bar{W}$ decays with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	22
395	Search for pair production of heavy vector-like quarks decaying into high-pT W bosons and top quarks in the lepton-plus-jets final state in pp collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	22
396	Measurements of top-quark pair spin correlations in the $e\mu$ channel at $\sqrt{s} = 13\text{TeV}$ using pp collisions in the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	22

#	ARTICLE	IF	CITATIONS
397	Search for new phenomena in events with two opposite-charge leptons, jets and missing transverse momentum in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	22
398	Observation and Measurement of Forward Proton Scattering in Association with Lepton Pairs Produced via the Photon Fusion Mechanism at ATLAS. <i>Physical Review Letters</i> , 2020, 125, 261801.	7.8	22
399	Measurement of W polarization in $W \rightarrow l^{\pm} \nu_l$ decays with the ATLAS detector in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. <i>European Physical Journal C</i> , 2012, 72, 2062.	3.9	21
400	Measurement of the production cross-section of $t\bar{t}(2S) \rightarrow J/\psi(\ell^+\ell^- + \ell^+\ell^-)$ in pp collisions at $s = 7 \text{ TeV}$ at ATLAS. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	21
401	Determination of spin and parity of the Higgs boson in the $WW \rightarrow e^+e^- \mu^+\mu^-$ decay channel with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 231.	3.9	21
402	The performance of the jet trigger for the ATLAS detector during 2011 data taking. <i>European Physical Journal C</i> , 2016, 76, 526.	3.9	21
403	Search for the Standard Model Higgs boson decaying into $b\bar{b}$ produced in association with top quarks decaying hadronically in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	21
404	Search for Higgs boson pair production in the $WW(*)WW(*)$ decay channel using ATLAS data recorded at $\sqrt{s} = 13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	21
405	Identification of boosted Higgs bosons decaying into b -quark pairs with the ATLAS detector at 13 TeV . <i>European Physical Journal C</i> , 2019, 79, .	3.9	21
406	Search for light long-lived neutral particles produced in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ and decaying into collimated leptons or light hadrons with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	21
407	$\text{Search for new phenomena in events with three or more charged leptons in pp collisions at } s = 8 \text{ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.}$	7.8	20
408	Search for new phenomena in events with three or more charged leptons in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	20
409	Search for new phenomena in events with a photon and missing transverse momentum in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	20
410	Measurements of top quark spin observables in $t\bar{t}$ events using dilepton final states in $s = 8 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	20
411	Measurement of differential cross-sections of a single top quark produced in association with a W boson at $\sqrt{s} = 13 \text{ TeV}$ with ATLAS. <i>European Physical Journal C</i> , 2018, 78, 186.	3.9	20
412	Search for diboson resonances in hadronic final states in 139 fb^{-1} of pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	20
413	Search for Higgs Boson Decays into a Z Boson and a Light Hadronically Decaying Resonance Using 13 TeV pp Collision Data from the ATLAS Detector. <i>Physical Review Letters</i> , 2020, 125, 221802.	7.8	20
414	Search for charged Higgs bosons through the violation of lepton universality in $t\bar{t}$ events using pp collision data at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	19

#	ARTICLE	IF	CITATIONS
415	Measurement of k_T splitting scales in $W \rightarrow t\bar{t} \nu$ events at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2013, 73, 2432.	3.9	19
416	Search for flavour-changing neutral current top quark decays $t \rightarrow t' H q$ in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1-65.	4.7	19
417	Addendum to "Measurement of the $t\bar{t}$ production cross-section using e^+e^- events with b-tagged jets in pp collisions at $\sqrt{s} = 7 \text{ and } 8 \text{ TeV}$ with the ATLAS detector". <i>European Physical Journal C</i> , 2016, 76, 1.	3.9	19
418	Search for the production of single vector-like and excited quarks in the Wt final state in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	19
419	Probing lepton flavour violation via neutrinoless $\vartheta_{\mu\tau}$ decays with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 232.	3.9	19
420	Measurement of detector-corrected observables sensitive to the anomalous production of events with jets and large missing transverse momentum in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 765.	3.9	19
421	Measurement of the production cross-section of a single top quark in association with a Z boson in proton-proton collisions at 13 TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018, 780, 557-577.	4.1	19
422	Prompt and non-prompt J/psi elliptic flow in Pb+Pb collisions at $\sqrt{s_{\text{NN}}} = 5.02 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 784.	3.9	19
423	Search for top-quark decays $t \rightarrow t' H q$ with 36 fb^{-1} of pp collision data at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	19
424	Search for squarks and gluinos in final states with same-sign leptons and jets using 139 fb^{-1} of data collected with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	19
425	Measurement of light-by-light scattering and search for axion-like particles with 2.2 nb^{-1} of Pb+Pb data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	19
426	Performance of the ATLAS detector using first collision data. <i>Journal of High Energy Physics</i> , 2010, 2010, 1.	4.7	18
427	Search for an excess of events with an identical flavour lepton pair and significant missing transverse momentum in $\sqrt{s} = 7 \text{ TeV}$ proton-proton collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2011, 71, 1.	3.9	18
428	Search for top quark decays $t \rightarrow t' qH$, with $H \rightarrow b\bar{b}$, in $s = 13 \text{ TeV}$ pp collisions using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	18
429	Measurements of inclusive and differential fiducial cross-sections of $t\bar{t}$ production with additional heavy-flavour jets in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	18
430	Search for dark matter in association with an energetic photon in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	18
431	Search for pair production of scalar leptoquarks decaying into first- or second-generation leptons and top quarks in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	18
432	Search for new phenomena in final states with b-jets and missing transverse momentum in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	18

#	ARTICLE	IF	CITATIONS
433	Studies of the performance of the ATLAS detector using cosmic-ray muons. European Physical Journal C, 2011, 71, 1.	3.9	17
434	Search for anomalous production of prompt like-sign lepton pairs at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	4.7	17
435	Measurement of the top quark charge in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	17
436	Measurement of the charge asymmetry in dileptonic decays of top quark pairs in pp collisions at $s = 7 \text{ TeV}$ using the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	17
437	Measurement of the top-quark mass in the fully hadronic decay channel from ATLAS data at $\sqrt{s} = 7 \text{ TeV}$. European Physical Journal C, 2015, 75, 158.	3.9	17
438	Identification of high transverse momentum top quarks in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	17
439	Probing the $W tb$ vertex structure in t-channel single-top-quark production and decay in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	17
440	Search for supersymmetry in events with b-tagged jets and missing transverse momentum in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	17
441	Measurement of the cross-section for producing a W boson in association with a single top quark in pp collisions at $s = 13 \text{ TeV}$ with ATLAS. Journal of High Energy Physics, 2018, 2018, 1.	4.7	17
442	Direct top-quark decay width measurement in the $t\bar{t}$ lepton+jets channel at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS experiment. European Physical Journal C, 2018, 78, 129.	3.9	17
443	Search for flavour-changing neutral current top-quark decays $t \rightarrow qZ$ in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	17
444	Measurement of inclusive jet and dijet cross-sections in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	17
445	Measurements of W and Z boson production in pp collisions at $\sqrt{s} = 5.02 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	17
446	Measurement of W^{\pm} boson production in Pb+Pb collisions at $\sqrt{s_{\text{NN}}} = 5.02 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	17
447	Performance of the missing transverse momentum triggers for the ATLAS detector during Run-2 data taking. Journal of High Energy Physics, 2020, 2020, 1.	4.7	17
448	Search for the $HH \rightarrow b\bar{b}$ process via vector-boson fusion production using proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	17
449	Measurement of azimuthal anisotropy of muons from charm and bottom hadrons in $\sqrt{s_{\text{NN}}} = 5.02 \text{ TeV}$ with the ATLAS Detector. Physical Review Letters, 2020, 124, 082301.	7.8	17
450	Search for type-III seesaw heavy leptons in dilepton final states in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	17

#	ARTICLE	IF	CITATIONS
451	Longitudinal Flow Decorrelations in Collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS Detector. <i>Physical Review Letters</i> , 2021, 127, 051802.	7.8	17
452	Search for Displaced Leptons in $\sqrt{s} = 8 \text{ TeV}$ proton-proton collisions with the ATLAS detector. <i>Physical Review Letters</i> , 2021, 127, 051802.	7.8	17
453	Search for a fermiophobic Higgs boson in the diphoton decay channel with the ATLAS detector. <i>European Physical Journal C</i> , 2012, 72, 1.	3.9	16
454	Dark matter interpretations of ATLAS searches for the electroweak production of supersymmetric particles in $s = 8 \text{ TeV}$ proton-proton collisions. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	16
455	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at $\sqrt{s}=13 \text{ TeV}$ using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	16
456	Top-quark mass measurement in the all-hadronic $t\bar{t} \rightarrow t\bar{t}$ decay channel at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	16
457	Measurement of colour flow using jet-pull observables in $t\bar{t} \rightarrow t\bar{t}$ events with the ATLAS experiment at $\sqrt{s} = 13 \text{ TeV}$. <i>European Physical Journal C</i> , 2018, 78, 847.	3.9	16
458	Probing the Quantum Interference between Singly and Doubly Resonant Top-Quark Production in $t\bar{t}$ Collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS Detector. <i>Physical Review Letters</i> , 2018, 121, 152002.	7.8	16
459	Search for exclusive Higgs and Z boson decays to $\ell^+\ell^-$ and $\ell^+\ell^-$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	16
460	Measurement of differential cross sections and $W + W^\pm$ cross-section ratios for W boson production in association with jets at $\sqrt{s}=8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	16
461	Search for diphoton events with large missing transverse energy with 36 pb $^{-1}$ of 7 TeV proton+proton collision data with the ATLAS detector. <i>European Physical Journal C</i> , 2011, 71, 1.	3.9	15
462	Measurements of the pseudorapidity dependence of the total transverse energy in proton-proton collisions at $\sqrt{s}=7 \text{ TeV}$ with ATLAS. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	15
463	Search for decays of stopped, long-lived particles from 7 TeV pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2012, 72, 1.	3.9	15
464	Search for direct chargino production in anomaly-mediated supersymmetry breaking models based on a disappearing-track signature in pp collisions at $\sqrt{s}=7 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	15
465	Measurement of the flavour composition of dijet events in pp collisions at $\sqrt{s}=7 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2013, 73, 1.	3.9	15
466	Search for WH production with a light Higgs boson decaying to prompt electron-jets in proton+proton collisions at $\sqrt{s}=7 \text{ TeV}$ with the ATLAS detector. <i>New Journal of Physics</i> , 2013, 15, 043009.	2.9	15
467	Measurement of event-shape observables in $Z \rightarrow e^+e^-$ events in pp collisions at $\sqrt{s}=7 \text{ TeV}$ with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2016, 76, 375.	3.9	15
468	Measurement of fiducial differential cross sections of gluon-fusion production of Higgs bosons decaying to $WW \rightarrow \ell^+\ell^-\ell^+\ell^-$ with the ATLAS detector at $s = 8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	15

#	ARTICLE	IF	CITATIONS
469	Search for strong gravity in multijet final states produced in pp collisions at $s = 13 \text{ TeV}$ using the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	15
470	Measurement of the cross-section for electroweak production of dijets in association with a Z boson in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017, 775, 206-228.		
471	Search for supersymmetry in final states with charm jets and missing transverse momentum in 13 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	15
472	Search for scalar resonances decaying into $\tilde{l}_1 + \tilde{l}_2$ in events with and without b-tagged jets produced in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	15
473	Optimisation of large-radius jet reconstruction for the ATLAS detector in 13 TeV proton-proton collisions. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	15
474	Test of the universality of \tilde{l}_1 and \tilde{l}_2 lepton couplings in W-boson decays with the ATLAS detector. <i>Nature Physics</i> , 2021, 17, 813-818.	16.7	15
475	Determination of jet calibration and energy resolution in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	15
476	Search for a heavy neutral particle decaying into an electron and a muon using 1 fb $^{-1}$ of ATLAS data. <i>European Physical Journal C</i> , 2011, 71, 1.	3.9	14
477	A search for top squarks with R-parity-violating decays to all-hadronic final states with the ATLAS detector in $s = 8 \text{ TeV}$ proton-proton collisions. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	14
478	Measurement of the production cross-section of a single top quark in association with a W boson at 8 TeV with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	14
479	Measurement of charged-particle distributions sensitive to the underlying event in $s = 13 \text{ TeV}$ proton-proton collisions with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	14
480	Studies of $Z^{\prime 3}$ production in association with a high-mass dijet system in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	14
481	Measurement of VH, $H\bar{b}b$ production as a function of the vector-boson transverse momentum in 13 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	14
482	Measurements of inclusive and differential fiducial cross-sections of $t\bar{t}\gamma$ production in leptonic final states at $\sqrt{s} = 13 \text{ TeV}$ in ATLAS. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	14
483	Search for bottom-squark pair production with the ATLAS detector in final states containing Higgs bosons, b-jets and missing transverse momentum. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	14
484	Search for new phenomena with top quark pairs in final states with one lepton, jets, and missing transverse momentum in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	14
485	Measurements of Higgs bosons decaying to bottom quarks from vector boson fusion production with the ATLAS experiment at $\sqrt{s} = 13 \text{ TeV}$. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	14
486	Search for New Phenomena in Final States with Two Leptons and One or No b-Tagged Jets at $s=13 \text{ TeV}$ Using the ATLAS Detector. <i>Physical Review Letters</i> , 2021, 127, 141801.	7.8	14

#	ARTICLE	IF	CITATIONS
487	Measurements of top-quark pair single- and double-differential cross-sections in the all-hadronic channel in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	14
488	Search for $t\bar{t}$ resonances in fully hadronic final states in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	14
489	Measurement of the c-jet mistagging efficiency in $t\bar{t}$ events using pp collision data at $\sqrt{s}=13 \text{ TeV}$ collected with the ATLAS detector. <i>European Physical Journal C</i> , 2022, 82, .	3.9	14
490	Search for R-parity-violating supersymmetry in events with four or more leptons in $\sqrt{s}=7 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	13
491	Search for anomaly-mediated supersymmetry breaking with the ATLAS detector based on a disappearing-track signature in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. <i>European Physical Journal C</i> , 2012, 72, 1.	3.9	13
492	Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in 7 TeV proton-proton collision data with the ATLAS detector. <i>European Physical Journal C</i> , 2012, 72, 1.	3.9	13
493	Search for lepton flavour violation in the $e^{\pm}\mu^{\mp}$ continuum with the ATLAS detector in $\sqrt{s} = 7 \text{ TeV}$ pp collisions at the LHC. <i>European Physical Journal C</i> , 2012, 72, 2040.	3.9	13
494	The differential production cross section of the $\phi(1020)$ meson in $\sqrt{s} = 7 \text{ TeV}$ pp p collisions measured with the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 2895.	3.9	13
495	Search for Higgs and Z boson decays to $b\bar{b}$ with the ATLAS detector. <i>Physical Review Letters</i> , 2016, 117, 111802.	7.8	13
496	Measurement of the CP-violating phase δ_s and the $B_s \rightarrow D_s^+ \nu \bar{\nu}$ meson decay width difference with $B_s \rightarrow D_s^+ \nu \bar{\nu}$ decays in ATLAS. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	13
497	Search for new phenomena with photon+jet events in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	13
498	Search for anomalous couplings in the Wtb vertex from the measurement of double differential angular decay rates of single top quarks produced in the t-channel with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1-46.	4.7	13
499	Measurements of top-quark pair to Z-boson cross-section ratios at $\sqrt{s} = 13 \text{ TeV}$, 8, 7 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	13
500	Search for new phenomena in high-mass final states with a photon and a jet from pp pp collisions at $\sqrt{s} = 13 \text{ TeV}$. <i>European Physical Journal C</i> , 2018, 78, 102.	3.9	13
501	Measurement of jet-substructure observables in top quark, W boson and light jet production in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	13
502	Measurement of the CP-violating phase ϕ_s in $B_s \rightarrow D_s^+ \nu \bar{\nu}$ decays in ATLAS at 13 TeV. <i>European Physical Journal C</i> , 2021, 81, .	3.9	13
503	Search for squarks and gluinos in final states with one isolated lepton, jets, and missing transverse momentum at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	13
504	Search for long-lived charginos based on a disappearing-track signature using 136 fb $^{-1}$ of pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2022, 82, .	3.9	13

#	ARTICLE	IF	CITATIONS
505	Measurement of inclusive two-particle angular correlations in pp collisions with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	12
506	Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in 20 fb^{-1} of $s = 8 \text{ TeV}$ proton-proton collision data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	12
507	Measurement of the $b\bar{b}$ dijet cross section in pp collisions at $s = 7 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 670.	3.9	12
508	Search for new phenomena in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in $s = 13 \text{ TeV}$ proton-proton collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 144.	3.9	12
509	Search for new phenomena in a lepton plus high jet multiplicity final state with the ATLAS experiment using $s = 13 \text{ TeV}$ proton-proton collision data. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	12
510	Measurement of the four-lepton invariant mass spectrum in 13 TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	12
511	Search for the Production of a Long-Lived Neutral Particle Decaying within the ATLAS Hadronic Calorimeter in Association with a Z Boson from pp Collisions at $s = 13 \text{ TeV}$. <i>Physical Review Letters</i> , 2019, 122, 151801.	7.8	12
512	Observation of the associated production of a top quark and a Z boson in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	12
513	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum using $s = 13 \text{ TeV}$ proton-proton collisions recorded by ATLAS in Run 2 of the LHC. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	12
514	Transverse momentum and process dependent azimuthal anisotropies in $s = 8.16 \text{ TeV}$ p+Pb collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	12
515	Differential cross-section measurements for the electroweak production of dijets in association with a Z boson in proton-proton collisions at ATLAS. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	12
516	Search for supersymmetry in events with four or more charged leptons in 139 fb^{-1} of $s = 13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	12
517	Measurements of the inclusive and differential production cross sections of a top-quark-antiquark pair in association with a Z boson at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	12
518	Search for dark matter in events with missing transverse momentum and a Higgs boson decaying into two photons in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	12
519	Alignment of the ATLAS Inner Detector in Run 2. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	12
520	Determination of the parton distribution functions of the proton using diverse ATLAS data from pp collisions at $s = 7, 8$ and 13 TeV . <i>European Physical Journal C</i> , 2022, 82, 1.	3.9	12
521	Measurement of W^3 and Z^3 production in proton-proton collisions at $s = 7 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2011, 2011, 1.	4.7	11
522	Measurement of four-jet differential cross sections in $s = 8 \text{ TeV}$ proton-proton collisions using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1-76.	4.7	11

#	ARTICLE	IF	CITATIONS
523	Beam-induced and cosmic-ray backgrounds observed in the ATLAS detector during the LHC 2012 proton-proton running period. <i>Journal of Instrumentation</i> , 2016, 11, P05013-P05013.	1.2	11
524	Search for squarks and gluinos in events with hadronically decaying tau leptons, jets and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ recorded with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 683.	3.9	11
525	Measurement of jet activity produced in top-quark events with an electron, a muon and two b-tagged jets in the final state in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 220.	3.9	11
526	Search for new phenomena with large jet multiplicities and missing transverse momentum using large-radius jets and flavour-tagging at ATLAS in 13 TeV pp collisions. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	11
527	Measurements of the production cross-section for a Z boson in association with b-jets in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	11
528	Two-particle azimuthal correlations in photonuclear ultraperipheral Pb-Pb collisions at 5.02 TeV with ATLAS. <i>Physical Review C</i> , 2021, 104, .	4.7	11
529	Exclusive dimuon production in ultraperipheral Pb-Pb collisions at 5.02 TeV. <i>Physical Review C</i> , 2021, 104, .	2.9	11
530	Search for microscopic black holes and string balls in final states with leptons and jets with the ATLAS detector at $\sqrt{s} = 8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	10
531	A measurement of material in the ATLAS tracker using secondary hadronic interactions in 7 TeV pp collisions. <i>Journal of Instrumentation</i> , 2016, 11, P11020-P11020.	1.2	10
532	Search for the Standard Model Higgs boson produced by vector-boson fusion and decaying to bottom quarks in $\sqrt{s} = 8 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	10
533	Search for direct top squark pair production in final states with two tau leptons in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 81.	3.9	10
534	Measurement of the $Z\gamma$ production cross section in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector and limits on anomalous triple gauge-boson couplings. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	10
535	Measurement of the inclusive and fiducial $t\bar{t}$ production cross-sections in the. <i>European Physical Journal C</i> , 2018, 78, 487.	3.9	10
536	Determination of the parton distribution functions of the proton from ATLAS measurements of differential W^\pm and Z boson production in association with jets. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	10
537	Measurement of J/ψ production in association with a W^\pm boson with pp data at 8 TeV. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	10
538	Performance of the ATLAS Transition Radiation Tracker in Run 1 of the LHC: tracker properties. <i>Journal of Instrumentation</i> , 2017, 12, P05002-P05002.	1.2	10
539	Measurement of the $t\bar{t}$ production cross section in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	10
540	Search for Higgs bosons decaying into new spin-0 or spin-1 particles in four-lepton final states with the ATLAS detector with 139 fb^{-1} of pp collision data at $\sqrt{s} = 13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2022, 2022, 1.	4.7	10

#	ARTICLE	IF	CITATIONS
541	Search for dark matter produced in association with a Standard Model Higgs boson decaying into b-quarks using the full Run 2 dataset from the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	10
542	A new method to distinguish hadronically decaying boosted Z bosons from W bosons using the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 238.	3.9	9
543	Measurement of the $t\bar{t}\gamma$ production cross section in proton-proton collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	9
544	Measurements of charge and CP asymmetries in b-hadron decays using top-quark events collected by the ATLAS detector in pp collisions at $s = 8$ TeV. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	9
545	Measurement of the ZZ production cross section in proton-proton collisions at $s = 8$ TeV using the ZZ and ZZ decay channels with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	9
546	Measurements of differential cross sections of top quark pair production in association with jets in pp collisions at $\sqrt{s}=13$ TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	9
547	Combinations of single-top-quark production cross-section measurements and $ f_{LVtb} $ determinations at $\sqrt{s} = 7$ and 8 TeV with the ATLAS and CMS experiments. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	9
548	Measurement of the inclusive cross-section for the production of jets in association with a Z boson in proton-proton collisions at 8 TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	9
549	Measurement of the $Z(\ell^+\ell^-)$ production cross-section in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	9
550	Search for dark matter produced in association with a single top quark in pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	9
551	Analysis of the $t\bar{t}$ vertex from the measurement of triple-differential angular decay rates of single top quarks produced in the t-channel at $s = 8$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i>	4.1	9
552	Measurement of the relative width difference of the $B^0 \rightarrow B^+ \pi^-$ system with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	8
553	Search for direct top squark pair production in events with a Higgs or Z boson, and missing transverse momentum in pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	8
554	Measurement of b-hadron pair production with the ATLAS detector in proton-proton collisions at $\sqrt{s}=8$ TeV. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	8
555	Analysis of the Wtb vertex from the measurement of triple-differential angular decay rates of single top quarks produced in the t-channel at $s = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	8
556	Search for large missing transverse momentum in association with one top-quark in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	8
557	Measurement of W^{pm} -boson and Z-boson production cross-sections in pp collisions at $\sqrt{s}=2.76$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	8
558	Measurement of differential cross sections for single diffractive dissociation in pp collisions using the ATLAS ALFA spectrometer. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	8

#	ARTICLE	IF	CITATIONS
559	Measurements of $W + W \rightarrow l^+ l^-$ 1 jet production cross-sections in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	8
560	Search for charged-lepton-flavour violation in Z-boson decays with the ATLAS detector. Nature Physics, 2021, 17, 819-825.	16.7	8
561	Measurements of differential cross-sections in four-lepton events in 13 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	8
562	Reconstruction and identification of boosted di- τ systems in a search for Higgs boson pairs using 13 TeV proton-proton collision data in ATLAS. Journal of High Energy Physics, 2020, 2020, 1.	4.7	8
563	Observation of electroweak production of two jets in association with an isolated photon and missing transverse momentum, and search for a Higgs boson decaying into invisible particles at 13TeV with the ATLAS detector. European Physical Journal C, 2022, 82, 1. Search for associated production of a Z boson with an invisibly decaying Higgs boson or dark matter candidates at $\sqrt{s} = 13\text{TeV}$. European Physical Journal C, 2022, 82, 1.	3.9	8
564	Search for Lepton-Flavor Violation in $Z \rightarrow e^+ e^-$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2022, 829, 137066. Search for Lepton-Flavor Violation in $Z \rightarrow e^+ e^-$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2022, 829, 137066.	4.1	8
565	Search for Lepton-Flavor Violation in $Z \rightarrow e^+ e^-$ with the ATLAS Detector. Physical Review Letters, 2021, 127, 271801.	7.8	8
566	Measurement of $Z \rightarrow \ell^+ \ell^-$ polarisation in $Z/\gamma \rightarrow \ell^+ \ell^-$. European Physical Journal C, 2018, 78, 163.	3.9	7
567	Combination of inclusive and differential $t\bar{t}$ charge asymmetry measurements using ATLAS and CMS data at $\sqrt{s}=7$ and 8 TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	7
568	Search for dijet resonances in events with an isolated charged lepton using $\sqrt{s} = 13$ TeV proton-proton collision data collected by the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	7
569	Medium-induced Modification of $Z \rightarrow e^+ e^-$ -Tagged Charged Particle Yields in $\sqrt{s} = 13\text{TeV}$ Collisions at 5.02 TeV with the ATLAS Detector. Physical Review Letters, 2021, 126, 072301.	7.8	7
570	Search for R-parity-violating supersymmetry in a final state containing leptons and many jets with the ATLAS experiment using $\sqrt{s} = 13\text{TeV}$ proton-proton collision data. European Physical Journal C, 2021, 81, 1.	3.9	7
571	Configuration and performance of the ATLAS b-jet triggers in Run 2. European Physical Journal C, 2021, 81, 1.	3.9	7
572	Search for flavour-changing neutral-current interactions of a top quark and a gluon in pp collisions at $\sqrt{s}=13\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2022, 82, 1.	3.9	7
573	Measurement of the ratio of cross sections for inclusive isolated-photon production in pp collisions at $\sqrt{s} = 13$ and 8 TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	6
574	Measurement of ZZ production in the $\tau^+ \tau^- \mu^+ \mu^-$ final state with the ATLAS detector in pp collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	6
575	Search for Higgs boson production in association with a high-energy photon via vector-boson fusion with decay into bottom quark pairs at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1. Search for Dark Matter Produced in Association with a Dark Higgs Boson Decaying into W and Z Photons. Journal of High Energy Physics, 2020, 2020, 1.	4.7	6
576	Search for Higgs boson production in association with a high-energy photon via vector-boson fusion with decay into bottom quark pairs at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1. Search for Dark Matter Produced in Association with a Dark Higgs Boson Decaying into W and Z Photons. Journal of High Energy Physics, 2020, 2020, 1.	7.8	6

#	ARTICLE	IF	CITATIONS
577	Performance of the ATLAS RPC detector and Level-1 muon barrel trigger at $\sqrt{s}=13$ TeV. <i>Journal of Instrumentation</i> , 2021, 16, P07029.	1.2	6
578	Search for Heavy Resonances Decaying into a Photon and a Hadronically Decaying Higgs Boson in pp Collisions at $s=13\text{TeV}$ with the ATLAS Detector. <i>Physical Review Letters</i> , 2020, 125, 251802.	7.8	6
579	Performance of the ATLAS Level-1 topological trigger in RunA2. <i>European Physical Journal C</i> , 2022, 82, 1.	3.9	6
580	Measurement of long-range two-particle azimuthal correlations in Z-boson tagged pp collisions at $\sqrt{s}=8\text{TeV}$ and 13TeV . <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	5
581	A search for the decays of stopped long-lived particles at $\sqrt{s}=13\text{TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	5
582	The ATLAS Fast TracKer system. <i>Journal of Instrumentation</i> , 2021, 16, P07006.	1.2	5
583	Search for phenomena beyond the Standard Model in events with large b-jet multiplicity using the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	5
584	Measurement of the inclusive isolated-photon cross section in pp collisions at $\sqrt{s}=13\text{TeV}$ using 36fb^{-1} of ATLAS data. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	5
585	Emulating the impact of additional proton-proton interactions in the ATLAS simulation by presampling sets of inelastic Monte Carlo events. <i>Computing and Software for Big Science</i> , 2022, 6, 1.	2.9	5
586	The ATLAS inner detector trigger performance in pp collisions at 13TeV during LHC Run 2. <i>European Physical Journal C</i> , 2022, 82, 1.	3.9	5
587	Search for low-scale gravity signatures in multi-jet final states with the ATLAS detector at $s=8\text{TeV}$. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	4
588	Measurement of jet activity in top quark events using the $e^{\pm}\text{}/4$ final state with two b-tagged jets in pp collisions at $s=8\text{TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	4
589	Search for excited electrons singly produced in proton-proton collisions at $\sqrt{s}\sim 13\text{TeV}$ with the ATLAS experiment at the LHC. <i>European Physical Journal C</i> , 2019, 79, .	3.9	4
590	Search for direct production of electroweakinos in final states with missing transverse momentum and a Higgs boson decaying into photons in pp collisions at $\sqrt{s}=13\text{TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	4
591	Performance of the upgraded PreProcessor of the ATLAS Level-1 Calorimeter Trigger. <i>Journal of Instrumentation</i> , 2020, 15, P11016-P11016.	1.2	4
592	Measurement of hadronic event shapes in high-pT multijet final states at $\sqrt{s}=13\text{TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	4
593	Search for top squarks in events with a Higgs or Z boson using 139fb^{-1} of pp collision data at $\sqrt{s}=13\text{TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	4
594	Measurement of K_S^0 and Λ^0 production in $t\bar{t}$ dileptonic events in pp collisions at $\sqrt{s}=7\text{TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	4

#	ARTICLE	IF	CITATIONS
595	Measurement of the energy response of the ATLAS calorimeter to charged pions from $\pi^+ \rightarrow \pi^+ \pi^- \pi^+$ events in Run2 data. European Physical Journal C, 2022, 82, 1.	3.9	4
596	Measurement of the production cross section of pairs of isolated photons in pp collisions at 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	4
597	Search for exotic decays of the Higgs boson into long-lived particles in pp collisions at $\sqrt{s} = 13$ TeV using displaced vertices in the ATLAS inner detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	4
598	Measurement of the k t splitting scales in $Z \rightarrow l^+ l^-$ events in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	3
599	Measurement of distributions sensitive to the underlying event in inclusive Z boson production in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	3
600	Measurements of inclusive and differential cross-sections of combined $t\bar{t}$ and tW^{\pm} production in the $e^{\pm}e^{\mp}$ channel at 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	3
601	Measurement of isolated-photon plus two-jet production in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	3
602	Measurement of single top-quark production in association with a W boson in the single-lepton channel at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	3
603	Measurements of sensor radiation damage in the ATLAS inner detector using leakage currents. Journal of Instrumentation, 2021, 16, P08025.	1.2	3
604	Measurement of the inclusive jet cross-section in proton-proton collisions at $\sqrt{s} = 7$ TeV using 4.5 fb $^{-1}$ of data with the ATLAS detector. , 2015, 2015, 1.		3
605	Study of the spin and parity of the Higgs boson in diboson decays with the ATLAS detector. , 2015, 75, 1.		3
606	ATLAS Run 1 searches for direct pair production of third-generation squarks at the Large Hadron Collider. , 2015, 75, 1.		3
607	Measurement of b-quark fragmentation properties in jets using the decay $B \rightarrow J/\psi K^{\pm}$ in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	3
608	Two-particle Bose-Einstein correlations in pp collisions at $\sqrt{s} = 13$ TeV measured with the ATLAS detector at the LHC. European Physical Journal C, 2022, 82, .	3.9	3
609	A search for an excited muon decaying to a muon and two jets in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. New Journal of Physics, 2016, 18, 073021.	2.9	2
610	Measurement of the $t\bar{t}$ production cross-section using (emu) events with (b)-tagged jets in (pp) collisions at $\sqrt{s} = 7$ and 8 TeV with the ATLAS detector. , 2014, 74, 1.		2
611	Search for new phenomena in final states with an energetic jet and large missing transverse momentum in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. , 2015, 75, 1.		2
612	Search for exotic decays of the Higgs boson into $b\bar{b}$ and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2022, 2022, 1.	4.7	2

#	ARTICLE	IF	CITATIONS
613	Measurement of the energy asymmetry in $t\bar{t}$ production at 13 TeV with the ATLAS experiment and interpretation in the SMEFT framework. European Physical Journal C, 2022, 82, .	3.9	2
614	Search for heavy resonances decaying into a W or Z boson and a Higgs boson in final states with leptons and b-jets in 36 fb $^{-1}$ of ($\sqrt{s}=13$) TeV pp collisions with the ATLAS detector. , 2018, 2018, 1.		1
615	Search for production of (WW/WZ) resonances decaying to a lepton, neutrino and jets in (pp) collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. , 2015, 75, 1.		1
616	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at ($\sqrt{s}=8$, TeV) with the ATLAS detector. , 2016, 76, 1.		1
617	Measurement of the W-boson mass in pp collisions at ($\sqrt{s}=7$, TeV) with the ATLAS detector. , 2018, 78, 1.		1
618	Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using proton-proton collisions at ($\sqrt{s}=13$, TeV). , 2018, 78, 1.		1
619	Operation and performance of the ATLAS semiconductor tracker in LHC Run2. Journal of Instrumentation, 2022, 17, P01013. A search for an unexpected asymmetry in the production of $e^{\pm}e^{\pm}$ and $\mu^{\pm}\mu^{\pm}$ pairs in proton-proton collisions recorded by the ATLAS detector at $\sqrt{s}=13$ TeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2022, 830, 137106.	1.2	1
620	$\text{altnm="si1.svg"}><\text{mml:msqrt}><\text{mml:mrow}><\text{mml:mi}>s</\text{mml:mi}></\text{mml:mrow}></\text{mml:msqrt}><\text{mml:mo}$ $\text{linebreak="goodbreak" linebreakstyle="after"}>=</\text{mml:mo}><\text{mml:mn}>13</\text{mml:mn}></\text{mml:math}>$ TeV.	4.1	1