

Jorge Barbosa

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2078244/publications.pdf>

Version: 2024-02-01

39
papers

987
citations

430442

18
h-index

433756

31
g-index

39
all docs

39
docs citations

39
times ranked

1112
citing authors

#	ARTICLE	IF	CITATIONS
1	Development and Validation of a Multi-detection Confirmatory Method for Antibiotics Determination in Piglet Kidneys by UHPLC-TOF-MS According Commission Decision 2002/657/EC. Food Analytical Methods, 2021, 14, 430-440.	1.3	3
2	Assessing antibiotic residues in piglet liver and kidney samples: How to manage the results obtained. Food Control, 2021, 122, 107819.	2.8	7
3	Environmental risk assessment and bioaccumulation of pharmaceuticals in a large urbanized estuary. Science of the Total Environment, 2021, 783, 147021.	3.9	35
4	Study on the efficiency of a covalent organic framework as adsorbent for the screening of pharmaceuticals in estuary waters. Chemosphere, 2021, 278, 130364.	4.2	9
5	Uptake of enrofloxacin from seawater to the macroalgae Ulva and its use in IMTA systems. Aquaculture, 2020, 516, 734609.	1.7	7
6	Depressed, hypertense and sore: Long-term effects of fluoxetine, propranolol and diclofenac exposure in a top predator fish. Science of the Total Environment, 2020, 712, 136564.	3.9	53
7	The use of ultra-high-pressure-liquid-chromatography tandem time-of-flight mass spectrometry as a confirmatory method in drug residue analysis: Application to the determination of antibiotics in piglet liver. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2020, 1153, 122264.	1.2	15
8	Evaluation of the mycotoxins content of <i>Salicornia</i> spp.: a gourmet plant alternative to salt. Food Additives and Contaminants: Part B Surveillance, 2020, 13, 162-170.	1.3	9
9	UHPLC-ToF-MS method for determination of multi-mycotoxins in maize: Development and validation. Current Research in Food Science, 2019, 1, 1-7.	2.7	24
10	Development and validation of a multi-residue and multi-class screening method of 44 antibiotics in salmon (<i>Salmo salar</i>) using ultra-high-performance liquid chromatography/time-of-flight mass spectrometry: Application to farmed salmon. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2019, 1118-1119, 78-84.	1.2	14
11	Fate and effects of two pesticide formulations in the invertebrate <i>Folsomia candida</i> using a natural agricultural soil. Science of the Total Environment, 2019, 675, 90-97.	3.9	15
12	Detection and quantification of 47 antibiotic residues in farmed European sea bass (<i>Dicentrarchus labrax</i>). Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment, 2019, 36, 561-570.	1.1	2
13	Oxytetracycline accumulation in the macroalgae Ulva: Potential risks for IMTA systems. Chemosphere, 2019, 226, 60-66.	4.2	11
14	Tissue depletion of five antibiotic residues in farmed European seabass (<i>Dicentrarchus labrax</i>). Aquaculture, 2019, 498, 413-421.	1.7	16
15	Evaluation of antimicrobials residues in farmed gilthead seabream (<i>Sparus aurata</i>) after administration through medicated feed. Food Control, 2018, 86, 110-116.	2.8	7
16	Screening of human and veterinary pharmaceuticals in estuarine waters: A baseline assessment for the Tejo estuary. Marine Pollution Bulletin, 2018, 135, 1079-1084.	2.3	73
17	Nitrofurans Veterinary Drug Residues in Chicken Eggs. , 2017, , 457-464.		5
18	A multiresidue approach for the simultaneous quantification of antibiotics in macroalgae by ultra-high performance liquid chromatography-tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2016, 1033-1034, 361-367.	1.2	13

#	ARTICLE	IF	CITATIONS
19	Detection and Quantification of 41 Antibiotic Residues in Gilthead Sea Bream (<i>Sparus aurata</i>) From Aquaculture Origin, Using a Multiclass and Multi-residue UHPLC-MS/MS Method. <i>Food Analytical Methods</i> , 2016, 9, 2749-2753.	1.3	9
20	Matrix Effects in Ultra-High-Performance Liquid Chromatography-Tandem Mass Spectrometry Antibiotic Multi-Detection Methods in Food Products with Animal Origins. <i>Food Analytical Methods</i> , 2016, 9, 23-29.	1.3	12
21	Analysis of chloramphenicol residues in the macroalgae <i>Ulva lactuca</i> through ultra-high performance liquid chromatography coupled to tandem mass spectrometry (UHPLC-MS/MS). <i>Marine Pollution Bulletin</i> , 2015, 91, 180-184.	2.3	5
22	Multidetetection of antibiotics in liver tissue by ultra-high-pressure-liquid-chromatography-tandem mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2015, 976-977, 49-54.	1.2	21
23	Multi-residue and multi-class determination of antibiotics in gilthead sea bream (<i>Sparus aurata</i>) by ultra high-performance liquid chromatography-tandem mass spectrometry. <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment</i> , 2014, 31, 817-826.	1.1	40
24	Multi-residue and multi-class method for the determination of antibiotics in bovine muscle by ultra-high-performance liquid chromatography tandem mass spectrometry. <i>Meat Science</i> , 2014, 98, 58-64.	2.7	58
25	Development, optimization and application of an analytical methodology by ultra performance liquid chromatography-tandem mass spectrometry for determination of amanitins in urine and liver samples. <i>Analytica Chimica Acta</i> , 2013, 799, 77-87.	2.6	33
26	Development and validation of a multi-residue and multiclass ultra-high-pressure liquid chromatography-tandem mass spectrometry screening of antibiotics in milk. <i>International Dairy Journal</i> , 2013, 33, 38-43.	1.5	40
27	Determination of Furalfadone and Nifursol Residues in Poultry Eggs by Liquid Chromatography-Electrospray Ionization Tandem Mass Spectrometry. <i>Journal of Agricultural and Food Chemistry</i> , 2012, 60, 4227-4234.	2.4	28
28	Determination of Amoxicillin Stability in Chicken Meat by Liquid Chromatography-Tandem Mass Spectrometry. <i>Food Analytical Methods</i> , 2012, 5, 471-479.	1.3	16
29	Detection, Accumulation, Distribution, and Depletion of Furalfadone and Nifursol Residues in Poultry Muscle, Liver, and Gizzard. <i>Journal of Agricultural and Food Chemistry</i> , 2011, 59, 11927-11934.	2.4	38
30	A LC-MS/MS methodology to determine furalfadone residues in the macroalgae <i>Ulva lactuca</i> . <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2011, 879, 3832-3836.	1.2	11
31	The effects of the nitrofurantoin furalfadone on <i>Ulva lactuca</i> . <i>Chemosphere</i> , 2011, 82, 1010-1016.	4.2	25
32	Clenbuterol Storage Stability in the Bovine Urine and Liver Samples Used for European Official Control in the Azores Islands (Portugal). <i>Journal of Agricultural and Food Chemistry</i> , 2009, 57, 910-914.	2.4	21
33	Production of reference materials for ELISA screening of bovine urine and liver samples for clenbuterol. <i>Accreditation and Quality Assurance</i> , 2008, 13, 299-304.	0.4	3
34	Identification of a probable new adrenergic agonist by nuclear magnetic resonance and mass spectrometry. <i>Analytica Chimica Acta</i> , 2007, 586, 223-227.	2.6	5
35	Determination of nitrofurans in animal feeds by liquid chromatography-UV photodiode array detection and liquid chromatography-ion spray tandem mass spectrometry. <i>Analytica Chimica Acta</i> , 2007, 586, 359-365.	2.6	84
36	Determination of the furalfadone metabolite 5-methylmorpholino-3-amino-2-oxazolidinone (AMOZ) using liquid chromatography coupled to electrospray tandem mass spectrometry during the nitrofurantoin crisis in Portugal. <i>Accreditation and Quality Assurance</i> , 2007, 12, 543-551.	0.4	19

#	ARTICLE	IF	CITATIONS
37	Determination of chloramphenicol residues in rainbow trouts by gas chromatographyâ€“mass spectrometry and liquid chromatographyâ€“tandem mass spectrometry. <i>Analytica Chimica Acta</i> , 2005, 529, 249-256.	2.6	45
38	Food poisoning by clenbuterol in Portugal. <i>Food Additives and Contaminants</i> , 2005, 22, 563-566.	2.0	130
39	Proposed guidelines for clenbuterol food poisoning. <i>American Journal of Medicine</i> , 2004, 117, 362.	0.6	26