

Helle Kieler

List of Publications by Citations

Source: <https://exaly.com/author-pdf/2078306/helle-kieler-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

57
papers

1,490
citations

15
h-index

38
g-index

60
ext. papers

1,863
ext. citations

4.7
avg, IF

4.39
L-index

#	Paper	IF	Citations
57	Selective serotonin reuptake inhibitors during pregnancy and risk of persistent pulmonary hypertension in the newborn: population based cohort study from the five Nordic countries. <i>BMJ, The</i> , 2012 , 344, d8012	5.9	197
56	Risks of adverse pregnancy and birth outcomes in women treated or not treated with mood stabilisers for bipolar disorder: population based cohort study. <i>BMJ, The</i> , 2012 , 345, e7085	5.9	146
55	Birth outcomes in women with inflammatory bowel disease: effects of disease activity and drug exposure. <i>Inflammatory Bowel Diseases</i> , 2014 , 20, 1091-8	4.5	128
54	Selective serotonin reuptake inhibitors and venlafaxine in early pregnancy and risk of birth defects: population based cohort study and sibling design. <i>BMJ, The</i> , 2015 , 350, h1798	5.9	119
53	International trends in antipsychotic use: A study in 16 countries, 2005-2014. <i>European Neuropsychopharmacology</i> , 2017 , 27, 1064-1076	1.2	112
52	Trends in attention-deficit hyperactivity disorder medication use: a retrospective observational study using population-based databases. <i>Lancet Psychiatry, the</i> , 2018 , 5, 824-835	23.3	105
51	Drug use during pregnancy in Sweden - assessed by the Prescribed Drug Register and the Medical Birth Register. <i>Clinical Epidemiology</i> , 2011 , 3, 43-50	5.9	103
50	Antibiotics in fetal and early life and subsequent childhood asthma: nationwide population based study with sibling analysis. <i>BMJ, The</i> , 2014 , 349, g6979	5.9	89
49	Association Between Methylphenidate and Amphetamine Use in Pregnancy and Risk of Congenital Malformations: A Cohort Study From the International Pregnancy Safety Study Consortium. <i>JAMA Psychiatry</i> , 2018 , 75, 167-175	14.5	60
48	Use of SSRI and SNRI Antidepressants during Pregnancy: A Population-Based Study from Denmark, Iceland, Norway and Sweden. <i>PLoS ONE</i> , 2015 , 10, e0144474	3.7	58
47	Effect of Maternal Psoriasis on Pregnancy and Birth Outcomes: A Population-based Cohort Study from Denmark and Sweden. <i>Acta Dermato-Venereologica</i> , 2018 , 98, 728-734	2.2	45
46	Use of drugs for ADHD among adults-a multinational study among 15.8 million adults in the Nordic countries. <i>European Journal of Clinical Pharmacology</i> , 2016 , 72, 1507-1514	2.8	25
45	Anti-TNF treatment during pregnancy and birth outcomes: A population-based study from Denmark, Finland, and Sweden. <i>Pharmacoepidemiology and Drug Safety</i> , 2020 , 29, 316-327	2.6	20
44	Antidiabetic medication use during pregnancy: an international utilization study. <i>BMJ Open Diabetes Research and Care</i> , 2019 , 7, e000759	4.5	18
43	Utilization of Stimulants and Atomoxetine for Attention-Deficit/Hyperactivity Disorder among 5.4 Million Children Using Population-Based Longitudinal Data. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2017 , 120, 373-379	3.1	15
42	Influence of coronary artery disease-associated genetic variants on risk of venous thromboembolism. <i>Thrombosis Research</i> , 2014 , 134, 426-32	8.2	15
41	Neuraminidase inhibitors during pregnancy and risk of adverse neonatal outcomes and congenital malformations: population based European register study. <i>BMJ, The</i> , 2017 , 356, j629	5.9	14

40	Assessing urinary albumin excretion in pre-eclamptic women: which sample to use?. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2003 , 110, 12-17	3.7	13
39	Impact of risk factors on the occurrence of arterial thrombosis and venous thromboembolism in adults with primary immune thrombocytopenia - Results from two nationwide cohorts. <i>Thrombosis Research</i> , 2019 , 178, 124-131	8.2	11
38	Influence of baseline low-density lipoprotein cholesterol values on statin therapy persistence. <i>European Journal of Clinical Pharmacology</i> , 2016 , 72, 349-57	2.8	11
37	Risk of breast cancer in risperidone users: A nationwide cohort study. <i>Schizophrenia Research</i> , 2017 , 182, 98-103	3.6	11
36	Emergency cesarean delivery in induction of labor: an evaluation of risk factors 2005 , 84, 456		11
35	Association of Childhood Growth Hormone Treatment With Long-term Cardiovascular Morbidity. <i>JAMA Pediatrics</i> , 2021 , 175, e205199	8.3	11
34	Reducing the rehospitalization risk after a manic episode: A population based cohort study of lithium, valproate, olanzapine, quetiapine and aripiprazole in monotherapy and combinations. <i>Journal of Affective Disorders</i> , 2017 , 217, 16-23	6.6	10
33	Paediatric infections in the first 3 years of life after maternal anti-TNF treatment during pregnancy. <i>Alimentary Pharmacology and Therapeutics</i> , 2020 , 52, 843-854	6.1	10
32	Systematic misclassification of gestational age by ultrasound biometry: implications for clinical practice and research methodology in the Nordic countries. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2018 , 97, 440-444	3.8	9
31	Maternal and fetal characteristics affect discrepancies between pregnancy-dating methods: a population-based cross-sectional register study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2017 , 96, 86-95	3.8	9
30	Children with hemodynamically significant congenital heart disease can be identified through population-based registers. <i>Clinical Epidemiology</i> , 2015 , 7, 119-27	5.9	9
29	Risk factors for recurrent venous thromboembolism in young and middle-aged women. <i>Thrombosis Research</i> , 2014 , 133, 762-7	8.2	9
28	The Nordic health registers - an important source when evaluating the safety of antidepressants during pregnancy. <i>Clinical Epidemiology</i> , 2010 , 2, 205-7	5.9	9
27	Effects of ultrasound pregnancy dating on neonatal morbidity in late preterm and early term male infants: a register-based cohort study. <i>BMC Pregnancy and Childbirth</i> , 2016 , 16, 335	3.2	9
26	Prevalence trends and individual patterns of antiepileptic drug use in pregnancy 2006-2016: A study in the five Nordic countries, United States, and Australia. <i>Pharmacoepidemiology and Drug Safety</i> , 2020 , 29, 913-922	2.6	8
25	Clinical characteristics and survival in non-small cell lung cancer patients by smoking history: a population-based cohort study. <i>Acta Oncologica</i> , 2019 , 58, 1618-1627	3.2	8
24	Use of palivizumab is underestimated in the Swedish Prescribed Drug Register - implications for register-based drug studies. <i>Clinical Epidemiology</i> , 2015 , 7, 45-51	5.9	8
23	Monotherapy vs. combination therapy for post mania maintenance treatment: A population based cohort study. <i>European Neuropsychopharmacology</i> , 2019 , 29, 691-700	1.2	6

22	Adult height is associated with risk of cancer and mortality in 5.5 million Swedish women and men. <i>Journal of Epidemiology and Community Health</i> , 2019 , 73, 730-736	5.1	5
21	Predictors for initiation of pharmacological prophylaxis in patients with newly diagnosed bipolar disorder--A nationwide cohort study. <i>Journal of Affective Disorders</i> , 2015 , 172, 204-10	6.6	5
20	Medication persistence to antihypertensive drug treatment - a cross-sectional study of attitudes towards hypertension and medication in persistent and non-persistent patients. <i>Blood Pressure</i> , 2019 , 28, 309-316	1.7	4
19	Discrepancy between pregnancy dating methods affects obstetric and neonatal outcomes: a population-based register cohort study. <i>Scientific Reports</i> , 2018 , 8, 6936	4.9	4
18	Cardiovascular disease and mortality after a first episode of venous thromboembolism in young and middle-aged women. <i>Thrombosis Research</i> , 2016 , 138, 80-85	8.2	4
17	Exposure to antimuscarinic medications for treatment of overactive bladder and risk of lung cancer and colon cancer. <i>Clinical Epidemiology</i> , 2019 , 11, 133-143	5.9	3
16	Adherence to Swedish national pregnancy dating guidelines and management of discrepancies between pregnancy dating methods: a survey study. <i>Reproductive Health</i> , 2019 , 16, 95	3.5	3
15	Metformin versus insulin use for treatment of gestational diabetes and delivery by caesarean section: A nationwide Swedish cohort study. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2020 , 254, 271-276	2.4	3
14	Maternal and infant characteristics: differences and similarities between the Nordic countries and the US. <i>Clinical Epidemiology</i> , 2016 , 8, 285-94	5.9	3
13	Patient characteristics when starting treatment and patterns of treatment in adults with chronic immune thrombocytopenia. <i>Blood Coagulation and Fibrinolysis</i> , 2019 , 30, 350-356	1	3
12	Long-term quality of life and postthrombotic syndrome in women after an episode of venous thromboembolism. <i>Phlebology</i> , 2018 , 33, 234-241	2	2
11	Cancer risk in patients with primary immune thrombocytopenia - A Swedish nationwide register study. <i>Cancer Epidemiology</i> , 2020 , 69, 101806	2.8	2
10	Antibiotic use prior to a lung cancer diagnosis: a population-based study. <i>Cancer Causes and Control</i> , 2021 , 32, 597-607	2.8	2
9	Pharmacological agents preceding a diagnosis of immune thrombocytopenia in adult patients developing the chronic form: A Swedish national register study. <i>Thrombosis Research</i> , 2017 , 160, 27-31	8.2	1
8	Temporal trends in lung cancer survival: a population-based study. <i>Acta Oncologica</i> , 2021 , 1-7	3.2	1
7	Post-Thrombotic Syndrome and Quality-of-Life after Venous Thromboembolism in Young and Middle-Aged Women. <i>Blood</i> , 2015 , 126, 2309-2309	2.2	1
6	Assessing Safety of Direct Thrombin Inhibitors, Direct Factor Xa Inhibitors and Vitamin K Antagonists in Patients with Atrial Fibrillation: A Nation-Wide Propensity Score Matched Cohort from Sweden. <i>Clinical Epidemiology</i> , 2020 , 12, 1029-1038	5.9	1
5	In utero opioid exposure and risk of infections in childhood: A multinational Nordic cohort study. <i>Pharmacoepidemiology and Drug Safety</i> , 2020 , 29, 1596-1604	2.6	1

4	Influence of statin-potency on the risk of kidney disease - A nationwide cohort study using laboratory data. <i>Pharmacoepidemiology and Drug Safety</i> , 2021 , 30, 210-219	2.6	o
3	Opioid maintenance treatment of pregnant women in the Scandinavian countries.. <i>NAD Nordic Studies on Alcohol and Drugs</i> , 2020 , 37, 298-312	1.1	o
2	Use of sildenafil and other phosphodiesterase type 5 inhibitors among pregnant women in Scandinavia. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2021 , 100, 2111-2118	3.8	o
1	Obesity Is a Risk Factor for Recurrent Venous Thrombosis in Young and Middle-Aged Women. Results From Tehs-Follow up, a Nested Cohort Study On 1394 Women with VTE.. <i>Blood</i> , 2012 , 120, 2250-2250	2.3	o