

# Elizabeth S Draper

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2079323/publications.pdf>

Version: 2024-02-01

180  
papers

11,194  
citations

36203

51  
h-index

34900

98  
g-index

183  
all docs

183  
docs citations

183  
times ranked

11830  
citing authors

#	ARTICLE	IF	CITATIONS
1	Maternal education and cognitive development in 15 European very-preterm birth cohorts from the RECAP <i>Preterm</i> platform. <i>International Journal of Epidemiology</i> , 2022, 50, 1824-1839.	0.9	18
2	Effects of the SARS-CoV-2 pandemic on perinatal activity in Yorkshire and the Humber region during 2020: an interrupted time series analysis. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2022, , fetalneonatal-2021-323466.	1.4	1
3	Caring for critically ill adults in paediatric intensive care units in England during the COVID-19 pandemic: planning, implementation and lessons for the future. <i>Archives of Disease in Childhood</i> , 2021, 106, 548-557.	1.0	21
4	Association between postnatal growth and neurodevelopmental impairment by sex at 2 years of corrected age in a multi-national cohort of very preterm children. <i>Clinical Nutrition</i> , 2021, 40, 4948-4955.	2.3	11
5	Birth outcomes between 22 and 26 weeks' gestation in national population-based cohorts from Sweden, England and France. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2021, , .	0.7	17
6	In the eye of the storm: impact of COVID-19 pandemic on admission patterns to paediatric intensive care units in the UK and Eire. <i>Critical Care</i> , 2021, 25, 399.	2.5	16
7	National active surveillance to understand and inform neonatal care in COVID-19. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2020, 105, 346-347.	1.4	7
8	Impact on 30-day survival of time taken by a critical care transport team to reach the bedside of critically ill children. <i>Intensive Care Medicine</i> , 2020, 46, 1953-1955.	3.9	3
9	EPICE cohort: two-year neurodevelopmental outcomes after very preterm birth. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2020, 105, 350-356.	1.4	25
10	Impact of sociodemographic and clinical factors on offer and parental consent to postmortem following stillbirth or neonatal death: a UK population-based cohort study. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2020, 105, 532-537.	1.4	3
11	Improving Understanding of Participation and Attrition Phenomena in European Cohort Studies: Protocol for a Multi-Situated Qualitative Study. <i>JMIR Research Protocols</i> , 2020, 9, e14997.	0.5	7
12	Low breastfeeding continuation to 6 months for very preterm infants: <sc>A E</sc>uropean multiregional cohort study. <i>Maternal and Child Nutrition</i> , 2019, 15, e12657.	1.4	55
13	Permissive versus restrictive temperature thresholds in critically ill children with fever and infection: a multicentre randomized clinical pilot trial. <i>Critical Care</i> , 2019, 23, 69.	2.5	18
14	Estimating neonatal length of stay for babies born very preterm. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2019, 104, F182-F186.	1.4	57
15	Wide variation in severe neonatal morbidity among very preterm infants in European regions. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2019, 104, F36-F45.	1.4	50
16	Different temperature thresholds for antipyretic intervention in critically ill children with fever due to infection: the FEVER feasibility RCT. <i>Health Technology Assessment</i> , 2019, 23, 1-148.	1.3	6
17	Developing routinely recorded clinical data from electronic patient records as a national resource to improve neonatal health care: the Medicines for Neonates research programme. <i>Programme Grants for Applied Research</i> , 2019, 7, 1-396.	0.4	17
18	Making stillbirths visible: a systematic review of globally reported causes of stillbirth. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2018, 125, 212-224.	1.1	119

#	ARTICLE	IF	CITATIONS
19	Differentiating the Preterm Phenotype: Distinct Profiles of Cognitive and Behavioral Development Following Late and Moderately Preterm Birth. <i>Journal of Pediatrics</i> , 2018, 193, 85-92.e1.	0.9	43
20	Interhospital Transport of Critically Ill Children to PICUs in the United Kingdom and Republic of Ireland: Analysis of an International Dataset*. <i>Pediatric Critical Care Medicine</i> , 2018, 19, e300-e311.	0.2	32
21	Estimating Global Burden of Disease due to congenital anomaly: an analysis of European data. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2018, 103, F22-F28.	1.4	122
22	Increasing admissions to paediatric intensive care units in England and Wales: more than just rising a birth rate. <i>Archives of Disease in Childhood</i> , 2018, 103, 341-345.	1.0	23
23	Updated birth weight centiles for England and Wales. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2018, 103, F577-F582.	1.4	37
24	Duration and Time Trends in Hospital Stay for Very Preterm Infants Differ Across European Regions*. <i>Pediatric Critical Care Medicine</i> , 2018, 19, 1153-1161.	0.2	37
25	Trends in congenital anomalies in Europe from 1980 to 2012. <i>PLoS ONE</i> , 2018, 13, e0194986.	1.1	106
26	Investigating the relationship between fetal growth and academic attainment: secondary analysis of the Born in Bradford (BiB) cohort. <i>International Journal of Epidemiology</i> , 2018, 47, 1475-1484.	0.9	11
27	Rising infant mortality rates in England and Wales—we need to understand gestation specific mortality. <i>BMJ: British Medical Journal</i> , 2018, 361, k1936.	2.4	4
28	Epidemiology of septo-optic dysplasia with focus on prevalence and maternal age – A EUROCAT study. <i>European Journal of Medical Genetics</i> , 2018, 61, 483-488.	0.7	26
29	Variability in the management and outcomes of extremely preterm births across five European countries: a population-based cohort study. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2017, 102, F400-F408.	1.4	39
30	Causes and temporal changes in nationally collected stillbirth audit data in high-resource settings. <i>Seminars in Fetal and Neonatal Medicine</i> , 2017, 22, 118-128.	1.1	25
31	Classification of causes and associated conditions for stillbirths and neonatal deaths. <i>Seminars in Fetal and Neonatal Medicine</i> , 2017, 22, 176-185.	1.1	46
32	Association of Short Antenatal Corticosteroid Administration-to-Birth Intervals With Survival and Morbidity Among Very Preterm Infants. <i>JAMA Pediatrics</i> , 2017, 171, 678.	3.3	101
33	Variation in term birthweight across European countries affects the prevalence of small for gestational age among very preterm infants. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2017, 106, 1447-1455.	0.7	52
34	Variability in Very Preterm Stillbirth and In-Hospital Mortality Across Europe. <i>Pediatrics</i> , 2017, 139, .	1.0	39
35	Changes in management policies for extremely preterm births and neonatal outcomes from 2003 to 2012: two population-based studies in ten European regions. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2017, 124, 1595-1604.	1.1	21
36	Association of Short Antenatal Corticosteroid Administration-to-Birth Intervals With Survival and Morbidity Among Very Preterm Infants: Results From the EPICE Cohort. <i>Obstetrical and Gynecological Survey</i> , 2017, 72, 696-699.	0.2	0

#	ARTICLE	IF	CITATIONS
37	Authors'™ reply to Page and Rafi. <i>BMJ, The</i> , 2016, 354, i4671.	3.0	0
38	Use of hierarchical models to analyze European trends in congenital anomaly prevalence. <i>Birth Defects Research Part A: Clinical and Molecular Teratology</i> , 2016, 106, 480-488.	1.6	3
39	Evaluation of the use of a parent questionnaire to provide later health status data: the PANDA study. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2016, 101, F304-F308.	1.4	4
40	Impact of obstetric interventions on condition at birth in extremely preterm babies: evidence from a national cohort study. <i>BMC Pregnancy and Childbirth</i> , 2016, 16, 390.	0.9	10
41	Use of evidence based practices to improve survival without severe morbidity for very preterm infants: results from the EPICE population based cohort. <i>BMJ, The</i> , 2016, 354, i2976.	3.0	122
42	Prevalence of microcephaly in Europe: population based study. <i>BMJ, The</i> , 2016, 354, i4721.	3.0	57
43	What factors predict length of stay in a neonatal unit: a systematic review. <i>BMJ Open</i> , 2016, 6, e010466.	0.8	52
44	The effects of a one-to-one nurse-to-patient ratio on the mortality rate in neonatal intensive care: a retrospective, longitudinal, population-based study. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2016, 101, F195-F200.	1.4	57
45	Investigating increased admissions to neonatal intensive care in England between 1995 and 2006: data linkage study using Hospital Episode Statistics. <i>BMC Medical Research Methodology</i> , 2016, 16, 57.	1.4	5
46	Stillbirths: rates, risk factors, and acceleration towards 2030. <i>Lancet, The</i> , 2016, 387, 587-603.	6.3	1,220
47	Prevention of neural tube defects in the UK: a missed opportunity. <i>Archives of Disease in Childhood</i> , 2016, 101, 604-607.	1.0	46
48	Eating difficulties in children born late and moderately preterm at 2 y of age: a prospective population-based cohort study. <i>American Journal of Clinical Nutrition</i> , 2016, 103, 406-414.	2.2	51
49	Modelling Neonatal Care Pathways for Babies Born Preterm: An Application of Multistate Modelling. <i>PLoS ONE</i> , 2016, 11, e0165202.	1.1	9
50	Congenital anomalies associated with trisomy 18 or trisomy 13: A registry-based study in 16 european countries, 2000-2011. <i>American Journal of Medical Genetics, Part A</i> , 2015, 167, 3062-3069.	0.7	68
51	Economic costs associated with moderate and late preterm birth: a prospective population-based study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2015, 122, 1495-1505.	1.1	68
52	Early Emergence of Delayed Social Competence in Infants Born Late and Moderately Preterm. <i>Journal of Developmental and Behavioral Pediatrics</i> , 2015, 36, 690-699.	0.6	41
53	Interpretation of early life mortality rates. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2015, 100, F99-F100.	1.4	3
54	Infants Born Late/Moderately Preterm Are at Increased Risk for a Positive Autism Screen at 2 Years of Age. <i>Journal of Pediatrics</i> , 2015, 166, 269-275.e3.	0.9	88

#	ARTICLE	IF	CITATIONS
55	Epidemiology of congenital diaphragmatic hernia in Europe: a register-based study. Archives of Disease in Childhood: Fetal and Neonatal Edition, 2015, 100, F137-F144.	1.4	229
56	Admissions to paediatric intensive care units (PICU) with refractory convulsive status epilepticus (RCSE): A two-year multi-centre study. Seizure: the Journal of the British Epilepsy Association, 2015, 29, 153-161.	0.9	17
57	Neonatal outcomes and delivery of care for infants born late preterm or moderately preterm: a prospective population-based study. Archives of Disease in Childhood: Fetal and Neonatal Edition, 2015, 100, F479-F485.	1.4	113
58	Neurodevelopmental outcomes following late and moderate prematurity: a population-based cohort study. Archives of Disease in Childhood: Fetal and Neonatal Edition, 2015, 100, F301-F308.	1.4	209
59	Associations between late and moderately preterm birth and smoking, alcohol, drug use and diet: a population-based case-cohort study. Archives of Disease in Childhood: Fetal and Neonatal Edition, 2015, 100, F486-F491.	1.4	36
60	Outcomes when congenital heart disease is diagnosed antenatally versus postnatally in the UK: a retrospective population-based study. BMC Pediatrics, 2015, 15, 58.	0.7	23
61	Socioeconomic inequalities in pregnancy outcome associated with Down syndrome: a population-based study. Archives of Disease in Childhood: Fetal and Neonatal Edition, 2015, 100, F400-F404.	1.4	10
62	Long term trends in prevalence of neural tube defects in Europe: population based study. BMJ, The, 2015, 351, h5949.	3.0	180
63	Observational study of children admitted to United Kingdom and Republic of Ireland Paediatric Intensive Care Units after out-of-hospital cardiac arrest. Resuscitation, 2015, 97, 122-128.	1.3	13
64	Approaches to supporting lactation and breastfeeding for very preterm infants in the NICU: a qualitative study in three European regions. BMJ Open, 2015, 5, e006973.	0.8	29
65	Meckel-Gruber Syndrome: a population-based study on prevalence, prenatal diagnosis, clinical features, and survival in Europe. European Journal of Human Genetics, 2015, 23, 746-752.	1.4	70
66	The effects of designation and volume of neonatal care on mortality and morbidity outcomes of very preterm infants in England: retrospective population-based cohort study. BMJ Open, 2014, 4, e004856-e004856.	0.8	59
67	Epidemiology of partial urorectal septum malformation sequence (or "persistent cloaca"): a population-based study in seven regions of England and Wales, 1985-2010. Archives of Disease in Childhood: Fetal and Neonatal Edition, 2014, 99, F413-F418.	1.4	13
68	Perinatal outcomes for extremely preterm babies in relation to place of birth in England: the EPICure 2 study. Archives of Disease in Childhood: Fetal and Neonatal Edition, 2014, 99, F181-F188.	1.4	157
69	Trends in the incidence and mortality of multiple births by socioeconomic deprivation and maternal age in England: population-based cohort study. BMJ Open, 2014, 4, e004514.	0.8	35
70	Experiences with maternal and perinatal death reviews in the UK: the MBRACE-UK programme. BJOG: an International Journal of Obstetrics and Gynaecology, 2014, 121, 41-46.	1.1	65
71	Hirschsprung's disease prevalence in Europe: A register based study. Birth Defects Research Part A: Clinical and Molecular Teratology, 2014, 100, 695-702.	1.6	52
72	Prenatal exposure to binge pattern of alcohol consumption: mental health and learning outcomes at age 11. European Child and Adolescent Psychiatry, 2014, 23, 891-899.	2.8	40

#	ARTICLE	IF	CITATIONS
73	Differences in case-mix can influence the comparison of standardised mortality ratios even with optimal risk adjustment: an analysis of data from paediatric intensive care. <i>BMJ Quality and Safety</i> , 2014, 23, 782-788.	1.8	24
74	Perinatal Outcomes for Extremely Preterm Babies in Relation to Place of Birth in England. <i>Obstetrical and Gynecological Survey</i> , 2014, 69, 577-579.	0.2	1
75	Birth prevalence and survival of exomphalos in england and wales: 2005 to 2011. <i>Birth Defects Research Part A: Clinical and Molecular Teratology</i> , 2014, 100, 721-725.	1.6	33
76	Seasonality of congenital anomalies in Europe. <i>Birth Defects Research Part A: Clinical and Molecular Teratology</i> , 2014, 100, 260-269.	1.6	14
77	Telephone interviews and online questionnaires can be used to improve neurodevelopmental follow-up rates. <i>BMC Research Notes</i> , 2014, 7, 219.	0.6	17
78	Long-term outcome for the tiniest or most immature babies: survival rates. <i>Seminars in Fetal and Neonatal Medicine</i> , 2014, 19, 72-77.	1.1	14
79	OP29â€¦The prevalence of congenital heart disease in the UK: a population-based register study. <i>Journal of Epidemiology and Community Health</i> , 2014, 68, A17.1-A17.	2.0	0
80	Neighbourhood deprivation and very preterm birth in an English and French cohort. <i>BMC Pregnancy and Childbirth</i> , 2013, 13, 97.	0.9	41
81	Fraser Syndrome: Epidemiological Study in a European Population. <i>American Journal of Medical Genetics, Part A</i> , 2013, 161, 1012-1018.	0.7	46
82	Recent Decrease in the Prevalence of Congenital Heart Defects in Europe. <i>Journal of Pediatrics</i> , 2013, 162, 108-113.e2.	0.9	39
83	Effects of Out-of-Hours and Winter Admissions and Number of Patients per Unit on Mortality in Pediatric Intensive Care. <i>Journal of Pediatrics</i> , 2013, 163, 1039-1044.e5.	0.9	25
84	Prenatal alcohol exposure and offspring cognition and school performance. A â€˜Mendelian randomizationâ€™ natural experiment. <i>International Journal of Epidemiology</i> , 2013, 42, 1358-1370.	0.9	80
85	Comparing regional infant death rates: the influence of preterm births <24 weeks of gestation. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2013, 98, F103-F107.	1.4	35
86	Babies born at the threshold of viability: changes in survival and workload over 20 years. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2013, 98, F15-F20.	1.4	38
87	Understanding patterns in maternity care in the NHS and getting it right. <i>BMJ, The</i> , 2013, 346, f2812-f2812.	3.0	7
88	Population-Based Estimates of In-Unit Survival for Very Preterm Infants. <i>Pediatrics</i> , 2013, 131, e425-e432.	1.0	71
89	Modelling Time to Death or Discharge in Neonatal Care: An Application of Competing Risks. <i>Paediatric and Perinatal Epidemiology</i> , 2013, 27, 426-433.	0.8	18
90	Contemporary management and outcomes for infants born with oesophageal atresia. <i>British Journal of Surgery</i> , 2013, 100, 515-521.	0.1	86

#	ARTICLE	IF	CITATIONS
91	Light drinking in pregnancy and mid-childhood mental health and learning outcomes. Archives of Disease in Childhood, 2013, 98, 107-11.	1.0	22
92	Effect of Prenatal Alcohol Exposure on Childhood Academic Outcomes: Contrasting Maternal and Paternal Associations in the ALSPAC Study. PLoS ONE, 2013, 8, e74844.	1.1	46
93	The Role of Maternal Stress in Early Pregnancy in the Aetiology of Gastroschisis: An Incident Case Control Study. PLoS ONE, 2013, 8, e80103.	1.1	21
94	Neurological and developmental outcome in extremely preterm children born in England in 1995 and 2006: the EPICure studies. BMJ, The, 2012, 345, e7961-e7961.	3.0	647
95	Rare chromosome abnormalities, prevalence and prenatal diagnosis rates from population-based congenital anomaly registers in Europe. European Journal of Human Genetics, 2012, 20, 521-526.	1.4	148
96	Short term outcomes after extreme preterm birth in England: comparison of two birth cohorts in 1995 and 2006 (the EPICure studies). BMJ, The, 2012, 345, e7976-e7976.	3.0	655
97	The role of maternal nutrition in the aetiology of gastroschisis: an incident case-control study. International Journal of Epidemiology, 2012, 41, 1141-1152.	0.9	51
98	Epidemiology of small intestinal atresia in Europe: a register-based study. Archives of Disease in Childhood: Fetal and Neonatal Edition, 2012, 97, F353-F358.	1.4	119
99	Socioeconomic inequalities in the rate of stillbirths by cause: a population-based study. BMJ Open, 2012, 2, e001100.	0.8	27
100	Prognostic Models for Stillbirth and Neonatal Death in Very Preterm Birth: A Validation Study. Pediatrics, 2012, 129, e120-e127.	1.0	12
101	Antenatal management and outcomes of gastroschisis in the UK. Prenatal Diagnosis, 2012, 32, 1256-1262.	1.1	24
102	Schizencephaly prevalence, prenatal diagnosis and clues to etiology: a register-based study. Ultrasound in Obstetrics and Gynecology, 2012, 39, 75-82.	0.9	53
103	An investigation into the reporting and management of late terminations of pregnancy (between 22+0) Tj ETQq1 1 0.784314 rgBT /Ove study. BJOG: an International Journal of Obstetrics and Gynaecology, 2012, 119, 710-715.	1.1	11
104	Fetal Alcohol Exposure and IQ at Age 8: Evidence from a Population-Based Birth-Cohort Study. PLoS ONE, 2012, 7, e49407.	1.1	86
105	Gastroschisis: one year outcomes from national cohort study. BMJ: British Medical Journal, 2011, 343, d6749-d6749.	2.4	130
106	Socioeconomic inequalities in outcome of pregnancy and neonatal mortality associated with congenital anomalies: population based study. BMJ: British Medical Journal, 2011, 343, d4306-d4306.	2.4	53
107	A Prospective Population-Based Study of Birth at 32-36 Weeks of Gestation: Neonatal Outcomes from the Late and Moderate Preterm Birth Study (LAMBS). Pediatric Research, 2011, 70, 304-304.	1.1	1
108	Neighbourhood Social Characteristics and Risk of Very Preterm Birth in a French and English Region. Pediatric Research, 2011, 70, 623-623.	1.1	0

#	ARTICLE	IF	CITATIONS
109	Epidemiology and outcome of congenital diaphragmatic hernia: a 9-year experience. Paediatric and Perinatal Epidemiology, 2011, 25, 144-149.	0.8	64
110	Paper 6: EUROCAT member registries: Organization and activities. Birth Defects Research Part A: Clinical and Molecular Teratology, 2011, 91, S51-S100.	1.6	107
111	Monitoring the Prenatal Detection of Structural Fetal Congenital Anomalies in England and Wales: Register-based Study. Journal of Medical Screening, 2011, 18, 2-7.	1.1	61
112	Neonatal intensive care outcomes and resource utilisation of infants born <26 weeks in the former Trent region: 2001-2003 compared with 1991-1993. Archives of Disease in Childhood: Fetal and Neonatal Edition, 2011, 96, F329-F334.	1.4	10
113	Rates of Bronchopulmonary Dysplasia in Very Preterm Neonates in Europe: Results from the MOSAIC Cohort. Neonatology, 2011, 99, 112-117.	0.9	114
114	Place of death and palliative care following discharge from paediatric intensive care units. Archives of Disease in Childhood, 2011, 96, 1195-1198.	1.0	44
115	Impact of Fetal Growth Restriction on Mortality and Morbidity in a Very Preterm Birth Cohort. Journal of Pediatrics, 2010, 157, 733-739.e1.	0.9	171
116	Deprivation, ethnicity and prematurity in infant respiratory failure in PICU in the UK. Acta Paediatrica, International Journal of Paediatrics, 2010, 99, 1186-1191.	0.7	24
117	Estimates of length of neonatal stay for very premature babies in the UK. Archives of Disease in Childhood: Fetal and Neonatal Edition, 2010, 95, F288-F292.	1.4	31
118	Palliative care discharge from paediatric intensive care units in Great Britain. Palliative Medicine, 2010, 24, 608-615.	1.3	13
119	Evaluating and comparing neonatal outcomes. Archives of Disease in Childhood: Fetal and Neonatal Edition, 2010, 95, F158-F159.	1.4	13
120	Predicting neonatal mortality among very preterm infants: a comparison of three versions of the CRIB score. Archives of Disease in Childhood: Fetal and Neonatal Edition, 2010, 95, F9-F13.	1.4	36
121	Nature of socioeconomic inequalities in neonatal mortality: population based study. BMJ: British Medical Journal, 2010, 341, c6654-c6654.	2.4	54
122	Differences in outcome between twins and singletons born very preterm: results from a population-based European cohort. Human Reproduction, 2010, 25, 1035-1043.	0.4	52
123	Gastroschisis: a national cohort study to describe contemporary surgical strategies and outcomes. Journal of Pediatric Surgery, 2010, 45, 1808-1816.	0.8	86
124	Effect of specialist retrieval teams on outcomes in children admitted to paediatric intensive care units in England and Wales: a retrospective cohort study. Lancet, The, 2010, 376, 698-704.	6.3	154
125	Socioeconomic inequalities in survival and provision of neonatal care: population based study of very preterm infants. BMJ: British Medical Journal, 2009, 339, b4702-b4702.	2.4	43
126	Epidemiology of critically ill children in England and Wales: incidence, mortality, deprivation and ethnicity. Archives of Disease in Childhood, 2009, 94, 210-215.	1.0	49



#	ARTICLE	IF	CITATIONS
127	Obstetric interventions for babies born before 28 weeks of gestation in Europe: results of the MOSAIC study. BJOG: an International Journal of Obstetrics and Gynaecology, 2009, 116, 1481-1491.	1.1	61
128	The Cost of Preterm Birth Throughout Childhood in England and Wales. Pediatrics, 2009, 123, e312-e327.	1.0	283
129	Rates of very preterm birth in Europe and neonatal mortality rates. Archives of Disease in Childhood: Fetal and Neonatal Edition, 2009, 94, F253-F256.	1.4	44
130	Data needed to establish causes. BMJ: British Medical Journal, 2009, 339, b3428-b3428.	2.4	2
131	Institutional performance. BMJ: British Medical Journal, 2009, 338, b1749-b1749.	2.4	1
132	Termination of pregnancy among very preterm births and its impact on very preterm mortality: results from ten European population-based cohorts in the MOSAIC study. BJOG: an International Journal of Obstetrics and Gynaecology, 2008, 115, 361-368.	1.1	52
133	A literature review of principles, policies and practice in extended nursing roles relating to UK intensive care settings. Journal of Clinical Nursing, 2008, 17, 2671-2680.	1.4	20
134	Antenatal umbilical Doppler abnormalities: an independent risk factor for early onset neonatal necrotizing enterocolitis in premature infants. Acta Paediatrica, International Journal of Paediatrics, 2008, 97, 327-331.	0.7	42
135	Differences in Rates and Short-term Outcome of Live Births Before 32 Weeks of Gestation in Europe in 2003: Results From the MOSAIC Cohort. Pediatrics, 2008, 121, e936-e944.	1.0	126
136	Investigating the variations in survival rates for very preterm infants in 10 European regions: the MOSAIC birth cohort. Archives of Disease in Childhood: Fetal and Neonatal Edition, 2008, 94, F158-F163.	1.4	107
137	Recreational Drug Use: A Major Risk Factor for Gastroschisis?. American Journal of Epidemiology, 2008, 167, 485-491.	1.6	120
138	Geographically based investigation of the influence of very-preterm births on routine mortality statistics from the UK and Australia. Archives of Disease in Childhood: Fetal and Neonatal Edition, 2008, 93, F212-F216.	1.4	13
139	Nursing workload in UK tertiary neonatal units. Archives of Disease in Childhood, 2008, 93, 1059-1064.	1.0	14
140	Survival of extremely premature babies in a geographically defined population: prospective cohort study of 1994-9 compared with 2000-5. BMJ: British Medical Journal, 2008, 336, 1221-1223.	2.4	188
141	Socioeconomic inequalities in very preterm birth rates. Archives of Disease in Childhood: Fetal and Neonatal Edition, 2007, 92, F11-F14.	1.4	151
142	Mortality patterns among very preterm babies: a comparative analysis of two European regions in France and England. Archives of Disease in Childhood: Fetal and Neonatal Edition, 2007, 92, 356-360.	1.4	28
143	Respiratory outcome in late childhood after neonatal continuous negative pressure ventilation. Archives of Disease in Childhood: Fetal and Neonatal Edition, 2007, 92, F19-F24.	1.4	4
144	Deprivation and Infection Among Spontaneous Very Preterm Births. Obstetrics and Gynecology, 2007, 110, 325-329.	1.2	17

#	ARTICLE	IF	CITATIONS
145	Epidemiology of prematurity – How valid are comparisons of neonatal outcomes?. <i>Seminars in Fetal and Neonatal Medicine</i> , 2007, 12, 337-343.	1.1	13
146	Outcome after neonatal continuous negative-pressure ventilation: follow-up assessment. <i>Lancet</i> , The, 2006, 367, 1080-1085.	6.3	23
147	The potential of the European network of congenital anomaly registers (EUROCAT) for drug safety surveillance: a descriptive study. <i>Pharmacoepidemiology and Drug Safety</i> , 2006, 15, 675-682.	0.9	8
148	Extremely Growth-Retarded Infants: Is There a Viability Centile?. <i>Pediatrics</i> , 2006, 118, 758-763.	1.0	37
149	Population-based study of the outcome following the prenatal diagnosis of cystic hygroma. <i>Prenatal Diagnosis</i> , 2005, 25, 286-291.	1.1	35
150	Neuropsychological and educational problems at school age associated with neonatal encephalopathy. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2005, 90, F380-F387.	1.4	278
151	A feasibility study of signed consent for the collection of patient identifiable information for a national paediatric clinical audit database. <i>BMJ: British Medical Journal</i> , 2005, 330, 877-879.	2.4	27
152	Paediatric cardiac surgical mortality after Bristol. <i>BMJ: British Medical Journal</i> , 2005, 330, 43.3.	2.4	1
153	Trends in the Incidence of Severe Retinopathy of Prematurity in a Geographically Defined Population Over a 10-Year Period. <i>Pediatrics</i> , 2004, 113, 1653-1657.	1.0	37
154	The potential impact on costs and staffing of introducing clinical networks and British Association of Perinatal Medicine standards to the delivery of neonatal care. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2004, 89, F236-F240.	1.4	1
155	14 A Comparison of Perinatal Characteristics between Two Regions: Trent, United Kingdom and New South Wales and Australian Capital Territory, Australia, 2000–2002. <i>Pediatric Research</i> , 2004, 56, 466-466.	1.1	0
156	Can safety assurance procedures in the food industry be used to evaluate a medical screening programme? The application of the Hazard Analysis and Critical Control Point system to an antenatal serum screening programme for Down's syndrome. Stage 1: identifying significant hazards. <i>Journal of Evaluation in Clinical Practice</i> , 2003, 9, 39-47.	0.9	2
157	Can safety assurance procedures in the food industry be used to evaluate a medical screening programme? The application of the Hazard Analysis and Critical Control Point system to an antenatal serum screening programme for Down's syndrome. Stage 2: overcoming the hazards in programme delivery. <i>Journal of Evaluation in Clinical Practice</i> , 2003, 9, 49-57.	0.9	2
158	Trisomy 13 and trisomy 18 in a defined population: epidemiological, genetic and prenatal observations. <i>Prenatal Diagnosis</i> , 2003, 23, 856-860.	1.1	67
159	Congenital cystic adenomatoid malformation: accuracy of prenatal diagnosis, prevalence and outcome in a general population. <i>Prenatal Diagnosis</i> , 2003, 23, 997-1002.	1.1	143
160	Chronic Lung Disease of Prematurity and Intrauterine Growth Retardation: A Population-Based Study. <i>Pediatrics</i> , 2003, 111, 483-487.	1.0	136
161	Tables for predicting survival for preterm births are updated. <i>BMJ: British Medical Journal</i> , 2003, 327, 872-872.	2.4	29
162	Bench marking and performance management in neonatal care: easier said than done!. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2002, 87, 163F-164.	1.4	14

#	ARTICLE	IF	CITATIONS
163	A confidential enquiry into cases of neonatal encephalopathy. Archives of Disease in Childhood: Fetal and Neonatal Edition, 2002, 87, 176F-180.	1.4	54
164	Extreme prematurity in the UK and Denmark: population differences in viability. Archives of Disease in Childhood: Fetal and Neonatal Edition, 2002, 87, 172F-175.	1.4	22
165	Measuring later health status of high risk infants: randomised comparison of two simple methods of data collection. BMJ: British Medical Journal, 2001, 323, 1276-1276.	2.4	13
166	Factors affecting the incidence of chronic lung disease of prematurity in 1987, 1992, and 1997. Archives of Disease in Childhood: Fetal and Neonatal Edition, 2001, 85, 33F-35.	1.4	58
167	Stage of change is associated with assessment of the health risks of maternal smoking among pregnant women. Social Science and Medicine, 2000, 51, 1189-1196.	1.8	32
168	Severe retinopathy of prematurity and its association with different rates of survival in infants of less than 1251 g birth weight. Archives of Disease in Childhood: Fetal and Neonatal Edition, 2000, 82, 145F-149.	1.4	33
169	Prediction of survival for preterm births. BMJ: British Medical Journal, 2000, 321, 237-237.	2.4	13
170	Prediction of survival for preterm births by weight and gestational age: retrospective population based study. BMJ: British Medical Journal, 1999, 319, 1093-1097.	2.4	198
171	Survival and place of delivery following preterm birth: 1994-96. Archives of Disease in Childhood: Fetal and Neonatal Edition, 1999, 80, F111-F114.	1.4	44
172	Chronic lung disease and survival in 4 tertiary neonatal units. Journal of Perinatal Medicine, 1999, 27, 490-4.	0.6	1
173	Health status of a population of infants born before 26 weeks gestation derived from routine data collected between 21 and 27 months post-delivery. Early Human Development, 1999, 55, 9-18.	0.8	12
174	Assessment of separate contributions to perinatal mortality of infertility history and treatment: a case-control analysis. Lancet, The, 1999, 353, 1746-1749.	6.3	164
175	Preparing Patients for Total Hip Replacement. Journal of Health Psychology, 1997, 2, 107-114.	1.3	27
176	Are outcome data regarding the survivors of neonatal care available from routine sources?. Archives of Disease in Childhood: Fetal and Neonatal Edition, 1997, 77, F206-F210.	1.4	11
177	The pregnant smoker: a preliminary investigation of the social and psychological influences. Journal of Public Health, 1997, 19, 187-192.	1.0	42
178	Impact of extremely immature infants on neonatal services.. Archives of Disease in Childhood: Fetal and Neonatal Edition, 1996, 74, F110-F113.	1.4	27
179	Neonatal intensive care cots: estimating the population based requirement in Trent, UK.. Journal of Epidemiology and Community Health, 1995, 49, 617-628.	2.0	9
180	Fall in birth weight of third generation Asian infants. BMJ: British Medical Journal, 1995, 311, 876-876.	2.4	15