

# Michael J Wingfield

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/2081897/michael-j-wingfield-publications-by-citations.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

980  
papers

32,843  
citations

75  
h-index

136  
g-index

998  
ext. papers

38,142  
ext. citations

3.7  
avg, IF

7.24  
L-index

#	Paper	IF	Citations
980	Nuclear ribosomal internal transcribed spacer (ITS) region as a universal DNA barcode marker for Fungi. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2012</b> , 109, 6241-6	11.5	2981
979	Phylogenetic lineages in the Botryosphaeriaceae. <i>Studies in Mycology</i> , <b>2006</b> , 55, 235-53	22.2	484
978	The Botryosphaeriaceae: genera and species known from culture. <i>Studies in Mycology</i> , <b>2013</b> , 76, 51-167	22.2	482
977	The Ascomycota tree of life: a phylum-wide phylogeny clarifies the origin and evolution of fundamental reproductive and ecological traits. <i>Systematic Biology</i> , <b>2009</b> , 58, 224-39	8.4	480
976	Botryosphaeriaceae as endophytes and latent pathogens of woody plants: diversity, ecology and impact. <i>Fungal Biology Reviews</i> , <b>2007</b> , 21, 90-106	6.8	456
975	A class-wide phylogenetic assessment of Dothideomycetes. <i>Studies in Mycology</i> , <b>2009</b> , 64, 1-15S10	22.2	423
974	Changes in planted forests and future global implications. <i>Forest Ecology and Management</i> , <b>2015</b> , 352, 57-67	3.9	365
973	One fungus, which genes? Development and assessment of universal primers for potential secondary fungal DNA barcodes. <i>Persoonia: Molecular Phylogeny and Evolution of Fungi</i> , <b>2015</b> , 35, 242-63 <sup>9</sup>		286
972	The amsterdam declaration on fungal nomenclature. <i>IMA Fungus</i> , <b>2011</b> , 2, 105-12	6.8	260
971	Planted forest health: The need for a global strategy. <i>Science</i> , <b>2015</b> , 349, 832-6	33.3	258
970	Scientists' warning on invasive alien species. <i>Biological Reviews</i> , <b>2020</b> , 95, 1511-1534	13.5	250
969	Combined multiple gene genealogies and phenotypic characters differentiate several species previously identified as Botryosphaeria dothidea. <i>Mycologia</i> , <b>2004</b> , 96, 83-101	2.4	228
968	Finding needles in haystacks: linking scientific names, reference specimens and molecular data for Fungi. <i>Database: the Journal of Biological Databases and Curation</i> , <b>2014</b> , 2014,	5	199
967	The role of phytopathogenicity in bark beetle-fungus symbioses: a challenge to the classic paradigm. <i>Annual Review of Entomology</i> , <b>2011</b> , 56, 255-72	21.8	194
966	Eucalyptus Rust: A Disease with the Potential for Serious International Implications. <i>Plant Disease</i> , <b>1998</b> , 82, 819-825	1.5	187
965	Leptographium wingfieldii introduced into North America and found associated with exotic Tomigus piniperda and native bark beetles. <i>Mycological Research</i> , <b>2004</b> , 108, 411-8		183
964	Pitch canker caused by Fusarium circinatum is a growing threat to pine plantations and forests worldwide. <i>Australasian Plant Pathology</i> , <b>2008</b> , 37, 319	1.4	180

963	Microsatellite discovery by deep sequencing of enriched genomic libraries. <i>BioTechniques</i> , <b>2009</b> , 46, 217-23	174
962	Genera of phytopathogenic fungi: GOPHY 1. <i>Studies in Mycology</i> , <b>2017</b> , 86, 99-216	22.2 173
961	Sphaeropsis sapinea and Botryosphaeria dothidea endophytic in Pinus spp. and Eucalyptus spp. in South Africa. <i>South African Journal of Botany</i> , <b>1996</b> , 62, 86-88	2.9 173
960	Complementary symbiont contributions to plant decomposition in a fungus-farming termite. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2014</b> , 111, 14500-5	11.5 163
959	Puccinia psidii: a threat to the Australian environment and economy – review. <i>Australasian Plant Pathology</i> , <b>2007</b> , 36, 1	1.4 159
958	Redefining Ceratocystis and allied genera. <i>Studies in Mycology</i> , <b>2014</b> , 79, 187-219	22.2 158
957	Eucalypt pests and diseases: growing threats to plantation productivity. <i>Southern Forests</i> , <b>2008</b> , 70, 139-144	156
956	One fungus, one name: defining the genus Fusarium in a scientifically robust way that preserves longstanding use. <i>Phytopathology</i> , <b>2013</b> , 103, 400-8	3.8 155
955	A comparison of control results for the alien invasive woodwasp, Sirex noctilio, in the southern hemisphere. <i>Agricultural and Forest Entomology</i> , <b>2007</b> , 9, 159-171	1.9 150
954	Multi-gene phylogenies define Ceratocystiopsis and Grosmannia distinct from Ophiostoma. <i>Studies in Mycology</i> , <b>2006</b> , 55, 75-97	22.2 150
953	Destructive Tree Diseases Associated with Ambrosia and Bark Beetles: Black Swan Events in Tree Pathology?. <i>Plant Disease</i> , <b>2013</b> , 97, 856-872	1.5 142
952	One fungus, one name promotes progressive plant pathology. <i>Molecular Plant Pathology</i> , <b>2012</b> , 13, 604-617	140
951	Phaeoacremonium gen. nov. associated with wilt and decline diseases of woody hosts and human infections. <i>Mycologia</i> , <b>1996</b> , 88, 786-796	2.4 140
950	PCR-based identification of MAT-1 and MAT-2 in the Gibberella fujikuroi species complex. <i>Applied and Environmental Microbiology</i> , <b>2000</b> , 66, 4378-82	4.8 138
949	Phylogenetic lineages in Pseudocercospora. <i>Studies in Mycology</i> , <b>2013</b> , 75, 37-114	22.2 136
948	Unravelling Mycosphaerella: do you believe in genera?. <i>Persoonia: Molecular Phylogeny and Evolution of Fungi</i> , <b>2009</b> , 23, 99-118	9 134
947	Combined Multiple Gene Genealogies and Phenotypic Characters Differentiate Several Species Previously Identified as Botryosphaeria dothidea. <i>Mycologia</i> , <b>2004</b> , 96, 83	2.4 132
946	Fate of aflatoxins and fumonisins during the processing of maize into food products in Benin. <i>International Journal of Food Microbiology</i> , <b>2005</b> , 98, 249-59	5.8 131

945	Emerging pathogens: fungal host jumps following anthropogenic introduction. <i>Trends in Ecology and Evolution</i> , <b>2005</b> , 20, 420-1	10.9	129
944	Fungal Planet description sheets: 469-557. <i>Persoonia: Molecular Phylogeny and Evolution of Fungi</i> , <b>2016</b> , 37, 218-403	9	122
943	Fungal Planet description sheets: 154-213. <i>Persoonia: Molecular Phylogeny and Evolution of Fungi</i> , <b>2013</b> , 31, 188-296	9	121
942	Botryosphaeria dothidea: a latent pathogen of global importance to woody plant health. <i>Molecular Plant Pathology</i> , <b>2017</b> , 18, 477-488	5.7	120
941	Phylogenetic reassessment of Mycosphaerella spp. and their anamorphs occurring on Eucalyptus. II. <i>Studies in Mycology</i> , <b>2006</b> , 55, 99-131	22.2	119
940	The divorce of Sporothrix and Ophiostoma: solution to a problematic relationship. <i>Studies in Mycology</i> , <b>2016</b> , 83, 165-91	22.2	113
939	Multiple gene genealogies and microsatellite markers reflect relationships between morphotypes of Sphaeropsis sapinea and distinguish a new species of Diplodia. <i>Mycological Research</i> , <b>2003</b> , 107, 557-66		105
938	Worldwide Movement of Exotic Forest Fungi, Especially in the Tropics and the Southern Hemisphere. <i>BioScience</i> , <b>2001</b> , 51, 134	5.7	105
937	Exotic biological control agents: A solution or contribution to arthropod invasions?. <i>Biological Invasions</i> , <b>2016</b> , 18, 953-969	2.7	104
936	Seven new species of the Botryosphaeriaceae from baobab and other native trees in Western Australia. <i>Mycologia</i> , <b>2008</b> , 100, 851-66	2.4	104
935	Biological invasions in forest ecosystems. <i>Biological Invasions</i> , <b>2017</b> , 19, 3437-3458	2.7	103
934	Phaeoacremonium gen. nov. Associated with Wilt and Decline Diseases of Woody Hosts and Human Infections. <i>Mycologia</i> , <b>1996</b> , 88, 786	2.4	103
933	Fungal Planet description sheets: 625-715. <i>Persoonia: Molecular Phylogeny and Evolution of Fungi</i> , <b>2017</b> , 39, 270-467	9	99
932	Identifying and naming plant-pathogenic fungi: past, present, and future. <i>Annual Review of Phytopathology</i> , <b>2015</b> , 53, 247-67	10.8	97
931	Taxonomy and phylogeny of new wood- and soil-inhabiting Sporothrix species in the Ophiostoma stenoceras-Sporothrix schenckii complex. <i>Mycologia</i> , <b>2008</b> , 100, 647-61	2.4	96
930	2003 Daniel McAlpine Memorial Lecture Increasing threat of diseases to exotic plantation forests in the Southern Hemisphere: lessons from Cryphonectria canker. <i>Australasian Plant Pathology</i> , <b>2003</b> , 32, 133	1.4	96
929	Differentiation of Fusarium subglutinans f. sp. pini by histone gene sequence data. <i>Applied and Environmental Microbiology</i> , <b>1999</b> , 65, 3401-6	4.8	96
928	Taxonomy, phylogeny and identification of Botryosphaeriaceae associated with pome and stone fruit trees in South Africa and other regions of the world. <i>Plant Pathology</i> , <b>2007</b> , 56, 128	2.8	95

927	A new wilt and die-back disease of <i>Acacia mangium</i> associated with <i>Ceratocystis manginecans</i> and <i>C. acaciivora</i> sp. nov. in Indonesia. <i>South African Journal of Botany</i> , <b>2011</b> , 77, 292-304	2.9	94
926	Bark Beetle Population Dynamics in the Anthropocene: Challenges and Solutions. <i>Trends in Ecology and Evolution</i> , <b>2019</b> , 34, 914-924	10.9	93
925	Complex patterns of global spread in invasive insects: eco-evolutionary and management consequences. <i>Biological Invasions</i> , <b>2016</b> , 18, 935-952	2.7	91
924	Three new <i>Lasiodiplodia</i> spp. from the tropics, recognized based on DNA sequence comparisons and morphology. <i>Mycologia</i> , <b>2006</b> , 98, 423-35	2.4	90
923	Botryosphaeriaceae associated with <i>Terminalia catappa</i> in Cameroon, South Africa and Madagascar. <i>Mycological Progress</i> , <b>2010</b> , 9, 101-123	1.9	89
922	Fungal Planet description sheets: 785-867. <i>Persoonia: Molecular Phylogeny and Evolution of Fungi</i> , <b>2018</b> , 41, 238-417	9	88
921	Natural occurrence of <i>Fusarium</i> and subsequent fumonisin contamination in preharvest and stored maize in Benin, West Africa. <i>International Journal of Food Microbiology</i> , <b>2005</b> , 99, 173-83	5.8	87
920	Increasing numbers and intercontinental spread of invasive insects on eucalypts. <i>Biological Invasions</i> , <b>2016</b> , 18, 921-933	2.7	84
919	Phylogeny and systematics of the genus <i>Calonectria</i> . <i>Studies in Mycology</i> , <b>2010</b> , 66, 31-69	22.2	84
918	Retracing the routes of introduction of invasive species: the case of the <i>Sirex noctilio</i> woodwasp. <i>Molecular Ecology</i> , <b>2012</b> , 21, 5728-44	5.7	83
917	Fungal Planet description sheets: 716-784. <i>Persoonia: Molecular Phylogeny and Evolution of Fungi</i> , <b>2018</b> , 40, 240-393	9	82
916	Fungal Planet description sheets: 558-624. <i>Persoonia: Molecular Phylogeny and Evolution of Fungi</i> , <b>2017</b> , 38, 240-384	9	80
915	Ophiostomatoid fungi associated with the spruce bark beetle <i>Ips typographus</i> f. <i>aponicus</i> in Japan. <i>Mycological Research</i> , <b>1997</b> , 101, 1215-1227		80
914	Temporal and interspecific variation in rates of spread for insect species invading Europe during the last 200 years. <i>Biological Invasions</i> , <b>2016</b> , 18, 907-920	2.7	79
913	A multi-gene phylogeny for species of <i>Mycosphaerella</i> occurring on <i>Eucalyptus</i> leaves. <i>Studies in Mycology</i> , <b>2006</b> , 55, 147-61	22.2	79
912	Diversity and host association of the tropical tree endophyte <i>Lasiodiplodia theobromae</i> revealed using simple sequence repeat markers. <i>Forest Pathology</i> , <b>2005</b> , 35, 385-396	1.2	79
911	Botryosphaeriaceae occurring on native <i>Syzygium cordatum</i> in South Africa and their potential threat to <i>Eucalyptus</i> . <i>Plant Pathology</i> , <b>2007</b> , 56, 624-636	2.8	78
910	Tolerance in banana to <i>Fusarium</i> wilt is associated with early up-regulation of cell wall-strengthening genes in the roots. <i>Molecular Plant Pathology</i> , <b>2007</b> , 8, 333-41	5.7	78

909	Multiple gene genealogies and phenotypic data reveal cryptic species of the Botryosphaeriaceae: a case study on the <i>Neofusicoccum parvum</i> / <i>N. ribis</i> complex. <i>Molecular Phylogenetics and Evolution</i> , <b>2009</b> , 51, 259-68	4.1	77
908	<i>Mycosphaerella nubilosa</i> , a synonym of <i>M. molleriana</i> . <i>Mycological Research</i> , <b>1991</b> , 95, 628-632		77
907	Phylogeny of the <i>Ophiostoma stenoceras</i> / <i>Sporothrix schenckii</i> complex. <i>Mycologia</i> , <b>2003</b> , 95, 434-441	2.4	76
906	New species associated with rapid death of in Hawai'i. <i>Persoonia: Molecular Phylogeny and Evolution of Fungi</i> , <b>2018</b> , 40, 154-181	9	76
905	The root rot fungus <i>Armillaria mellea</i> introduced into South Africa by early Dutch settlers. <i>Molecular Ecology</i> , <b>2001</b> , 10, 387-96	5.7	75
904	Two new species of <i>Fusarium</i> section <i>Liseola</i> associated with mango malformation. <i>Mycologia</i> , <b>2002</b> , 94, 722-30	2.4	75
903	A New <i>Ceratocystis</i> Species Defined Using Morphological and Ribosomal DNA Sequence Comparisons. <i>Systematic and Applied Microbiology</i> , <b>1996</b> , 19, 191-202	4.2	75
902	First report of the pitch canker fungus, <i>Fusarium circinatum</i> , on pines in Chile. <i>Plant Pathology</i> , <b>2002</b> , 51, 397-397	2.8	74
901	Pathogens on the Move: A 100-Year Global Experiment with Planted Eucalypts. <i>BioScience</i> , <b>2017</b> , 67, 14-25	5.7	73
900	Characterization and distribution of mating type genes in the dothistroma needle blight pathogens. <i>Phytopathology</i> , <b>2007</b> , 97, 825-34	3.8	73
899	How many species of fungi are there at the tip of Africa?. <i>Studies in Mycology</i> , <b>2006</b> , 55, 13-33	22.2	73
898	Biological control of forest plantation pests in an interconnected world requires greater international focus. <i>International Journal of Pest Management</i> , <b>2012</b> , 58, 211-223	1.5	72
897	Endophytic and canker-associated Botryosphaeriaceae occurring on non-native Eucalyptus and native Myrtaceae trees in Uruguay. <i>Fungal Diversity</i> , <b>2010</b> , 41, 53-69	17.6	72
896	<i>Cytospora</i> species (Ascomycota, Diaporthales, Valsaceae): introduced and native pathogens of trees in South Africa. <i>Australasian Plant Pathology</i> , <b>2006</b> , 35, 521	1.4	72
895	Mango malformation disease and the associated <i>Fusarium</i> species. <i>Phytopathology</i> , <b>2006</b> , 96, 667-72	3.8	72
894	Cryptic speciation in <i>Fusarium subglutinans</i> . <i>Mycologia</i> , <b>2002</b> , 94, 1032-1043	2.4	72
893	Species concepts in <i>Calonectria</i> ( <i>Cylindrocladium</i> ). <i>Studies in Mycology</i> , <b>2010</b> , 66, 1-13	22.2	71
892	Simple sequence repeat markers distinguish among morphotypes of <i>Sphaeropsis sapinea</i> . <i>Applied and Environmental Microbiology</i> , <b>2001</b> , 67, 354-62	4.8	71

891	<i>Fusarium subglutinans</i> f. sp. Pini represents a distinct mating population in the gibberella fujikuroi species complex. <i>Applied and Environmental Microbiology</i> , <b>1999</b> , 65, 1198-201	4.8	70
890	Genera of phytopathogenic fungi: GOPHY 2. <i>Studies in Mycology</i> , <b>2019</b> , 92, 47-133	22.2	69
889	Ion Torrent PGM as tool for fungal community analysis: a case study of endophytes in <i>Eucalyptus grandis</i> reveals high taxonomic diversity. <i>PLoS ONE</i> , <b>2013</b> , 8, e81718	3.7	69
888	Complex interactions among host pines and fungi vectored by an invasive bark beetle. <i>New Phytologist</i> , <b>2010</b> , 187, 859-66	9.8	69
887	Multiple gene sequences delimit <i>Botryosphaeria australis</i> sp. nov. from <i>B. lutea</i> . <i>Mycologia</i> , <b>2004</b> , 96, 1030-1041	2.4	69
886	<i>Phytophthora pinifolia</i> sp. nov. associated with a serious needle disease of <i>Pinus radiata</i> in Chile. <i>Plant Pathology</i> , <b>2008</b> , 57, 715-727	2.8	68
885	Multi-gene phylogenies and phenotypic characters distinguish two species within the <i>Colletogloeopsis zuluensis</i> complex associated with <i>Eucalyptus</i> stem cankers. <i>Studies in Mycology</i> , <b>2006</b> , 55, 133-46	22.2	67
884	A critique of DNA sequence analysis in the taxonomy of filamentous Ascomycetes and ascomycetous anamorphs. <i>Canadian Journal of Botany</i> , <b>1995</b> , 73, 760-767		67
883	<i>Sirex</i> woodwasp: a model for evolving management paradigms of invasive forest pests. <i>Annual Review of Entomology</i> , <b>2015</b> , 60, 601-19	21.8	66
882	A novel RNA mycovirus in a hypovirulent isolate of the plant pathogen <i>Diaporthe ambigua</i> . <i>Journal of General Virology</i> , <b>2000</b> , 81, 3107-3114	4.9	65
881	The polyphagous shot hole borer (PSHB) and its fungal symbiont <i>Fusarium euwallaceae</i> : a new invasion in South Africa. <i>Australasian Plant Pathology</i> , <b>2018</b> , 47, 231-237	1.4	64
880	First outbreak of pitch canker in a South African pine plantation. <i>Australasian Plant Pathology</i> , <b>2007</b> , 36, 256	1.4	64
879	Circumscription of <i>Botryosphaeria</i> species associated with Proteaceae based on morphology and DNA sequence data. <i>Mycologia</i> , <b>2003</b> , 95, 294-307	2.4	64
878	Bacterial Blight and Dieback of <i>Eucalyptus</i> Species, Hybrids, and Clones in South Africa. <i>Plant Disease</i> , <b>2002</b> , 86, 20-25	1.5	64
877	<i>Botryosphaeria dothidea</i> endophytic in <i>Eucalyptus grandis</i> and <i>Eucalyptus nitens</i> in South Africa. <i>Forest Ecology and Management</i> , <b>1996</b> , 89, 189-195	3.9	64
876	The pine-wood nematode, <i>Bursaphelenchus xylophilus</i> , in Minnesota and Wisconsin: insect associates and transmission studies. <i>Canadian Journal of Forest Research</i> , <b>1983</b> , 13, 1068-1076	1.9	64
875	Reclassification of <i>Verticicladiella</i> based on conidial development. <i>Transactions of the British Mycological Society</i> , <b>1985</b> , 85, 81-93		63
874	Established and new technologies reduce increasing pest and pathogen threats to <i>Eucalypt</i> plantations. <i>Forest Ecology and Management</i> , <b>2013</b> , 301, 35-42	3.9	62

873	Phylogeny of the Quambalariaceae fam. nov., including important Eucalyptus pathogens in South Africa and Australia. <i>Studies in Mycology</i> , <b>2006</b> , 55, 289-98	22.2	62
872	Species of <i>Mycosphaerella</i> and their anamorphs associated with leaf blotch disease of Eucalyptus in South Africa. <i>Mycologia</i> , <b>1996</b> , 88, 441-458	2.4	62
871	Global geographic distribution and host range of <i>Dothistroma</i> species: a comprehensive review. <i>Forest Pathology</i> , <b>2016</b> , 46, 408-442	1.2	61
870	Human Impacts in Pine Forests: Past, Present, and Future. <i>Annual Review of Ecology, Evolution, and Systematics</i> , <b>2007</b> , 38, 275-297	13.5	61
869	The Myrtle rust pathogen, <i>Puccinia psidii</i> , discovered in Africa. <i>IMA Fungus</i> , <b>2013</b> , 4, 155-9	6.8	60
868	Urban trees: bridge-heads for forest pest invasions and sentinels for early detection. <i>Biological Invasions</i> , <b>2017</b> , 19, 3515-3526	2.7	59
867	Fungal Planet description sheets: 868-950. <i>Persoonia: Molecular Phylogeny and Evolution of Fungi</i> , <b>2019</b> , 42, 291-473	9	59
866	Canker and die-back of Eucalyptus in South Africa caused by <i>Botryosphaeria dothidea</i> . <i>Plant Pathology</i> , <b>1994</b> , 43, 1031-1034	2.8	59
865	Global food and fibre security threatened by current inefficiencies in fungal identification. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , <b>2016</b> , 371,	5.8	58
864	Novel and co-evolved associations between insects and microorganisms as drivers of forest pestilence. <i>Biological Invasions</i> , <b>2016</b> , 18, 1045-1056	2.7	58
863	Phylogeny and taxonomy of species in the <i>Grosmannia serpens</i> complex. <i>Mycologia</i> , <b>2012</b> , 104, 715-32	2.4	58
862	<i>Ophiostoma</i> species (Ascomycetes: Ophiostomatales) associated with bark beetles (Coleoptera: Scolytinae) colonizing <i>Pinus radiata</i> in northern Spain. <i>Canadian Journal of Microbiology</i> , <b>2007</b> , 53, 756-67 <sup>2</sup>		58
861	Phylogenetic and morphological re-evaluation of the <i>Botryosphaeria</i> species causing diseases of <i>Mangifera indica</i> . <i>Mycologia</i> , <b>2005</b> , 97, 99-110	2.4	58
860	Deletion of the MAT-2 mating-type gene during uni-directional mating-type switching in <i>Ceratocystis</i> . <i>Current Genetics</i> , <b>2000</b> , 38, 48-52	2.9	58
859	Fungal Planet description sheets: 128-153. <i>Persoonia: Molecular Phylogeny and Evolution of Fungi</i> , <b>2012</b> , 29, 146-201	9	57
858	<i>Ceratocystis</i> species: emerging pathogens of non-native plantation Eucalyptus and Acacia species. <i>Southern Forests</i> , <b>2009</b> , 71, 115-120	0.6	56
857	DNA bar-coding reveals source and patterns of <i>Thaumastocoris peregrinus</i> invasions in South Africa and South America. <i>Biological Invasions</i> , <b>2010</b> , 12, 1067-1077	2.7	56
856	<i>Leptographium</i> and <i>Graphium</i> species associated with pine-infesting bark beetles in England. <i>Mycological Research</i> , <b>1991</b> , 95, 1257-1260		56



855	Do novel genotypes drive the success of an invasive bark beetle-fungus complex? Implications for potential reinvasion. <i>Ecology</i> , <b>2011</b> , 92, 2013-9	4.6	55
854	Effect of essential oils on the growth of <i>Fusarium verticillioides</i> and fumonisin contamination in corn. <i>Journal of Agricultural and Food Chemistry</i> , <b>2004</b> , 52, 6824-9	5.7	54
853	A serious canker disease of Eucalyptus in South Africa caused by a new species of <i>Coniothyrium</i> . <i>Mycopathologia</i> , <b>1996</b> , 136, 139-45	2.9	54
852	Fungal Planet description sheets: 951-1041. <i>Persoonia: Molecular Phylogeny and Evolution of Fungi</i> , <b>2019</b> , 43, 223-425	9	54
851	Development of simple sequence repeat (SSR) markers in Eucalyptus from amplified inter-simple sequence repeats (ISSR). <i>Plant Breeding</i> , <b>2000</b> , 119, 433-436	2.4	53
850	Homothallism: an umbrella term for describing diverse sexual behaviours. <i>IMA Fungus</i> , <b>2015</b> , 6, 207-14	6.8	52
849	Characterization of Botryosphaeriaceae from plantation-grown Eucalyptus species in South China. <i>Plant Pathology</i> , <b>2011</b> , 60, 739-751	2.8	52
848	Aetiology and causal agents of mango sudden decline disease in the Sultanate of Oman. <i>European Journal of Plant Pathology</i> , <b>2006</b> , 116, 247-254	2.1	52
847	Systematic reappraisal of <i>Coniella</i> and <i>Pilidiella</i> , with specific reference to species occurring on Eucalyptus and <i>Vitis</i> in South Africa. <i>Mycological Research</i> , <b>2004</b> , 108, 283-303		52
846	New and Interesting Fungi. 2. <i>Fungal Systematics and Evolution</i> , <b>2019</b> , 3, 57-134	2.6	51
845	Population structure and diversity of an invasive pine needle pathogen reflects anthropogenic activity. <i>Ecology and Evolution</i> , <b>2014</b> , 4, 3642-61	2.8	51
844	Confronting the constraints of morphological taxonomy in the Botryosphaeriales. <i>Persoonia: Molecular Phylogeny and Evolution of Fungi</i> , <b>2014</b> , 33, 155-68	9	51
843	IMA Genome-F 2: <i>Ceratocystis manginecans</i> , <i>Ceratocystis moniliformis</i> , <i>Diplodia sapinea</i> : Draft genome sequences of <i>Diplodia sapinea</i> , <i>Ceratocystis manginecans</i> , and <i>Ceratocystis moniliformis</i> . <i>IMA Fungus</i> , <b>2014</b> , 5, 135-40	6.8	51
842	<i>Mycosphaerella</i> and <i>Teratosphaeria</i> diseases of Eucalyptus; easily confused and with serious consequences. <i>Fungal Diversity</i> , <b>2011</b> , 50, 145-166	17.6	51
841	Multigene phylogeny and mating tests reveal three cryptic species related to <i>Calonectria pauciramosa</i> . <i>Studies in Mycology</i> , <b>2010</b> , 66, 15-30	22.2	51
840	Molecular and phenotypic characterization of three phylogenetic species discovered within the <i>Neofusicoccum parvum/N. ribis</i> complex. <i>Mycologia</i> , <b>2009</b> , 101, 636-47	2.4	51
839	Comparison of genotypic diversity in native and introduced populations of <i>Sphaeropsis sapinea</i> isolated from <i>Pinus radiata</i> . <i>Mycological Research</i> , <b>2001</b> , 105, 1331-1339		51
838	A serious new wilt disease of Eucalyptus caused by <i>Ceratocystis fimbriata</i> in Central Africa. <i>Forest Pathology</i> , <b>2000</b> , 30, 175-184	1.2	51

- 837 Geographical diversity of *Armillaria mellea* s. s. based on phylogenetic analysis. *Mycologia*, **2000**, 92, 105-113 51
- 836 Host jumps shaped the diversity of extant rust fungi (Pucciniales). *New Phytologist*, **2016**, 209, 1149-58 9.8 51
- 835 Factors influencing parasitism of *Sirex noctilio* (Hymenoptera: Siricidae) by the nematode *Deladenus siricidicola* (Nematoda: Neotylenchidae) in summer rainfall areas of South Africa. *Biological Control*, **2008**, 45, 450-459 3.8 50
- 834 Novel taxa in the *Fusarium fujikuroi* species complex from *Pinus* spp. *Studies in Mycology*, **2015**, 80, 131-50 22.2 49
- 833 Botryosphaeriaceae associated with *Pterocarpus angolensis* (kiaat) in South Africa. *Mycologia*, **2011**, 103, 534-53 2.4 49
- 832 *Ophiostoma* spp. associated with pine- and spruce-infesting bark beetles in Finland and Russia. *Persoonia: Molecular Phylogeny and Evolution of Fungi*, **2010**, 25, 72-93 9 49
- 831 Phylogeny of the *Ophiostoma stenoceras*-*Sporothrix schenckii* complex. *Mycologia*, **2003**, 95, 434-41 2.4 49
- 830 Phylogenetic species recognition and hybridisation in *Lasiodiplodia*: A case study on species from baobabs. *Fungal Biology*, **2017**, 121, 420-436 2.8 48
- 829 Structure and evolution of the *Fusarium* mating type locus: new insights from the *Gibberella fujikuroi* complex. *Fungal Genetics and Biology*, **2011**, 48, 731-40 3.9 48
- 828 Survey and virulence of fungi occurring on diseased *Acacia mearnsii* in South Africa. *Forest Ecology and Management*, **1997**, 99, 327-336 3.9 48
- 827 Cryphonectriaceae (Diaporthales), a new family including *Cryphonectria*, *Chrysoporthe*, *Endothia* and allied genera. *Mycologia*, **2006**, 98, 239-49 2.4 48
- 826 *Botryosphaeria* species from *Eucalyptus* in Australia are pleoanamorphic, producing dichomera synanamorphs in culture. *Mycological Research*, **2005**, 109, 1347-63 48
- 825 Discovery of the Canker Pathogen *Chrysoporthe austroafricana* on Native *Syzygium* spp. in South Africa. *Plant Disease*, **2006**, 90, 433-438 1.5 48
- 824 Distribution of *Chrysoporthe* Canker Pathogens on *Eucalyptus* and *Syzygium* spp. in Eastern and Southern Africa. *Plant Disease*, **2006**, 90, 734-740 1.5 48
- 823 The *Cylindrocladium candelabrum* species complex includes four distinct mating populations. *Mycologia*, **1999**, 91, 286-298 2.4 48
- 822 Effects of Cultural Conditions on Vesicle and Conidium Morphology in Species of *Cylindrocladium* and *Cylindrocladiella*. *Mycologia*, **1992**, 84, 497-504 2.4 48
- 821 Surveys of soil and water reveal a goldmine of *Phytophthora* diversity in South African natural ecosystems. *IMA Fungus*, **2013**, 4, 123-31 6.8 47
- 820 *Ophiostomatoid* fungi associated with *Ips cembrae* in Japan and their pathogenicity to Japanese larch. *Mycoscience*, **1998**, 39, 367-378 1.2 47

819	New host and country records of the Dothistroma needle blight pathogens from Europe and Asia. <i>Forest Pathology</i> , <b>2008</b> , 38, 178-195	1.2	47
818	Testing of selected South African Pinus hybrids and families for tolerance to the pitch canker pathogen, Fusarium circinatum. <i>New Forests</i> , <b>2007</b> , 33, 109-123	2.6	47
817	DNA sequence comparisons of Ophiostoma spp., including Ophiostoma aurorae sp. nov., associated with pine bark beetles in South Africa. <i>Studies in Mycology</i> , <b>2006</b> , 55, 269-77	22.2	47
816	Ceratocystis species infecting stem wounds on Eucalyptus grandis in South Africa. <i>Plant Pathology</i> , <b>2004</b> , 53, 414-421	2.8	47
815	Global distribution of Diplodia pinea genotypes revealed using simple sequence repeat (SSR) markers. <i>Australasian Plant Pathology</i> , <b>2004</b> , 33, 513	1.4	47
814	Microsatellite markers reflect intra-specific relationships between isolates of the vascular wilt pathogen Ceratocystis fimbriata. <i>Molecular Plant Pathology</i> , <b>2001</b> , 2, 319-25	5.7	47
813	Geographical Diversity of Armillaria mellea s. s. Based on Phylogenetic Analysis. <i>Mycologia</i> , <b>2000</b> , 92, 105	2.4	47
812	Economic impact of a post-hail outbreak of dieback induced by Sphaeropsis sapinea. <i>Forest Pathology</i> , <b>1990</b> , 20, 405-411	1.2	47
811	The pitch canker fungus, Fusarium circinatum: implications for South African forestry. <i>Southern Forests</i> , <b>2011</b> , 73, 1-13	0.6	46
810	Species of Mycosphaerella and Their Anamorphs Associated with Leaf Blotch Disease of Eucalyptus in South Africa. <i>Mycologia</i> , <b>1996</b> , 88, 441	2.4	46
809	Combined multiple gene genealogies and phenotypic characters differentiate several species previously identified as Botryosphaeria dothidea. <i>Mycologia</i> , <b>2004</b> , 96, 83-101	2.4	46
808	IMA Genome-F 3: Draft genomes of Amanita jacksonii, Ceratocystis albifundus, Fusarium circinatum, Huntiella omanensis, Leptographium procerum, Rutstroemia sydowiana, and Sclerotinia echinophila. <i>IMA Fungus</i> , <b>2014</b> , 5, 473-86	6.8	45
807	Concerted evolution in the ribosomal RNA cistron. <i>PLoS ONE</i> , <b>2013</b> , 8, e59355	3.7	45
806	Associations of Conifer-Infesting Bark Beetles and Fungi in Fennoscandia. <i>Insects</i> , <b>2012</b> , 3, 200-27	2.8	45
805	Phylogenetic relationships among Armillaria species inferred from partial elongation factor 1-alpha DNA sequence data. <i>Australasian Plant Pathology</i> , <b>2006</b> , 35, 513	1.4	45
804	Botryosphaeria eucalyptorum sp. nov., a new species in the B. dothidea-complex on Eucalyptus in South Africa. <i>Mycologia</i> , <b>2001</b> , 93, 277-285	2.4	45
803	Association of Verticicladiellaprocera and Leptographiumterrebrantis with insects in the Lake States. <i>Canadian Journal of Forest Research</i> , <b>1983</b> , 13, 1238-1245	1.9	45
802	Large shift in symbiont assemblage in the invasive red turpentine beetle. <i>PLoS ONE</i> , <b>2013</b> , 8, e78126	3.7	44

801	Teratosphaeria nubilosa, a serious leaf disease pathogen of Eucalyptus spp. in native and introduced areas. <i>Molecular Plant Pathology</i> , <b>2009</b> , 10, 1-14	5.7	44
800	Three new Lasiodiplodia spp. from the tropics, recognized based on DNA sequence comparisons and morphology. <i>Mycologia</i> , <b>2006</b> , 98, 423-435	2.4	44
799	Characterization of Seiridium spp. Associated with Cypress Canker Based on $\beta$ Tubulin and Histone Sequences. <i>Plant Disease</i> , <b>2001</b> , 85, 317-321	1.5	44
798	Gene and Genotypic Diversity of Phytophthora cinnamomi in South Africa and Australia Revealed by DNA Polymorphisms. <i>European Journal of Plant Pathology</i> , <b>1999</b> , 105, 667-680	2.1	44
797	Ceratocystiopsis Proteae Sp. Nov., with a New Anamorph Genus. <i>Mycologia</i> , <b>1988</b> , 80, 23-30	2.4	44
796	Discovery of the Eucalyptus canker pathogen Chrysosporthe cubensis on native Miconia (Melastomataceae) in Colombia. <i>Plant Pathology</i> , <b>2005</b> , 54, 460-470	2.8	43
795	ITS rDNA phylogeny of selected Mycosphaerella species and their anamorphs occurring on Myrtaceae. <i>Mycological Research</i> , <b>2001</b> , 105, 425-431		43
794	MAT gene idiomorphs suggest a heterothallic sexual cycle in a predominantly asexual and important pine pathogen. <i>Fungal Genetics and Biology</i> , <b>2014</b> , 62, 55-61	3.9	42
793	Ceratocystis manginecans associated with a serious wilt disease of two native legume trees in Oman and Pakistan. <i>Australasian Plant Pathology</i> , <b>2013</b> , 42, 179-193	1.4	42
792	IMA Genome-F 5: Draft genome sequences of Ceratocystis eucalypticola, Chrysosporthe cubensis, C. deuterocubensis, Davidsoniella virescens, Fusarium temperatum, Graphilbum fragrans, Penicillium nordicum, and Thielaviopsis musarum. <i>IMA Fungus</i> , <b>2015</b> , 6, 493-506	6.8	42
791	Ceratocystis pirilliformis, a new species from Eucalyptus nitens in Australia. <i>Mycologia</i> , <b>2003</b> , 95, 865-871	2.4	42
790	A plant pathology perspective of fungal genome sequencing. <i>IMA Fungus</i> , <b>2017</b> , 8, 1-15	6.8	41
789	Population Structure of Phytophthora cinnamomi in South Africa. <i>Phytopathology</i> , <b>1997</b> , 87, 822-7	3.8	41
788	First record of Colletogloeopsis zuluense comb. nov., causing a stem canker of Eucalyptus in China. <i>Mycological Research</i> , <b>2006</b> , 110, 229-36		41
787	Development and assessment of microarray-based DNA fingerprinting in Eucalyptus grandis. <i>Theoretical and Applied Genetics</i> , <b>2004</b> , 109, 1329-36	6	41
786	Phylogenetic relationships between the European and Asian eight spined larch bark beetle populations (Coleoptera, Scolytidae) inferred from DNA sequences and fungal associates. <i>European Journal of Entomology</i> , <b>2001</b> , 98, 99-105		41
785	Management of Fusarium diseases affecting conifers. <i>Crop Protection</i> , <b>2015</b> , 73, 28-39	2.7	40
784	Fungal species and their boundaries matter I Definitions, mechanisms and practical implications. <i>Fungal Biology Reviews</i> , <b>2018</b> , 32, 104-116	6.8	40

783	Diversity in Eucalyptus susceptibility to the gall-forming wasp <i>Leptocybe invasa</i> . <i>Agricultural and Forest Entomology</i> , <b>2012</b> , 14, 419-427	1.9	40
782	IMA Genome-F 4: Draft genome sequences of <i>Chrysosporthe austroafricana</i> , <i>Diplodia scrobiculata</i> , <i>Fusarium nygamai</i> , <i>Leptographium lundbergii</i> , <i>Limonomyces culmigenus</i> , <i>Stagonosporopsis tanacetii</i> , and <i>Thielaviopsis punctulata</i> . <i>IMA Fungus</i> , <b>2015</b> , 6, 233-48	6.8	40
781	DNA loss at the <i>Ceratocystis fimbriata</i> mating locus results in self-sterility. <i>PLoS ONE</i> , <b>2014</b> , 9, e92180	3.7	40
780	A diverse assemblage of Botryosphaeriaceae infect Eucalyptus in native and non-native environments. <i>Southern Forests</i> , <b>2009</b> , 71, 101-110	0.6	40
779	Mycosphaerella species causing leaf disease in South African Eucalyptus plantations. <i>Mycological Research</i> , <b>2004</b> , 108, 672-81		40
778	Population structure and possible origin of <i>Amylostereum areolatum</i> in South Africa. <i>Plant Pathology</i> , <b>2001</b> , 50, 206-210	2.8	40
777	<i>Botryosphaeria eucalyptorum</i> sp. nov., a New Species in the B. Dothidea-Complex on Eucalyptus in South Africa. <i>Mycologia</i> , <b>2001</b> , 93, 277	2.4	40
776	Characterization of <i>Sphaeropsis sapinea</i> Isolates from South Africa, Mexico, and Indonesia. <i>Plant Disease</i> , <b>2000</b> , 84, 151-156	1.5	40
775	Grosmannia and <i>Leptographium</i> spp. associated with conifer-infesting bark beetles in Finland and Russia, including <i>Leptographium taigense</i> sp. nov. <i>Antonie Van Leeuwenhoek</i> , <b>2012</b> , 102, 375-99	2.1	39
774	DNA sequence and RFLP data reflect geographical spread and relationships of <i>Amylostereum areolatum</i> and its insect vectors. <i>Molecular Ecology</i> , <b>2002</b> , 11, 1845-54	5.7	39
773	Phylogenetic and morphological re-evaluation of the <i>Botryosphaeria</i> species causing diseases of <i>Mangifera indica</i> . <i>Mycologia</i> , <b>2005</b> , 97, 99-110	2.4	39
772	Molecular characterization of <i>Fusarium subglutinans</i> associated with mango malformation. <i>Molecular Plant Pathology</i> , <b>2000</b> , 1, 187-93	5.7	39
771	Phylogeny of <i>Cryphonectria cubensis</i> and allied species inferred from DNA analysis. <i>Mycologia</i> , <b>1999</b> , 91, 243-250	2.4	39
770	Gummosis and wilt of <i>Acacia mearnsii</i> in South Africa caused by <i>Ceratocystis fimbriata</i> . <i>Plant Pathology</i> , <b>1993</b> , 42, 814-817	2.8	39
769	Female fertility and mating type distribution in a south african population of <i>Fusarium subglutinans</i> f. sp. <i>pini</i> . <i>Applied and Environmental Microbiology</i> , <b>1998</b> , 64, 2094-5	4.8	39
768	The <i>Ceratocystis</i> species on conifers. <i>Canadian Journal of Botany</i> , <b>1998</b> , 76, 1446-1457		39
767	Phylogenomic Analysis of a 55.1-kb 19-Gene Dataset Resolves a Monophyletic that Includes the Species Complex. <i>Phytopathology</i> , <b>2021</b> , 111, 1064-1079	3.8	39
766	Canker Stain: A Lethal Disease Destroying Iconic Plane Trees. <i>Plant Disease</i> , <b>2017</b> , 101, 645-658	1.5	38

765	Unisexual reproduction in <i>Huntia moniliformis</i> . <i>Fungal Genetics and Biology</i> , <b>2015</b> , 80, 1-9	3.9	38
764	Botryosphaeriaceae species overlap on four unrelated, native South African hosts. <i>Fungal Biology</i> , <b>2014</b> , 118, 168-79	2.8	38
763	Phylogeny of ambrosia beetle symbionts in the genus <i>Raffaelea</i> . <i>Fungal Biology</i> , <b>2014</b> , 118, 970-8	2.8	38
762	<i>Calonectria</i> species associated with cutting rot of <i>Eucalyptus</i> . <i>Persoonia: Molecular Phylogeny and Evolution of Fungi</i> , <b>2010</b> , 24, 1-11	9	38
761	Characterization of <i>Fusarium subglutinans</i> f. sp. <i>pini</i> causing root disease of <i>Pinus patula</i> seedlings in South Africa. <i>Mycological Research</i> , <b>1997</b> , 101, 437-445		38
760	<i>Ophiostoma gemellus</i> and <i>Sporothrix varicibatus</i> from mites infesting <i>Protea</i> infructescences in South Africa. <i>Mycologia</i> , <b>2008</b> , 100, 496-510	2.4	38
759	Phylogenetic reassessment supports accommodation of <i>Phaeophleospora</i> and <i>Colletogloeopsis</i> from eucalypts in Kirramyces. <i>Mycological Research</i> , <b>2007</b> , 111, 1184-98		38
758	Discovery of Fungus-Mite Mutualism in a Unique Niche. <i>Environmental Entomology</i> , <b>2007</b> , 36, 1226-1237	2.1	38
757	<i>β</i> -Tubulin and histone H3 gene sequences distinguish <i>Cryphonectria cubensis</i> from South Africa, Asia, and South America. <i>Canadian Journal of Botany</i> , <b>2002</b> , 80, 590-596		38
756	Fungal Planet description sheets: 1042-1111. <i>Persoonia: Molecular Phylogeny and Evolution of Fungi</i> , <b>2020</b> , 44, 301-459	9	38
755	Characterization of the mating-type genes in <i>Leptographium procerum</i> and <i>Leptographium profanum</i> . <i>Fungal Biology</i> , <b>2013</b> , 117, 411-21	2.8	37
754	A genetically homogenous population of <i>Fusarium circinatum</i> causes pitch canker of <i>Pinus radiata</i> in the Basque Country, Spain. <i>Fungal Biology</i> , <b>2011</b> , 115, 288-95	2.8	37
753	Species-specific primers for <i>Fusarium redolens</i> and a PCR-RFLP technique to distinguish among three clades of <i>Fusarium oxysporum</i> . <i>FEMS Microbiology Letters</i> , <b>2007</b> , 271, 27-32	2.9	37
752	Simple sequence repeat markers for species in the <i>Fusarium oxysporum</i> complex. <i>Molecular Ecology Notes</i> , <b>2005</b> , 5, 622-624		37
751	Novel species of <i>Calonectria</i> associated with <i>Eucalyptus</i> leaf blight in Southeast China. <i>Persoonia: Molecular Phylogeny and Evolution of Fungi</i> , <b>2011</b> , 26, 1-12	9	36
750	Micro- and macroscale analyses illustrates mixed mating strategies and extensive geneflow in populations of an invasive haploid pathogen. <i>Molecular Ecology</i> , <b>2010</b> , 19, 1801-13	5.7	36
749	Causes and consequences of variability in peptide mating pheromones of ascomycete fungi. <i>Molecular Biology and Evolution</i> , <b>2011</b> , 28, 1987-2003	8.3	36
748	Polyphyly and two emerging lineages in the rust genera <i>Puccinia</i> and <i>Uromyces</i> . <i>Mycological Research</i> , <b>2007</b> , 111, 176-85		36

747	Phylogeny of the Botryosphaeriaceae reveals patterns of host association. <i>Molecular Phylogenetics and Evolution</i> , <b>2008</b> , 46, 116-26	4.1	36
746	Microthia, Holocryphia and Ursicollum, three new genera on Eucalyptus and Cocoloba for fungi previously known as Cryphonectria. <i>Studies in Mycology</i> , <b>2006</b> , 55, 35-52	22.2	36
745	The Ophiostoma piceae complex in the Southern Hemisphere: a phylogenetic study. <i>Mycological Research</i> , <b>2003</b> , 107, 469-76		36
744	Isozyme variation and species delimitation in the Ceratocystis coerulescens complex. <i>Mycologia</i> , <b>1996</b> , 88, 104-113	2.4	36
743	Which MAT gene? Pezizomycotina (Ascomycota) mating-type gene nomenclature reconsidered. <i>Fungal Biology Reviews</i> , <b>2017</b> , 31, 199-211	6.8	35
742	IMA Genome-F 1: Ceratocystis fimbriata: Draft nuclear genome sequence for the plant pathogen, Ceratocystis fimbriata. <i>IMA Fungus</i> , <b>2013</b> , 4, 357-8	6.8	35
741	Two new Phytophthora species from South African Eucalyptus plantations. <i>Mycological Research</i> , <b>2007</b> , 111, 1321-38		35
740	Multiple Gene Sequences Delimit Botryosphaeria australis sp. nov. from B. lutea. <i>Mycologia</i> , <b>2004</b> , 96, 1030	2.4	35
739	Characterisation of the pitch canker fungus, Fusarium circinatum, from Mexico. <i>South African Journal of Botany</i> , <b>2001</b> , 67, 609-614	2.9	35
738	Monophyly of the conifer species in the Ceratocystis coerulescens complex based on DNA sequence data. <i>Mycologia</i> , <b>1998</b> , 90, 96-101	2.4	35
737	PCR-based identification and phylogeny of species of Ceratocystis sensu stricto. <i>Mycological Research</i> , <b>1999</b> , 103, 743-749		35
736	A new species of Ophiostoma from Protea infructescences in South Africa. <i>Mycological Research</i> , <b>1993</b> , 97, 709-716		35
735	Fungi associated with infructescences of Protea species in South Africa, including a new species of ophiostoma. <i>Mycological Research</i> , <b>1994</b> , 98, 369-374		35
734	Molecular markers delimit cryptic species in Ceratocystis sensu stricto. <i>Mycological Progress</i> , <b>2015</b> , 14, 1	1.9	34
733	Multigene phylogenetic and population differentiation data confirm the existence of a cryptic species within Chrysoporthe cubensis. <i>Fungal Biology</i> , <b>2010</b> , 114, 966-79	2.8	34
732	Re-evaluation of Cryptosporiopsis eucalypti and Cryptosporiopsis-like species occurring on Eucalyptus leaves. <i>Fungal Diversity</i> , <b>2010</b> , 44, 89-105	17.6	34
731	Novel hosts of the Eucalyptus canker pathogen Chrysoporthe cubensis and a new Chrysoporthe species from Colombia. <i>Mycological Research</i> , <b>2006</b> , 110, 833-45		34
730	Discovery of two northern hemisphere Armillaria species on Proteaceae in South Africa. <i>Plant Pathology</i> , <b>2003</b> , 52, 604-612	2.8	34

729	Fungal infection and mycotoxin contamination of maize in the Humid forest and the western highlands of Cameroon. <i>Phytoparasitica</i> , <b>2001</b> , 29, 352-360	1.5	34
728	Phylogeny of <i>Cryphonectria cubensis</i> and Allied Species Inferred from DNA Analysis. <i>Mycologia</i> , <b>1999</b> , 91, 243	2.4	34
727	Taxonomy and pathogenicity of <i>Ceratocystis</i> species on Eucalyptus trees in South China, including <i>C. chinaeucensis</i> sp. nov.. <i>Fungal Diversity</i> , <b>2013</b> , 58, 267-279	17.6	33
726	Insect pests and pathogens of Australian acacias grown as non-natives: An experiment in biogeography with far-reaching consequences. <i>Diversity and Distributions</i> , <b>2011</b> , 17, 968-977	5	33
725	Mite-mediated hyperphoretic dispersal of <i>Ophiostoma</i> spp. from the infructescences of South African <i>Protea</i> spp. <i>Environmental Entomology</i> , <b>2009</b> , 38, 143-52	2.1	33
724	Delimitation of <i>Ophiostoma quercus</i> and its synonyms using multiple gene phylogenies. <i>Mycological Progress</i> , <b>2009</b> , 8, 221-236	1.9	33
723	<i>Colletogloeopsis</i> , a new coelomycete genus to accommodate anamorphs of two species of <i>Mycosphaerella</i> on Eucalyptus. <i>Canadian Journal of Botany</i> , <b>1997</b> , 75, 667-674		33
722	Global movement and population biology of <i>Mycosphaerella nubilosa</i> infecting leaves of cold-tolerant <i>Eucalyptus globulus</i> and <i>E. nitens</i> . <i>Plant Pathology</i> , <b>2008</b> , 57, 235-242	2.8	33
721	Fungi, including <i>Ophiostoma karelicum</i> sp. nov., associated with <i>Scolytus ratzeburgi</i> infesting birch in Finland and Russia. <i>Mycological Research</i> , <b>2008</b> , 112, 1475-88		33
720	Occurrence of the wattle wilt pathogen, <i>Ceratocystis albifundus</i> on native South African trees. <i>Forest Pathology</i> , <b>2007</b> , 37, 292-302	1.2	33
719	Two new <i>Fusicoccum</i> species from <i>Acacia</i> and <i>Eucalyptus</i> in Venezuela, based on morphology and DNA sequence data. <i>Mycological Research</i> , <b>2006</b> , 110, 405-13		33
718	Impact of mechanical shelling and dehulling on <i>Fusarium</i> infection and fumonisin contamination in maize. <i>Food Additives and Contaminants</i> , <b>2006</b> , 23, 415-21		33
717	Transfection of <i>Diaporthe perijuncta</i> with <i>Diaporthe</i> RNA virus. <i>Applied and Environmental Microbiology</i> , <b>2003</b> , 69, 3952-6	4.8	33
716	Two new <i>Ophiostoma</i> species with <i>Sporothrix</i> anamorphs from Austria and Azerbaijan. <i>Mycologia</i> , <b>2004</b> , 96, 866-78	2.4	33
715	<i>Cryphonectria</i> canker on <i>Tibouchina</i> in South Africa. <i>Mycological Research</i> , <b>2002</b> , 106, 1299-1306		33
714	Ascospore Ultrastructure and Development in <i>Ophiostoma Cucullatum</i> . <i>Mycologia</i> , <b>1991</b> , 83, 698-707	2.4	33
713	Novel associations between ophiostomatoid fungi, insects and tree hosts: current status and future prospects. <i>Biological Invasions</i> , <b>2017</b> , 19, 3215-3228	2.7	32
712	Taxonomy and phylogeny of the <i>Leptographium procerum</i> complex, including <i>Leptographium sinense</i> sp. nov. and <i>Leptographium longiconidiophorum</i> sp. nov. <i>Antonie Van Leeuwenhoek</i> , <b>2015</b> , 107, 547-63	2.1	32



711	Sources of <i>Diplodia pinea</i> endophytic infections in <i>Pinus patula</i> and <i>P. radiata</i> seedlings in South Africa. <i>Forest Pathology</i> , <b>2011</b> , 41, 370-375	1.2	32
710	<i>Calonectria</i> ( <i>Cylindrocladium</i> ) species associated with dying <i>Pinus</i> cuttings. <i>Persoonia: Molecular Phylogeny and Evolution of Fungi</i> , <b>2009</b> , 23, 41-7	9	32
709	Comparison of populations of the wilt pathogen <i>Ceratocystis albifundus</i> in South Africa and Uganda. <i>Plant Pathology</i> , <b>2005</b> , 54, 189-195	2.8	32
708	Susceptibility of pines in South Africa to the pitch canker fungus <i>subglutinans</i> f.sp. <i>pini</i> . <i>Plant Pathology</i> , <b>1995</b> , 44, 877-882	2.8	32
707	<i>Kirramyces destructans</i> sp. nov., a serious leaf pathogen of <i>Eucalyptus</i> in Indonesia. <i>South African Journal of Botany</i> , <b>1996</b> , 62, 325-327	2.9	32
706	No to : Phylogenomic and Practical Reasons for Continued Inclusion of the <i>Fusarium solani</i> Species Complex in the Genus. <i>MSphere</i> , <b>2020</b> , 5,	5	32
705	Fungal Genomics Challenges the Dogma of Name-Based Biosecurity. <i>PLoS Pathogens</i> , <b>2016</b> , 12, e1005475.6	5.6	32
704	Endophytic <i>Botryosphaeriaceae</i> , including five new species, associated with mangrove trees in South Africa. <i>Fungal Biology</i> , <b>2017</b> , 121, 361-393	2.8	31
703	Variation in growth rates and aggressiveness of naturally occurring self-fertile and self-sterile isolates of the wilt pathogen <i>Ceratocystis albifundus</i> . <i>Plant Pathology</i> , <b>2015</b> , 64, 1103-1109	2.8	31
702	New species, hyper-diversity and potential importance of <i>Calonectria</i> spp. from <i>Eucalyptus</i> in South China. <i>Studies in Mycology</i> , <b>2015</b> , 80, 151-88	22.2	31
701	Biology and rearing of <i>Cleruchoides noackae</i> (Hymenoptera: Mymaridae), an egg parasitoid for the biological control of <i>Thaumastocoris peregrinus</i> (Hemiptera: Thaumastocoridae). <i>Journal of Economic Entomology</i> , <b>2013</b> , 106, 1979-85	2.2	31
700	Needle blight of pine caused by two species of <i>Dothistroma</i> in Hungary. <i>Forest Pathology</i> , <b>2011</b> , 41, 361-369	3.69	31
699	Insect associates of <i>Ceratocystis albifundus</i> and patterns of association in a native savanna ecosystem in South Africa. <i>Environmental Entomology</i> , <b>2009</b> , 38, 356-64	2.1	31
698	Two species in the <i>Ceratocystis coerulescens</i> complex from conifers in western North America. <i>Canadian Journal of Botany</i> , <b>1997</b> , 75, 827-834		31
697	Classification of the guava wilt fungus <i>Myxosporium psidii</i> , the palm pathogen <i>Gliocladium vermoesenii</i> and the persimmon wilt fungus <i>Acremonium diospyri</i> in Nalanthamala. <i>Mycologia</i> , <b>2005</b> , 97, 375-95	2.4	31
696	Pestalotioid fungi from <i>Restionaceae</i> in the Cape Floral Kingdom. <i>Studies in Mycology</i> , <b>2006</b> , 55, 175-87	22.2	31
695	Molecular identification and phylogeny of <i>Armillaria</i> isolates from South America and Indo-Malaysia. <i>Mycologia</i> , <b>2003</b> , 95, 285-293	2.4	31
694	Development of simple sequence repeat markers for <i>Botryosphaeria</i> spp. with <i>Fusicoccum</i> anamorphs. <i>Molecular Ecology Notes</i> , <b>2004</b> , 4, 675-677		31

- 693 Phylogenetic Relationships of Australian and New Zealand *Armillaria* Species. *Mycologia*, **2001**, 93, 887 2.4 31
- 692 Genotypic Diversity of *Sphaeropsis sapinea* from South Africa and Northern Sumatra. *Plant Disease*, **2000**, 84, 139-142 1.5 31
- 691 A new *Leptographium* species associated with *Tomicus piniperda* in south-western China. *Mycoscience*, **2000**, 41, 573-578 1.2 31
- 690 Identification of the causal agent of *Armillaria* root rot of *Pinus* species in South Africa. *Mycologia*, **2000**, 92, 777-785 2.4 31
- 689 *Calonectria scoparia* and *Calonectria morganii* sp. nov., and variation among isolates of their *Cylindrocladium* anamorphs. *Mycological Research*, **1993**, 97, 701-708 31
- 688 Foliar pathogens of eucalypts. *Studies in Mycology*, **2019**, 94, 125-298 22.2 30
- 687 Evolution of lifestyles in. *Studies in Mycology*, **2020**, 95, 381-414 22.2 30
- 686 *Fusarium circinatum* and pitch canker of *Pinus* in Colombia. *Australasian Plant Pathology*, **2012**, 41, 483-491 30
- 685 Three new *Ceratocystis* spp. in the *Ceratocystis moniliformis* complex from wounds on *Acacia mangium* and *A. crassicarpa*. *Mycoscience*, **2010**, 51, 53-67 1.2 30
- 684 New foliar pathogens of *Eucalyptus* from Australia and Indonesia. *Mycological Research*, **1998**, 102, 527-532 30
- 683 High intercontinental migration rates and population admixture in the sapstain fungus *Ophiostoma ips*. *Molecular Ecology*, **2007**, 16, 89-99 5.7 30
- 682 Taxonomic re-evaluation of three related species of *Graphium*, based on morphology, ecology and phylogeny. *Mycologia*, **2003**, 95, 714-27 2.4 30
- 681 *Ceratocystis fimbriata* infecting *Eucalyptus grandis* in Uruguay. *Australasian Plant Pathology*, **2003**, 32, 361 1.4 30
- 680 Ascospore development in *Ceratocystis moniliformis*. *Mycological Research*, **1991**, 95, 96-103 30
- 679 The pine wood nematode: a comparison of the situation in the United States and Japan. *Canadian Journal of Forest Research*, **1982**, 12, 71-75 1.9 30
- 678 Comparison of the pine wood nematode, *Bursaphelenchus xylophilus* from pine and balsam fir1. *Forest Pathology*, **1983**, 13, 360-372 1.2 30
- 677 Biology and host preference of *Selitrichodes neseri*: A potential biological control agent of the *Eucalyptus* gall wasp, *Leptocybe invasa*. *Biological Control*, **2014**, 78, 33-41 3.8 29
- 676 Greater *Botryosphaeriaceae* diversity in healthy than associated diseased *Acacia karroo* tree tissues. *Australasian Plant Pathology*, **2013**, 42, 421-430 1.4 29

675	Novel species of Celoporthe from Eucalyptus and Syzygium trees in China and Indonesia. <i>Mycologia</i> , <b>2011</b> , 103, 1384-410	2.4	29
674	Microsatellite markers for the red band needle blight pathogen, <i>Dothistroma septosporum</i> . <i>Molecular Ecology Resources</i> , <b>2008</b> , 8, 1026-9	8.4	29
673	Phylogenetic analyses of DNA sequences reveal species partitions amongst isolates of <i>Armillaria</i> from Africa. <i>Mycological Research</i> , <b>2005</b> , 109, 1223-34		29
672	The <i>Cylindrocladium candelabrum</i> Species Complex Includes Four Distinct Mating Populations. <i>Mycologia</i> , <b>1999</b> , 91, 286	2.4	29
671	Analysis of conidium ontogeny in anamorphs of <i>Ophiostoma</i> : <i>Pesotum</i> and <i>Phialographium</i> are synonyms of <i>Graphium</i> . <i>Mycological Research</i> , <b>1991</b> , 95, 1328-1333		29
670	Tree invasions and biosecurity: eco-evolutionary dynamics of hitchhiking fungi. <i>AoB PLANTS</i> , <b>2016</b> , 8,	2.9	29
669	<i>Hawksworthiomyces</i> gen. nov. (Ophiostomatales), illustrates the urgency for a decision on how to name novel taxa known only from environmental nucleic acid sequences (ENAS). <i>Fungal Biology</i> , <b>2016</b> , 120, 1323-1340	2.8	29
668	Evaluating the inheritance of <i>Ceratocystis acaciivora</i> symptom expression in a diverse <i>Acacia mangium</i> breeding population. <i>Southern Forests</i> , <b>2015</b> , 77, 83-90	0.6	28
667	Rust ( <i>Puccinia psidii</i> ) recorded in Indonesia poses a threat to forests and forestry in South-East Asia. <i>Australasian Plant Pathology</i> , <b>2016</b> , 45, 83-89	1.4	28
666	Botryosphaeriaceae associated with the die-back of ornamental trees in the Western Balkans. <i>Antonie Van Leeuwenhoek</i> , <b>2016</b> , 109, 543-64	2.1	28
665	<i>Ceratocystis</i> species, including two new species associated with nitidulid beetles, on eucalypts in Australia. <i>Antonie Van Leeuwenhoek</i> , <b>2012</b> , 101, 217-41	2.1	28
664	Evidence for inter-specific recombination among the mitochondrial genomes of <i>Fusarium</i> species in the <i>Gibberella fujikuroi</i> complex. <i>BMC Genomics</i> , <b>2013</b> , 14, 605	4.5	28
663	Permanent genetic resources added to molecular ecology resources database 1 October 2012-30 November 2012. <i>Molecular Ecology Resources</i> , <b>2013</b> , 13, 341-3	8.4	28
662	<i>Ganoderma</i> species, including new taxa associated with root rot of the iconic <i>Jacaranda mimosifolia</i> in Pretoria, South Africa. <i>IMA Fungus</i> , <b>2015</b> , 6, 249-56	6.8	28
661	Lack of fidelity revealed in an insect-fungal mutualism after invasion. <i>Biology Letters</i> , <b>2013</b> , 9, 20130342	3.6	28
660	Fungal radiation in the Cape Floristic Region: an analysis based on Gondwanamycetes and <i>Ophiostoma</i> . <i>Molecular Phylogenetics and Evolution</i> , <b>2009</b> , 51, 111-9	4.1	28
659	Identification and Pathogenicity of <i>Chrysoporthe cubensis</i> on <i>Eucalyptus</i> and <i>Syzygium</i> spp. in South China. <i>Plant Disease</i> , <b>2010</b> , 94, 1143-1150	1.5	28
658	<i>Ophiostoma tsotsi</i> sp. nov., a wound-infesting fungus of hardwood trees in Africa. <i>Mycopathologia</i> , <b>2010</b> , 169, 413-23	2.9	28

- 657 Quambalaria species associated with plantation and native eucalypts in Australia. *Plant Pathology*, **2008**, 57, 702-714 2.8 28
- 656 *Fusarium mangiferae* associated with mango malformation in the Sultanate of Oman. *European Journal of Plant Pathology*, **2008**, 121, 195-199 2.1 28
- 655 Complete genetic linkage maps from an interspecific cross between *Fusarium circinatum* and *Fusarium subglutinans*. *Fungal Genetics and Biology*, **2007**, 44, 701-14 3.9 28
- 654 A re-evaluation of *Cylindrocladiella*, and a comparison with morphologically similar genera. *Mycological Research*, **1993**, 97, 433-448 28
- 653 Ophiostomatoid fungi associated with conifer-infesting beetles and their phoretic mites in Yunnan, China. *MycoKeys*, **2017**, 19-64 2.4 28
- 652 Root Disease, Associated with *Verticicladiella alacris*, of Pines in South Africa. *Plant Disease*, **1980**, 64, 569 1.5 28
- 651 IMA Genome-F 6: Draft genome sequences of *Armillaria fuscipes*, *Ceratocystiopsis minuta*, *Ceratocystis adiposa*, *Endoconidiophora laricicola*, *E. polonica* and *Penicillium frei* DAOMC 242723. *IMA Fungus*, **2016**, 7, 217-27 6.8 28
- 650 Overlap of latent pathogens in the Botryosphaeriaceae on a native and agricultural host. *Fungal Biology*, **2017**, 121, 405-419 2.8 27
- 649 Cryptic species, native populations and biological invasions by a eucalypt forest pathogen. *Molecular Ecology*, **2012**, 21, 4452-71 5.7 27
- 648 First fungal genome sequence from Africa: A preliminary analysis. *South African Journal of Science*, **2012**, 108, 1.3 27
- 647 Two new *Ophiostoma* species from *Protea caffra* in Zambia. *Persoonia: Molecular Phylogeny and Evolution of Fungi*, **2010**, 24, 18-28 9 27
- 646 Multiple gene genealogies reveal important relationships between species of *Phaeophleospora* infecting *Eucalyptus* leaves. *FEMS Microbiology Letters*, **2007**, 268, 22-33 2.9 27
- 645 Preliminary studies on *Botryosphaeria* species from Southern Hemisphere conifers in Australasia and South Africa. *Australasian Plant Pathology*, **2005**, 34, 213 1.4 27
- 644 Phylogeny of *Calonectria* based on comparisons of  $\beta$ -tubulin DNA sequences. *Mycological Research*, **2001**, 105, 1045-1052 27
- 643 *Ophiostoma africanum* sp. nov., and a key to ophiostomatoid species from *Protea* infructescences. *Mycological Research*, **2001**, 105, 240-246 27
- 642 Comparison of isozymes, rDNA spacer regions and MAT-2 DNA sequences as phylogenetic characters in the analysis of the *Ceratocystis coerulescens* complex. *Mycologia*, **2000**, 92, 447-452 2.4 27
- 641 *Cylindrocladium parasiticum* sp. nov., a new name for *C. crotalariae*. *Mycological Research*, **1993**, 97, 889-896 27
- 640 Reclassification of *Phialocephala* based on conidial development. *Transactions of the British Mycological Society*, **1987**, 89, 509-520 27

639	Some Verticicladiella species, including V. truncata sp.nov., associated with root diseases of pine in New Zealand and South Africa. <i>Transactions of the British Mycological Society</i> , <b>1983</b> , 80, 231-236		27
638	Seasonal Succession of Fungi Associated with Ips typographus Beetles and Their Phoretic Mites in an Outbreak Region of Finland. <i>PLoS ONE</i> , <b>2016</b> , 11, e0155622	3.7	27
637	Neotypification of Dothistroma septosporum and epytypification of D. pini, causal agents of Dothistroma needle blight of pine. <i>Forest Pathology</i> , <b>2016</b> , 46, 388-407	1.2	27
636	The Eucalyptus stem canker pathogen Teratosphaeria zuluensis detected in seed samples. <i>Forestry</i> , <b>2016</b> , 89, 316-324	2.2	26
635	Saprophytic and pathogenic fungi in the Ceratocystidaceae differ in their ability to metabolize plant-derived sucrose. <i>BMC Evolutionary Biology</i> , <b>2015</b> , 15, 273	3	26
634	New records of the Cryphonectriaceae from southern Africa including Latruncellus aurorae gen. sp. nov. <i>Mycologia</i> , <b>2011</b> , 103, 554-69	2.4	26
633	Modelling the spatial distribution of two important South African plantation forestry pathogens. <i>Forest Ecology and Management</i> , <b>2004</b> , 187, 61-73	3.9	26
632	Relative Pathogenicity of Cryphonectria cubensis on Eucalyptus Clones Differing in Their Resistance to C. cubensis. <i>Plant Disease</i> , <b>2005</b> , 89, 659-662	1.5	26
631	Genetic diversity of Cryphonectria cubensis isolates in South Africa. <i>Mycological Research</i> , <b>2001</b> , 105, 94-99		26
630	A new ophiostomatoid genus from Protea infructescences. <i>Mycologia</i> , <b>1998</b> , 90, 136-141	2.4	26
629	Phylogenetic relationships in Leptographium based on morphological and molecular characters. <i>Canadian Journal of Botany</i> , <b>2001</b> , 79, 719-732		26
628	Discovery of fungus-mite mutualism in a unique niche. <i>Environmental Entomology</i> , <b>2007</b> , 36, 1226-37	2.1	26
627	A new genus and species for the globally important, multihost root pathogen Thielaviopsis basicola. <i>Plant Pathology</i> , <b>2018</b> , 67, 871-882	2.8	26
626	A unique genotype of the rust pathogen, Puccinia psidii, on Myrtaceae in South Africa. <i>Australasian Plant Pathology</i> , <b>2016</b> , 45, 645-652	1.4	25
625	The mango sudden decline pathogen, Ceratocystis manginecans, is vectored by Hypocryphalus mangiferae (Coleoptera: Scolytinae) in Oman. <i>European Journal of Plant Pathology</i> , <b>2013</b> , 135, 243-251	2.1	25
624	Names of fungal species with the same epithet applied to different morphs: how to treat them. <i>IMA Fungus</i> , <b>2013</b> , 4, 53-6	6.8	25
623	Diversity and pathogenicity of Botryosphaeriaceae on declining Ostrya carpinifolia in Slovenia and Italy following extreme weather conditions. <i>European Journal of Forest Research</i> , <b>2011</b> , 130, 235-249	2.7	25
622	Distribution of Diplodia pinea and its genotypic diversity within asymptomatic Pinus patula trees. <i>Australasian Plant Pathology</i> , <b>2011</b> , 40, 540-548	1.4	25

621	A single dominant Ganoderma species is responsible for root rot of Acacia mangium and Eucalyptus in Sumatra. <i>Southern Forests</i> , <b>2011</b> , 73, 175-180	0.6	25
620	Teratosphaeria (Mycosphaerella) nubilosa, the causal agent of Mycosphaerella leaf disease (MLD), recently introduced into Uruguay. <i>European Journal of Plant Pathology</i> , <b>2009</b> , 125, 109-118	2.1	25
619	Celoporthe dispersa gen. et sp. nov. from native Myrtales in South Africa. <i>Studies in Mycology</i> , <b>2006</b> , 55, 255-67	22.2	25
618	Characterisation of Ophiostoma species associated with pine bark beetles from Mexico, including O. pulvinisporum sp. nov. <i>Mycological Research</i> , <b>2004</b> , 108, 690-8		25
617	Conspecificity of Endothia eugeniae and Cryphonectria cubensis: a re-evaluation based on morphology and DNA sequence data. <i>Mycoscience</i> , <b>2003</b> , 44, 187-196	1.2	25
616	Diversity and differentiation in two populations of Gibberella circinata in South Africa. <i>Plant Pathology</i> , <b>2005</b> , 54, 46-52	2.8	25
615	Gibberella fujikuroi mating population E is associated with maize and teosinte. <i>Molecular Plant Pathology</i> , <b>2001</b> , 2, 215-21	5.7	25
614	Phylogenetic relationships of Australian and New Zealand Armillaria species. <i>Mycologia</i> , <b>2001</b> , 93, 887-896	2.4	25
613	Ascospore Ultrastructure and Development in Ophiostoma cucullatum. <i>Mycologia</i> , <b>1991</b> , 83, 698	2.4	25
612	Intensity of dieback induced by Sphaeropsis sapinea in relation to site conditions. <i>Forest Pathology</i> , <b>1990</b> , 20, 167-174	1.2	25
611	Fungi Associated with the Pine Wood Nematode, Bursaphelenchus Xylophilus, and Cerambycid Beetles in Wisconsin. <i>Mycologia</i> , <b>1987</b> , 79, 325-328	2.4	25
610	Differences in synchronization of stages of conidial development in Leptographium species. <i>Transactions of the British Mycological Society</i> , <b>1988</b> , 90, 451-456		25
609	IMA Genome-F 7: Draft genome sequences for and. <i>IMA Fungus</i> , <b>2016</b> , 7, 317-323	6.8	25
608	Population genetic analyses of complex global insect invasions in managed landscapes: a Leptocybe invasa (Hymenoptera) case study. <i>Biological Invasions</i> , <b>2018</b> , 20, 2395-2420	2.7	24
607	IMA Genome-F 9: Draft genome sequence of (syn.), two strains, , , cf and. <i>IMA Fungus</i> , <b>2018</b> , 9, 199-223	6.8	24
606	The influence of Amylostereum areolatum diversity and competitive interactions on the fitness of the Sirex parasitic nematode Deladenus siricidicola. <i>Biological Control</i> , <b>2012</b> , 61, 207-214	3.8	24
605	Mites are the most common vectors of the fungus Gondwanamyces proteae in Protea infructescences. <i>Fungal Biology</i> , <b>2011</b> , 115, 343-50	2.8	24
604	A new shoot and stem disease of Eucalyptus species caused by Erwinia psidii. <i>Australasian Plant Pathology</i> , <b>2011</b> , 40, 55-60	1.4	24

603	Variable resistance to <i>Quambalaria pitereka</i> in spotted gum reveal opportunities for disease screening. <i>Australasian Plant Pathology</i> , <b>2011</b> , 40, 76-86	1.4	24
602	New species of <i>Mycosphaerella</i> occurring on Eucalyptus leaves in Indonesia and Africa. <i>Canadian Journal of Botany</i> , <b>1997</b> , 75, 781-790		24
601	<i>Leptographium bistatum</i> sp. nov., a new species with a <i>Sporothrix</i> synanamorph from <i>Pinus radiata</i> in Korea. <i>Mycological Research</i> , <b>2004</b> , 108, 699-706		24
600	DNA sequence data and morphology define <i>Cryphonectria</i> species in Europe, China, and Japan. <i>Canadian Journal of Botany</i> , <b>2004</b> , 82, 1730-1743		24
599	Phylogenetic relationships of <i>Cryphonectria</i> and <i>Endothia</i> species, based on DNA sequence data and morphology. <i>Mycologia</i> , <b>2004</b> , 96, 990-1001	2.4	24
598	Identification of <i>Armillaria</i> isolates from Bhutan based on DNA sequence comparisons. <i>Plant Pathology</i> , <b>2005</b> , 54, 36-45	2.8	24
597	Identification of the Causal Agent of <i>Armillaria</i> Root Rot of <i>Pinus</i> Species in South Africa. <i>Mycologia</i> , <b>2000</b> , 92, 777	2.4	24
596	The Genera <i>Cylindrocladium</i> and <i>Cylindrocladiella</i> in South Africa, with Special Reference to Forest Nurseries. <i>South African Forestry Journal</i> , <b>1991</b> , 157, 69-85		24
595	<i>Bretziella</i> , a new genus to accommodate the oak wilt fungus, <i>Ceratocystis fagacearum</i> (Microascales, Ascomycota). <i>MycKeys</i> , 27, 1-19	2.4	24
594	Reconsidering species boundaries in the <i>Ceratocystis paradoxa</i> complex, including a new species from oil palm and cacao in Cameroon. <i>Mycologia</i> , <b>2014</b> , 106, 757-84	2.4	23
593	Diversity and distribution of co-infecting <i>Botryosphaeriaceae</i> from <i>Eucalyptus grandis</i> and <i>Syzygium cordatum</i> in South Africa. <i>South African Journal of Botany</i> , <b>2013</b> , 84, 38-43	2.9	23
592	Fungal associates of the lodgepole pine beetle, <i>Dendroctonus murrayanae</i> . <i>Antonie Van Leeuwenhoek</i> , <b>2011</b> , 100, 231-44	2.1	23
591	Eucalypt diseases and their management in China. <i>Australasian Plant Pathology</i> , <b>2011</b> , 40, 339-345	1.4	23
590	<i>Botryosphaeriaceae</i> associated with Eucalyptus canker diseases in Colombia. <i>Forest Pathology</i> , <b>2009</b> , 39, 110-123	1.2	23
589	<i>Ceratocystis eucalypticola</i> sp. nov. from Eucalyptus in South Africa and comparison to global isolates from this tree. <i>IMA Fungus</i> , <b>2012</b> , 3, 45-58	6.8	23
588	Infection and disease development of <i>Quambalaria</i> spp. on <i>Corymbia</i> and Eucalyptus species. <i>Plant Pathology</i> , <b>2009</b> , 58, 642-654	2.8	23
587	New <i>Ceratocystis</i> species infecting coffee, cacao, citrus and native trees in Colombia. <i>Fungal Diversity</i> , <b>2010</b> , 40, 103-117	17.6	23
586	Geographic isolation of <i>Diplodia scrobiculata</i> and its association with native <i>Pinus radiata</i> . <i>Mycological Research</i> , <b>2004</b> , 108, 1399-406		23

585	Cryphonectria canker on Tibouchina in Colombia. <i>Forest Pathology</i> , <b>2001</b> , 31, 297-306	1.2	23
584	Comparison of Seiridium Isolates Associated with Cypress Canker Using Sequence Data. <i>Experimental Mycology</i> , <b>1993</b> , 17, 323-328		23
583	Paleogene radiation of a plant pathogenic mushroom. <i>PLoS ONE</i> , <b>2011</b> , 6, e28545	3.7	23
582	The unified framework for biological invasions: a forest fungal pathogen perspective. <i>Biological Invasions</i> , <b>2017</b> , 19, 3201-3214	2.7	22
581	Mate-recognition and species boundaries in the ascomycetes. <i>Fungal Diversity</i> , <b>2013</b> , 58, 1-12	17.6	22
580	Challenges to planted forest health in developing economies. <i>Biological Invasions</i> , <b>2017</b> , 19, 3273-3285	2.7	22
579	Extreme homozygosity in Southern Hemisphere populations of <i>Deladenus siricidicola</i> , a biological control agent of <i>Sirex noctilio</i> . <i>Biological Control</i> , <b>2011</b> , 59, 348-353	3.8	22
578	First report of <i>Neofusicoccum parvum</i> causing canker and die-back of Eucalyptus in Spain. <i>Australasian Plant Disease Notes</i> , <b>2011</b> , 6, 57-59	0.8	22
577	<i>Puccinia psidii</i> infecting cultivated Eucalyptus and native myrtaceae in Uruguay. <i>Mycological Progress</i> , <b>2011</b> , 10, 273-282	1.9	22
576	Mycosphaerellaceae and Teratosphaeriaceae associated with Eucalyptus leaf diseases and stem cankers in Uruguay. <i>Forest Pathology</i> , <b>2009</b> , 39, 349-360	1.2	22
575	Isozyme Variation and Species Delimitation in the <i>Ceratocystis coerulescens</i> Complex. <i>Mycologia</i> , <b>1996</b> , 88, 104	2.4	22
574	<i>Ophiostoma protearum</i> sp.nov. associated with <i>Protea caffra</i> infructescences. <i>Canadian Journal of Botany</i> , <b>1997</b> , 75, 362-367		22
573	Polymorphic microsatellite markers for the Eucalyptus fungal pathogen <i>Colletogloeopsis zuluensis</i> . <i>Molecular Ecology Notes</i> , <b>2006</b> , 6, 780-783		22
572	Biological and Phylogenetic Analyses Suggest that Two <i>Cryphonectria</i> spp. Cause Cankers of Eucalyptus in Africa. <i>Plant Disease</i> , <b>2003</b> , 87, 1329-1332	1.5	22
571	A new <i>Leptographium</i> species associated with <i>Tomicus piniperda</i> infesting pine logs in Korea. <i>Mycological Research</i> , <b>2005</b> , 109, 275-84		22
570	Phenotypic and DNA sequence data comparisons reveal three discrete species in the <i>Ceratocystis polonica</i> species complex. <i>Mycological Research</i> , <b>2005</b> , 109, 1137-48		22
569	Characterisation of the <i>Coniothyrium</i> stem canker pathogen on Eucalyptus <i>camaldulensis</i> in Ethiopia. <i>Australasian Plant Pathology</i> , <b>2005</b> , 34, 85	1.4	22
568	Comparison of Isozymes, rDNA Spacer Regions and MAT-2 DNA Sequences as Phylogenetic Characters in the Analysis of the <i>Ceratocystis coerulescens</i> Complex. <i>Mycologia</i> , <b>2000</b> , 92, 447	2.4	22



567	A new species of <i>Ophiostoma</i> with a <i>Leptographium</i> anamorph from Larch in Japan. <i>Mycological Research</i> , <b>1995</b> , 99, 1334-1338		22
566	<i>Cryphonectria</i> Canker of Eucalyptus, an Important Disease in Plantation Forestry in South Africa.. <i>South African Forestry Journal</i> , <b>1990</b> , 152, 43-49		22
565	<i>Sphaeropsis sapinea</i> , with Special Reference to its Occurrence on <i>Pinus</i> Spp. in South Africa. <i>South African Forestry Journal</i> , <b>1985</b> , 135, 1-8		22
564	The Control of the Sirex Woodwasp in Diverse Environments: The South African Experience <b>2012</b> , 247-264		22
563	New and Interesting Fungi. 3. <i>Fungal Systematics and Evolution</i> , <b>2020</b> , 6, 157-231	2.6	22
562	Nine draft genome sequences of <i>Fusarium circinatum</i> , including <i>F. circinatum</i> and cf. <i>F. circinatum</i> pseudomolecules for the pitch canker pathogen <i>F. circinatum</i> , draft genome of <i>F. circinatum</i> and <i>F. circinatum</i> . <i>IMA Fungus</i> , <b>2018</b> , 9, 401-418	6.8	22
561	Ophiostomatoid fungi associated with the spruce bark beetle <i>Pityogenes chalcographus</i> , including 11 new species from China. <i>Persoonia: Molecular Phylogeny and Evolution of Fungi</i> , <b>2019</b> , 42, 50-74	9	21
560	IMA Genome-F 8: Draft genome of <i>Fusarium circinatum</i> , <i>F. circinatum</i> , and <i>F. circinatum</i> . <i>IMA Fungus</i> , <b>2017</b> , 8, 385-396	6.8	21
559	Two <i>Ralstonia</i> species associated with bacterial wilt of Eucalyptus. <i>Plant Pathology</i> , <b>2017</b> , 66, 393-403	2.8	21
558	The potential for monitoring and control of insect pests in Southern Hemisphere forestry plantations using semiochemicals. <i>Annals of Forest Science</i> , <b>2012</b> , 69, 757-767	3.1	21
557	Selection of <i>Pinus</i> spp. in South Africa for tolerance to infection by the pitch canker fungus. <i>New Forests</i> , <b>2012</b> , 43, 473-489	2.6	21
556	The tolerance of <i>Pinus patula</i> [ <i>Pinus tecunumanii</i> , and other pine hybrids, to <i>Fusarium circinatum</i> in greenhouse trials. <i>New Forests</i> , <b>2013</b> , 44, 443-456	2.6	21
555	Plants for planting; indirect evidence for the movement of a serious forest pathogen, <i>Teratosphaeria destructans</i> , in Asia. <i>European Journal of Plant Pathology</i> , <b>2011</b> , 131, 49-58	2.1	21
554	Distribution and population diversity of <i>Ceratocystis pirilliformis</i> in South Africa. <i>Mycologia</i> , <b>2009</b> , 101, 17-25	2.4	21
553	Isolation of <i>Enterobacter cowanii</i> from Eucalyptus showing symptoms of bacterial blight and dieback in Uruguay. <i>Letters in Applied Microbiology</i> , <b>2009</b> , 49, 461-5	2.9	21
552	Future outlook for <i>Pinus patula</i> in South Africa in the presence of the pitch canker fungus ( <i>Fusarium circinatum</i> ). <i>Southern Forests</i> , <b>2012</b> , 74, 203-210	0.6	21
551	<i>Ophiostoma denticiliatum</i> sp. nov. and other <i>Ophiostoma</i> species associated with the birch bark beetle in southern Norway. <i>Persoonia: Molecular Phylogeny and Evolution of Fungi</i> , <b>2009</b> , 23, 9-15	9	21
550	<i>Cryptometrion aestuescens</i> gen. sp. nov. ( <i>Cryphonectriaceae</i> ) pathogenic to Eucalyptus in Indonesia. <i>Australasian Plant Pathology</i> , <b>2010</b> , 39, 161	1.4	21

549	Characterisation of synnematosus bark beetle-associated fungi from China, including <i>Graphium carbonarium</i> sp. nov.. <i>Fungal Diversity</i> , <b>2010</b> , 40, 75-88	17.6	21
548	Phylogenetic relationships among <i>Phialocephala</i> species and other ascomycetes. <i>Mycologia</i> , <b>2003</b> , 95, 637-45	2.4	21
547	Identification of the causal agent of <i>Botryosphaeria</i> stem canker in Ethiopian Eucalyptus plantations. <i>South African Journal of Botany</i> , <b>2004</b> , 70, 241-248	2.9	21
546	First record of the Eucalyptus stem canker pathogen, <i>Coniothyrium zuluense</i> from Hawaii. <i>Australasian Plant Pathology</i> , <b>2004</b> , 33, 309	1.4	21
545	Evaluation of Tobacco Cultivars for Resistance to Races of <i>Phytophthora nicotianae</i> in South Africa. <i>Journal of Phytopathology</i> , <b>2002</b> , 150, 456-462	1.8	21
544	Biological and Physical Constraints on Maize Production in the Humid Forest and Western Highlands of Cameroon. <i>European Journal of Plant Pathology</i> , <b>2002</b> , 108, 893-902	2.1	21
543	Development and characterization of microsatellite loci for the tropical tree pathogen <i>Botryosphaeria rhodina</i> . <i>Molecular Ecology Notes</i> , <b>2003</b> , 3, 91-94		21
542	<i>Cylindrocladium</i> blight of <i>Eucalyptus grandis</i> in Colombia. <i>Australasian Plant Pathology</i> , <b>2005</b> , 34, 143	1.4	21
541	Genetic variation in the wattle wilt pathogen <i>Ceratocystis albofundus</i> . <i>Mycoscience</i> , <b>2001</b> , 42, 327-332	1.2	21
540	First report of the canker pathogen <i>Endothia gyrosa</i> on Eucalyptus in South Africa. <i>Plant Pathology</i> , <b>1993</b> , 42, 661-663	2.8	21
539	A Summary of Fungal Leaf Pathogens of Eucalyptus and the Diseases they Cause in South Africa. <i>South African Forestry Journal</i> , <b>1989</b> , 149, 9-16		21
538	New species () from the USA and Taiwan associated with ambrosia beetles and plant hosts. <i>IMA Fungus</i> , <b>2016</b> , 7, 265-273	6.8	21
537	Armillaria Root-Rot Pathogens: Species Boundaries and Global Distribution. <i>Pathogens</i> , <b>2018</b> , 7,	4.5	21
536	Urban environments provide opportunities for early detections of <i>Phytophthora</i> invasions. <i>Biological Invasions</i> , <b>2017</b> , 19, 3629-3644	2.7	20
535	Environmentally friendly methods for controlling pine pitch canker. <i>Plant Pathology</i> , <b>2019</b> , 68, 843-860	2.8	20
534	23 years of research on <i>Teratosphaeria</i> leaf blight of Eucalyptus. <i>Forest Ecology and Management</i> , <b>2019</b> , 443, 19-27	3.9	20
533	Genetic Analyses Suggest Separate Introductions of the Pine Pathogen <i>Lecanosticta acicola</i> Into Europe. <i>Phytopathology</i> , <b>2016</b> , 106, 1413-1425	3.8	20
532	Evolutionary dynamics of tree invasions: complementing the unified framework for biological invasions. <i>AoB PLANTS</i> , <b>2016</b> ,	2.9	20

531	Multigene phylogenies and morphological characterization of five new <i>Ophiostoma</i> spp. associated with spruce-infesting bark beetles in China. <i>Fungal Biology</i> , <b>2016</b> , 120, 454-470	2.8	20
530	Association of the pitch canker pathogen <i>Fusarium circinatum</i> with grass hosts in commercial pine production areas of South Africa. <i>Southern Forests</i> , <b>2014</b> , 76, 161-166	0.6	20
529	DNA extraction techniques for DNA barcoding of minute gall-inhabiting wasps. <i>Molecular Ecology Resources</i> , <b>2012</b> , 12, 109-115	8.4	20
528	Both mating types in the heterothallic fungus <i>Ophiostoma quercus</i> contain MAT1-1 and MAT1-2 genes. <i>Fungal Biology</i> , <b>2012</b> , 116, 427-37	2.8	20
527	Analysis of microsatellite markers in the genome of the plant pathogen <i>Ceratocystis fimbriata</i> . <i>Fungal Biology</i> , <b>2013</b> , 117, 545-55	2.8	20
526	Anthropogenic effects on interaction outcomes: examples from insect-microbial symbioses in forest and savanna ecosystems. <i>Symbiosis</i> , <b>2011</b> , 53, 101-121	3	20
525	Molecular phylogeny of <i>Armillaria</i> from the Patagonian Andes. <i>Mycological Progress</i> , <b>2009</b> , 8, 181-194	1.9	20
524	Genotypic diversity in a South African population of the pitch canker fungus <i>Fusarium subglutinans</i> f.sp. <i>pini</i> . <i>Plant Pathology</i> , <b>1997</b> , 46, 590-593	2.8	20
523	Comparison of <i>Ophiostoma huntii</i> and <i>O. europheoides</i> and description of <i>O. aenigmaticum</i> sp. nov.. <i>Mycological Research</i> , <b>1998</b> , 102, 289-294		20
522	<i>Kirramyces viscidus</i> sp. nov., a new eucalypt pathogen from tropical Australia closely related to the serious leaf pathogen, <i>Kirramyces destructans</i> . <i>Australasian Plant Pathology</i> , <b>2007</b> , 36, 478	1.4	20
521	<i>Ceratocystis omanensis</i> , a new species from diseased mango trees in Oman. <i>Mycological Research</i> , <b>2006</b> , 110, 237-45		20
520	New taxonomic concepts for the important forest pathogen <i>Cryphonectria parasitica</i> and related fungi. <i>FEMS Microbiology Letters</i> , <b>2006</b> , 258, 161-72	2.9	20
519	Morphological and molecular relatedness of geographically diverse isolates of <i>Coniothyrium zuluense</i> from South Africa and Thailand. <i>Mycological Research</i> , <b>2002</b> , 106, 51-59		20
518	<i>Ophiostoma dentifundum</i> sp. nov. from oak in Europe, characterized using molecular phylogenetic data and morphology. <i>Mycological Research</i> , <b>2005</b> , 109, 1127-36		20
517	<i>Heteropyxis natalensis</i> , a new host of <i>Puccinia psidii</i> rust. <i>Australasian Plant Pathology</i> , <b>2005</b> , 34, 285	1.4	20
516	Potential for outcrossing in an apparently asexual population of <i>Fusarium circinatum</i> , the causal agent of pitch canker disease. <i>Mycologia</i> , <b>2000</b> , 92, 1085-1090	2.4	20
515	Susceptibility of Elite <i>Acacia mearnsii</i> Families to <i>Ceratocystis</i> Wilt in South Africa. <i>Journal of Forest Research</i> , <b>1999</b> , 4, 187-190	1.4	20
514	Ultrastructure of ascosporeogenesis in <i>Ophiostoma davidsonii</i> . <i>Mycological Research</i> , <b>1991</b> , 95, 725-730		20

513	The forgotten collection: Pouring old wine into new bags. <i>Studies in Mycology</i> , <b>2016</b> , 85, 159-198	22.2	20
512	Commercialisation of entomopathogenic nematodes: should import regulations be revised?. <i>Biocontrol Science and Technology</i> , <b>2017</b> , 27, 149-168	1.7	19
511	Uromycladium acaciae, the cause of a sudden, severe disease epidemic on Acacia mearnsii in South Africa. <i>Australasian Plant Pathology</i> , <b>2015</b> , 44, 637-645	1.4	19
510	A possible centre of diversity in South East Asia for the tree pathogen, Ceratocystis manginecans. <i>Infection, Genetics and Evolution</i> , <b>2016</b> , 41, 73-83	4.5	19
509	Temporal and spatial variation of Botryosphaeriaceae associated with Acacia karroo in South Africa. <i>Fungal Ecology</i> , <b>2015</b> , 15, 51-62	4.1	19
508	High levels of genetic diversity and cryptic recombination is widespread in introduced Diplodia pinea populations. <i>Australasian Plant Pathology</i> , <b>2012</b> , 41, 41-46	1.4	19
507	The pathogenic potential of endophytic Botryosphaeriaceous fungi on Terminalia species in Cameroon. <i>Forest Pathology</i> , <b>2011</b> , 41, 281-292	1.2	19
506	Four new Ceratocystis spp. associated with wounds on Eucalyptus, Schizolobium and Terminalia trees in Ecuador. <i>Fungal Diversity</i> , <b>2011</b> , 46, 111-131	17.6	19
505	Ceratocystis atrox sp. nov. associated with Phoracantha acanthocera infestations on Eucalyptus grandis in Australia. <i>Australasian Plant Pathology</i> , <b>2007</b> , 36, 407	1.4	19
504	Transformation of Fusarium oxysporum f. sp. cubense, causal agent of Fusarium wilt of banana, with the green fluorescent protein (GFP) gene. <i>Australasian Plant Pathology</i> , <b>2004</b> , 33, 69	1.4	19
503	Debaryomyces mycophilus sp. nov., a siderophore-dependent yeast isolated from woodlice. <i>FEMS Yeast Research</i> , <b>2002</b> , 2, 415-27	3.1	19
502	Taxonomic re-evaluation of Leptographium lundbergii based on DNA sequence comparisons and morphology. <i>Mycological Research</i> , <b>2005</b> , 109, 1149-61		19
501	Characterisation of the morphotype of the pine pathogen Sphaeropsis sapinea. <i>Forest Ecology and Management</i> , <b>2002</b> , 161, 181-188	3.9	19
500	Phylogenetic relationships of ophiostomatoid fungi associated with Protea infructescences in South Africa. <i>Mycological Research</i> , <b>1999</b> , 103, 1616-1620		19
499	Mycosphaerella Suberosa Associated with Corky Leaf Spots on Eucalyptus in Brazil. <i>Mycologia</i> , <b>1993</b> , 85, 705-710	2.4	19
498	Sporothrix eucalypti (sp. nov.), a shoot and leaf pathogen of Eucalyptus in South Africa. <i>Mycopathologia</i> , <b>1993</b> , 123, 159-164	2.9	19
497	Eucalyptus camaldulensis in South Africa Past, present, future. <i>Transactions of the Royal Society of South Africa</i> , <b>2020</b> , 75, 1-22	1	19
496	Teratosphaeria stem canker of Eucalyptus: two pathogens, one devastating disease. <i>Molecular Plant Pathology</i> , <b>2019</b> , 20, 8-19	5.7	19

495	Global Geographic Distribution and Host Range of <i>Fusarium circinatum</i> , the Causal Agent of Pine Pitch Canker. <i>Forests</i> , <b>2020</b> , 11, 724	2.8	18
494	species isolated from plantations and nurseries in South China. <i>IMA Fungus</i> , <b>2017</b> , 8, 259-286	6.8	18
493	<i>Diversimorbus metrosiderotis</i> gen. et sp. nov. and three new species of Holocryphia (Cryphonectriaceae) associated with cankers on native <i>Metrosideros angustifolia</i> trees in South Africa. <i>Fungal Biology</i> , <b>2013</b> , 117, 289-310	2.8	18
492	Invasive Everywhere? Phylogeographic Analysis of the Globally Distributed Tree Pathogen <i>Lasiodiplodia theobromae</i> . <i>Forests</i> , <b>2017</b> , 8, 145	2.8	18
491	Evidence for a new introduction of the pitch canker fungus <i>Fusarium circinatum</i> in South Africa. <i>Plant Pathology</i> , <b>2014</b> , 63, 530-538	2.8	18
490	Molecular phylogenetic analyses reveal three new <i>Ceratocystis</i> species and provide evidence for geographic differentiation of the genus in Africa. <i>Mycological Progress</i> , <b>2014</b> , 13, 219-240	1.9	18
489	Taxonomy and pathogenicity of two novel <i>Chrysosporthe</i> species from <i>Eucalyptus grandis</i> and <i>Syzygium guineense</i> in Zambia. <i>Mycological Progress</i> , <b>2010</b> , 9, 379-393	1.9	18
488	Anatomical variation and defence responses of juvenile <i>Eucalyptus nitens</i> leaves to <i>Mycosphaerella</i> leaf disease. <i>Australasian Plant Pathology</i> , <b>2006</b> , 35, 725	1.4	18
487	Characterization of South African <i>Cryphonectria cubensis</i> Isolates Infected with a <i>C. parasitica</i> Hypovirus. <i>Phytopathology</i> , <b>2001</b> , 91, 628-32	3.8	18
486	Association of <i>Sphaeropsis sapinea</i> with insect infestation following hail damage of <i>Pinus radiata</i> . <i>Forest Ecology and Management</i> , <b>1995</b> , 72, 293-298	3.9	18
485	<i>Mycosphaerella suberosa</i> Associated with Corky Leaf Spots on <i>Eucalyptus</i> in Brazil. <i>Mycologia</i> , <b>1993</b> , 85, 705	2.4	18
484	<i>Dothistroma</i> needle blight: an emerging epidemic caused by <i>Dothistroma septosporum</i> in Colombia. <i>Plant Pathology</i> , <b>2016</b> , 65, 53-63	2.8	18
483	<i>Cornuvesica</i> : A little known mycophilic genus with a unique biology and unexpected new species. <i>Fungal Biology</i> , <b>2015</b> , 119, 615-30	2.8	17
482	A review of factors associated with decline and death of mangroves, with particular reference to fungal pathogens. <i>South African Journal of Botany</i> , <b>2016</b> , 103, 295-301	2.9	17
481	Multigene phylogenies of Ophiostomataceae associated with Monterey pine bark beetles in Spain reveal three new fungal species. <i>Mycologia</i> , <b>2014</b> , 106, 119-32	2.4	17
480	A serious canker disease caused by <i>Immersioporthe knoxdaviesiana</i> gen. et sp. nov. (Cryphonectriaceae) on native <i>Rapanea melanophloeos</i> in South Africa. <i>Plant Pathology</i> , <b>2013</b> , 62, 667-678	2.8	17
479	Genetic linkage map for <i>Amylostereum areolatum</i> reveals an association between vegetative growth and sexual and self-recognition. <i>Fungal Genetics and Biology</i> , <b>2009</b> , 46, 632-41	3.9	17
478	Genetic diversity in the <i>Eucalyptus</i> stem pathogen <i>Teratosphaeria zuluensis</i> . <i>Australasian Plant Pathology</i> , <b>2010</b> , 39, 383	1.4	17

477	Rostraureum tropicale gen. sp. nov. (Diaporthales) associated with dying Terminalia ivorensis in Ecuador. <i>Mycological Research</i> , <b>2005</b> , 109, 1029-44		17
476	Identification of Mycosphaerella species associated with Eucalyptus nitens leaf defoliation in South Africa. <i>Australasian Plant Pathology</i> , <b>2004</b> , 33, 349	1.4	17
475	Molecular characterisation of Armillaria species from Zimbabwe. <i>Mycological Research</i> , <b>2003</b> , 107, 291-6		17
474	Ecological disequilibrium drives insect pest and pathogen accumulation in non-native trees. <i>AoB PLANTS</i> , <b>2016</b> ,	2.9	17
473	New and unexpected host associations for Diplodia sapinea in the Western Balkans. <i>Forest Pathology</i> , <b>2017</b> , 47, e12328	1.2	16
472	Novel ophiostomatalean fungi from galleries of Cyrtogenius africanus (Scolytinae) infesting dying Euphorbia ingens. <i>Antonie Van Leeuwenhoek</i> , <b>2016</b> , 109, 589-601	2.1	16
471	Host switching between native and non-native trees in a population of the canker pathogen Chrysosporthe cubensis from Colombia. <i>Plant Pathology</i> , <b>2013</b> , 62, 642-648	2.8	16
470	Ceratocystis species, including two new taxa, from Eucalyptus trees in South Africa. <i>Australasian Plant Pathology</i> , <b>2013</b> , 42, 283-311	1.4	16
469	Genome-wide macrosynteny among Fusarium species in the Gibberella fujikuroi complex revealed by amplified fragment length polymorphisms. <i>PLoS ONE</i> , <b>2014</b> , 9, e114682	3.7	16
468	High population diversity and increasing importance of the Eucalyptus stem canker pathogen, Teratosphaeria zuluensis, in South China. <i>Australasian Plant Pathology</i> , <b>2011</b> , 40, 407-415	1.4	16
467	Taxonomy of Armillaria in the Patagonian forests of Argentina. <i>Mycologia</i> , <b>2010</b> , 102, 392-403	2.4	16
466	Diverse Fusarium solani isolates colonise agricultural environments in Ethiopia. <i>European Journal of Plant Pathology</i> , <b>2009</b> , 124, 369-378	2.1	16
465	Neofusicoccum eucalyptorum, a Eucalyptus pathogen, on native Myrtaceae in Uruguay. <i>Plant Pathology</i> , <b>2009</b> , 58, 964-970	2.8	16
464	Pathogenicity of seven species of the Botryosphaeriaceae on Eucalyptus clones in Venezuela. <i>Australasian Plant Pathology</i> , <b>2009</b> , 38, 135	1.4	16
463	Aurifilum, a new fungal genus in the Cryphonectriaceae from Terminalia species in Cameroon. <i>Antonie Van Leeuwenhoek</i> , <b>2010</b> , 98, 263-78	2.1	16
462	Cryphonectriaceae (Diaporthales), a new family including Cryphonectria, Chrysosporthe, Endothia and allied genera. <i>Mycologia</i> , <b>2006</b> , 98, 239-249	2.4	16
461	Armillaria species on tea in Kenya identified using isozyme and DNA sequence comparisons. <i>Plant Pathology</i> , <b>2006</b> , 55, 343-350	2.8	16
460	First report of coniothyrium canker of Eucalyptus in Mexico. <i>Plant Pathology</i> , <b>2002</b> , 51, 382-382	2.8	16

459	DNA based characterization of <i>Ceratocystis fimbriata</i> isolates associated with mango decline in Oman. <i>Australasian Plant Pathology</i> , <b>2005</b> , 34, 587	1.4	16
458	A taxonomic reassessment of <i>Phyllachora proteae</i> , a leaf pathogen of Proteaceae. <i>Mycologia</i> , <b>1999</b> , 91, 510-516	2.4	16
457	Variation in Pathogenicity Among South African Isolates of <i>Phytophthora cinnamomi</i> . <i>European Journal of Plant Pathology</i> , <b>1999</b> , 105, 231-239	2.1	16
456	Conidium development in the <i>Hyalorhinocladiella</i> anamorph of <i>Ophiostoma ips</i> . <i>Mycologia</i> , <b>1995</b> , 87, 298-303	2.4	16
455	<i>Mycosphaerella parkii</i> and <i>Phyllosticta eucalyptorum</i> , two new species from Eucalyptus leaves in Brazil. <i>Mycological Research</i> , <b>1993</b> , 97, 582-584		16
454	Comparison of <i>Sphaeropsis sapinea</i> and <i>Sphaeropsis sapinea</i> f. sp. <i>cupressi</i> . <i>Mycological Research</i> , <b>1993</b> , 97, 1253-1260		16
453	Susceptibility of <i>Eucalyptus grandis</i> to <i>Cryphonectria cubensis</i> . <i>Forest Pathology</i> , <b>1992</b> , 22, 312-315	1.2	16
452	Pathogenicity of <i>Bursaphelenchus xylophilus</i> on three species of pine. <i>Canadian Journal of Forest Research</i> , <b>1987</b> , 17, 51-57	1.9	16
451	<i>Verticicladiella alacris</i> sp.nov., associated with a root disease of pines in South Africa. <i>Transactions of the British Mycological Society</i> , <b>1980</b> , 75, 21-28		16
450	Cankers and other diseases caused by the Botryosphaeriaceae. <b>2013</b> , 298-317		16
449	Evidence that <i>Austropuccinia psidii</i> may complete its sexual life cycle on Myrtaceae. <i>Plant Pathology</i> , <b>2018</b> , 67, 729-734	2.8	16
448	Mitochondrial introgression and interspecies recombination in the species complex. <i>IMA Fungus</i> , <b>2018</b> , 9, 37-48	6.8	16
447	Community composition and distribution of <i>Phytophthora</i> species across adjacent native and non-native forests of South Africa. <i>Fungal Ecology</i> , <b>2018</b> , 36, 17-25	4.1	16
446	New <i>Ceratocystis</i> species from <i>Eucalyptus</i> and <i>Cunninghamia</i> in South China. <i>Antonie Van Leeuwenhoek</i> , <b>2015</b> , 107, 1451-73	2.1	15
445	The distribution of genetic diversity in the <i>Neofusicoccum parvum</i> / <i>N. ribis</i> complex suggests structure correlated with level of disturbance. <i>Fungal Ecology</i> , <b>2015</b> , 13, 93-102	4.1	15
444	The genetic landscape of <i>Ceratocystis albifundus</i> populations in South Africa reveals a recent fungal introduction event. <i>Fungal Biology</i> , <b>2016</b> , 120, 690-700	2.8	15
443	Multiple introductions from multiple sources: invasion patterns for an important <i>Eucalyptus</i> leaf pathogen. <i>Ecology and Evolution</i> , <b>2015</b> , 5, 4210-20	2.8	15
442	Mitochondrial DNA diversity of <i>Cleruchoidea noackae</i> (Hymenoptera: Mymaridae): a potential biological control agent for <i>Thaumastocoris peregrinus</i> (Hemiptera: Thaumastocoridae). <i>BioControl</i> , <b>2012</b> , 57, 397-404	2.3	15

441	Diplodia scrobiculata found in the southern hemisphere. <i>Forest Pathology</i> , <b>2011</b> , 41, 175-181	1.2	15
440	Population diversity among Brazilian isolates of <i>Cryphonectria cubensis</i> . <i>Forest Ecology and Management</i> , <b>1998</b> , 112, 41-47	3.9	15
439	The eucalypt leaf blight pathogen <i>Kirramyces destructans</i> discovered in Australia. <i>Australasian Plant Disease Notes</i> , <b>2007</b> , 2, 141	0.8	15
438	New species of <i>Mycosphaerella</i> from Myrtaceae in plantations and native forests in eastern Australia. <i>Mycologia</i> , <b>2007</b> , 99, 461-474	2.4	15
437	Characterization of <i>Fusarium graminearum</i> from Acacia and Eucalyptus using $\beta$ -tubulin and histone gene sequences. <i>Mycologia</i> , <b>2001</b> , 93, 704-711	2.4	15
436	Harknessia Species Occurring in South Africa. <i>Mycologia</i> , <b>1993</b> , 85, 108-118	2.4	15
435	Ribosomal RNA sequence phylogeny is not congruent with ascospore morphology among species in <i>Ceratocystis sensu stricto</i> . <i>Molecular Biology and Evolution</i> , <b>1994</b> , 11, 376-83	8.3	15
434	Multiple gene sequences delimit <i>Botryosphaeria australis</i> sp. nov. from <i>B. lutea</i> . <i>Mycologia</i> , <b>2004</b> , 96, 1030-41	2.4	15
433	Cryptic speciation in <i>Fusarium subglutinans</i> . <i>Mycologia</i> , <b>2002</b> , 94, 1032-43	2.4	15
432	Circumscription of <i>Botryosphaeria</i> species associated with Proteaceae based on morphology and DNA sequence data. <i>Mycologia</i> , <b>2003</b> , 95, 294-307	2.4	15
431	<i>Phakopsora myrtacearum</i> sp. nov., a newly described rust (Pucciniales) on eucalypts in eastern and southern Africa. <i>Plant Pathology</i> , <b>2016</b> , 65, 189-195	2.8	14
430	It's All in the Genes: The Regulatory Pathways of Sexual Reproduction in Filamentous Ascomycetes. <i>Genes</i> , <b>2019</b> , 10,	4.2	14
429	Diseases on Eucalyptus species in Zimbabwean plantations and woodlots. <i>Southern Forests</i> , <b>2015</b> , 77, 221-230	0.6	14
428	Panmixia defines the genetic diversity of a unique arthropod-dispersed fungus specific to Protea flowers. <i>Ecology and Evolution</i> , <b>2014</b> , 4, 3444-55	2.8	14
427	Species of <i>Mycosphaerellaceae</i> and <i>Teratosphaeriaceae</i> on native Myrtaceae in Uruguay: evidence of fungal host jumps. <i>Fungal Biology</i> , <b>2013</b> , 117, 94-102	2.8	14
426	Ophiostomatoid fungi including two new fungal species associated with pine root-feeding beetles in northern Spain. <i>Antonie Van Leeuwenhoek</i> , <b>2014</b> , 106, 1167-84	2.1	14
425	First report of <i>Diplodia corticola</i> in Greece on kermes oak ( <i>Quercus coccifera</i> ). <i>Plant Pathology</i> , <b>2010</b> , 59, 805-805	2.8	14
424	Chemical control of <i>Alternaria</i> brown spot on <i>Minneola</i> tangelo in South Africa. <i>Annals of Applied Biology</i> , <b>1998</b> , 133, 17-30	2.6	14



4 <sup>23</sup>	Evaluation of fungicides for the control of <i>Botryosphaeria protearum</i> on <i>Protea magnifica</i> in the Western Cape Province of South Africa. <i>Australasian Plant Pathology</i> , <b>2004</b> , 33, 97	1.4	14
4 <sup>22</sup>	Effect of environment on the response of <i>Eucalyptus</i> clones to inoculation with <i>Cryphonectria cubensis</i> . <i>Forest Pathology</i> , <b>2002</b> , 32, 395-402	1.2	14
4 <sup>21</sup>	<i>Dematiocladium celtidis</i> gen. sp. nov. (Nectriaceae, Hypocreales), a new genus from <i>Celtis</i> leaf litter in Argentina. <i>Mycological Research</i> , <b>2005</b> , 109, 833-40		14
4 <sup>20</sup>	Three new species of <i>Leptographium</i> from pine. <i>Mycological Research</i> , <b>2001</b> , 105, 490-499		14
4 <sup>19</sup>	A new <i>Leptographium</i> species from Russia. <i>Mycological Research</i> , <b>2000</b> , 104, 1524-1529		14
4 <sup>18</sup>	Plantation disease and pest management in the next century. <i>Southern Forests</i> , <b>2001</b> , 190, 67-71		14
4 <sup>17</sup>	Ultrastructure of ascus arrangement and ascospore development in <i>Ophiostoma seticolle</i> . <i>Mycologia</i> , <b>1994</b> , 86, 607-614	2.4	14
4 <sup>16</sup>	The Anamorph of <i>Ophiostoma Francke-Grosmaniae</i> is a <i>Leptographium</i> . <i>Mycologia</i> , <b>1992</b> , 84, 857-862	2.4	14
4 <sup>15</sup>	A List of <i>Eucalyptus</i> Leaf Fungi and their Potential Importance to South African Forestry. <i>South African Forestry Journal</i> , <b>1989</b> , 149, 17-29		14
4 <sup>14</sup>	<i>Pseudocercospora eucalyptorum</i> sp. nov. on <i>Eucalyptus</i> leaves. <i>Mycological Research</i> , <b>1989</b> , 93, 394-398		14
4 <sup>13</sup>	The <i>Eucalyptus</i> shoot and leaf pathogen <i>Teratosphaeria destructans</i> recorded in South Africa. <i>Southern Forests</i> , <b>2016</b> , 78, 123-129	0.6	14
4 <sup>12</sup>	The pandemic biotype of <i>Austropuccinia psidii</i> discovered in South America. <i>Australasian Plant Pathology</i> , <b>2017</b> , 46, 267-275	1.4	13
4 <sup>11</sup>	First Report of Myrtle Rust Caused by <i>Austropuccinia psidii</i> on <i>Rhodomyrtus tomentosa</i> (Myrtaceae) from Singapore. <i>Plant Disease</i> , <b>2017</b> , 101, 1676-1676	1.5	13
4 <sup>10</sup>	Maternal effects on phenotype, resistance and the structuring of fungal communities in <i>Eucalyptus grandis</i> . <i>Environmental and Experimental Botany</i> , <b>2017</b> , 140, 120-127	5.9	13
4 <sup>09</sup>	Diversity of tree-infecting <i>Botryosphaerales</i> on native and non-native trees in South Africa and Namibia. <i>Australasian Plant Pathology</i> , <b>2017</b> , 46, 529-545	1.4	13
4 <sup>08</sup>	Long-distance dispersal and recolonization of a fire-destroyed niche by a mite-associated fungus. <i>Fungal Biology</i> , <b>2015</b> , 119, 245-56	2.8	13
4 <sup>07</sup>	Population dynamics of <i>Thaumastocoris peregrinus</i> in <i>Eucalyptus</i> plantations of South Africa. <i>Journal of Pest Science</i> , <b>2015</b> , 88, 97-106	5.5	13
4 <sup>06</sup>	Unexpected placement of the MAT1-1-2 gene in the MAT1-2 idiomorph of <i>Thielaviopsis</i> . <i>Fungal Genetics and Biology</i> , <b>2018</b> , 113, 32-41	3.9	13

- 405 Risk assessment for *Puccinia psidii* becoming established in South Africa. *Plant Pathology*, **2015**, 64, 1326-1335 13
- 404 Evidence of low levels of genetic diversity for the *Phytophthora austrocedrae* population in Patagonia, Argentina. *Plant Pathology*, **2014**, 63, 212-220 2.8 13
- 403 Die-off of giant *Euphorbia* trees in South Africa: Symptoms and relationships to climate. *South African Journal of Botany*, **2012**, 83, 172-185 2.9 13
- 402 Occurrence and pathogenicity of *Neofusicoccum parvum* and *N. mangiferae* on ornamental *Tibouchina* species. *Forest Pathology*, **2011**, 41, 48-51 1.2 13
- 401 Identification of fungal pathogens occurring in eucalypt and pine plantations in Zambia by comparing DNA sequences. *Forestry*, **2010**, 83, 507-515 2.2 13
- 400 Pruning quality affects infection of *Acacia mangium* and *A. crassicarpa* by *Ceratocystis acaciivora* and *Lasiodiplodia theobromae*. *Southern Forests*, **2011**, 73, 187-191 0.6 13
- 399 DNA-based method for rapid identification of the pine pathogen, *Phytophthora pinifolia*. *FEMS Microbiology Letters*, **2009**, 298, 99-104 2.9 13
- 398 *Homortomyces* gen. nov., a new dothidealean pycnidial fungus from the Cradle of Humankind. *IMA Fungus*, **2012**, 3, 109-115 6.8 13
- 397 *Quambalaria* species: increasing threat to eucalypt plantations in Australia. *Southern Forests*, **2009**, 71, 111-114 0.6 13
- 396 Discovery of the eucalypt pathogen *Quambalaria eucalypti* infecting a non-Eucalyptus host in Uruguay. *Australasian Plant Pathology*, **2008**, 37, 600 1.4 13
- 395 Sequence characterized amplified polymorphic markers for the pitch canker pathogen, *Fusarium circinatum*. *Molecular Ecology Notes*, **2002**, 2, 577-580 13
- 394 Characterization of *Fusarium graminearum* from *Acacia* and *Eucalyptus* Using [ $\beta$ ]-Tubulin and Histone Gene Sequences. *Mycologia*, **2001**, 93, 704 2.4 13
- 393 Foliicolous dematiaceous hyphomycetes from *Syzygium cordatum*. *Canadian Journal of Botany*, **1995**, 73, 224-234 13
- 392 Conidium development in the *Hyalorhinocladiella* anamorphs of *Ceratocystiopsis minuta-bicolor* and *Ophiostoma minus*. *Canadian Journal of Botany*, **1996**, 74, 891-897 13
- 391 *Leptographium elegans*: a new species from Taiwan. *Mycological Research*, **1994**, 98, 781-785 13
- 390 Differences in susceptibility of *Eucalyptus* species to *Phaeoseptoria eucalypti*. *Forest Pathology*, **1992**, 22, 418-423 1.2 13
- 389 Mating strategy and mating type distribution in six global populations of the *Eucalyptus* foliar pathogen *Teratosphaeria destructans*. *Fungal Genetics and Biology*, **2020**, 137, 103350 3.9 13
- 388 The *Ophiostoma clavatum* species complex: a newly defined group in the Ophiostomatales including three novel taxa. *Antonie Van Leeuwenhoek*, **2016**, 109, 987-1018 2.1 13

387	Ten new species of Calonectria from Indonesia and Vietnam. <i>Mycologia</i> , <b>2019</b> , 111, 78-102	2.4	13
386	Phylogenetic relationships among biological species of Armillaria from China. <i>Mycoscience</i> , <b>2015</b> , 56, 530-541	1.2	12
385	Maternal effects should be considered in the establishment of forestry plantations. <i>Forest Ecology and Management</i> , <b>2020</b> , 460, 117909	3.9	12
384	Population genetics and symbiont assemblages support opposing invasion scenarios for the red turpentine beetle ( <i>Dendroctonus valens</i> ). <i>Biological Journal of the Linnean Society</i> , <b>2016</b> , 118, 486-502	1.9	12
383	Three new species of Ophiostomatales from Nothofagus in Patagonia. <i>Mycological Progress</i> , <b>2016</b> , 15, 1	1.9	12
382	Culture-independent detection and quantification of <i>Fusarium circinatum</i> in a pine-producing seedling nursery. <i>Southern Forests</i> , <b>2014</b> , 76, 137-143	0.6	12
381	Development of polymorphic microsatellite markers for the genetic characterisation of <i>Knoxdaviesia proteae</i> (Ascomycota: Microascales) using ISSR-PCR and pyrosequencing. <i>Mycological Progress</i> , <b>2014</b> , 13, 439-444	1.9	12
380	Variability in aggressiveness of <i>Quambalaria pitereka</i> isolates. <i>Plant Pathology</i> , <b>2011</b> , 60, 1107-1117	2.8	12
379	Unexpected genetic diversity revealed in the Eucalyptus canker pathogen <i>Teratosphaeria gauchensis</i> . <i>Australasian Plant Pathology</i> , <b>2011</b> , 40, 497-503	1.4	12
378	Molecular and morphological characterization of <i>Dothiorella casuarini</i> sp. nov. and other Botryosphaeriaceae with diplodia-like conidia. <i>Mycologia</i> , <b>2009</b> , 101, 503-11	2.4	12
377	Susceptibility of South African native conifers to the pitch canker pathogen, <i>Fusarium circinatum</i> . <i>South African Journal of Botany</i> , <b>2009</b> , 75, 380-382	2.9	12
376	Single sequence repeat markers reflect diversity and geographic barriers in Eurasian populations of the conifer pathogen <i>Ceratocystis polonica</i> . <i>Forest Pathology</i> , <b>2009</b> , 39, 249-265	1.2	12
375	<i>Lasiodiplodia</i> species associated with dying <i>Euphorbia ingens</i> in South Africa. <i>Southern Forests</i> , <b>2011</b> , 73, 165-173	0.6	12
374	Fungal phoenix rising from the ashes?. <i>IMA Fungus</i> , <b>2010</b> , 1, 149-53	6.8	12
373	A new species of <i>Ophiostoma</i> from North America, similar to <i>Ophiostoma penicillatum</i> . <i>Canadian Journal of Botany</i> , <b>1997</b> , 75, 1315-1322		12
372	New species of <i>Calonectria</i> and <i>Cylindrocladium</i> isolated from soil in the tropics. <i>Mycologia</i> , <b>1997</b> , 89, 653-660	2.4	12
371	Conidium development in <i>Sporothrix</i> anamorphs of <i>Ophiostoma</i> . <i>Mycological Research</i> , <b>1997</b> , 101, 1108-1112		12
370	Characterization of the systems governing sexual and self-recognition in the white rot homobasidiomycete <i>Amylostereum areolatum</i> . <i>Current Genetics</i> , <b>2008</b> , 53, 323-36	2.9	12

- 369 Pesotum australi sp. nov. and Ophiostoma quercus associated with Acacia mearnsii trees in Australia and Uganda, respectively. *Australasian Plant Pathology*, **2008**, 37, 406 1.4 12
- 368 Amphilogia gen. nov. for Cryphonectria-like fungi from Elaeocarpus spp. in New Zealand and Sri Lanka. *Taxon*, **2005**, 54, 1009-1021 0.8 12
- 367 A disease epidemic on Zizyphus mucronata in the Kruger National Park caused by Coniodictyum chevalieri. *Studies in Mycology*, **2006**, 55, 279-88 22.2 12
- 366 Taxonomic Re-Evaluation of Three Related Species of Graphium, Based on Morphology, Ecology and Phylogeny. *Mycologia*, **2003**, 95, 714 2.4 12
- 365 Identification of the Armillaria root rot pathogen in Ethiopian plantations. *Forest Pathology*, **2004**, 34, 133-145 1.2 12
- 364 Pathogenicity of Cryphonectria eucalypti to Eucalyptus clones in South Africa. *Forest Ecology and Management*, **2003**, 176, 427-437 3.9 12
- 363 Epitypification of Ophiostoma galeiforme and phylogeny of species in the O. galeiforme complex. *Mycologia*, **2004**, 96, 1306-1315 2.4 12
- 362 The future of exotic plantation forestry in the tropics and southern Hemisphere: Lessons from pitch canker. *Southern Forests*, **2002**, 195, 79-82 12
- 361 Effect of Metalaxyl Resistance and Cultivar Resistance on Control of Phytophthora nicotianae in Tobacco. *Plant Disease*, **2002**, 86, 362-366 1.5 12
- 360 Exotic pine forestry in the Southern Hemisphere: A brief history of establishment and quarantine practices. *Southern Forests*, **2001**, 192, 79-83 12
- 359 A Taxonomic Reassessment of Phyllachora proteae, a Leaf Pathogen of Proteaceae. *Mycologia*, **1999**, 91, 510 2.4 12
- 358 Graphium pseudormiticum sp. nov.: a new hyphomycete with unusual conidiogenesis. *Mycological Research*, **1994**, 98, 1272-1276 12
- 357 Integrated management of forest tree diseases in South Africa. *Forest Ecology and Management*, **1994**, 65, 11-16 3.9 12
- 356 Pathologists and entomologists must join forces against forest pest and pathogen invasions. *NeoBiota*, **58**, 107-127 4.2 12
- 355 Ophiostoma species (Ophiostomatales, Ascomycota), including two new taxa on eucalypts in Australia. *Australian Journal of Botany*, **2011**, 59, 283 1.2 12
- 354 Four New Host and Three New State Records of Dothistroma Needle Blight Caused by Dothistroma pini in the United States. *Plant Disease*, **2014**, 98, 1443 1.5 12
- 353 Genomic characterization of mating type loci and mating type distribution in two apparently asexual plantation tree pathogens. *Plant Pathology*, **2020**, 69, 28-37 2.8 12
- 352 Antifungal spp. Associated with the Infructescences of spp. in South Africa. *Frontiers in Microbiology*, **2016**, 7, 1657 5.7 12

351	Corticimorbus sinomyrti gen. et sp. nov. (Cryphonectriaceae) pathogenic to native Rhodomyrtus tomentosa (Myrtaceae) in South China. <i>Plant Pathology</i> , <b>2016</b> , 65, 1254-1266	2.8	12
350	Diplodia sapinea found on Scots pine in Finland. <i>Forest Pathology</i> , <b>2018</b> , 49, e12483	1.2	12
349	Diversity, phylogeny and pathogenicity of Botryosphaeriaceae on non-native Eucalyptus grown in an urban environment: A case study. <i>Urban Forestry and Urban Greening</i> , <b>2017</b> , 26, 139-148	5.4	11
348	Euwallacea perbrevis (Coleoptera: Curculionidae: Scolytinae), a confirmed pest on Acacia crassiparva in Riau, Indonesia, and a new fungal symbiont; Fusarium rekanum sp. nov. <i>Antonie Van Leeuwenhoek</i> , <b>2020</b> , 113, 803-823	2.1	11
347	Host specificity of co-infecting Botryosphaeriaceae on ornamental and forest trees in the Western Balkans. <i>Forest Pathology</i> , <b>2018</b> , 48, e12410	1.2	11
346	Evolution of the mating types and mating strategies in prominent genera in the Botryosphaeriaceae. <i>Fungal Genetics and Biology</i> , <b>2018</b> , 114, 24-33	3.9	11
345	Pathogenicity and sporulation of Phytophthora pinifolia on Pinus radiata in Chile. <i>Australasian Plant Pathology</i> , <b>2013</b> , 42, 413-420	1.4	11
344	Putative origins of the fungus Leptographium procerum. <i>Fungal Biology</i> , <b>2017</b> , 121, 82-94	2.8	11
343	and on : Opportunists or Primary Pathogens?. <i>Frontiers in Plant Science</i> , <b>2017</b> , 8, 761	6.2	11
342	Phylogenetic placement of Itajahya: An unusual Jacaranda fungal associate. <i>IMA Fungus</i> , <b>2015</b> , 6, 257-626.8		11
341	First report of Teratosphaeria zuluensis causing stem canker of Eucalyptus grandis in Uganda. <i>Forest Pathology</i> , <b>2014</b> , 44, 242-245	1.2	11
340	New species of Gondwanamyces from dying Euphorbia trees in South Africa. <i>Mycologia</i> , <b>2012</b> , 104, 574-844		11
339	Genetic analysis of growth, morphology and pathogenicity in the F(1) progeny of an interspecific cross between Fusarium circinatum and Fusarium subglutinans. <i>Fungal Biology</i> , <b>2011</b> , 115, 902-8	2.8	11
338	Biological pest control in beetle agriculture. <i>Trends in Microbiology</i> , <b>2009</b> , 17, 179-82	12.4	11
337	The Eucalyptus canker pathogen Chrysosporthe cubensis discovered in eastern Australia. <i>Australasian Plant Pathology</i> , <b>2010</b> , 39, 343	1.4	11
336	Population structure of Cylindrocladium parasiticum infecting peanuts (Arachis hypogaea) in Georgia, USA. <i>European Journal of Plant Pathology</i> , <b>2010</b> , 127, 199-206	2.1	11
335	The Symptoms and Cause of Guava Wilt in South Africa. <i>Journal of Phytopathology</i> , <b>1997</b> , 145, 37-41	1.8	11
334	Vegetative incompatibility in Diaporthe ambigua. <i>Plant Pathology</i> , <b>1997</b> , 46, 366-372	2.8	11

333	Aurapex penicillata gen. sp. nov. from native Miconia theaezans and Tibouchina spp. in Colombia. <i>Mycologia</i> , <b>2006</b> , 98, 105-15	2.4	11
332	Molecular characterization of Endothia gyrosa isolates from Eucalyptus in South Africa and Australia. <i>Plant Pathology</i> , <b>2001</b> , 50, 211-217	2.8	11
331	Leptographium pini-densiflorae sp. nov. from Japanese red pine. <i>Mycoscience</i> , <b>2000</b> , 41, 425-430	1.2	11
330	Zygozoma smithiae sp.n. (Lipomycetaceae), a new ambrosia yeast from southern Africa. <i>Antonie Van Leeuwenhoek</i> , <b>1990</b> , 58, 95-8	2.1	11
329	First record of a rust on Acacia mearnsii in Southern Africa. <i>Transactions of the British Mycological Society</i> , <b>1988</b> , 90, 324-327		11
328	Pheromone expression reveals putative mechanism of unisexuality in a saprobic ascomycete fungus. <i>PLoS ONE</i> , <b>2018</b> , 13, e0192517	3.7	11
327	Mating genes in and evidence for a heterothallic ancestral state. <i>Persoonia: Molecular Phylogeny and Evolution of Fungi</i> , <b>2020</b> , 45, 163-176	9	11
326	Genetic basis for high population diversity in Protea-associated Knoxdaviesia. <i>Fungal Genetics and Biology</i> , <b>2016</b> , 96, 47-57	3.9	11
325	Invasion history and management of Eucalyptus snout beetles in the Gonipterus scutellatus species complex. <i>Journal of Pest Science</i> , <b>2020</b> , 93, 11-25	5.5	11
324	Diversity of entomopathogenic nematodes and their symbiotic bacteria in south African plantations and indigenous forests. <i>Nematology</i> , <b>2018</b> , 20, 355-371	0.9	10
323	Nursery-linked plantation outbreaks and evidence for multiple introductions of the pitch canker pathogen Fusarium circinatum into South Africa. <i>Plant Pathology</i> , <b>2016</b> , 65, 357-368	2.8	10
322	Steinernema fabii n. sp. (Rhabditida: Steinernematidae), a new entomopathogenic nematode from South Africa. <i>Nematology</i> , <b>2016</b> , 18, 235-255	0.9	10
321	Endophyte isolations from Syzygium cordatum and a Eucalyptus clone (Myrtaceae) reveal new host and geographical reports for the Mycosphaerellaceae and Teratosphaeriaceae. <i>Australasian Plant Pathology</i> , <b>2014</b> , 43, 503-512	1.4	10
320	Identification and genetic diversity of Rosellinia spp. associated with root rot of coffee in Colombia. <i>Australasian Plant Pathology</i> , <b>2013</b> , 42, 515-523	1.4	10
319	Two new species of Leptographium from Dryocetes authographus and Hylastes cunicularius in Norway. <i>Mycological Progress</i> , <b>2010</b> , 9, 69-78	1.9	10
318	Clonality in South African isolates and evidence for a European origin of the root pathogen Thielaviopsis basicola. <i>Mycological Research</i> , <b>2006</b> , 110, 306-11		10
317	Morphological, cultural and pathogenic characteristics of Coniothyrium zuluense isolates from different plantation regions in South Africa. <i>Mycopathologia</i> , <b>2002</b> , 155, 149-53	2.9	10
316	Puccinia psidii on Eucalyptus globulus in Uruguay. <i>Plant Pathology</i> , <b>2003</b> , 52, 427-427	2.8	10

315	Classification of the guava wilt fungus <i>Myxosporium psidii</i> , the palm pathogen <i>Gliocladium vermoesenii</i> and the persimmon wilt fungus <i>Acremonium diospyri</i> in Nalanthamala. <i>Mycologia</i> , <b>2005</b> , 97, 375-395	2.4	10
314	Relationships among <i>Amylostereum</i> species associated with siricid woodwasps inferred from mitochondrial ribosomal DNA sequences. <i>Mycologia</i> , <b>2000</b> , 92, 955-963	2.4	10
313	<i>Leptographium guttulatum</i> sp. nov., a new species from spruce and pine in Europe. <i>Mycologia</i> , <b>2001</b> , 93, 380-388	2.4	10
312	Variation in conidial morphology among geographic isolates of <i>Sphaeropsis sapinea</i> . <i>Mycological Research</i> , <b>1993</b> , 97, 832-838		10
311	Conidial development in the anamorph of <i>Ophiostoma cucullatum</i> . <i>Mycological Research</i> , <b>1989</b> , 93, 91-95		10
310	New and interesting records of South African fungi. X. New records of Eucalyptus leaf fungi. <i>South African Journal of Botany</i> , <b>1990</b> , 56, 583-586	2.9	10
309	<i>Verticicladiella alacris</i> , a synonym of <i>V. serpens</i> . <i>Transactions of the British Mycological Society</i> , <b>1981</b> , 76, 508-510		10
308	Fungal Systematics and Evolution: FUSE 3 <b>2017</b> , 69, 229-264		10
307	Harmonising the fields of invasion science and forest pathology. <i>NeoBiota</i> , <b>62</b> , 301-332	4.2	10
306	New and Interesting Fungi. 4. <i>Fungal Systematics and Evolution</i> , <b>2021</b> , 7, 255-343	2.6	10
305	Shot hole disease on <i>Prunus laurocerasus</i> caused by <i>Neofusicoccum parvum</i> in Serbia. <i>Forest Pathology</i> , <b>2016</b> , 46, 666-669	1.2	10
304	Armillaria root rot spreading into a natural woody ecosystem in South Africa. <i>Plant Pathology</i> , <b>2018</b> , 67, 883-891	2.8	10
303	Botanical gardens provide valuable baseline <i>Phytophthora</i> diversity data. <i>Urban Forestry and Urban Greening</i> , <b>2019</b> , 46, 126461	5.4	9
302	Multiple <i>Phytophthora</i> species associated with a single riparian ecosystem in South Africa. <i>Mycologia</i> , <b>2015</b> , 107, 915-25	2.4	9
301	A new genus of <i>Cryphonectriaceae</i> isolated from <i>Lagerstroemia speciosa</i> in southern China. <i>Plant Pathology</i> , <b>2018</b> , 67, 107-123	2.8	9
300	<i>Ophiostomatoid</i> fungi associated with mangroves in South Africa, including <i>Ophiostoma palustre</i> sp. nov. <i>Antonie Van Leeuwenhoek</i> , <b>2016</b> , 109, 1555-1571	2.1	9
299	<i>Lecanosticta acicola</i> : A growing threat to expanding global pine forests and plantations. <i>Molecular Plant Pathology</i> , <b>2019</b> , 20, 1327-1364	5.7	9
298	Perception and knowledge of the <i>Sirex</i> woodwasp and other forest pests in South Africa. <i>Agricultural and Forest Entomology</i> , <b>2012</b> , 14, 306-316	1.9	9

297	Botryosphaeriaceae associated with die-back of Schizolobium parahyba trees in South Africa and Ecuador. <i>Forest Pathology</i> , <b>2014</b> , 44, 396-408	1.2	9
296	Species delineation in the tree pathogen genus <i>Celoporthe</i> (Cryphonectriaceae) in southern Africa. <i>Mycologia</i> , <b>2013</b> , 105, 297-311	2.4	9
295	(117119) Proposals to make the prepublication deposit of key nomenclatural information in a recognized repository a requirement for valid publication of organisms treated as fungi under the Code. <i>Taxon</i> , <b>2010</b> , 59, 660-662	0.8	9
294	Comparison of procedures to evaluate the pathogenicity of <i>Ceratocystis fimbriata</i> sensu lato isolates from Eucalyptus in South Africa. <i>Southern Forests</i> , <b>2010</b> , 72, 57-62	0.6	9
293	Plantation forestry diseases in Zambia: Contributing factors and management options. <i>Annals of Forest Science</i> , <b>2010</b> , 67, 802-802	3.1	9
292	First report of <i>Sphaeropsis</i> canker on cypress in South Africa. <i>Forest Pathology</i> , <b>1997</b> , 27, 173-177	1.2	9
291	The teleomorph of <i>Leptographium yunnanense</i> , discovered in crosses among isolates from Thailand, China, and Japan. <i>Mycoscience</i> , <b>2008</b> , 49, 233-240	1.2	9
290	Population structure of the fungal pathogen <i>Holocryphia eucalypti</i> in Australia and South Africa. <i>Australasian Plant Pathology</i> , <b>2008</b> , 37, 154	1.4	9
289	Quambalaria leaf and shoot blight on <i>Eucalyptus nitens</i> in South Africa. <i>Australasian Plant Pathology</i> , <b>2006</b> , 35, 427	1.4	9
288	Molecular detection of fungi carried by <i>Bradysia difformis</i> (Sciaridae: Diptera) in South African forestry nurseries. <i>Southern Forests</i> , <b>2007</b> , 69, 103-109		9
287	<i>Ophiostoma europioides</i> and <i>Ceratocystis pseudoeuropioides</i> , synonyms of <i>O. piceaperdum</i> . <i>Mycological Research</i> , <b>2000</b> , 104, 238-243		9
286	A re-examination of the vascular wilt pathogen of takamaka ( <i>Calophyllum inophyllum</i> ). <i>Mycological Research</i> , <b>1999</b> , 103, 1588-1592		9
285	Conidium Development in the <i>Hyalorhinocladiella</i> Anamorph of <i>Ophiostoma ips</i> . <i>Mycologia</i> , <b>1995</b> , 87, 298	2.4	9
284	New records of <i>Cylindrocladium</i> and <i>Cylindrocladiella</i> spp. in South Africa. <i>Plant Pathology</i> , <b>1993</b> , 42, 302-305	2.8	9
283	Variation in from plantations in YunNan Province in southwestern China across a climatic gradient. <i>IMA Fungus</i> , <b>2020</b> , 11, 22	6.8	9
282	Botanical gardens as key resources and hazards for biosecurity. <i>Biodiversity and Conservation</i> , <b>2021</b> , 30, 1929-1946	3.4	9
281	Endophytic Cryphonectriaceae on native Myrtales: Possible origin of <i>Chrysosporthe</i> canker on plantation-grown Eucalyptus. <i>Fungal Biology</i> , <b>2016</b> , 120, 827-35	2.8	9
280	Draft genome sequences of five species from plantations in China, , and. <i>IMA Fungus</i> , <b>2019</b> , 10, 22	6.8	9



279	Ceratocystidaceae exhibit high levels of recombination at the mating-type (MAT) locus. <i>Fungal Biology</i> , <b>2018</b> , 122, 1184-1191	2.8	9
278	Xanthomonas perforans: a tomato and pepper pathogen associated with bacterial blight and dieback of Eucalyptus pellita seedlings in Indonesia. <i>Australasian Plant Pathology</i> , <b>2019</b> , 48, 543-551	1.4	8
277	Dissimilar stem and leaf hydraulic traits suggest varying drought tolerance among co-occurring Eucalyptus grandis [E. urophylla] clones. <i>Southern Forests</i> , <b>2018</b> , 80, 175-184	0.6	8
276	Development of microsatellite markers for the pine needle blight pathogen, Dothistroma pini. <i>Forest Pathology</i> , <b>2016</b> , 46, 497-506	1.2	8
275	Clonal structure of Ceratocystis manginecans populations from mango wilt disease in Oman and Pakistan. <i>Australasian Plant Pathology</i> , <b>2014</b> , 43, 393	1.4	8
274	Susceptibility of provenances and families of Pinus maximinoi and Pinus tecunumanii to frost in South Africa. <i>New Forests</i> , <b>2013</b> , 44, 135-146	2.6	8
273	Testing Projected Climate Change Conditions on the / Pathosystem Shows Fungal Strain Specific Effects. <i>Frontiers in Plant Science</i> , <b>2017</b> , 8, 883	6.2	8
272	Knoxdaviesia proteae is not the only Knoxdaviesia-symbiont of Protea repens. <i>IMA Fungus</i> , <b>2015</b> , 6, 471-6.8		8
271	Effect on nursery and field performance of Pinus patula seedlings after inoculation with Fusarium circinatum. <i>Southern Forests</i> , <b>2014</b> , 76, 125-136	0.6	8
270	DNA sequence incongruence and inconsistent morphology obscure species boundaries in the Teratosphaeria suttonii species complex. <i>Mycoscience</i> , <b>2012</b> , 53, 270-283	1.2	8
269	Biodiversity: So much more than legs and leaves. <i>South African Journal of Science</i> , <b>2013</b> , 109, 1-9	1.3	8
268	Spread and development of quambalaria shoot blight in spotted gum plantations. <i>Plant Pathology</i> , <b>2011</b> , 60, 1096-1106	2.8	8
267	Characterization of a novel dsRNA element in the pine endophytic fungus Diplodia scrobiculata. <i>Archives of Virology</i> , <b>2011</b> , 156, 1199-208	2.6	8
266	Discovery of Ophiostoma tsotsi on Eucalyptus wood chips in China. <i>Mycoscience</i> , <b>2011</b> , 52, 111-118	1.2	8
265	Tolerance of Pinus patula full-sib families to Fusarium circinatum in a greenhouse study. <i>Southern Forests</i> , <b>2012</b> , 74, 247-252	0.6	8
264	Genetic diversity of Bradysia difformis (Sciaridae: Diptera) populations reflects movement of an invasive insect between forestry nurseries. <i>Biological Invasions</i> , <b>2010</b> , 12, 729-733	2.7	8
263	Systematic appraisal of species complexes within Cyndrocladiella. <i>Mycological Research</i> , <b>1998</b> , 102, 273-279		8
262	Seiridium cardinale on Juniperus species in Greece. <i>Forest Pathology</i> , <b>2007</b> , 37, 338-347	1.2	8

- 261 Aurapex penicillata gen. sp. nov. from native Miconia theaezans and Tibouchina spp. in Colombia. *Mycologia*, **2006**, 98, 105-115 2.4 8
- 260 A PCR-RFLP based diagnostic technique to rapidly identify Seiridium species causing cypress canker. *Mycologia*, **2004**, 96, 1352-1354 2.4 8
- 259 Leptographium guttulatum sp. nov., a New Species from Spruce and Pine in Europe. *Mycologia*, **2001**, 93, 380 2.4 8
- 258 Cloning and sequence analysis of the endopolygalacturonase gene from the pitch canker fungus, Fusarium circinatum. *Current Microbiology*, **2001**, 42, 350-2 2.4 8
- 257 Molecular relatedness of the polygalacturonase-inhibiting protein genes in Eucalyptus species. *Theoretical and Applied Genetics*, **2001**, 102, 645-650 6 8
- 256 Xenochalara, a new genus of dematiaceous hyphomycetes for chalara-like fungi with apical wall building conidial development. *South African Journal of Botany*, **2000**, 66, 99-103 2.9 8
- 255 Relationships among Amylostereum Species Associated with Siricid Woodwasps Inferred from Mitochondrial Ribosomal DNA Sequences. *Mycologia*, **2000**, 92, 955 2.4 8
- 254 Leptographium costaricense sp. nov., a new species from roots of Talauma sambuensis from Costa Rica. *Mycological Research*, **1996**, 100, 732-736 8
- 253 Fungal Pathogens in Pinus and Eucalyptus Seedling Nurseries in South Africa: A Review. *South African Forestry Journal*, **1992**, 161, 45-51 8
- 252 Shoot and Needle Diseases of Pinus spp. in South Africa. *South African Forestry Journal*, **1990**, 154, 60-66 8
- 251 Development of macroconidia in Fusarium. *Transactions of the British Mycological Society*, **1987**, 88, 347-353 8
- 250 Ascospore development in Ceratocystis sensu lato (Fungi): a review. *Bothalia*, **1990**, 20, 141-145 1.2 8
- 249 First Report of Ceratocystis Wilt of Acacia mearnsii in Uganda. *Plant Disease*, **2001**, 85, 1029 1.5 8
- 248 IMA Genome - F13: Draft genome sequences of , and. *IMA Fungus*, **2020**, 11, 19 6.8 8
- 247 Reconsideration of species boundaries and proposed DNA barcodes for. *Studies in Mycology*, **2020**, 97, 100106 22.2 8
- 246 A taxonomic review of white grubs and leaf chafers (Coleoptera: Scarabaeidae: Melolonthinae) recorded from forestry and agricultural crops in Sub-Saharan Africa. *Bulletin of Entomological Research*, **2016**, 106, 141-53 1.7 8
- 245 IMA Genome-F 11: Draft genome sequences of and and genome annotation for. *IMA Fungus*, **2019**, 10, 13 6.8 8
- 244 Maternal environment regulates morphological and physiological traits in Eucalyptus grandis. *Forest Ecology and Management*, **2019**, 432, 631-636 3.9 8

243	Molecular phylogenetics and microsatellite analysis reveal a new pathogenic <i>Ceratocystis</i> species in the Asian-Australian clade. <i>Plant Pathology</i> , <b>2018</b> , 67, 1097-1113	2.8	8
242	Biodiversity of pine-needle blight pathogens suggests a Mesoamerican Centre of origin. <i>IMA Fungus</i> , <b>2019</b> , 10, 2	6.8	7
241	The novel <i>Huntia</i> <i>omaniensis</i> mating gene, MAT1-2-7, is essential for ascomatal maturation. <i>Fungal Genetics and Biology</i> , <b>2020</b> , 137, 103335	3.9	7
240	Birds Mediate a Fungus-Mite Mutualism. <i>Microbial Ecology</i> , <b>2018</b> , 75, 863-874	4.4	7
239	New Botryosphaeriales on native red milkwood ( <i>Mimusops caffra</i> ). <i>Australasian Plant Pathology</i> , <b>2018</b> , 47, 475-484	1.4	7
238	Microsatellite and mating type markers reveal unexpected patterns of genetic diversity in the pine root-infecting fungus <i>Grosmannia alacris</i> . <i>Plant Pathology</i> , <b>2015</b> , 64, 235-242	2.8	7
237	First report of <i>Puccinia psidii</i> on <i>Corymbia citriodora</i> and <i>Eucalyptus</i> in Colombia. <i>Forest Pathology</i> , <b>2015</b> , 45, 534-536	1.2	7
236	A new <i>Ophiostoma</i> species from loblolly pine roots in the southeastern United States. <i>Mycological Progress</i> , <b>2010</b> , 9, 447-457	1.9	7
235	A new <i>Ophiostoma</i> species with a <i>Graphium</i> anamorph from <i>Larix laricina</i> in eastern North America. <i>Mycologia</i> , <b>1997</b> , 89, 332-338	2.4	7
234	Development of polymorphic microsatellite markers for the fungal tree pathogen <i>Cryphonectria eucalypti</i> . <i>Molecular Ecology Notes</i> , <b>2005</b> , 5, 558-561		7
233	New <i>Leptographium</i> species from Indonesia and Eastern North America. <i>Mycoscience</i> , <b>2000</b> , 41, 595-606	1.2	7
232	Relatedness of <i>Custingophora olivaceae</i> to <i>Gondwanamyces</i> spp. from <i>Protea</i> spp.. <i>Mycological Research</i> , <b>1999</b> , 103, 497-500		7
231	<i>Batcheloromyces</i> species occurring on Proteaceae in South Africa. <i>Mycological Research</i> , <b>1999</b> , 103, 1478-1484		7
230	Diseases of Black Wattle in South Africa: A Review. <i>South African Forestry Journal</i> , <b>1995</b> , 174, 35-40		7
229	Conidium development in <i>Phialocephala dimorphospora</i> and a new pattern of wall thickening. <i>Mycological Research</i> , <b>1993</b> , 97, 99-104		7
228	A Review of <i>Lasiodiplodia theobromae</i> with Particular Reference to its Occurrence on Coniferous Seeds. <i>South African Forestry Journal</i> , <b>1993</b> , 166, 47-52		7
227	Ultrastructural study of ascoma and ascospore development in <i>Ophiostoma distortum</i> and <i>Ophiostoma minus</i> . <i>Canadian Journal of Botany</i> , <b>1991</b> , 69, 2529-2538		7
226	Pathogenicity of <i>Bursaphelenchus xylophilus</i> on Pines in Minnesota and Wisconsin. <i>Journal of Nematology</i> , <b>1986</b> , 18, 44-9	1.1	7

225	Diversity and pathogenicity of the Ceratocystidaceae associated with cacao agroforests in Cameroon. <i>Plant Pathology</i> , <b>2016</b> , 65, 64-78	2.8	7
224	Heterothallism revealed in the root rot fungi <i>Berkeleyomyces basicola</i> and <i>B. rouxiae</i> . <i>Fungal Biology</i> , <b>2018</b> , 122, 1031-1040	2.8	7
223	Phylogenetic relationships of <i>Cryphonectria</i> and <i>Endothia</i> species, based on DNA sequence data and morphology. <i>Mycologia</i> , <b>2004</b> , 96, 990-1001	2.4	7
222	<i>Ceratocystis pirilliformis</i> , a new species from <i>Eucalyptus nitens</i> in Australia. <i>Mycologia</i> , <b>2003</b> , 95, 865-71	2.4	7
221	Molecular identification and phylogeny of <i>Armillaria</i> isolates from South America and Indo-Malaysia. <i>Mycologia</i> , <b>2003</b> , 95, 285-93	2.4	7
220	Genomic analysis of the aggressive tree pathogen <i>Ceratocystis albifundus</i> . <i>Fungal Biology</i> , <b>2019</b> , 123, 351-363	2.8	6
219	Mating type markers reveal high levels of heterothallism in <i>Leptographium sensu lato</i> . <i>Fungal Biology</i> , <b>2016</b> , 120, 538-546	2.8	6
218	Insects and Diseases of Mediterranean Forests: A South African Perspective <b>2016</b> , 397-430		6
217	Three <i>Ganoderma</i> species, including <i>Ganoderma dunense</i> sp. nov., associated with dying <i>Acacia cyclops</i> trees in South Africa. <i>Australasian Plant Pathology</i> , <b>2018</b> , 47, 431-447	1.4	6
216	QTL mapping of mycelial growth and aggressiveness to distinct hosts in <i>Ceratocystis</i> pathogens. <i>Fungal Genetics and Biology</i> , <b>2019</b> , 131, 103242	3.9	6
215	Comparison of the tolerance of <i>Pinus patula</i> seedlings and established trees to infection by <i>Fusarium circinatum</i> . <i>Southern Forests</i> , <b>2014</b> , 76, 151-159	0.6	6
214	Parallel host range expansion in two unrelated cossid moths infesting <i>Eucalyptus nitens</i> on two continents. <i>Ecological Entomology</i> , <b>2013</b> , 38, 112-116	2.1	6
213	Contrasting carbon metabolism in saprotrophic and pathogenic microascalean fungi from <i>Protea</i> trees. <i>Fungal Ecology</i> , <b>2017</b> , 30, 88-100	4.1	6
212	Population structure of <i>Chrysosporthe austroafricana</i> in southern Africa determined using Vegetative Compatibility Groups (VCGs). <i>Forest Pathology</i> , <b>2013</b> , 43, 124-131	1.2	6
211	Gene expression associated with vegetative incompatibility in <i>Amylostereum areolatum</i> . <i>Fungal Genetics and Biology</i> , <b>2011</b> , 48, 1034-43	3.9	6
210	Development and characterization of polymorphic markers for the sap-stain fungus <i>Ophiostoma quercus</i> . <i>Molecular Ecology Resources</i> , <b>2009</b> , 9, 399-401	8.4	6
209	Fifty Years of Tree Pest and Pathogen Invasions, Increasingly Threatening World Forests <b>2010</b> , 89-99		6
208	Isolation and characterization of microsatellite loci in <i>Cylindrocladium parasiticum</i> . <i>Molecular Ecology Notes</i> , <b>2006</b> , 6, 110-112		6

207	Development of polymorphic microsatellite markers for the Eucalyptus leaf pathogen <i>Mycosphaerella nubilosa</i> . <i>Molecular Ecology Notes</i> , <b>2006</b> , 6, 900-903		6
206	Diseases and insect pests of <i>Gmelina arborea</i> : real threats and real opportunities. <i>New Forests</i> , <b>2004</b> , 28, 227-243	2.6	6
205	(1686) Proposal to conserve the name <i>Cryphonectria</i> (Diaporthales) with a conserved type. <i>Taxon</i> , <b>2005</b> , 54, 539-540	0.8	6
204	<i>Cornuvesica</i> , a new genus to accommodate <i>Ceratocystiopsis falcata</i> . <i>Mycological Research</i> , <b>2000</b> , 104, 365-367		6
203	A Preliminary, Annotated List of Foliar Pathogens of Eucalyptus spp, in Chile. <i>South African Forestry Journal</i> , <b>1995</b> , 173, 53-57		6
202	Septal micropores in <i>Zygozoma</i> and their taxonomic significance. <i>Antonie Van Leeuwenhoek</i> , <b>1991</b> , 59, 77-80	2.1	6
201	Delimitation of <i>Fusarium crookwellense</i> macroconidia. <i>Transactions of the British Mycological Society</i> , <b>1988</b> , 91, 611-617		6
200	Double-stranded RNA and associated virulence in South African isolates of <i>Sphaeropsis sapinea</i> . <i>Canadian Journal of Botany</i> , <b>1998</b> , 76, 1412-1417		6
199	New host associations and a novel species for the gall-inducing acacia rust genus in South Africa. <i>MycKeys</i> , <b>2018</b> , 1-21	2.4	6
198	Taxonomy and phylogeny of the complex (Ophiostomatales, Ascomycota), including descriptions of six new species from China and Europe. <i>MycKeys</i> , <b>2019</b> , 60, 93-123	2.4	6
197	<i>Dothistroma septosporum</i> Identified in Greece on <i>Pinus brutia</i> and <i>Pinus nigra</i> Plantations. <i>Plant Disease</i> , <b>2013</b> , 97, 1247	1.5	6
196	Pathogenicity of <i>Chrysoporthe deuterocubensis</i> and <i>Myrtoporthe bodenii</i> gen. et sp. nov. on Eucalyptus in Sabah, Malaysia. <i>Australasian Plant Pathology</i> , <b>2020</b> , 49, 53-64	1.4	6
195	The Eucalyptus stem canker pathogen <i>Teratosphaeria gauchensis</i> represents distinct genetic groups in Africa and South America. <i>Forest Pathology</i> , <b>2016</b> , 46, 229-239	1.2	6
194	The global diversity of <i>Deladenus siricidicola</i> in native and non-native populations. <i>Biological Control</i> , <b>2019</b> , 132, 57-65	3.8	6
193	Genetic uniformity characterizes the invasive spread of <i>Neofusicoccum parvum</i> and <i>Diplodia sapinea</i> in the Western Balkans. <i>Forest Pathology</i> , <b>2019</b> , 49, e12491	1.2	6
192	Chromium sequencing: the doors open for genomics of obligate plant pathogens. <i>BioTechniques</i> , <b>2018</b> , 65, 253-257	2.5	6
191	Genetic diversity of the pine pathogen <i>Lecanosticta acicola</i> in Slovenia and Croatia. <i>Plant Pathology</i> , <b>2019</b> , 68, 1120-1131	2.8	5
190	Fungi associated with black mould on baobab trees in southern Africa. <i>Antonie Van Leeuwenhoek</i> , <b>2015</b> , 108, 85-95	2.1	5

189	New host range and distribution of <i>Ceratocystis pirilliformis</i> in South Africa. <i>European Journal of Plant Pathology</i> , <b>2016</b> , 146, 483-496	2.1	5
188	Genome sequences of <i>Knoxdaviesia capensis</i> and <i>K. proteae</i> (Fungi: Ascomycota) from Protea trees in South Africa. <i>Standards in Genomic Sciences</i> , <b>2016</b> , 11, 22		5
187	Virulence and survival of native entomopathogenic nematodes for the management of white grubs in South Africa. <i>Biological Control</i> , <b>2019</b> , 137, 104043	3.8	5
186	Three new and important insect pests recorded for the first time in Colombian plantations. <i>Southern Forests</i> , <b>2014</b> , 76, 245-252	0.6	5
185	<i>Pseudocercospora mapelanensis</i> sp. nov., associated with a fruit and leaf disease of <i>Barringtonia racemosa</i> in South Africa. <i>Australasian Plant Pathology</i> , <b>2015</b> , 44, 349-359	1.4	5
184	A rapid, apple-based test for virulence in <i>Cryphonectria cubensis</i> isolates. <i>Forest Pathology</i> , <b>1998</b> , 28, 409-412	1.2	5
183	<i>Holocryphia eucalypti</i> on <i>Tibouchina urvilleana</i> in Australia. <i>Australasian Plant Pathology</i> , <b>2007</b> , 36, 560	1.4	5
182	Development of polymorphic markers for the root pathogen <i>Thielaviopsis basicola</i> using ISSR-PCR. <i>Molecular Ecology Notes</i> , <b>2004</b> , 4, 547-550		5
181	A Rapid Seedling Based Screening Technique to Assay Tobacco for Resistance to <i>Phytophthora nicotianae</i> . <i>Journal of Phytopathology</i> , <b>2003</b> , 151, 389-394	1.8	5
180	Primers for the amplification of sequence-characterized loci in <i>Cryphonectria cubensis</i> populations. <i>Molecular Ecology Notes</i> , <b>2003</b> , 3, 494-497		5
179	Relative susceptibility of northern and southern provenances of <i>Pinus greggii</i> to infection by <i>Sphaeropsis sapinea</i> . <i>Forest Ecology and Management</i> , <b>2002</b> , 166, 331-336	3.9	5
178	<i>Kionochaeta pini</i> sp. nov. and <i>Verrucophragmia splendens</i> gen. nov. from leaf litter in South Africa. <i>Mycologia</i> , <b>1994</b> , 86, 447-450	2.4	5
177	Ultrastructure of Ascus Arrangement and Ascospore Development in <i>Ophiostoma seticolle</i> . <i>Mycologia</i> , <b>1994</b> , 86, 607	2.4	5
176	Three new <i>Leptographium</i> species associated with conifer roots in the United States. <i>Canadian Journal of Botany</i> , <b>1994</b> , 72, 227-238		5
175	The effect of site preparation and fertilization on the severity of <i>Phaeoseptoria eucalypti</i> on <i>Eucalyptus</i> species. <i>Forest Pathology</i> , <b>1992</b> , 22, 424-431	1.2	5
174	Infection Studies with <i>Phaeoseptoria eucalypti</i> and <i>Coniothyrium ovatum</i> on <i>Eucalyptus</i> spp.. <i>South African Forestry Journal</i> , <b>1989</b> , 149, 30-35		5
173	Development of microconidia in <i>Fusarium</i> section <i>Sporotrichiella</i> . <i>Mycological Research</i> , <b>1991</b> , 95, 284-289		5
172	<i>Leptographium engelmannii</i> , a synonym of <i>Leptographium abietinum</i> , and description of <i>Leptographium hughesii</i> sp.nov.. <i>Canadian Journal of Botany</i> , <b>1998</b> , 76, 1660-1667		5

171	A taxonomic re-evaluation of Phialocephala phycomyces. <i>Canadian Journal of Botany</i> , <b>2001</b> , 79, 110-117		5
170	Development of polymorphic microsatellite markers for the tree pathogen and sapstain agent, <i>Ophiostoma ips</i> . <i>Molecular Ecology Notes</i> , <b>2002</b> , 2, 309-312		5
169	Diseases of eucalypts in the central and northern provinces of Mozambique. <i>Southern Forests</i> , <b>2016</b> , 78, 169-183	0.6	5
168	Three genetic groups of the Eucalyptus stem canker pathogen <i>Teratosphaeria zuluensis</i> introduced into Africa from an unknown source. <i>Antonie Van Leeuwenhoek</i> , <b>2016</b> , 109, 21-33	2.1	5
167	Fungi infecting woody plants: emerging frontiers. <i>Persoonia: Molecular Phylogeny and Evolution of Fungi</i> , <b>2018</b> , 40, i-iii	9	5
166	Epitypification of <i>Ophiostoma galeiforme</i> and phylogeny of species in the <i>O. galeiforme</i> complex. <i>Mycologia</i> , <b>2004</b> , 96, 1306-15	2.4	5
165	Unique clones of the pitch canker fungus, <i>Fusarium circinatum</i> , associated with a new disease outbreak in South Africa. <i>European Journal of Plant Pathology</i> , <b>2017</b> , 148, 97-107	2.1	4
164	Black root rot: a long known but little understood disease. <i>Plant Pathology</i> , <b>2019</b> , 68, 834-842	2.8	4
163	<i>Huntia decorticans</i> sp. nov. (Ceratocystidaceae) associated with dying <i>Nothofagus</i> in Patagonia. <i>Mycologia</i> , <b>2015</b> , 107, 512-21	2.4	4
162	Low genetic diversity and strong geographic structure in introduced populations of the Eucalyptus foliar pathogen <i>Teratosphaeria destructans</i> . <i>Plant Pathology</i> , <b>2020</b> , 69, 1540-1550	2.8	4
161	An assessment of mangrove diseases and pests in South Africa. <i>Forestry</i> , <b>2017</b> ,	2.2	4
160	Inheritance of phenotypic traits in the progeny of a <i>Ceratocystis</i> interspecific cross. <i>Fungal Biology</i> , <b>2018</b> , 122, 717-729	2.8	4
159	Genetic diversity of <i>Amylostereum areolatum</i> , the fungal symbiont of the invasive woodwasp <i>Sirex noctilio</i> in South Africa. <i>Forest Pathology</i> , <b>2018</b> , 48, e12449	1.2	4
158	<i>Teratosphaeria pseudonubilosa</i> sp. nov., a serious Eucalyptus leaf pathogen in the <i>Teratosphaeria nubilosa</i> species complex. <i>Australasian Plant Pathology</i> , <b>2014</b> , 43, 67-77	1.4	4
157	Transmission ratio distortion in an interspecific cross between <i>Fusarium circinatum</i> and <i>Fusarium subglutinans</i> . <i>Genes and Genomics</i> , <b>2013</b> , 35, 177-183	2.1	4
156	Effect of temperature, leaf wetness and the developmental stage of host tissue on infection of <i>Acacia mearnsii</i> by <i>Uromycladium acaciae</i> (Pucciniales). <i>Australasian Plant Pathology</i> , <b>2017</b> , 46, 407-419	1.4	4
155	Ecology and population structure of a tree wound-infecting fungus in a native South African forest environment. <i>Fungal Biology</i> , <b>2017</b> , 121, 69-81	2.8	4
154	Development of a PCR-RFLP Based Detection Method for the Oak Pathogens <i>Diplodia corticola</i> and <i>D. quercivora</i> . <i>Plant Health Progress</i> , <b>2014</b> , 15, 63-66	1.2	4

153	Effect of Diaporthe RNA virus 1 (DRV1) on growth and pathogenicity of different Diaporthe species. <i>European Journal of Plant Pathology</i> , <b>2011</b> , 131, 261-268	2.1	4
152	Factors influencing infection of <i>Acacia mearnsii</i> by the wilt pathogen <i>Ceratocystis albifundus</i> in South Africa. <i>Forest Pathology</i> , <b>2010</b> , 40, 500-509	1.2	4
151	The Eucalyptus canker pathogen <i>Holocryphia eucalypti</i> on Eucalyptus in New Zealand. <i>Australasian Plant Disease Notes</i> , <b>2010</b> , 5, 5	0.8	4
150	A New <i>Ophiostoma</i> Species with a <i>Graphium</i> Anamorph from <i>Larix laricina</i> in Eastern North America. <i>Mycologia</i> , <b>1997</b> , 89, 332	2.4	4
149	Sirococcus shoot blight on <i>Picea spinulosa</i> in Bhutan. <i>Forest Pathology</i> , <b>2007</b> , 37, 40-50	1.2	4
148	Challenges and strategies facing forest research and education for the 21st century: A case study from South Africa. <i>Forest Science and Technology</i> , <b>2005</b> , 1, 135-141	1.5	4
147	Eucalyptus die-back in South Africa associated with <i>Colletotrichum gloeosporioides</i> . <i>South African Journal of Botany</i> , <b>1998</b> , 64, 226-227	2.9	4
146	Diseases of Pines and Eucalypts in South Africa Associated with <i>Pythium</i> and <i>Phytophthora</i> Species. <i>South African Forestry Journal</i> , <b>1994</b> , 169, 25-32		4
145	Synoptic key and computer database for identification of species of <i>Ceratocystis sensu lato</i> . <i>South African Journal of Botany</i> , <b>1992</b> , 58, 277-285	2.9	4
144	Rust-spores, bees and pollen. <i>The Mycologist</i> , <b>1989</b> , 3, 31-32		4
143	Phaeoseptoria Leaf Spot of Eucalyptus in South Africa. <i>South African Forestry Journal</i> , <b>1990</b> , 154, 56-59		4
142	<i>Mycosphaerella marasasii</i> sp. nov. and its <i>Pseudocercospora</i> anamorph on leaves of <i>Syzygium cordatum</i> . <i>Mycological Research</i> , <b>1991</b> , 95, 1108-1112		4
141	First report of <i>Phytophthora cinnamomi</i> associated with stem cankers of <i>Quercus cerris</i> in South Africa. <i>New Disease Reports</i> , <b>2011</b> , 24, 11-11	1.3	4
140	( ): pigmentation lost and gained. <i>Fungal Systematics and Evolution</i> , <b>2018</b> , 2, 273-309	2.6	4
139	Species of <i>Cryphonectriaceae</i> occupy an endophytic niche in the <i>Melastomataceae</i> and are putative latent pathogens of Eucalyptus. <i>European Journal of Plant Pathology</i> , <b>2020</b> , 156, 273-283	2.1	4
138	Epitypification of. <i>Fungal Systematics and Evolution</i> , <b>2020</b> , 6, 289-298	2.6	4
137	Invasive gall-forming wasps that threaten non-native plantation-grown Eucalyptus: diversity and invasion patterns. <i>Agricultural and Forest Entomology</i> , <b>2020</b> , 22, 285-297	1.9	4
136	The granulate ambrosia beetle, <i>Xylosandrus crassiusculus</i> (Coleoptera: Curculionidae, Scolytinae), and its fungal symbiont found in South Africa. <i>Zootaxa</i> , <b>2020</b> , 4838, zootaxa.4838.3.7	0.5	4



135	Ophiostomatoid fungi associated with mites phoretic on bark beetles in Qinghai, China. <i>IMA Fungus</i> , <b>2020</b> , 11, 15	6.8	4
134	The Genera of Fungi - G6: , , , , and. <i>Fungal Systematics and Evolution</i> , <b>2020</b> , 6, 1-24	2.6	4
133	Ophiostomatalean fungi associated with wood boring beetles in South Africa including two new species. <i>Antonie Van Leeuwenhoek</i> , <b>2021</b> , 114, 667-686	2.1	4
132	Doing it alone: Unisexual reproduction in filamentous ascomycete fungi. <i>Fungal Biology Reviews</i> , <b>2021</b> , 35, 1-13	6.8	4
131	Genetic recombination in <i>Teratosphaeria destructans</i> causing a new disease outbreak in Malaysia. <i>Forest Pathology</i> , <b>2021</b> , 51, e12683	1.2	4
130	Ras2 is important for growth and pathogenicity in <i>Fusarium circinatum</i> . <i>Fungal Genetics and Biology</i> , <b>2021</b> , 150, 103541	3.9	4
129	High genetic diversity of <i>Fusarium circinatum</i> associated with the first outbreak of pitch canker on <i>Pinus patula</i> in South Africa. <i>Southern Forests</i> , <b>2019</b> , 81, 69-78	0.6	4
128	Phytophthora Species Associated with Roots of Native and Non-native Trees in Natural and Managed Forests. <i>Microbial Ecology</i> , <b>2021</b> , 81, 122-133	4.4	4
127	Eucalyptus scab and shoot malformation: A new and serious foliar disease of Eucalyptus caused by <i>Elsinoe necatrix</i> sp. nov.. <i>Plant Pathology</i> , <b>2021</b> , 70, 1230-1242	2.8	4
126	Nine novel species of <i>Huntiaella</i> from southern China with three distinct mating strategies and variable levels of pathogenicity. <i>Mycologia</i> , <b>2018</b> , 110, 1145-1171	2.4	4
125	Increased abundance of secreted hydrolytic enzymes and secondary metabolite gene clusters define the genomes of latent plant pathogens in the Botryosphaeriaceae. <i>BMC Genomics</i> , <b>2021</b> , 22, 589	4.5	4
124	Genetic Networks That Govern Sexual Reproduction in the Pezizomycotina. <i>Microbiology and Molecular Biology Reviews</i> , <b>2021</b> , e0002021	13.2	4
123	Invasion Frameworks: a Forest Pathogen Perspective. <i>Current Forestry Reports</i> , <b>2022</b> , 8, 74-89	8	4
122	Metacommunity analyses of Ceratocystidaceae fungi across heterogeneous African savanna landscapes. <i>Fungal Ecology</i> , <b>2017</b> , 28, 76-85	4.1	3
121	Landscape degradation may contribute to large-scale die-offs of <i>Euphorbia ingens</i> in South Africa. <i>South African Journal of Botany</i> , <b>2017</b> , 111, 144-152	2.9	3
120	Phylogenomic incongruence in <i>Ceratocystis</i> : a clue to speciation?. <i>BMC Genomics</i> , <b>2020</b> , 21, 362	4.5	3
119	Seven new species of from conifers in Norway, Poland, and Russia. <i>Mycologia</i> , <b>2020</b> , 112, 1240-1262	2.4	3
118	Population variation in traits of <i>Deladenus siricidicola</i> that could influence the biocontrol of <i>Sirex noctilio</i> in South Africa. <i>International Journal of Pest Management</i> , <b>2018</b> , 64, 324-332	1.5	3

117	Biodiversity and ecology of flower-associated actinomycetes in different flowering stages of <i>Protea repens</i> . <i>Antonie Van Leeuwenhoek</i> , <b>2018</b> , 111, 209-226	2.1	3
116	Novel Cryphonectriaceae from La Réunion and South Africa, and their pathogenicity on Eucalyptus. <i>Mycological Progress</i> , <b>2018</b> , 17, 953-966	1.9	3
115	<i>Cadophora margaritata</i> sp. nov. and other fungi associated with the longhorn beetles <i>Anoplophora glabripennis</i> and <i>Saperda carcharias</i> in Finland. <i>Antonie Van Leeuwenhoek</i> , <b>2018</b> , 111, 2195-2211	2.1	3
114	Mechanisms that influence sex ratio variation in the invasive hymenopteran in South Africa. <i>Ecology and Evolution</i> , <b>2019</b> , 9, 7966-7973	2.8	3
113	Global forest research, science education and community service positively impacted by a unique Centre of Excellence in Tree Health Biotechnology. <i>Southern Forests</i> , <b>2013</b> , 75, 71-80	0.6	3
112	Independent origins and incipient speciation among host-associated populations of <i>Thielaviopsis ethacetica</i> in Cameroon. <i>Fungal Biology</i> , <b>2015</b> , 119, 957-972	2.8	3
111	Potential of <i>Phytophthora pinifolia</i> to spread via sawn green lumber: a preliminary investigation. <i>Southern Forests</i> , <b>2012</b> , 74, 211-216	0.6	3
110	Potential gains through selecting for resistance in spotted gum to <i>Quambalaria pitereka</i> . <i>Australasian Plant Pathology</i> , <b>2011</b> , 40, 197-206	1.4	3
109	Die-back of kiaat ( <i>Pterocarpus angolensis</i> ) in southern Africa: a cause for concern?. <i>Southern Forests</i> , <b>2010</b> , 72, 121-132	0.6	3
108	Pathogenicity of <i>Ceratocystis resinifera</i> to Norway spruce. <i>Forest Pathology</i> , <b>2009</b> , 40, 458-464	1.2	3
107	Factors affecting pine pitch canker modelled on Michaelis-Menten kinetics This article is one of a collection of papers based on a presentation from the Stem and Shoot Fungal Pathogens and Parasitic Plants: the Values of Biological Diversity session of the XXII International Union of Forestry Research Organization World Congress meeting held in Brisbane, Queensland, Australia, in	1.3	3
106	Isolation and characterization of microsatellite loci in <i>Cylindrocladium pauciramsum</i> . <i>Molecular Ecology Notes</i> , <b>2007</b> , 7, 343-345		3
105	<i>Debaryomyces mycophilus</i> sp. nov., a siderophore-dependent yeast isolated from woodlice. <i>FEMS Yeast Research</i> , <b>2002</b> , 2, 415-427	3.1	3
104	<i>Kionochaeta pini</i> sp. nov. and <i>Verrucophragmia splendens</i> gen. nov. from Leaf Litter in South Africa. <i>Mycologia</i> , <b>1994</b> , 86, 447	2.4	3
103	Conidium development in <i>Ceratocystis autographa</i> . <i>Mycological Research</i> , <b>1995</b> , 99, 1289-1294		3
102	<i>Cylindrocladium leucothoes</i> and <i>C. hederiae</i> , synonyms of <i>C. reteaudii</i> . <i>South African Journal of Botany</i> , <b>1992</b> , 58, 397-400	2.9	3
101	Enteroblastic first macroconidia in <i>Fusarium crookwellense</i> . <i>Canadian Journal of Botany</i> , <b>1988</b> , 66, 1364-1366		3
100	, a new species for a fungus long confused with the pine pathogen. <i>MycoKeys</i> , <b>2020</b> , 73, 87-108	2.4	3

99	Sequence data reflect the introduction pathways of the Sirex woodwasp parasitoid, <i>Ibalia leucospoides</i> (Ibaliidae, Hymenoptera). <i>Agricultural and Forest Entomology</i> , <b>2020</b> , 22, 129-135	1.9	3
98	Phylogenetic re-evaluation of the <i>Grosmannia penicillata</i> complex (Ascomycota, Ophiostomatales), with the description of five new species from China and USA. <i>Fungal Biology</i> , <b>2020</b> , 124, 110-124	2.8	3
97	IMA genome - F14 : Draft genome sequences of <i>Penicillium roqueforti</i> , <i>Fusarium sororula</i> , <i>Chrysosporthe puriensis</i> , and <i>Chalaropsis populi</i> . <i>IMA Fungus</i> , <b>2021</b> , 12, 5	6.8	3
96	First report of <i>Teratosphaeria gauchensis</i> causing stem canker of <i>Eucalyptus</i> in Kenya. <i>Forest Pathology</i> , <b>2016</b> , 46, 168-170	1.2	3
95	Population structure of <i>Holocryphia capensis</i> (cryphonectriaceae) from <i>Metrosideros angustifolia</i> and its pathogenicity to <i>Eucalyptus</i> species. <i>Australasian Plant Pathology</i> , <b>2016</b> , 45, 201-207	1.4	3
94	<i>Chrysosporthe puriensis</i> sp. nov. from <i>Tibouchina</i> spp. in Brazil: an emerging threat to <i>Eucalyptus</i> . <i>Australasian Plant Pathology</i> , <b>2021</b> , 50, 29-40	1.4	3
93	<i>Pewenomyces kutranfy</i> gen. nov. et sp. nov. causal agent of an important canker disease on <i>Araucaria araucana</i> in Chile. <i>Plant Pathology</i> , <b>2021</b> , 70, 1243-1259	2.8	3
92	A new species pathogenic on in its native habitat. <i>Fungal Systematics and Evolution</i> , <b>2018</b> , 2, 37-43	2.6	3
91	<i>Ophiostoma quercus</i> : An unusually diverse and globally widespread tree-infecting fungus. <i>Fungal Biology</i> , <b>2018</b> , 122, 900-910	2.8	3
90	A PCR-RFLP based diagnostic technique to rapidly identify <i>Seiridium</i> species causing cypress canker. <i>Mycologia</i> , <b>2004</b> , 96, 1352-4	2.4	3
89	Biology, incidence and host susceptibility of <i>Pineus boernerii</i> (Hemiptera: Adelgidae) in Colombian pine plantations. <i>Southern Forests</i> , <b>2015</b> , 77, 165-171	0.6	2
88	<i>Ceratocystis</i> wilt on <i>Eucalyptus</i> : first record from South Africa. <i>Southern Forests</i> , <b>2020</b> , 82, 24-31	0.6	2
87	The genus <i>Ravenelia</i> (Pucciniales) in South Africa. <i>Mycological Progress</i> , <b>2020</b> , 19, 259-290	1.9	2
86	Genome comparisons suggest an association between <i>Ceratocystis</i> host adaptations and effector clusters in unique transposable element families. <i>Fungal Genetics and Biology</i> , <b>2020</b> , 143, 103433	3.9	2
85	Reconstructing early routes of invasion of the bronze bug <i>Thaumastocoris peregrinus</i> (Hemiptera: Thaumastocoridae): cities as bridgeheads for global pest invasions. <i>Biological Invasions</i> , <b>2020</b> , 22, 2325-2338	2.7	2
84	Non-Mendelian segregation influences the infection biology and genetic structure of the African tree pathogen <i>Ceratocystis albifundus</i> . <i>Fungal Biology</i> , <b>2018</b> , 122, 222-230	2.8	2
83	Fungi and insects associated with <i>Euphorbia ingens</i> die-off in South Africa. <i>Southern Forests</i> , <b>2018</b> , 80, 21-28	0.6	2
82	Securing African forests for future drier climates: applying ecophysiology in tree improvement. <i>Southern Forests</i> , <b>2016</b> , 78, 241-254	0.6	2

81	Botryosphaeriaceae associated with <i>Acacia heterophylla</i> (La Réunion) and <i>Acacia koa</i> (Hawaii). <i>Fungal Biology</i> , <b>2019</b> , 123, 783-790	2.8	2
80	Mutualism and asexual reproduction influence recognition genes in a fungal symbiont. <i>Fungal Biology</i> , <b>2013</b> , 117, 439-50	2.8	2
79	Comparison of three varieties of <i>Leptographium wageneri</i> using Random Amplified Polymorphic DNA. <i>South African Journal of Botany</i> , <b>1997</b> , 63, 198-200	2.9	2
78	Microsatellite markers for the Eucalyptus stem canker fungal pathogen <i>Kirramyces gauchensis</i> . <i>Molecular Ecology Resources</i> , <b>2008</b> , 8, 590-2	8.4	2
77	Development of polymorphic microsatellite markers for the tree pathogen and sapstain agent, <i>Ophiostoma ips</i> . <i>Molecular Ecology Notes</i> , <b>2002</b> , 2, 309-312		2
76	Comparison between conidial development in <i>Sporendocladia bactrospora</i> and <i>Phialocephala virens</i> . <i>Canadian Journal of Botany</i> , <b>1993</b> , 71, 985-991		2
75	Fine structure of ascosporeogenesis in <i>Ceratocystiopsis proteae</i> . <i>Canadian Journal of Botany</i> , <b>1993</b> , 71, 1212-1218		2
74	Agar, an alternative to agarose in analytical gel electrophoresis. <i>Biotechnology Letters</i> , <b>1993</b> , 7, 723-726		2
73	Ultrastructure of ascus development in the teleomorph of <i>Phoma arachidicola</i> . <i>Transactions of the British Mycological Society</i> , <b>1987</b> , 89, 260-263		2
72	A Preliminary Assessment of the Threat of Diseases and Pests to <i>Widdringtonia cedarbergensis</i> . <i>South African Forestry Journal</i> , <b>1988</b> , 147, 32-34		2
71	Taxonomy of three canker-causing fungi of honey locust in the United States. <i>Transactions of the British Mycological Society</i> , <b>1983</b> , 81, 179-183		2
70	Tree health in South Africa: Retrospect and prospect. <i>South African Journal of Science</i> , <b>2020</b> , 116,	1.3	2
69	Lessons from a major pest invasion: The polyphagous shot hole borer in South Africa. <i>South African Journal of Science</i> , <b>2020</b> , 116,	1.3	2
68	Residual Effects Caused by a Past Mycovirus Infection in <i>Fusarium circinatum</i> . <i>Forests</i> , <b>2021</b> , 12, 11	2.8	2
67	Highly transferable microsatellite markers for the genera <i>Lasiodiplodia</i> and <i>Neofusicoccum</i> . <i>Fungal Ecology</i> , <b>2020</b> , 44, 100903	4.1	2
66	Diagnostic markers for <i>Teratosphaeria destructans</i> and closely related species. <i>Forest Pathology</i> , <b>2020</b> , 50, e12645	1.2	2
65	Novel mutualists of two species infesting in Indonesia. <i>Mycologia</i> , <b>2021</b> , 113, 536-558	2.4	2
64	Unique patterns of mating pheromone presence and absence could result in the ambiguous sexual behaviors of <i>Colletotrichum</i> species. <i>G3: Genes, Genomes, Genetics</i> , <b>2021</b> , 11,	3.2	2

63	Susceptibility of native New Zealand Myrtaceae to the South African strain of <i>Austropuccinia psidii</i> : A biosecurity threat. <i>Plant Pathology</i> , <b>2021</b> , 70, 667-675	2.8	2
62	Metabarcoding reveals southern hemisphere fungal endophytes within wood of cultivated Proteaceae in Portugal. <i>European Journal of Plant Pathology</i> , <b>2021</b> , 160, 173-184	2.1	2
61	Foliar fungi of the enigmatic desert plant <i>Welwitschia mirabilis</i> show little adaptation to their unique host plant. <i>South African Journal of Science</i> , <b>2021</b> , 117,	1.3	2
60	A core of rhizosphere bacterial taxa associates with two of the world's most isolated plant congeners. <i>Plant and Soil</i> , 1	4.2	2
59	<i>Calonectria</i> species, including four novel taxa, associated with Eucalyptus in Malaysia. <i>Mycological Progress</i> , <b>2022</b> , 21, 181-197	1.9	2
58	A new <i>Leptographium</i> species from the roots of declining <i>Pinus sylvestris</i> in Switzerland. <i>Forest Pathology</i> , <b>2017</b> , 47, e12346	1.2	1
57	Quantification of Outcrossing Events in Haploid Fungi Using Microsatellite Markers. <i>Journal of Fungi (Basel, Switzerland)</i> , <b>2020</b> , 6,	5.6	1
56	A microsatellite-based identification tool used to confirm vector association in a fungal tree pathogen. <i>Australasian Plant Pathology</i> , <b>2018</b> , 47, 63-69	1.4	1
55	Biology of <i>Litosermyle ocaanae</i> in Colombian <i>Pinus patula</i> plantations. <i>Southern Forests</i> , <b>2018</b> , 80, 279-284.	0.6	1
54	An artificial inoculation protocol for <i>Uromycladium acaciae</i> , cause of a serious disease of <i>Acacia mearnsii</i> in southern Africa. <i>Southern Forests</i> , <b>2019</b> , 81, 85-90	0.6	1
53	Antifungal actinomycetes associated with the pine bark beetle, <i>Orthotomicus erosus</i> , in South Africa. <i>South African Journal of Science</i> , <b>2017</b> , Volume 113,	1.3	1
52	Barcoding and microcoding using "identiprimers" with <i>Leptographium</i> species. <i>Mycologia</i> , <b>2010</b> , 102, 1274-87	2.4	1
51	Microsatellite markers for <i>Grosmannia alacris</i> (Ophiostomataceae, Ascomycota) and other species in the <i>G. serpens</i> complex. <i>American Journal of Botany</i> , <b>2012</b> , 99, e216-9	2.7	1
50	First report of pink disease on <i>Eucalyptus camaldulensis</i> in Ethiopia. <i>Plant Pathology</i> , <b>2003</b> , 52, 402-402	2.8	1
49	The fine structure of ascospore shape and development in <i>Ceratocystis fimbriata</i> . <i>Antonie Van Leeuwenhoek</i> , <b>1995</b> , 67, 325-32	2.1	1
48	RAPD-fingerprinting to Identify <i>Eucalyptus grandis</i> Clones. <i>South African Forestry Journal</i> , <b>1993</b> , 167, 47-50		1
47	<i>Cryphonectria cubensis</i> , a potential pathogen of <i>Psidium guajava</i> in South Africa. <i>Forest Pathology</i> , <b>1991</b> , 21, 424-429	1.2	1
46	Ascospore development in <i>Ophiostoma piceae</i> . <i>Canadian Journal of Botany</i> , <b>1992</b> , 70, 2170-2176		1

45	IMI Descriptions of Fungi and Bacteria, Set 116, Nos 1151-1160. <i>Mycopathologia</i> , <b>1993</b> , 122, 43-64	2.9	1
44	Nuclear division and septation in macroconidia of <i>Fusarium crookwellense</i> . <i>South African Journal of Botany</i> , <b>1988</b> , 54, 118-122	2.9	1
43	A Health Problem in Mature stands of <i>Pinus taeda</i> in the Eastern Transvaal. <i>South African Forestry Journal</i> , <b>1979</b> , 109, 47-49		1
42	Fungal genomes enhance our understanding of the pathogens affecting trees cultivated in Southern Hemisphere plantations. <i>Southern Forests</i> , <b>2020</b> , 82, 215-232	0.6	1
41	Ophiostomatoid fungi including a new species associated with Asian larch bark beetle, in Heilongjiang (Northeast China).. <i>Fungal Systematics and Evolution</i> , <b>2021</b> , 8, 155-161	2.6	1
40	Cryphonectriaceae associated with rust-infected in Hawaii. <i>MycKeys</i> , <b>2020</b> , 76, 49-79	2.4	1
39	Fire impacts bacterial composition in <i>Protea repens</i> (Proteaceae) infructescences. <i>FEMS Microbiology Letters</i> , <b>2021</b> , 368,	2.9	1
38	Novel species of from naturally-occurring forest trees in Greece and South Africa. <i>MycKeys</i> , <b>2020</b> , 69, 33-52	2.4	1
37	sp. nov. from in Korea. <i>Mycobiology</i> , <b>2020</b> , 48, 245-251	1.7	1
36	A new species of from beetle-infested. <i>Fungal Systematics and Evolution</i> , <b>2020</b> , 6, 305-314	2.6	1
35	The life cycle and field epidemiology of <i>Uromycladium acaciae</i> (Pucciniales) on <i>Acacia mearnsii</i> in South Africa. <i>Annals of Applied Biology</i> , <b>2021</b> , 179, 21-33	2.6	1
34	Hyperparasitism by <i>Sphaerellopsis macroconidialis</i> may lower over-wintering survival of <i>Uromycladium acaciae</i> . <i>Forest Pathology</i> , <b>2021</b> , 51, e12691	1.2	1
33	Two novel <i>Phytophthora</i> species from the southern tip of Africa. <i>Mycological Progress</i> , <b>2021</b> , 20, 755-767	1.9	1
32	New species of from plantation soils in South-East Asia. <i>MycKeys</i> , <b>2018</b> , 1-24	2.4	1
31	Six new species of from hardwood trees in Poland. <i>MycKeys</i> , <b>2021</b> , 82, 1-32	2.4	1
30	Genetic response to nitrogen starvation in the aggressive <i>Eucalyptus</i> foliar pathogen <i>Teratosphaeria destructans</i> . <i>Current Genetics</i> , <b>2021</b> , 67, 981-990	2.9	1
29	Phylogenetic and phylogenomic analyses reveal two new genera and three new species of ophiostomatalean fungi from termite fungus combs. <i>Mycologia</i> , <b>2021</b> , 113, 1199-1217	2.4	1
28	Botryosphaeriaceae on <i>Syzygium cordatum</i> across a latitudinal gradient in South Africa. <i>Fungal Biology</i> , <b>2021</b> , 125, 718-724	2.8	1

27	Susceptibility of Eucalyptus grandis and Acacia mearnsii seedlings to five Phytophthora species common in South African plantations. <i>Forest Pathology</i> , <b>2019</b> , 49, e12560	1.2	o
26	Sporendocladia bactrospora associated with wounds on native broadleaved trees in Norway and Sweden. <i>Forest Pathology</i> , <b>2014</b> , 44, 124-130	1.2	o
25	One Fungus One Name: A Plant Pathologist's View. <i>IMA Fungus</i> , <b>2011</b> , 2, A39-A40	6.8	o
24	Grasses as a refuge for Fusarium circinatum L. Evidence from South Africa. <i>Southern Forests</i> , <b>2020</b> , 82, 253-262	0.6	o
23	Genetic variability in populations of Chrysosporthe cubensis and Chr. puriensis in Brazil. <i>Australasian Plant Pathology</i> , <b>2022</b> , 51, 175	1.4	o
22	Diversity of Fusarium species associated with healthy and malformed Syzygium cordatum inflorescences in South Africa. <i>European Journal of Plant Pathology</i> , <b>2022</b> , 162, 907	2.1	o
21	Global Genetic Diversity and Mating Type Distribution of : An Important Wide-Host-Range Plant Pathogen. <i>Plant Disease</i> , <b>2021</b> , 105, 1648-1656	1.5	o
20	Filamentous Fungi and Yeasts Associated with Mites Phoretic on Ips typographus in Eastern Finland. <i>Forests</i> , <b>2021</b> , 12, 743	2.8	o
19	Distribution of Gonipterus Species and Their Egg Parasitoids in Australia: Implications for Biological Control. <i>Forests</i> , <b>2021</b> , 12, 969	2.8	o
18	A new species in the Mycosphaerellaceae from Cecidomyiidae leaf galls on Avicennia marina in South Africa. <i>Antonie Van Leeuwenhoek</i> , <b>2021</b> , 114, 515-526	2.1	o
17	Genomic overview of closely related fungi with different Protea host ranges. <i>Fungal Biology</i> , <b>2018</b> , 122, 1201-1214	2.8	o
16	Deciphering the effect of FUB1 disruption on fusaric acid production and pathogenicity in Fusarium circinatum. <i>Fungal Biology</i> , <b>2021</b> , 125, 1036-1047	2.8	o
15	Next-generation sequencing provides important insights into the biology and evolution of the Botryosphaeriaceae. <i>Fungal Biology Reviews</i> , <b>2021</b> , 38, 25-43	6.8	o
14	IMA Genome - F16 : Draft genome assemblies of Fusarium marasasianum, Huntiella abstrusa, two Immersiporthe knoxdaviesiana isolates, Macrophomina pseudophaseolina, Macrophomina phaseolina, Naganishia randhawae, and Pseudocercospora cruenta.. <i>IMA Fungus</i> , <b>2022</b> , 13, 3	6.8	o
13	A serious shoot and leaf disease caused by Colletotrichum theobromicola discovered on eucalypts in South Africa. <i>Southern Forests</i> , 1-13	0.6	o
12	Molecular basis of cycloheximide resistance in the Ophiostomatales revealed.. <i>Current Genetics</i> , <b>2022</b> , 1	2.9	o
11	Pathogens of the Araucariaceae: How Much Do We Know?. <i>Current Forestry Reports</i> , <b>2022</b> , 8, 124-147	8	o
10	Dothistroma needle blight <b>2022</b> , 179-199		o

- 9 Seasonal Flight Patterns of Curculionidae (Cossoninae and Scolytinae) Infesting Dying Euphorbia ingens in South Africa. *Journal of Entomological Science*, **2018**, 53, 70-81 0.4
- 8 Forest Biotechnology: A South African perspective. *Southern Forests*, **2003**, 199, 1-5
- 7 Molecular analysis of an endopolygalacturonase gene from a Eucalyptus canker pathogen, *Cryphonectria cubensis*. *DNA Sequence*, **2002**, 13, 33-7
- 6 *Pinus patula* establishment problem associated with poor ectomycorrhizal development in previously cultivated soils. *Southern Forests*, **1999**, 186, 59-65
- 5 Selective feeding behaviors illuminate patterns of sap beetle associations with ophiostomatoid fungi. *Symbiosis*, **2020**, 81, 287-302 3
- 4 Genetic diversity of *Teratosphaeria pseudoeucalypti* in Eucalyptus plantations in Australia and Uruguay. *Australasian Plant Pathology*, **2021**, 50, 639 1.4
- 3 (2592) Proposal to conserve *Endoconidiophora fagacearum* (*Bretziella fagacearum*, *Ceratocystis fagacearum*) against *Chalara quercina* (*Thielaviopsis quercina*) (Ascomycota: Sordariomycetes: Microascales). *Taxon*, **2018**, 67, 440-440 0.8
- 2 Epidemic spread of smut fungi (*Quambalaria*) by sexual reproduction in a native pathosystem. *European Journal of Plant Pathology*, **2011**, 115, 1-11 2.1
- 1 Novel mating-type-associated genes and gene fragments in the genomes of *Mycosphaerellaceae* and *Teratosphaeriaceae* fungi. *Molecular Phylogenetics and Evolution*, **2022**, 107, 456-466 4.1