

# Michael J Wingfield

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/2081897/michael-j-wingfield-publications-by-year.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

980  
papers

32,843  
citations

75  
h-index

136  
g-index

998  
ext. papers

38,142  
ext. citations

3.7  
avg, IF

7.24  
L-index

#	Paper	IF	Citations
980	Genetic variability in populations of <i>Chrysosporthe cubensis</i> and <i>Chr. puriensis</i> in Brazil. <i>Australasian Plant Pathology</i> , <b>2022</b> , 51, 175	1.4	0
979	Diversity of <i>Fusarium</i> species associated with healthy and malformed <i>Syzygium cordatum</i> inflorescences in South Africa. <i>European Journal of Plant Pathology</i> , <b>2022</b> , 162, 907	2.1	0
978	<i>Calonectria</i> species, including four novel taxa, associated with <i>Eucalyptus</i> in Malaysia. <i>Mycological Progress</i> , <b>2022</b> , 21, 181-197	1.9	2
977	IMA Genome - F16 : Draft genome assemblies of <i>Fusarium marasasianum</i> , <i>Huntia abstrusa</i> , two <i>Immersisporthe knoxdaviesiana</i> isolates, <i>Macrophomina pseudophaseolina</i> , <i>Macrophomina phaseolina</i> , <i>Naganishia randhawae</i> , and <i>Pseudocercospora cruenta</i> . <i>IMA Fungus</i> , <b>2022</b> , 13, 3	6.8	0
976	Invasion Frameworks: a Forest Pathogen Perspective. <i>Current Forestry Reports</i> , <b>2022</b> , 8, 74-89	8	4
975	Molecular basis of cycloheximide resistance in the Ophiostomatales revealed.. <i>Current Genetics</i> , <b>2022</b> , 1	2.9	0
974	Novel mating-type-associated genes and gene fragments in the genomes of <i>Mycosphaerellaceae</i> and <i>Teratosphaeriaceae</i> fungi.. <i>Molecular Phylogenetics and Evolution</i> , <b>2022</b> , 107456	4.1	
973	Pathogens of the <i>Araucariaceae</i> : How Much Do We Know?. <i>Current Forestry Reports</i> , <b>2022</b> , 8, 124-147	8	0
972	<i>Dothistroma</i> needle blight <b>2022</b> , 179-199		0
971	Ophiostomatoid fungi including a new species associated with Asian larch bark beetle , in Heilongjiang (Northeast China).. <i>Fungal Systematics and Evolution</i> , <b>2021</b> , 8, 155-161	2.6	1
970	Fire impacts bacterial composition in <i>Protea repens</i> ( <i>Proteaceae</i> ) infructescences. <i>FEMS Microbiology Letters</i> , <b>2021</b> , 368,	2.9	1
969	Residual Effects Caused by a Past Mycovirus Infection in <i>Fusarium circinatum</i> . <i>Forests</i> , <b>2021</b> , 12, 11	2.8	2
968	Phylogenomic Analysis of a 55.1-kb 19-Gene Dataset Resolves a Monophyletic that Includes the Species Complex. <i>Phytopathology</i> , <b>2021</b> , 111, 1064-1079	3.8	39
967	Ophiostomatalean fungi associated with wood boring beetles in South Africa including two new species. <i>Antonie Van Leeuwenhoek</i> , <b>2021</b> , 114, 667-686	2.1	4
966	Doing it alone: Unisexual reproduction in filamentous ascomycete fungi. <i>Fungal Biology Reviews</i> , <b>2021</b> , 35, 1-13	6.8	4
965	IMA genome - F14 : Draft genome sequences of <i>Penicillium roqueforti</i> , <i>Fusarium sororula</i> , <i>Chrysosporthe puriensis</i> , and <i>Chalaropsis populi</i> . <i>IMA Fungus</i> , <b>2021</b> , 12, 5	6.8	3
964	Genetic recombination in <i>Teratosphaeria destructans</i> causing a new disease outbreak in Malaysia. <i>Forest Pathology</i> , <b>2021</b> , 51, e12683	1.2	4

963	Novel mutualists of two species infesting in Indonesia. <i>Mycologia</i> , <b>2021</b> , 113, 536-558	2.4	2
962	The life cycle and field epidemiology of <i>Uromycladium acaciae</i> (Pucciniales) on <i>Acacia mearnsii</i> in South Africa. <i>Annals of Applied Biology</i> , <b>2021</b> , 179, 21-33	2.6	1
961	Botanical gardens as key resources and hazards for biosecurity. <i>Biodiversity and Conservation</i> , <b>2021</b> , 30, 1929-1946	3.4	9
960	Global Genetic Diversity and Mating Type Distribution of : An Important Wide-Host-Range Plant Pathogen. <i>Plant Disease</i> , <b>2021</b> , 105, 1648-1656	1.5	0
959	Ras2 is important for growth and pathogenicity in <i>Fusarium circinatum</i> . <i>Fungal Genetics and Biology</i> , <b>2021</b> , 150, 103541	3.9	4
958	Hyperparasitism by <i>Sphaerellopsis macroconidialis</i> may lower over-wintering survival of <i>Uromycladium acaciae</i> . <i>Forest Pathology</i> , <b>2021</b> , 51, e12691	1.2	1
957	Unique patterns of mating pheromone presence and absence could result in the ambiguous sexual behaviors of <i>Colletotrichum</i> species. <i>G3: Genes, Genomes, Genetics</i> , <b>2021</b> , 11,	3.2	2
956	Two novel <i>Phytophthora</i> species from the southern tip of Africa. <i>Mycological Progress</i> , <b>2021</b> , 20, 755-767	1.9	1
955	Genetic diversity of <i>Teratosphaeria pseudoecalypti</i> in <i>Eucalyptus</i> plantations in Australia and Uruguay. <i>Australasian Plant Pathology</i> , <b>2021</b> , 50, 639	1.4	
954	Filamentous Fungi and Yeasts Associated with Mites Phoretic on <i>Ips typographus</i> in Eastern Finland. <i>Forests</i> , <b>2021</b> , 12, 743	2.8	0
953	New and Interesting Fungi. 4. <i>Fungal Systematics and Evolution</i> , <b>2021</b> , 7, 255-343	2.6	10
952	Distribution of <i>Gonipterus</i> Species and Their Egg Parasitoids in Australia: Implications for Biological Control. <i>Forests</i> , <b>2021</b> , 12, 969	2.8	0
951	<i>Phytophthora</i> Species Associated with Roots of Native and Non-native Trees in Natural and Managed Forests. <i>Microbial Ecology</i> , <b>2021</b> , 81, 122-133	4.4	4
950	<i>Chrysoporthe puriensis</i> sp. nov. from <i>Tibouchina</i> spp. in Brazil: an emerging threat to <i>Eucalyptus</i> . <i>Australasian Plant Pathology</i> , <b>2021</b> , 50, 29-40	1.4	3
949	Susceptibility of native New Zealand Myrtaceae to the South African strain of <i>Austropuccinia psidii</i> : A biosecurity threat. <i>Plant Pathology</i> , <b>2021</b> , 70, 667-675	2.8	2
948	<i>Eucalyptus</i> scab and shoot malformation: A new and serious foliar disease of <i>Eucalyptus</i> caused by <i>Elsinoe necatrix</i> sp. nov.. <i>Plant Pathology</i> , <b>2021</b> , 70, 1230-1242	2.8	4
947	A new species in the <i>Mycosphaerellaceae</i> from <i>Cecidomyiidae</i> leaf galls on <i>Avicennia marina</i> in South Africa. <i>Antonie Van Leeuwenhoek</i> , <b>2021</b> , 114, 515-526	2.1	0
946	<i>Pewenomyces kutranfy</i> gen. nov. et sp. nov. causal agent of an important canker disease on <i>Araucaria araucana</i> in Chile. <i>Plant Pathology</i> , <b>2021</b> , 70, 1243-1259	2.8	3

945	Metabarcoding reveals southern hemisphere fungal endophytes within wood of cultivated Proteaceae in Portugal. <i>European Journal of Plant Pathology</i> , <b>2021</b> , 160, 173-184	2.1	2
944	Foliar fungi of the enigmatic desert plant <i>Welwitschia mirabilis</i> show little adaptation to their unique host plant. <i>South African Journal of Science</i> , <b>2021</b> , 117,	1.3	2
943	Deciphering the effect of FUB1 disruption on fusaric acid production and pathogenicity in <i>Fusarium circinatum</i> . <i>Fungal Biology</i> , <b>2021</b> , 125, 1036-1047	2.8	0
942	Six new species of from hardwood trees in Poland. <i>MycKeys</i> , <b>2021</b> , 82, 1-32	2.4	1
941	Genetic response to nitrogen starvation in the aggressive <i>Eucalyptus</i> foliar pathogen <i>Teratosphaeria destructans</i> . <i>Current Genetics</i> , <b>2021</b> , 67, 981-990	2.9	1
940	Increased abundance of secreted hydrolytic enzymes and secondary metabolite gene clusters define the genomes of latent plant pathogens in the Botryosphaeriaceae. <i>BMC Genomics</i> , <b>2021</b> , 22, 589	4.5	4
939	Genetic Networks That Govern Sexual Reproduction in the Pezizomycotina. <i>Microbiology and Molecular Biology Reviews</i> , <b>2021</b> , e0002021	13.2	4
938	Phylogenetic and phylogenomic analyses reveal two new genera and three new species of ophiostomatalean fungi from termite fungus combs. <i>Mycologia</i> , <b>2021</b> , 113, 1199-1217	2.4	1
937	Botryosphaeriaceae on <i>Syzygium cordatum</i> across a latitudinal gradient in South Africa. <i>Fungal Biology</i> , <b>2021</b> , 125, 718-724	2.8	1
936	Next-generation sequencing provides important insights into the biology and evolution of the Botryosphaeriaceae. <i>Fungal Biology Reviews</i> , <b>2021</b> , 38, 25-43	6.8	0
935	Phylogenomic incongruence in <i>Ceratocystis</i> : a clue to speciation?. <i>BMC Genomics</i> , <b>2020</b> , 21, 362	4.5	3
934	<i>Ceratocystis</i> wilt on <i>Eucalyptus</i> : first record from South Africa. <i>Southern Forests</i> , <b>2020</b> , 82, 24-31	0.6	2
933	Evolution of lifestyles in. <i>Studies in Mycology</i> , <b>2020</b> , 95, 381-414	22.2	30
932	The genus <i>Ravenelia</i> (Pucciniales) in South Africa. <i>Mycological Progress</i> , <b>2020</b> , 19, 259-290	1.9	2
931	Low genetic diversity and strong geographic structure in introduced populations of the <i>Eucalyptus</i> foliar pathogen <i>Teratosphaeria destructans</i> . <i>Plant Pathology</i> , <b>2020</b> , 69, 1540-1550	2.8	4
930	Seven new species of from conifers in Norway, Poland, and Russia. <i>Mycologia</i> , <b>2020</b> , 112, 1240-1262	2.4	3
929	Genome comparisons suggest an association between <i>Ceratocystis</i> host adaptations and effector clusters in unique transposable element families. <i>Fungal Genetics and Biology</i> , <b>2020</b> , 143, 103433	3.9	2
928	Scientists' warning on invasive alien species. <i>Biological Reviews</i> , <b>2020</b> , 95, 1511-1534	13.5	250

927	Global Geographic Distribution and Host Range of <i>Fusarium circinatum</i> , the Causal Agent of Pine Pitch Canker. <i>Forests</i> , <b>2020</b> , 11, 724	2.8	18
926	<i>Euwallacea perbrevis</i> (Coleoptera: Curculionidae: Scolytinae), a confirmed pest on <i>Acacia crassicarpa</i> in Riau, Indonesia, and a new fungal symbiont; <i>Fusarium rekanum</i> sp. nov. <i>Antonie Van Leeuwenhoek</i> , <b>2020</b> , 113, 803-823	2.1	11
925	Maternal effects should be considered in the establishment of forestry plantations. <i>Forest Ecology and Management</i> , <b>2020</b> , 460, 117909	3.9	12
924	The novel <i>Huntia omanensis</i> mating gene, MAT1-2-7, is essential for ascomatal maturation. <i>Fungal Genetics and Biology</i> , <b>2020</b> , 137, 103335	3.9	7
923	Reconstructing early routes of invasion of the bronze bug <i>Thaumastocoris peregrinus</i> (Hemiptera: Thaumastocoridae): cities as bridgeheads for global pest invasions. <i>Biological Invasions</i> , <b>2020</b> , 22, 2325-2338	2.7	2
922	Quantification of Outcrossing Events in Haploid Fungi Using Microsatellite Markers. <i>Journal of Fungi (Basel, Switzerland)</i> , <b>2020</b> , 6,	5.6	1
921	Grasses as a refuge for <i>Fusarium circinatum</i> L. Evidence from South Africa. <i>Southern Forests</i> , <b>2020</b> , 82, 253-262	0.6	0
920	Tree health in South Africa: Retrospect and prospect. <i>South African Journal of Science</i> , <b>2020</b> , 116,	1.3	2
919	Lessons from a major pest invasion: The polyphagous shot hole borer in South Africa. <i>South African Journal of Science</i> , <b>2020</b> , 116,	1.3	2
918	Fungal genomes enhance our understanding of the pathogens affecting trees cultivated in Southern Hemisphere plantations. <i>Southern Forests</i> , <b>2020</b> , 82, 215-232	0.6	1
917	Mating genes in and evidence for a heterothallic ancestral state. <i>Persoonia: Molecular Phylogeny and Evolution of Fungi</i> , <b>2020</b> , 45, 163-176	9	11
916	, a new species for a fungus long confused with the pine pathogen. <i>MycKeys</i> , <b>2020</b> , 73, 87-108	2.4	3
915	Cryphonectriaceae associated with rust-infected in Hawaii. <i>MycKeys</i> , <b>2020</b> , 76, 49-79	2.4	1
914	Novel species of from naturally-occurring forest trees in Greece and South Africa. <i>MycKeys</i> , <b>2020</b> , 69, 33-52	2.4	1
913	Species of Cryphonectriaceae occupy an endophytic niche in the Melastomataceae and are putative latent pathogens of Eucalyptus. <i>European Journal of Plant Pathology</i> , <b>2020</b> , 156, 273-283	2.1	4
912	<i>Eucalyptus camaldulensis</i> in South Africa [past, present, future. <i>Transactions of the Royal Society of South Africa</i> , <b>2020</b> , 75, 1-22	1	19
911	Genomic characterization of mating type loci and mating type distribution in two apparently asexual plantation tree pathogens. <i>Plant Pathology</i> , <b>2020</b> , 69, 28-37	2.8	12
910	Highly transferable microsatellite markers for the genera <i>Lasiodiplodia</i> and <i>Neofusicoccum</i> . <i>Fungal Ecology</i> , <b>2020</b> , 44, 100903	4.1	2

909	Sequence data reflect the introduction pathways of the Sirex woodwasp parasitoid, <i>Ibalia leucospoides</i> (Ibaliidae, Hymenoptera). <i>Agricultural and Forest Entomology</i> , <b>2020</b> , 22, 129-135	1.9	3
908	Phylogenetic re-evaluation of the <i>Grosmannia penicillata</i> complex (Ascomycota, Ophiostomatales), with the description of five new species from China and USA. <i>Fungal Biology</i> , <b>2020</b> , 124, 110-124	2.8	3
907	Pathogenicity of <i>Chrysosporthe deuterocubensis</i> and <i>Myrtoporthe bodenii</i> gen. et sp. nov. on Eucalyptus in Sabah, Malaysia. <i>Australasian Plant Pathology</i> , <b>2020</b> , 49, 53-64	1.4	6
906	Variation in from plantations in YunNan Province in southwestern China across a climatic gradient. <i>IMA Fungus</i> , <b>2020</b> , 11, 22	6.8	9
905	IMA Genome - F13: Draft genome sequences of , and. <i>IMA Fungus</i> , <b>2020</b> , 11, 19	6.8	8
904	Reconsideration of species boundaries and proposed DNA barcodes for. <i>Studies in Mycology</i> , <b>2020</b> , 97, 100106	22.2	8
903	sp. nov. from in Korea. <i>Mycobiology</i> , <b>2020</b> , 48, 245-251	1.7	1
902	Fungal Planet description sheets: 1042-1111. <i>Persoonia: Molecular Phylogeny and Evolution of Fungi</i> , <b>2020</b> , 44, 301-459	9	38
901	Mating strategy and mating type distribution in six global populations of the Eucalyptus foliar pathogen <i>Teratosphaeria destructans</i> . <i>Fungal Genetics and Biology</i> , <b>2020</b> , 137, 103350	3.9	13
900	A new species of from beetle-infested. <i>Fungal Systematics and Evolution</i> , <b>2020</b> , 6, 305-314	2.6	1
899	Diagnostic markers for <i>Teratosphaeria destructans</i> and closely related species. <i>Forest Pathology</i> , <b>2020</b> , 50, e12645	1.2	2
898	Epitypification of. <i>Fungal Systematics and Evolution</i> , <b>2020</b> , 6, 289-298	2.6	4
897	No to : Phylogenomic and Practical Reasons for Continued Inclusion of the <i>Fusarium solani</i> Species Complex in the Genus. <i>MSphere</i> , <b>2020</b> , 5,	5	32
896	Invasive gall-forming wasps that threaten non-native plantation-grown Eucalyptus: diversity and invasion patterns. <i>Agricultural and Forest Entomology</i> , <b>2020</b> , 22, 285-297	1.9	4
895	Selective feeding behaviors illuminate patterns of sap beetle associations with ophiostomatoid fungi. <i>Symbiosis</i> , <b>2020</b> , 81, 287-302	3	
894	The granulate ambrosia beetle, <i>Xylosandrus crassiusculus</i> (Coleoptera: Curculionidae, Scolytinae), and its fungal symbiont found in South Africa. <i>Zootaxa</i> , <b>2020</b> , 4838, zootaxa.4838.3.7	0.5	4
893	Ophiostomatoid fungi associated with mites phoretic on bark beetles in Qinghai, China. <i>IMA Fungus</i> , <b>2020</b> , 11, 15	6.8	4
892	New and Interesting Fungi. 3. <i>Fungal Systematics and Evolution</i> , <b>2020</b> , 6, 157-231	2.6	22

891	The Genera of Fungi - G6: , , , and. <i>Fungal Systematics and Evolution</i> , <b>2020</b> , 6, 1-24	2.6	4
890	Invasion history and management of Eucalyptus snout beetles in the <i>Gonipterus scutellatus</i> species complex. <i>Journal of Pest Science</i> , <b>2020</b> , 93, 11-25	5.5	11
889	Ophiostomatoid fungi associated with the spruce bark beetle , including 11 new species from China. <i>Persoonia: Molecular Phylogeny and Evolution of Fungi</i> , <b>2019</b> , 42, 50-74	9	21
888	Xanthomonas perforans: a tomato and pepper pathogen associated with bacterial blight and dieback of Eucalyptus pellita seedlings in Indonesia. <i>Australasian Plant Pathology</i> , <b>2019</b> , 48, 543-551	1.4	8
887	Foliar pathogens of eucalypts. <i>Studies in Mycology</i> , <b>2019</b> , 94, 125-298	22.2	30
886	Botanical gardens provide valuable baseline Phytophthora diversity data. <i>Urban Forestry and Urban Greening</i> , <b>2019</b> , 46, 126461	5.4	9
885	Biodiversity of pine-needle blight pathogens suggests a Mesoamerican Centre of origin. <i>IMA Fungus</i> , <b>2019</b> , 10, 2	6.8	7
884	It's All in the Genes: The Regulatory Pathways of Sexual Reproduction in Filamentous Ascomycetes. <i>Genes</i> , <b>2019</b> , 10,	4.2	14
883	Genetic diversity of the pine pathogen <i>Lecanosticta acicola</i> in Slovenia and Croatia. <i>Plant Pathology</i> , <b>2019</b> , 68, 1120-1131	2.8	5
882	Environmentally friendly methods for controlling pine pitch canker. <i>Plant Pathology</i> , <b>2019</b> , 68, 843-860	2.8	20
881	Black root rot: a long known but little understood disease. <i>Plant Pathology</i> , <b>2019</b> , 68, 834-842	2.8	4
880	23 years of research on <i>Teratosphaeria</i> leaf blight of Eucalyptus. <i>Forest Ecology and Management</i> , <b>2019</b> , 443, 19-27	3.9	20
879	New and Interesting Fungi. 2. <i>Fungal Systematics and Evolution</i> , <b>2019</b> , 3, 57-134	2.6	51
878	Genomic analysis of the aggressive tree pathogen <i>Ceratocystis albifundus</i> . <i>Fungal Biology</i> , <b>2019</b> , 123, 351-363	2.8	6
877	An artificial inoculation protocol for <i>Uromycladium acaciae</i> , cause of a serious disease of <i>Acacia mearnsii</i> in southern Africa. <i>Southern Forests</i> , <b>2019</b> , 81, 85-90	0.6	1
876	Genera of phytopathogenic fungi: GOPHY 2. <i>Studies in Mycology</i> , <b>2019</b> , 92, 47-133	22.2	69
875	Fungal Planet description sheets: 868-950. <i>Persoonia: Molecular Phylogeny and Evolution of Fungi</i> , <b>2019</b> , 42, 291-473	9	59
874	Mechanisms that influence sex ratio variation in the invasive hymenopteran in South Africa. <i>Ecology and Evolution</i> , <b>2019</b> , 9, 7966-7973	2.8	3

873	Bark Beetle Population Dynamics in the Anthropocene: Challenges and Solutions. <i>Trends in Ecology and Evolution</i> , <b>2019</b> , 34, 914-924	10.9	93
872	Lecanosticta acicola: A growing threat to expanding global pine forests and plantations. <i>Molecular Plant Pathology</i> , <b>2019</b> , 20, 1327-1364	5.7	9
871	Botryosphaeriaceae associated with Acacia heterophylla (La Réunion) and Acacia koa (Hawaii). <i>Fungal Biology</i> , <b>2019</b> , 123, 783-790	2.8	2
870	Virulence and survival of native entomopathogenic nematodes for the management of white grubs in South Africa. <i>Biological Control</i> , <b>2019</b> , 137, 104043	3.8	5
869	QTL mapping of mycelial growth and aggressiveness to distinct hosts in Ceratocystis pathogens. <i>Fungal Genetics and Biology</i> , <b>2019</b> , 131, 103242	3.9	6
868	Susceptibility of Eucalyptus grandis and Acacia mearnsii seedlings to five Phytophthora species common in South African plantations. <i>Forest Pathology</i> , <b>2019</b> , 49, e12560	1.2	0
867	Taxonomy and phylogeny of the complex (Ophiostomatales, Ascomycota), including descriptions of six new species from China and Europe. <i>MycKeys</i> , <b>2019</b> , 60, 93-123	2.4	6
866	The global diversity of Deladenus siricidicola in native and non-native populations. <i>Biological Control</i> , <b>2019</b> , 132, 57-65	3.8	6
865	Genetic uniformity characterizes the invasive spread of Neofusicoccum parvum and Diplodia sapinea in the Western Balkans. <i>Forest Pathology</i> , <b>2019</b> , 49, e12491	1.2	6
864	IMA Genome-F 11: Draft genome sequences of and and genome annotation for. <i>IMA Fungus</i> , <b>2019</b> , 10, 13	6.8	8
863	Fungal Planet description sheets: 951-1041. <i>Persoonia: Molecular Phylogeny and Evolution of Fungi</i> , <b>2019</b> , 43, 223-425	9	54
862	Draft genome sequences of five species from plantations in China, , and. <i>IMA Fungus</i> , <b>2019</b> , 10, 22	6.8	9
861	High genetic diversity of Fusarium circinatum associated with the first outbreak of pitch canker on Pinus patula in South Africa. <i>Southern Forests</i> , <b>2019</b> , 81, 69-78	0.6	4
860	Ten new species of Calonectria from Indonesia and Vietnam. <i>Mycologia</i> , <b>2019</b> , 111, 78-102	2.4	13
859	Teratosphaeria stem canker of Eucalyptus: two pathogens, one devastating disease. <i>Molecular Plant Pathology</i> , <b>2019</b> , 20, 8-19	5.7	19
858	Maternal environment regulates morphological and physiological traits in Eucalyptus grandis. <i>Forest Ecology and Management</i> , <b>2019</b> , 432, 631-636	3.9	8
857	Inheritance of phenotypic traits in the progeny of a Ceratocystis interspecific cross. <i>Fungal Biology</i> , <b>2018</b> , 122, 717-729	2.8	4
856	Population variation in traits of Deladenus siricidicola that could influence the biocontrol of Sirex noctilio in South Africa. <i>International Journal of Pest Management</i> , <b>2018</b> , 64, 324-332	1.5	3



855	Unexpected placement of the MAT1-1-2 gene in the MAT1-2 idiomorph of <i>Thielaviopsis</i> . <i>Fungal Genetics and Biology</i> , <b>2018</b> , 113, 32-41	3.9	13
854	The polyphagous shot hole borer (PSHB) and its fungal symbiont <i>Fusarium euwallaceae</i> : a new invasion in South Africa. <i>Australasian Plant Pathology</i> , <b>2018</b> , 47, 231-237	1.4	64
853	Seasonal Flight Patterns of Curculionidae (Cossoninae and Scolytinae) Infesting Dying <i>Euphorbia ingens</i> in South Africa. <i>Journal of Entomological Science</i> , <b>2018</b> , 53, 70-81	0.4	
852	Host specificity of co-infecting Botryosphaeriaceae on ornamental and forest trees in the Western Balkans. <i>Forest Pathology</i> , <b>2018</b> , 48, e12410	1.2	11
851	A microsatellite-based identification tool used to confirm vector association in a fungal tree pathogen. <i>Australasian Plant Pathology</i> , <b>2018</b> , 47, 63-69	1.4	1
850	Non-Mendelian segregation influences the infection biology and genetic structure of the African tree pathogen <i>Ceratocystis albifundus</i> . <i>Fungal Biology</i> , <b>2018</b> , 122, 222-230	2.8	2
849	Fungal species and their boundaries matter Definitions, mechanisms and practical implications. <i>Fungal Biology Reviews</i> , <b>2018</b> , 32, 104-116	6.8	40
848	Diversity of entomopathogenic nematodes and their symbiotic bacteria in south African plantations and indigenous forests. <i>Nematology</i> , <b>2018</b> , 20, 355-371	0.9	10
847	Population genetic analyses of complex global insect invasions in managed landscapes: a <i>Leptocybe invasa</i> (Hymenoptera) case study. <i>Biological Invasions</i> , <b>2018</b> , 20, 2395-2420	2.7	24
846	Evolution of the mating types and mating strategies in prominent genera in the Botryosphaeriaceae. <i>Fungal Genetics and Biology</i> , <b>2018</b> , 114, 24-33	3.9	11
845	A new genus of Cryphonectriaceae isolated from <i>Lagerstroemia speciosa</i> in southern China. <i>Plant Pathology</i> , <b>2018</b> , 67, 107-123	2.8	9
844	Fungi and insects associated with <i>Euphorbia ingens</i> die-off in South Africa. <i>Southern Forests</i> , <b>2018</b> , 80, 21-28	0.6	2
843	Dissimilar stem and leaf hydraulic traits suggest varying drought tolerance among co-occurring <i>Eucalyptus grandis</i> E. urophylla clones. <i>Southern Forests</i> , <b>2018</b> , 80, 175-184	0.6	8
842	Birds Mediate a Fungus-Mite Mutualism. <i>Microbial Ecology</i> , <b>2018</b> , 75, 863-874	4.4	7
841	Biodiversity and ecology of flower-associated actinomycetes in different flowering stages of <i>Protea repens</i> . <i>Antonie Van Leeuwenhoek</i> , <b>2018</b> , 111, 209-226	2.1	3
840	Biology of <i>Litosemyle ocanae</i> in Colombian <i>Pinus patula</i> plantations. <i>Southern Forests</i> , <b>2018</b> , 80, 279-284	0.6	1
839	Three <i>Ganoderma</i> species, including <i>Ganoderma dunense</i> sp. nov., associated with dying <i>Acacia cyclops</i> trees in South Africa. <i>Australasian Plant Pathology</i> , <b>2018</b> , 47, 431-447	1.4	6
838	IMA Genome-F 9: Draft genome sequence of (syn.), two strains, , , cf and. <i>IMA Fungus</i> , <b>2018</b> , 9, 199-223	6.8	24

837	New Botryosphaeriales on native red milkwood ( <i>Mimusops caffra</i> ). <i>Australasian Plant Pathology</i> , <b>2018</b> , 47, 475-484	1.4	7
836	Fungal Planet description sheets: 716-784. <i>Persoonia: Molecular Phylogeny and Evolution of Fungi</i> , <b>2018</b> , 40, 240-393	9	82
835	Novel Cryphonectriaceae from La Réunion and South Africa, and their pathogenicity on Eucalyptus. <i>Mycological Progress</i> , <b>2018</b> , 17, 953-966	1.9	3
834	<i>Cadophora margaritata</i> sp. nov. and other fungi associated with the longhorn beetles <i>Anoplophora glabripennis</i> and <i>Saperda carcharias</i> in Finland. <i>Antonie Van Leeuwenhoek</i> , <b>2018</b> , 111, 2195-2211	2.1	3
833	Genetic diversity of <i>Amylostereum areolatum</i> , the fungal symbiont of the invasive woodwasp <i>Sirex noctilio</i> in South Africa. <i>Forest Pathology</i> , <b>2018</b> , 48, e12449	1.2	4
832	Pheromone expression reveals putative mechanism of unisexuality in a saprobic ascomycete fungus. <i>PLoS ONE</i> , <b>2018</b> , 13, e0192517	3.7	11
831	Fungal Planet description sheets: 785-867. <i>Persoonia: Molecular Phylogeny and Evolution of Fungi</i> , <b>2018</b> , 41, 238-417	9	88
830	New host associations and a novel species for the gall-inducing acacia rust genus in South Africa. <i>MycKeys</i> , <b>2018</b> , 1-21	2.4	6
829	( ): pigmentation lost and gained. <i>Fungal Systematics and Evolution</i> , <b>2018</b> , 2, 273-309	2.6	4
828	Molecular phylogenetics and microsatellite analysis reveal a new pathogenic <i>Ceratocystis</i> species in the Asian-Australian clade. <i>Plant Pathology</i> , <b>2018</b> , 67, 1097-1113	2.8	8
827	Armillaria root rot spreading into a natural woody ecosystem in South Africa. <i>Plant Pathology</i> , <b>2018</b> , 67, 883-891	2.8	10
826	A new genus and species for the globally important, multihost root pathogen <i>Thielaviopsis basicola</i> . <i>Plant Pathology</i> , <b>2018</b> , 67, 871-882	2.8	26
825	Evidence that <i>Austropuccinia psidii</i> may complete its sexual life cycle on Myrtaceae. <i>Plant Pathology</i> , <b>2018</b> , 67, 729-734	2.8	16
824	New species of from plantation soils in South-East Asia. <i>MycKeys</i> , <b>2018</b> , 1-24	2.4	1
823	Nine draft genome sequences of ., including , and cf. pseudomolecules for the pitch canker pathogen , draft genome of and. <i>IMA Fungus</i> , <b>2018</b> , 9, 401-418	6.8	22
822	Chromium sequencing: the doors open for genomics of obligate plant pathogens. <i>BioTechniques</i> , <b>2018</b> , 65, 253-257	2.5	6
821	Nine novel species of <i>Huntia</i> from southern China with three distinct mating strategies and variable levels of pathogenicity. <i>Mycologia</i> , <b>2018</b> , 110, 1145-1171	2.4	4
820	Armillaria Root-Rot Pathogens: Species Boundaries and Global Distribution. <i>Pathogens</i> , <b>2018</b> , 7,	4.5	21

819	A new species pathogenic on in its native habitat. <i>Fungal Systematics and Evolution</i> , <b>2018</b> , 2, 37-43	2.6	3
818	Fungi infecting woody plants: emerging frontiers. <i>Persoonia: Molecular Phylogeny and Evolution of Fungi</i> , <b>2018</b> , 40, i-iii	9	5
817	Diplodia sapinea found on Scots pine in Finland. <i>Forest Pathology</i> , <b>2018</b> , 49, e12483	1.2	12
816	Mitochondrial introgression and interspecies recombination in the species complex. <i>IMA Fungus</i> , <b>2018</b> , 9, 37-48	6.8	16
815	Ceratocystidaceae exhibit high levels of recombination at the mating-type (MAT) locus. <i>Fungal Biology</i> , <b>2018</b> , 122, 1184-1191	2.8	9
814	Genomic overview of closely related fungi with different Protea host ranges. <i>Fungal Biology</i> , <b>2018</b> , 122, 1201-1214	2.8	0
813	(2592) Proposal to conserve Endoconidiophora fagacearum (Bretziella fagacearum, Ceratocystis fagacearum) against Chalara quercina (Thielaviopsis quercina) (Ascomycota: Sordariomycetes: Microascales). <i>Taxon</i> , <b>2018</b> , 67, 440-440	0.8	
812	Community composition and distribution of Phytophthora species across adjacent native and non-native forests of South Africa. <i>Fungal Ecology</i> , <b>2018</b> , 36, 17-25	4.1	16
811	New species associated with rapid death of in Hawai'i. <i>Persoonia: Molecular Phylogeny and Evolution of Fungi</i> , <b>2018</b> , 40, 154-181	9	76
810	Heterothallism revealed in the root rot fungi Berkeleyomyces basicola and B. rouxiae. <i>Fungal Biology</i> , <b>2018</b> , 122, 1031-1040	2.8	7
809	Ophiostoma quercus: An unusually diverse and globally widespread tree-infecting fungus. <i>Fungal Biology</i> , <b>2018</b> , 122, 900-910	2.8	3
808	Commercialisation of entomopathogenic nematodes: should import regulations be revised?. <i>Biocontrol Science and Technology</i> , <b>2017</b> , 27, 149-168	1.7	19
807	Canker Stain: A Lethal Disease Destroying Iconic Plane Trees. <i>Plant Disease</i> , <b>2017</b> , 101, 645-658	1.5	38
806	New and unexpected host associations for Diplodia sapinea in the Western Balkans. <i>Forest Pathology</i> , <b>2017</b> , 47, e12328	1.2	16
805	Diversity, phylogeny and pathogenicity of Botryosphaeriaceae on non-native Eucalyptus grown in an urban environment: A case study. <i>Urban Forestry and Urban Greening</i> , <b>2017</b> , 26, 139-148	5.4	11
804	Genera of phytopathogenic fungi: GOPHY 1. <i>Studies in Mycology</i> , <b>2017</b> , 86, 99-216	22.2	173
803	The pandemic biotype of Austropuccinia psidii discovered in South America. <i>Australasian Plant Pathology</i> , <b>2017</b> , 46, 267-275	1.4	13
802	The unified framework for biological invasions: a forest fungal pathogen perspective. <i>Biological Invasions</i> , <b>2017</b> , 19, 3201-3214	2.7	22

801	First Report of Myrtle Rust Caused by <i>Austropuccinia psidii</i> on <i>Rhodomyrtus tomentosa</i> (Myrtaceae) from Singapore. <i>Plant Disease</i> , <b>2017</b> , 101, 1676-1676	1.5	13
800	Novel associations between ophiostomatoid fungi, insects and tree hosts: current status and future prospects. <i>Biological Invasions</i> , <b>2017</b> , 19, 3215-3228	2.7	32
799	Maternal effects on phenotype, resistance and the structuring of fungal communities in <i>Eucalyptus grandis</i> . <i>Environmental and Experimental Botany</i> , <b>2017</b> , 140, 120-127	5.9	13
798	Metacommunity analyses of Ceratocystidaceae fungi across heterogeneous African savanna landscapes. <i>Fungal Ecology</i> , <b>2017</b> , 28, 76-85	4.1	3
797	Unique clones of the pitch canker fungus, <i>Fusarium circinatum</i> , associated with a new disease outbreak in South Africa. <i>European Journal of Plant Pathology</i> , <b>2017</b> , 148, 97-107	2.1	4
796	A new <i>Leptographium</i> species from the roots of declining <i>Pinus sylvestris</i> in Switzerland. <i>Forest Pathology</i> , <b>2017</b> , 47, e12346	1.2	1
795	Landscape degradation may contribute to large-scale die-offs of <i>Euphorbia ingens</i> in South Africa. <i>South African Journal of Botany</i> , <b>2017</b> , 111, 144-152	2.9	3
794	Pathogens on the Move: A 100-Year Global Experiment with Planted Eucalypts. <i>BioScience</i> , <b>2017</b> , 67, 14-25	5.7	73
793	Urban trees: bridge-heads for forest pest invasions and sentinels for early detection. <i>Biological Invasions</i> , <b>2017</b> , 19, 3515-3526	2.7	59
792	Diversity of tree-infecting Botryosphaerales on native and non-native trees in South Africa and Namibia. <i>Australasian Plant Pathology</i> , <b>2017</b> , 46, 529-545	1.4	13
791	Urban environments provide opportunities for early detections of <i>Phytophthora</i> invasions. <i>Biological Invasions</i> , <b>2017</b> , 19, 3629-3644	2.7	20
790	Fungal Planet description sheets: 558-624. <i>Persoonia: Molecular Phylogeny and Evolution of Fungi</i> , <b>2017</b> , 38, 240-384	9	80
789	An assessment of mangrove diseases and pests in South Africa. <i>Forestry</i> , <b>2017</b> ,	2.2	4
788	Fungal Planet description sheets: 625-715. <i>Persoonia: Molecular Phylogeny and Evolution of Fungi</i> , <b>2017</b> , 39, 270-467	9	99
787	IMA Genome-F 8: Draft genome of , , and. <i>IMA Fungus</i> , <b>2017</b> , 8, 385-396	6.8	21
786	A plant pathology perspective of fungal genome sequencing. <i>IMA Fungus</i> , <b>2017</b> , 8, 1-15	6.8	41
785	species isolated from plantations and nurseries in South China. <i>IMA Fungus</i> , <b>2017</b> , 8, 259-286	6.8	18
784	Biological invasions in forest ecosystems. <i>Biological Invasions</i> , <b>2017</b> , 19, 3437-3458	2.7	103

783	Effect of temperature, leaf wetness and the developmental stage of host tissue on infection of <i>Acacia mearnsii</i> by <i>Uromykladium acaciae</i> (Pucciniales). <i>Australasian Plant Pathology</i> , <b>2017</b> , 46, 407-419	1.4	4
782	Contrasting carbon metabolism in saprotrophic and pathogenic microascalean fungi from Protea trees. <i>Fungal Ecology</i> , <b>2017</b> , 30, 88-100	4.1	6
781	Which MAT gene? Pezizomycotina (Ascomycota) mating-type gene nomenclature reconsidered. <i>Fungal Biology Reviews</i> , <b>2017</b> , 31, 199-211	6.8	35
780	Challenges to planted forest health in developing economies. <i>Biological Invasions</i> , <b>2017</b> , 19, 3273-3285	2.7	22
779	Two <i>Ralstonia</i> species associated with bacterial wilt of Eucalyptus. <i>Plant Pathology</i> , <b>2017</b> , 66, 393-403	2.8	21
778	Phylogenetic species recognition and hybridisation in <i>Lasiodiplodia</i> : A case study on species from baobabs. <i>Fungal Biology</i> , <b>2017</b> , 121, 420-436	2.8	48
777	Overlap of latent pathogens in the Botryosphaeriaceae on a native and agricultural host. <i>Fungal Biology</i> , <b>2017</b> , 121, 405-419	2.8	27
776	Endophytic Botryosphaeriaceae, including five new species, associated with mangrove trees in South Africa. <i>Fungal Biology</i> , <b>2017</b> , 121, 361-393	2.8	31
775	Botryosphaeria dothidea: a latent pathogen of global importance to woody plant health. <i>Molecular Plant Pathology</i> , <b>2017</b> , 18, 477-488	5.7	120
774	Ecology and population structure of a tree wound-infecting fungus in a native South African forest environment. <i>Fungal Biology</i> , <b>2017</b> , 121, 69-81	2.8	4
773	Putative origins of the fungus <i>Leptographium procerum</i> . <i>Fungal Biology</i> , <b>2017</b> , 121, 82-94	2.8	11
772	Antifungal actinomycetes associated with the pine bark beetle, <i>Orthotomicus erosus</i> , in South Africa. <i>South African Journal of Science</i> , <b>2017</b> , Volume 113,	1.3	1
771	Invasive Everywhere? Phylogeographic Analysis of the Globally Distributed Tree Pathogen <i>Lasiodiplodia theobromae</i> . <i>Forests</i> , <b>2017</b> , 8, 145	2.8	18
770	and on : Opportunists or Primary Pathogens?. <i>Frontiers in Plant Science</i> , <b>2017</b> , 8, 761	6.2	11
769	Testing Projected Climate Change Conditions on the / Pathosystem Shows Fungal Strain Specific Effects. <i>Frontiers in Plant Science</i> , <b>2017</b> , 8, 883	6.2	8
768	Fungal Systematics and Evolution: FUSE 3 <b>2017</b> , 69, 229-264		10
767	Ophiostomatoid fungi associated with conifer-infesting beetles and their phoretic mites in Yunnan, China. <i>MycoKeys</i> , <b>2017</b> , 19-64	2.4	28
766	<i>Phakopsora myrtacearum</i> sp. nov., a newly described rust (Pucciniales) on eucalypts in eastern and southern Africa. <i>Plant Pathology</i> , <b>2016</b> , 65, 189-195	2.8	14

765	Ophiostomatoid fungi associated with mangroves in South Africa, including <i>Ophiostoma palustre</i> sp. nov. <i>Antonie Van Leeuwenhoek</i> , <b>2016</b> , 109, 1555-1571	2.1	9
764	Securing African forests for future drier climates: applying ecophysiology in tree improvement. <i>Southern Forests</i> , <b>2016</b> , 78, 241-254	0.6	2
763	Genetic Analyses Suggest Separate Introductions of the Pine Pathogen <i>Lecanosticta acicola</i> Into Europe. <i>Phytopathology</i> , <b>2016</b> , 106, 1413-1425	3.8	20
762	Global food and fibre security threatened by current inefficiencies in fungal identification. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , <b>2016</b> , 371,	5.8	58
761	Development of microsatellite markers for the pine needle blight pathogen, <i>Dothistroma pini</i> . <i>Forest Pathology</i> , <b>2016</b> , 46, 497-506	1.2	8
760	Global geographic distribution and host range of <i>Dothistroma</i> species: a comprehensive review. <i>Forest Pathology</i> , <b>2016</b> , 46, 408-442	1.2	61
759	A unique genotype of the rust pathogen, <i>Puccinia psidii</i> , on Myrtaceae in South Africa. <i>Australasian Plant Pathology</i> , <b>2016</b> , 45, 645-652	1.4	25
758	Evolutionary dynamics of tree invasions: complementing the unified framework for biological invasions. <i>AoB PLANTS</i> , <b>2016</b> ,	2.9	20
757	New host range and distribution of <i>Ceratocystis pirilliformis</i> in South Africa. <i>European Journal of Plant Pathology</i> , <b>2016</b> , 146, 483-496	2.1	5
756	Rust ( <i>Puccinia psidii</i> ) recorded in Indonesia poses a threat to forests and forestry in South-East Asia. <i>Australasian Plant Pathology</i> , <b>2016</b> , 45, 83-89	1.4	28
755	The genetic landscape of <i>Ceratocystis albifundus</i> populations in South Africa reveals a recent fungal introduction event. <i>Fungal Biology</i> , <b>2016</b> , 120, 690-700	2.8	15
754	A possible centre of diversity in South East Asia for the tree pathogen, <i>Ceratocystis manginecans</i> . <i>Infection, Genetics and Evolution</i> , <b>2016</b> , 41, 73-83	4.5	19
753	Genome sequences of <i>Knoxdaviesia capensis</i> and <i>K. proteae</i> (Fungi: Ascomycota) from Protea trees in South Africa. <i>Standards in Genomic Sciences</i> , <b>2016</b> , 11, 22		5
752	Nursery-linked plantation outbreaks and evidence for multiple introductions of the pitch canker pathogen <i>Fusarium circinatum</i> into South Africa. <i>Plant Pathology</i> , <b>2016</b> , 65, 357-368	2.8	10
751	Population genetics and symbiont assemblages support opposing invasion scenarios for the red turpentine beetle ( <i>Dendroctonus valens</i> ). <i>Biological Journal of the Linnean Society</i> , <b>2016</b> , 118, 486-502	1.9	12
750	A review of factors associated with decline and death of mangroves, with particular reference to fungal pathogens. <i>South African Journal of Botany</i> , <b>2016</b> , 103, 295-301	2.9	17
749	<i>Steinernema fabii</i> n. sp. (Rhabditida: Steinernematidae), a new entomopathogenic nematode from South Africa. <i>Nematology</i> , <b>2016</b> , 18, 235-255	0.9	10
748	Novel ophiostomatalean fungi from galleries of <i>Cyrtogenius africanus</i> (Scolytinae) infesting dying <i>Euphorbia ingens</i> . <i>Antonie Van Leeuwenhoek</i> , <b>2016</b> , 109, 589-601	2.1	16

747	Novel and co-evolved associations between insects and microorganisms as drivers of forest pestilence. <i>Biological Invasions</i> , <b>2016</b> , 18, 1045-1056	2.7	58
746	Three new species of Ophiostomatales from Nothofagus in Patagonia. <i>Mycological Progress</i> , <b>2016</b> , 15, 1	1.9	12
745	Exotic biological control agents: A solution or contribution to arthropod invasions?. <i>Biological Invasions</i> , <b>2016</b> , 18, 953-969	2.7	104
744	Botryosphaeriaceae associated with the die-back of ornamental trees in the Western Balkans. <i>Antonie Van Leeuwenhoek</i> , <b>2016</b> , 109, 543-64	2.1	28
743	Temporal and interspecific variation in rates of spread for insect species invading Europe during the last 200 years. <i>Biological Invasions</i> , <b>2016</b> , 18, 907-920	2.7	79
742	Multigene phylogenies and morphological characterization of five new Ophiostoma spp. associated with spruce-infesting bark beetles in China. <i>Fungal Biology</i> , <b>2016</b> , 120, 454-470	2.8	20
741	Mating type markers reveal high levels of heterothallism in Leptographium sensu lato. <i>Fungal Biology</i> , <b>2016</b> , 120, 538-546	2.8	6
740	Increasing numbers and intercontinental spread of invasive insects on eucalypts. <i>Biological Invasions</i> , <b>2016</b> , 18, 921-933	2.7	84
739	Insects and Diseases of Mediterranean Forests: A South African Perspective <b>2016</b> , 397-430		6
738	The Eucalyptus stem canker pathogen <i>Teratosphaeria zuluensis</i> detected in seed samples. <i>Forestry</i> , <b>2016</b> , 89, 316-324	2.2	26
737	New species () from the USA and Taiwan associated with ambrosia beetles and plant hosts. <i>IMA Fungus</i> , <b>2016</b> , 7, 265-273	6.8	21
736	IMA Genome-F 6: Draft genome sequences of <i>Armillaria fuscipes</i> , <i>Ceratocystiopsis minuta</i> , <i>Ceratocystis adiposa</i> , <i>Endoconidiophora laricicola</i> , <i>E. polonica</i> and <i>Penicillium frei</i> DAOMC 242723. <i>IMA Fungus</i> , <b>2016</b> , 7, 217-27	6.8	28
735	IMA Genome-F 7: Draft genome sequences for and. <i>IMA Fungus</i> , <b>2016</b> , 7, 317-323	6.8	25
734	Antifungal spp. Associated with the Infructescences of spp. in South Africa. <i>Frontiers in Microbiology</i> , <b>2016</b> , 7, 1657	5.7	12
733	Seasonal Succession of Fungi Associated with <i>Ips typographus</i> Beetles and Their Phoretic Mites in an Outbreak Region of Finland. <i>PLoS ONE</i> , <b>2016</b> , 11, e0155622	3.7	27
732	Fungal Genomics Challenges the Dogma of Name-Based Biosecurity. <i>PLoS Pathogens</i> , <b>2016</b> , 12, e1005475.6		32
731	The Eucalyptus stem canker pathogen <i>Teratosphaeria gauchensis</i> represents distinct genetic groups in Africa and South America. <i>Forest Pathology</i> , <b>2016</b> , 46, 229-239	1.2	6
730	First report of <i>Teratosphaeria gauchensis</i> causing stem canker of Eucalyptus in Kenya. <i>Forest Pathology</i> , <b>2016</b> , 46, 168-170	1.2	3

729	Host jumps shaped the diversity of extant rust fungi (Pucciniales). <i>New Phytologist</i> , <b>2016</b> , 209, 1149-58	9.8	51
728	<i>Corticomorbus sinomyrti</i> gen. et sp. nov. (Cryphonectriaceae) pathogenic to native <i>Rhodomyrtus tomentosa</i> (Myrtaceae) in South China. <i>Plant Pathology</i> , <b>2016</b> , 65, 1254-1266	2.8	12
727	Ecological disequilibrium drives insect pest and pathogen accumulation in non-native trees. <i>AoB PLANTS</i> , <b>2016</b> ,	2.9	17
726	Tree invasions and biosecurity: eco-evolutionary dynamics of hitchhiking fungi. <i>AoB PLANTS</i> , <b>2016</b> , 8,	2.9	29
725	A taxonomic review of white grubs and leaf chafers (Coleoptera: Scarabaeidae: Melolonthinae) recorded from forestry and agricultural crops in Sub-Saharan Africa. <i>Bulletin of Entomological Research</i> , <b>2016</b> , 106, 141-53	1.7	8
724	The forgotten collection: Pouring old wine into new bags. <i>Studies in Mycology</i> , <b>2016</b> , 85, 159-198	22.2	20
723	Shot hole disease on <i>Prunus laurocerasus</i> caused by <i>Neofusicoccum parvum</i> in Serbia. <i>Forest Pathology</i> , <b>2016</b> , 46, 666-669	1.2	10
722	Fungal Planet description sheets: 469-557. <i>Persoonia: Molecular Phylogeny and Evolution of Fungi</i> , <b>2016</b> , 37, 218-403	9	122
721	Diseases of eucalypts in the central and northern provinces of Mozambique. <i>Southern Forests</i> , <b>2016</b> , 78, 169-183	0.6	5
720	Endophytic Cryphonectriaceae on native Myrtales: Possible origin of <i>Chrysosporthe</i> canker on plantation-grown <i>Eucalyptus</i> . <i>Fungal Biology</i> , <b>2016</b> , 120, 827-35	2.8	9
719	Complex patterns of global spread in invasive insects: eco-evolutionary and management consequences. <i>Biological Invasions</i> , <b>2016</b> , 18, 935-952	2.7	91
718	The <i>Eucalyptus</i> shoot and leaf pathogen <i>Teratosphaeria destructans</i> recorded in South Africa. <i>Southern Forests</i> , <b>2016</b> , 78, 123-129	0.6	14
717	Population structure of <i>Holocryphia capensis</i> (cryphonectriaceae) from <i>Metrosideros angustifolia</i> and its pathogenicity to <i>Eucalyptus</i> species. <i>Australasian Plant Pathology</i> , <b>2016</b> , 45, 201-207	1.4	3
716	The <i>Ophiostoma clavatum</i> species complex: a newly defined group in the Ophiostomatales including three novel taxa. <i>Antonie Van Leeuwenhoek</i> , <b>2016</b> , 109, 987-1018	2.1	13
715	Three genetic groups of the <i>Eucalyptus</i> stem canker pathogen <i>Teratosphaeria zuluensis</i> introduced into Africa from an unknown source. <i>Antonie Van Leeuwenhoek</i> , <b>2016</b> , 109, 21-33	2.1	5
714	Neotypification of <i>Dothistroma septosporum</i> and epitypification of <i>D. pini</i> , causal agents of <i>Dothistroma</i> needle blight of pine. <i>Forest Pathology</i> , <b>2016</b> , 46, 388-407	1.2	27
713	Genetic basis for high population diversity in <i>Protea</i> -associated <i>Knoxdaviesia</i> . <i>Fungal Genetics and Biology</i> , <b>2016</b> , 96, 47-57	3.9	11
712	<i>Hawksworthiomyces</i> gen. nov. (Ophiostomatales), illustrates the urgency for a decision on how to name novel taxa known only from environmental nucleic acid sequences (ENAS). <i>Fungal Biology</i> , <b>2016</b> , 120, 1323-1340	2.8	29



711	The divorce of Sporothrix and Ophiostoma: solution to a problematic relationship. <i>Studies in Mycology</i> , <b>2016</b> , 83, 165-91	22.2	113
710	Dothistroma needle blight: an emerging epidemic caused by Dothistroma septosporum in Colombia. <i>Plant Pathology</i> , <b>2016</b> , 65, 53-63	2.8	18
709	Diversity and pathogenicity of the Ceratocystidaceae associated with cacao agroforests in Cameroon. <i>Plant Pathology</i> , <b>2016</b> , 65, 64-78	2.8	7
708	Molecular markers delimit cryptic species in Ceratocystis sensu stricto. <i>Mycological Progress</i> , <b>2015</b> , 14, 1	1.9	34
707	Taxonomy and phylogeny of the Leptographium procerum complex, including Leptographium sinense sp. nov. and Leptographium longiconidiophorum sp. nov. <i>Antonie Van Leeuwenhoek</i> , <b>2015</b> , 107, 547-63	2.1	32
706	Unisexual reproduction in Huntiella moniliformis. <i>Fungal Genetics and Biology</i> , <b>2015</b> , 80, 1-9	3.9	38
705	Cornuvesica: A little known mycophilic genus with a unique biology and unexpected new species. <i>Fungal Biology</i> , <b>2015</b> , 119, 615-30	2.8	17
704	Huntiella decorticans sp. nov. (Ceratocystidaceae) associated with dying Nothofagus in Patagonia. <i>Mycologia</i> , <b>2015</b> , 107, 512-21	2.4	4
703	Biology, incidence and host susceptibility of Pineus boernerii (Hemiptera: Adelgidae) in Colombian pine plantations. <i>Southern Forests</i> , <b>2015</b> , 77, 165-171	0.6	2
702	Evaluating the inheritance of Ceratocystis acaciivora symptom expression in a diverse Acacia mangium breeding population. <i>Southern Forests</i> , <b>2015</b> , 77, 83-90	0.6	28
701	Management of Fusarium diseases affecting conifers. <i>Crop Protection</i> , <b>2015</b> , 73, 28-39	2.7	40
700	New Ceratocystis species from Eucalyptus and Cunninghamia in South China. <i>Antonie Van Leeuwenhoek</i> , <b>2015</b> , 107, 1451-73	2.1	15
699	Diseases on Eucalyptus species in Zimbabwean plantations and woodlots. <i>Southern Forests</i> , <b>2015</b> , 77, 221-230	0.6	14
698	Long-distance dispersal and recolonization of a fire-destroyed niche by a mite-associated fungus. <i>Fungal Biology</i> , <b>2015</b> , 119, 245-56	2.8	13
697	Fungi associated with black mould on baobab trees in southern Africa. <i>Antonie Van Leeuwenhoek</i> , <b>2015</b> , 108, 85-95	2.1	5
696	Multiple Phytophthora species associated with a single riparian ecosystem in South Africa. <i>Mycologia</i> , <b>2015</b> , 107, 915-25	2.4	9
695	Phylogenetic relationships among biological species of Armillaria from China. <i>Mycoscience</i> , <b>2015</b> , 56, 530-541	1.2	12
694	Uromykladium acaciae, the cause of a sudden, severe disease epidemic on Acacia mearnsii in South Africa. <i>Australasian Plant Pathology</i> , <b>2015</b> , 44, 637-645	1.4	19

693	Planted forest health: The need for a global strategy. <i>Science</i> , <b>2015</b> , 349, 832-6	33.3	258
692	Changes in planted forests and future global implications. <i>Forest Ecology and Management</i> , <b>2015</b> , 352, 57-67	3.9	365
691	Population dynamics of <i>Thaumastocoris peregrinus</i> in Eucalyptus plantations of South Africa. <i>Journal of Pest Science</i> , <b>2015</b> , 88, 97-106	5.5	13
690	The distribution of genetic diversity in the <i>Neofusicoccum parvum</i> / <i>N. ribis</i> complex suggests structure correlated with level of disturbance. <i>Fungal Ecology</i> , <b>2015</b> , 13, 93-102	4.1	15
689	Temporal and spatial variation of Botryosphaeriaceae associated with <i>Acacia karroo</i> in South Africa. <i>Fungal Ecology</i> , <b>2015</b> , 15, 51-62	4.1	19
688	Multiple introductions from multiple sources: invasion patterns for an important Eucalyptus leaf pathogen. <i>Ecology and Evolution</i> , <b>2015</b> , 5, 4210-20	2.8	15
687	Homothallism: an umbrella term for describing diverse sexual behaviours. <i>IMA Fungus</i> , <b>2015</b> , 6, 207-14	6.8	52
686	Phylogenetic placement of <i>Itajahya</i> : An unusual <i>Jacaranda</i> fungal associate. <i>IMA Fungus</i> , <b>2015</b> , 6, 257-62	6.8	11
685	<i>Knoxdaviesia proteae</i> is not the only <i>Knoxdaviesia</i> -symbiont of <i>Protea repens</i> . <i>IMA Fungus</i> , <b>2015</b> , 6, 471-6	6.8	8
684	IMA Genome-F 4: Draft genome sequences of <i>Chrysosporthe austroafricana</i> , <i>Diplodia scrobiculata</i> , <i>Fusarium nygamai</i> , <i>Leptographium lundbergii</i> , <i>Limonomyces culmigenus</i> , <i>Stagonosporopsis tanacetii</i> , and <i>Thielaviopsis punctulata</i> . <i>IMA Fungus</i> , <b>2015</b> , 6, 233-48	6.8	40
683	<i>Ganoderma</i> species, including new taxa associated with root rot of the iconic <i>Jacaranda mimosifolia</i> in Pretoria, South Africa. <i>IMA Fungus</i> , <b>2015</b> , 6, 249-56	6.8	28
682	Saprophytic and pathogenic fungi in the Ceratocystidaceae differ in their ability to metabolize plant-derived sucrose. <i>BMC Evolutionary Biology</i> , <b>2015</b> , 15, 273	3	26
681	Risk assessment for <i>Puccinia psidii</i> becoming established in South Africa. <i>Plant Pathology</i> , <b>2015</b> , 64, 1326-1335	6.8	13
680	Microsatellite and mating type markers reveal unexpected patterns of genetic diversity in the pine root-infecting fungus <i>Grosmannia alacris</i> . <i>Plant Pathology</i> , <b>2015</b> , 64, 235-242	2.8	7
679	Variation in growth rates and aggressiveness of naturally occurring self-fertile and self-sterile isolates of the wilt pathogen <i>Ceratocystis albifundus</i> . <i>Plant Pathology</i> , <b>2015</b> , 64, 1103-1109	2.8	31
678	First report of <i>Puccinia psidii</i> on <i>Corymbia citriodora</i> and Eucalyptus in Colombia. <i>Forest Pathology</i> , <b>2015</b> , 45, 534-536	1.2	7
677	Identifying and naming plant-pathogenic fungi: past, present, and future. <i>Annual Review of Phytopathology</i> , <b>2015</b> , 53, 247-67	10.8	97
676	<i>Pseudocercospora mapelanensis</i> sp. nov., associated with a fruit and leaf disease of <i>Barringtonia racemosa</i> in South Africa. <i>Australasian Plant Pathology</i> , <b>2015</b> , 44, 349-359	1.4	5

675	IMA Genome-F 5: Draft genome sequences of <i>Ceratocystis eucalypticola</i> , <i>Chrysosporthe cubensis</i> , <i>C. deuterocubensis</i> , <i>Davidsoniella virescens</i> , <i>Fusarium temperatum</i> , <i>Graphilbum fragrans</i> , <i>Penicillium nordicum</i> , and <i>Thielaviopsis musarum</i> . <i>IMA Fungus</i> , <b>2015</b> , 6, 493-506	6.8	42
674	Independent origins and incipient speciation among host-associated populations of <i>Thielaviopsis ethacetica</i> in Cameroon. <i>Fungal Biology</i> , <b>2015</b> , 119, 957-972	2.8	3
673	One fungus, which genes? Development and assessment of universal primers for potential secondary fungal DNA barcodes. <i>Persoonia: Molecular Phylogeny and Evolution of Fungi</i> , <b>2015</b> , 35, 242-63 <sup>9</sup>		286
672	New species, hyper-diversity and potential importance of <i>Calonectria</i> spp. from Eucalyptus in South China. <i>Studies in Mycology</i> , <b>2015</b> , 80, 151-88	22.2	31
671	Sirex woodwasp: a model for evolving management paradigms of invasive forest pests. <i>Annual Review of Entomology</i> , <b>2015</b> , 60, 601-19	21.8	66
670	Novel taxa in the <i>Fusarium fujikuroi</i> species complex from Pinus spp. <i>Studies in Mycology</i> , <b>2015</b> , 80, 131-50.2	20.2	49
669	<i>Teratosphaeria pseudonubilosa</i> sp. nov., a serious Eucalyptus leaf pathogen in the <i>Teratosphaeria nubilosa</i> species complex. <i>Australasian Plant Pathology</i> , <b>2014</b> , 43, 67-77	1.4	4
668	Comparison of the tolerance of <i>Pinus patula</i> seedlings and established trees to infection by <i>Fusarium circinatum</i> . <i>Southern Forests</i> , <b>2014</b> , 76, 151-159	0.6	6
667	Panmixia defines the genetic diversity of a unique arthropod-dispersed fungus specific to Protea flowers. <i>Ecology and Evolution</i> , <b>2014</b> , 4, 3444-55	2.8	14
666	Association of the pitch canker pathogen <i>Fusarium circinatum</i> with grass hosts in commercial pine production areas of South Africa. <i>Southern Forests</i> , <b>2014</b> , 76, 161-166	0.6	20
665	Reconsidering species boundaries in the <i>Ceratocystis paradoxa</i> complex, including a new species from oil palm and cacao in Cameroon. <i>Mycologia</i> , <b>2014</b> , 106, 757-84	2.4	23
664	Multigene phylogenies of Ophiostomataceae associated with Monterey pine bark beetles in Spain reveal three new fungal species. <i>Mycologia</i> , <b>2014</b> , 106, 119-32	2.4	17
663	Culture-independent detection and quantification of <i>Fusarium circinatum</i> in a pine-producing seedling nursery. <i>Southern Forests</i> , <b>2014</b> , 76, 137-143	0.6	12
662	Three new and important insect pests recorded for the first time in Colombian plantations. <i>Southern Forests</i> , <b>2014</b> , 76, 245-252	0.6	5
661	Biology and host preference of <i>Selitrichodes neseri</i> : A potential biological control agent of the Eucalyptus gall wasp, <i>Leptocybe invasa</i> . <i>Biological Control</i> , <b>2014</b> , 78, 33-41	3.8	29
660	Population structure and diversity of an invasive pine needle pathogen reflects anthropogenic activity. <i>Ecology and Evolution</i> , <b>2014</b> , 4, 3642-61	2.8	51
659	Complementary symbiont contributions to plant decomposition in a fungus-farming termite. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2014</b> , 111, 14500-5	11.5	163
658	Clonal structure of <i>Ceratocystis manginecans</i> populations from mango wilt disease in Oman and Pakistan. <i>Australasian Plant Pathology</i> , <b>2014</b> , 43, 393	1.4	8

657	Endophyte isolations from <i>Syzygium cordatum</i> and a <i>Eucalyptus</i> clone (Myrtaceae) reveal new host and geographical reports for the Mycosphaerellaceae and Teratosphaeriaceae. <i>Australasian Plant Pathology</i> , <b>2014</b> , 43, 503-512	1.4	10
656	Botryosphaeriaceae species overlap on four unrelated, native South African hosts. <i>Fungal Biology</i> , <b>2014</b> , 118, 168-79	2.8	38
655	MAT gene idiomorphs suggest a heterothallic sexual cycle in a predominantly asexual and important pine pathogen. <i>Fungal Genetics and Biology</i> , <b>2014</b> , 62, 55-61	3.9	42
654	Confronting the constraints of morphological taxonomy in the Botryosphaeriales. <i>Persoonia: Molecular Phylogeny and Evolution of Fungi</i> , <b>2014</b> , 33, 155-68	9	51
653	IMA Genome-F 2: <i>Ceratocystis manginecans</i> , <i>Ceratocystis moniliformis</i> , <i>Diplodia sapinea</i> : Draft genome sequences of <i>Diplodia sapinea</i> , <i>Ceratocystis manginecans</i> , and <i>Ceratocystis moniliformis</i> . <i>IMA Fungus</i> , <b>2014</b> , 5, 135-40	6.8	51
652	Finding needles in haystacks: linking scientific names, reference specimens and molecular data for <i>Fungi</i> . <i>Database: the Journal of Biological Databases and Curation</i> , <b>2014</b> , 2014,	5	199
651	DNA loss at the <i>Ceratocystis fimbriata</i> mating locus results in self-sterility. <i>PLoS ONE</i> , <b>2014</b> , 9, e92180	3.7	40
650	Genome-wide macrosynteny among <i>Fusarium</i> species in the <i>Gibberella fujikuroi</i> complex revealed by amplified fragment length polymorphisms. <i>PLoS ONE</i> , <b>2014</b> , 9, e114682	3.7	16
649	Development of a PCR-RFLP Based Detection Method for the Oak Pathogens <i>Diplodia corticola</i> and <i>D. quercivora</i> . <i>Plant Health Progress</i> , <b>2014</b> , 15, 63-66	1.2	4
648	Effect on nursery and field performance of <i>Pinus patula</i> seedlings after inoculation with <i>Fusarium circinatum</i> . <i>Southern Forests</i> , <b>2014</b> , 76, 125-136	0.6	8
647	IMA Genome-F 3: Draft genomes of <i>Amanita jacksonii</i> , <i>Ceratocystis albifundus</i> , <i>Fusarium circinatum</i> , <i>Huntia omanensis</i> , <i>Leptographium procerum</i> , <i>Rutstroemia sydowniana</i> , and <i>Sclerotinia echinophila</i> . <i>IMA Fungus</i> , <b>2014</b> , 5, 473-86	6.8	45
646	Redefining <i>Ceratocystis</i> and allied genera. <i>Studies in Mycology</i> , <b>2014</b> , 79, 187-219	22.2	158
645	First report of <i>Teratosphaeria zuluensis</i> causing stem canker of <i>Eucalyptus grandis</i> in Uganda. <i>Forest Pathology</i> , <b>2014</b> , 44, 242-245	1.2	11
644	Phylogeny of ambrosia beetle symbionts in the genus <i>Raffaelea</i> . <i>Fungal Biology</i> , <b>2014</b> , 118, 970-8	2.8	38
643	Botryosphaeriaceae associated with die-back of <i>Schizolobium parahyba</i> trees in South Africa and Ecuador. <i>Forest Pathology</i> , <b>2014</b> , 44, 396-408	1.2	9
642	<i>Sporendocladia bactrospora</i> associated with wounds on native broadleaved trees in Norway and Sweden. <i>Forest Pathology</i> , <b>2014</b> , 44, 124-130	1.2	0
641	Ophiostomatoid fungi including two new fungal species associated with pine root-feeding beetles in northern Spain. <i>Antonie Van Leeuwenhoek</i> , <b>2014</b> , 106, 1167-84	2.1	14
640	Evidence for a new introduction of the pitch canker fungus <i>Fusarium circinatum</i> in South Africa. <i>Plant Pathology</i> , <b>2014</b> , 63, 530-538	2.8	18

639	Molecular phylogenetic analyses reveal three new <i>Ceratocystis</i> species and provide evidence for geographic differentiation of the genus in Africa. <i>Mycological Progress</i> , <b>2014</b> , 13, 219-240	1.9	18
638	Evidence of low levels of genetic diversity for the <i>Phytophthora austrocedrae</i> population in Patagonia, Argentina. <i>Plant Pathology</i> , <b>2014</b> , 63, 212-220	2.8	13
637	Development of polymorphic microsatellite markers for the genetic characterisation of <i>Knoxdaviesia proteae</i> (Ascomycota: Microascales) using ISSR-PCR and pyrosequencing. <i>Mycological Progress</i> , <b>2014</b> , 13, 439-444	1.9	12
636	Four New Host and Three New State Records of <i>Dothistroma</i> Needle Blight Caused by <i>Dothistroma pini</i> in the United States. <i>Plant Disease</i> , <b>2014</b> , 98, 1443	1.5	12
635	Host switching between native and non-native trees in a population of the canker pathogen <i>Chrysosporthe cubensis</i> from Colombia. <i>Plant Pathology</i> , <b>2013</b> , 62, 642-648	2.8	16
634	Transmission ratio distortion in an interspecific cross between <i>Fusarium circinatum</i> and <i>Fusarium subglutinans</i> . <i>Genes and Genomics</i> , <b>2013</b> , 35, 177-183	2.1	4
633	Identification and genetic diversity of <i>Rosellinia</i> spp. associated with root rot of coffee in Colombia. <i>Australasian Plant Pathology</i> , <b>2013</b> , 42, 515-523	1.4	10
632	Pathogenicity and sporulation of <i>Phytophthora pinifolia</i> on <i>Pinus radiata</i> in Chile. <i>Australasian Plant Pathology</i> , <b>2013</b> , 42, 413-420	1.4	11
631	<i>Ceratocystis</i> species, including two new taxa, from Eucalyptus trees in South Africa. <i>Australasian Plant Pathology</i> , <b>2013</b> , 42, 283-311	1.4	16
630	<i>Ceratocystis manginecans</i> associated with a serious wilt disease of two native legume trees in Oman and Pakistan. <i>Australasian Plant Pathology</i> , <b>2013</b> , 42, 179-193	1.4	42
629	Established and new technologies reduce increasing pest and pathogen threats to Eucalypt plantations. <i>Forest Ecology and Management</i> , <b>2013</b> , 301, 35-42	3.9	62
628	Parallel host range expansion in two unrelated cossid moths infesting <i>Eucalyptus nitens</i> on two continents. <i>Ecological Entomology</i> , <b>2013</b> , 38, 112-116	2.1	6
627	<i>Diversimorbus metrosiderotis</i> gen. et sp. nov. and three new species of <i>Holocryphia</i> (Cryphonectriaceae) associated with cankers on native <i>Metrosideros angustifolia</i> trees in South Africa. <i>Fungal Biology</i> , <b>2013</b> , 117, 289-310	2.8	18
626	Characterization of the mating-type genes in <i>Leptographium procerum</i> and <i>Leptographium profanum</i> . <i>Fungal Biology</i> , <b>2013</b> , 117, 411-21	2.8	37
625	Species of <i>Mycosphaerellaceae</i> and <i>Teratosphaeriaceae</i> on native <i>Myrtaceae</i> in Uruguay: evidence of fungal host jumps. <i>Fungal Biology</i> , <b>2013</b> , 117, 94-102	2.8	14
624	Diversity and distribution of co-infecting <i>Botryosphaeriaceae</i> from <i>Eucalyptus grandis</i> and <i>Syzygium cordatum</i> in South Africa. <i>South African Journal of Botany</i> , <b>2013</b> , 84, 38-43	2.9	23
623	Destructive Tree Diseases Associated with <i>Ambrosia</i> and Bark Beetles: Black Swan Events in Tree Pathology?. <i>Plant Disease</i> , <b>2013</b> , 97, 856-872	1.5	142
622	Evidence for inter-specific recombination among the mitochondrial genomes of <i>Fusarium</i> species in the <i>Gibberella fujikuroi</i> complex. <i>BMC Genomics</i> , <b>2013</b> , 14, 605	4.5	28

621	Global forest research, science education and community service positively impacted by a unique Centre of Excellence in Tree Health Biotechnology. <i>Southern Forests</i> , <b>2013</b> , 75, 71-80	0.6	3
620	A serious canker disease caused by <i>Immersiporthe knoxdavesiana</i> gen. et sp. nov. (Cryphonectriaceae) on native <i>Rapanea melanophloeos</i> in South Africa. <i>Plant Pathology</i> , <b>2013</b> , 62, 667-678	2.8	17
619	Susceptibility of provenances and families of <i>Pinus maximinoi</i> and <i>Pinus tecunumanii</i> to frost in South Africa. <i>New Forests</i> , <b>2013</b> , 44, 135-146	2.6	8
618	Phylogenetic lineages in <i>Pseudocercospora</i> . <i>Studies in Mycology</i> , <b>2013</b> , 75, 37-114	22.2	136
617	The Botryosphaeriaceae: genera and species known from culture. <i>Studies in Mycology</i> , <b>2013</b> , 76, 51-167	22.2	482
616	Permanent genetic resources added to molecular ecology resources database 1 October 2012-30 November 2012. <i>Molecular Ecology Resources</i> , <b>2013</b> , 13, 341-3	8.4	28
615	One fungus, one name: defining the genus <i>Fusarium</i> in a scientifically robust way that preserves longstanding use. <i>Phytopathology</i> , <b>2013</b> , 103, 400-8	3.8	155
614	Mate-recognition and species boundaries in the ascomycetes. <i>Fungal Diversity</i> , <b>2013</b> , 58, 1-12	17.6	22
613	Taxonomy and pathogenicity of <i>Ceratocystis</i> species on Eucalyptus trees in South China, including <i>C. chinaeucensis</i> sp. nov.. <i>Fungal Diversity</i> , <b>2013</b> , 58, 267-279	17.6	33
612	Species delineation in the tree pathogen genus <i>Celoporthe</i> (Cryphonectriaceae) in southern Africa. <i>Mycologia</i> , <b>2013</b> , 105, 297-311	2.4	9
611	Analysis of microsatellite markers in the genome of the plant pathogen <i>Ceratocystis fimbriata</i> . <i>Fungal Biology</i> , <b>2013</b> , 117, 545-55	2.8	20
610	Mutualism and asexual reproduction influence recognition genes in a fungal symbiont. <i>Fungal Biology</i> , <b>2013</b> , 117, 439-50	2.8	2
609	Greater Botryosphaeriaceae diversity in healthy than associated diseased <i>Acacia karroo</i> tree tissues. <i>Australasian Plant Pathology</i> , <b>2013</b> , 42, 421-430	1.4	29
608	The mango sudden decline pathogen, <i>Ceratocystis manginecans</i> , is vectored by <i>Hypocryphalus mangiferae</i> (Coleoptera: Scolytinae) in Oman. <i>European Journal of Plant Pathology</i> , <b>2013</b> , 135, 243-251	2.1	25
607	The tolerance of <i>Pinus patula</i> [ <i>Pinus tecunumanii</i> , and other pine hybrids, to <i>Fusarium circinatum</i> in greenhouse trials. <i>New Forests</i> , <b>2013</b> , 44, 443-456	2.6	21
606	Biology and rearing of <i>Cleruchoides noackae</i> (Hymenoptera: Mymaridae), an egg parasitoid for the biological control of <i>Thaumastocoris peregrinus</i> (Hemiptera: Thaumastocoridae). <i>Journal of Economic Entomology</i> , <b>2013</b> , 106, 1979-85	2.2	31
605	Biodiversity: So much more than legs and leaves. <i>South African Journal of Science</i> , <b>2013</b> , 109, 1-9	1.3	8
604	Names of fungal species with the same epithet applied to different morphs: how to treat them. <i>IMA Fungus</i> , <b>2013</b> , 4, 53-6	6.8	25

603	IMA Genome-F 1: <i>Ceratocystis fimbriata</i> : Draft nuclear genome sequence for the plant pathogen, <i>Ceratocystis fimbriata</i> . <i>IMA Fungus</i> , <b>2013</b> , 4, 357-8	6.8	35
602	Surveys of soil and water reveal a goldmine of <i>Phytophthora</i> diversity in South African natural ecosystems. <i>IMA Fungus</i> , <b>2013</b> , 4, 123-31	6.8	47
601	Lack of fidelity revealed in an insect-fungal mutualism after invasion. <i>Biology Letters</i> , <b>2013</b> , 9, 20130342	3.6	28
600	Ion Torrent PGM as tool for fungal community analysis: a case study of endophytes in <i>Eucalyptus grandis</i> reveals high taxonomic diversity. <i>PLoS ONE</i> , <b>2013</b> , 8, e81718	3.7	69
599	The Myrtle rust pathogen, <i>Puccinia psidii</i> , discovered in Africa. <i>IMA Fungus</i> , <b>2013</b> , 4, 155-9	6.8	60
598	Population structure of <i>Chrysosporthe austroafricana</i> in southern Africa determined using Vegetative Compatibility Groups (VCGs). <i>Forest Pathology</i> , <b>2013</b> , 43, 124-131	1.2	6
597	Fungal Planet description sheets: 154-213. <i>Persoonia: Molecular Phylogeny and Evolution of Fungi</i> , <b>2013</b> , 31, 188-296	9	121
596	Concerted evolution in the ribosomal RNA cistron. <i>PLoS ONE</i> , <b>2013</b> , 8, e59355	3.7	45
595	Large shift in symbiont assemblage in the invasive red turpentine beetle. <i>PLoS ONE</i> , <b>2013</b> , 8, e78126	3.7	44
594	Cankers and other diseases caused by the Botryosphaeriaceae. <b>2013</b> , 298-317		16
593	<i>Dothistroma septosporum</i> Identified in Greece on <i>Pinus brutia</i> and <i>Pinus nigra</i> Plantations. <i>Plant Disease</i> , <b>2013</b> , 97, 1247	1.5	6
592	The influence of <i>Amylostereum areolatum</i> diversity and competitive interactions on the fitness of the <i>Sirex</i> parasitic nematode <i>Deladenus siricidicola</i> . <i>Biological Control</i> , <b>2012</b> , 61, 207-214	3.8	24
591	One fungus, one name promotes progressive plant pathology. <i>Molecular Plant Pathology</i> , <b>2012</b> , 13, 604-617	3.7	140
590	Perception and knowledge of the <i>Sirex</i> woodwasp and other forest pests in South Africa. <i>Agricultural and Forest Entomology</i> , <b>2012</b> , 14, 306-316	1.9	9
589	Diversity in <i>Eucalyptus</i> susceptibility to the gall-forming wasp <i>Leptocybe invasa</i> . <i>Agricultural and Forest Entomology</i> , <b>2012</b> , 14, 419-427	1.9	40
588	High levels of genetic diversity and cryptic recombination is widespread in introduced <i>Diplodia pinea</i> populations. <i>Australasian Plant Pathology</i> , <b>2012</b> , 41, 41-46	1.4	19
587	<i>Ceratocystis</i> species, including two new species associated with nitidulid beetles, on eucalypts in Australia. <i>Antonie Van Leeuwenhoek</i> , <b>2012</b> , 101, 217-41	2.1	28
586	Cryptic species, native populations and biological invasions by a eucalypt forest pathogen. <i>Molecular Ecology</i> , <b>2012</b> , 21, 4452-71	5.7	27

585	DNA extraction techniques for DNA barcoding of minute gall-inhabiting wasps. <i>Molecular Ecology Resources</i> , <b>2012</b> , 12, 109-15	8.4	20
584	<i>Fusarium circinatum</i> and pitch canker of <i>Pinus</i> in Colombia. <i>Australasian Plant Pathology</i> , <b>2012</b> , 41, 483-491	4.1	30
583	The potential for monitoring and control of insect pests in Southern Hemisphere forestry plantations using semiochemicals. <i>Annals of Forest Science</i> , <b>2012</b> , 69, 757-767	3.1	21
582	Nuclear ribosomal internal transcribed spacer (ITS) region as a universal DNA barcode marker for Fungi. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2012</b> , 109, 6241-6246	11.5	2981
581	Both mating types in the heterothallic fungus <i>Ophiostoma quercus</i> contain MAT1-1 and MAT1-2 genes. <i>Fungal Biology</i> , <b>2012</b> , 116, 427-37	2.8	20
580	New species of <i>Gondwanamyces</i> from dying <i>Euphorbia</i> trees in South Africa. <i>Mycologia</i> , <b>2012</b> , 104, 574-84	8.4	11
579	Phylogeny and taxonomy of species in the <i>Grosmannia serpens</i> complex. <i>Mycologia</i> , <b>2012</b> , 104, 715-32	2.4	58
578	Retracing the routes of introduction of invasive species: the case of the <i>Sirex noctilio</i> woodwasp. <i>Molecular Ecology</i> , <b>2012</b> , 21, 5728-44	5.7	83
577	Potential of <i>Phytophthora pinifolia</i> to spread via sawn green lumber: a preliminary investigation. <i>Southern Forests</i> , <b>2012</b> , 74, 211-216	0.6	3
576	Die-off of giant <i>Euphorbia</i> trees in South Africa: Symptoms and relationships to climate. <i>South African Journal of Botany</i> , <b>2012</b> , 83, 172-185	2.9	13
575	Biological control of forest plantation pests in an interconnected world requires greater international focus. <i>International Journal of Pest Management</i> , <b>2012</b> , 58, 211-223	1.5	72
574	Selection of <i>Pinus</i> spp. in South Africa for tolerance to infection by the pitch canker fungus. <i>New Forests</i> , <b>2012</b> , 43, 473-489	2.6	21
573	DNA sequence incongruence and inconsistent morphology obscure species boundaries in the <i>Teratosphaeria suttonii</i> species complex. <i>Mycoscience</i> , <b>2012</b> , 53, 270-283	1.2	8
572	<i>Grosmannia</i> and <i>Leptographium</i> spp. associated with conifer-infesting bark beetles in Finland and Russia, including <i>Leptographium taigense</i> sp. nov. <i>Antonie Van Leeuwenhoek</i> , <b>2012</b> , 102, 375-99	2.1	39
571	Mitochondrial DNA diversity of <i>Cleruchoides noackae</i> (Hymenoptera: Mymaridae): a potential biological control agent for <i>Thaumastocoris peregrinus</i> (Hemiptera: Thaumastocoridae). <i>BioControl</i> , <b>2012</b> , 57, 397-404	2.3	15
570	<i>Homortomyces</i> gen. nov., a new dothidealean pycnidial fungus from the Cradle of Humankind. <i>IMA Fungus</i> , <b>2012</b> , 3, 109-15	6.8	13
569	First fungal genome sequence from Africa: A preliminary analysis. <i>South African Journal of Science</i> , <b>2012</b> , 108,	1.3	27
568	<i>Ceratocystis eucalypticola</i> sp. nov. from <i>Eucalyptus</i> in South Africa and comparison to global isolates from this tree. <i>IMA Fungus</i> , <b>2012</b> , 3, 45-58	6.8	23



567	Microsatellite markers for <i>Grosmannia alacris</i> (Ophiostomataceae, Ascomycota) and other species in the <i>G. serpens</i> complex. <i>American Journal of Botany</i> , <b>2012</b> , 99, e216-9	2.7	1
566	Future outlook for <i>Pinus patula</i> in South Africa in the presence of the pitch canker fungus ( <i>Fusarium circinatum</i> ). <i>Southern Forests</i> , <b>2012</b> , 74, 203-210	0.6	21
565	Tolerance of <i>Pinus patula</i> full-sib families to <i>Fusarium circinatum</i> in a greenhouse study. <i>Southern Forests</i> , <b>2012</b> , 74, 247-252	0.6	8
564	Associations of Conifer-Infesting Bark Beetles and Fungi in Fennoscandia. <i>Insects</i> , <b>2012</b> , 3, 200-27	2.8	45
563	Fungal Planet description sheets: 128-153. <i>Persoonia: Molecular Phylogeny and Evolution of Fungi</i> , <b>2012</b> , 29, 146-201	9	57
562	The Control of the Sirex Woodwasp in Diverse Environments: The South African Experience <b>2012</b> , 247-264		22
561	Botryosphaeriaceae associated with <i>Pterocarpus angolensis</i> (kiaat) in South Africa. <i>Mycologia</i> , <b>2011</b> , 103, 534-53	2.4	49
560	New records of the Cryphonectriaceae from southern Africa including <i>Latruncellus aurorae</i> gen. sp. nov. <i>Mycologia</i> , <b>2011</b> , 103, 554-69	2.4	26
559	Novel species of <i>Celoporthe</i> from Eucalyptus and Syzygium trees in China and Indonesia. <i>Mycologia</i> , <b>2011</b> , 103, 1384-410	2.4	29
558	The role of phytopathogenicity in bark beetle-fungus symbioses: a challenge to the classic paradigm. <i>Annual Review of Entomology</i> , <b>2011</b> , 56, 255-72	21.8	194
557	A genetically homogenous population of <i>Fusarium circinatum</i> causes pitch canker of <i>Pinus radiata</i> in the Basque Country, Spain. <i>Fungal Biology</i> , <b>2011</b> , 115, 288-95	2.8	37
556	Mites are the most common vectors of the fungus <i>Gondwanamyces proteae</i> in <i>Protea</i> infructescences. <i>Fungal Biology</i> , <b>2011</b> , 115, 343-50	2.8	24
555	Genetic analysis of growth, morphology and pathogenicity in the F(1) progeny of an interspecific cross between <i>Fusarium circinatum</i> and <i>Fusarium subglutinans</i> . <i>Fungal Biology</i> , <b>2011</b> , 115, 902-8	2.8	11
554	Structure and evolution of the <i>Fusarium</i> mating type locus: new insights from the <i>Gibberellafujikuroi</i> complex. <i>Fungal Genetics and Biology</i> , <b>2011</b> , 48, 731-40	3.9	48
553	Gene expression associated with vegetative incompatibility in <i>Amylostereum areolatum</i> . <i>Fungal Genetics and Biology</i> , <b>2011</b> , 48, 1034-43	3.9	6
552	One Fungus One Name: A Plant Pathologist's View. <i>IMA Fungus</i> , <b>2011</b> , 2, A39-A40	6.8	0
551	Novel species of <i>Calonectria</i> associated with Eucalyptus leaf blight in Southeast China. <i>Persoonia: Molecular Phylogeny and Evolution of Fungi</i> , <b>2011</b> , 26, 1-12	9	36
550	Do novel genotypes drive the success of an invasive bark beetle-fungus complex? Implications for potential reinvasion. <i>Ecology</i> , <b>2011</b> , 92, 2013-9	4.6	55

549	Occurrence and pathogenicity of <i>Neofusicoccum parvum</i> and <i>N. mangiferae</i> on ornamental <i>Tibouchina</i> species. <i>Forest Pathology</i> , <b>2011</b> , 41, 48-51	1.2	13
548	<i>Diplodia scrobiculata</i> found in the southern hemisphere. <i>Forest Pathology</i> , <b>2011</b> , 41, 175-181	1.2	15
547	The pathogenic potential of endophytic Botryosphaeriaceous fungi on <i>Terminalia</i> species in Cameroon. <i>Forest Pathology</i> , <b>2011</b> , 41, 281-292	1.2	19
546	Needle blight of pine caused by two species of <i>Dothistroma</i> in Hungary. <i>Forest Pathology</i> , <b>2011</b> , 41, 361-369	3.6	31
545	Characterization of Botryosphaeriaceae from plantation-grown <i>Eucalyptus</i> species in South China. <i>Plant Pathology</i> , <b>2011</b> , 60, 739-751	2.8	52
544	Spread and development of quambalaria shoot blight in spotted gum plantations. <i>Plant Pathology</i> , <b>2011</b> , 60, 1096-1106	2.8	8
543	Variability in aggressiveness of <i>Quambalaria pitereka</i> isolates. <i>Plant Pathology</i> , <b>2011</b> , 60, 1107-1117	2.8	12
542	Insect pests and pathogens of Australian acacias grown as non-natives: an experiment in biogeography with far-reaching consequences. <i>Diversity and Distributions</i> , <b>2011</b> , 17, 968-977	5	33
541	Sources of <i>Diplodia pinea</i> endophytic infections in <i>Pinus patula</i> and <i>P. radiata</i> seedlings in South Africa. <i>Forest Pathology</i> , <b>2011</b> , 41, 370-375	1.2	32
540	A new wilt and die-back disease of <i>Acacia mangium</i> associated with <i>Ceratocystis manginecans</i> and <i>C. acaciivora</i> sp. nov. in Indonesia. <i>South African Journal of Botany</i> , <b>2011</b> , 77, 292-304	2.9	94
539	Extreme homozygosity in Southern Hemisphere populations of <i>Deladenus siricidicola</i> , a biological control agent of <i>Sirex noctilio</i> . <i>Biological Control</i> , <b>2011</b> , 59, 348-353	3.8	22
538	Plants for planting; indirect evidence for the movement of a serious forest pathogen, <i>Teratosphaeria destructans</i> , in Asia. <i>European Journal of Plant Pathology</i> , <b>2011</b> , 131, 49-58	2.1	21
537	Effect of Diaporthe RNA virus 1 (DRV1) on growth and pathogenicity of different Diaporthe species. <i>European Journal of Plant Pathology</i> , <b>2011</b> , 131, 261-268	2.1	4
536	Characterization of a novel dsRNA element in the pine endophytic fungus <i>Diplodia scrobiculata</i> . <i>Archives of Virology</i> , <b>2011</b> , 156, 1199-208	2.6	8
535	Discovery of <i>Ophiostoma tsotsi</i> on <i>Eucalyptus</i> wood chips in China. <i>Mycoscience</i> , <b>2011</b> , 52, 111-118	1.2	8
534	Diversity and pathogenicity of Botryosphaeriaceae on declining <i>Ostrya carpinifolia</i> in Slovenia and Italy following extreme weather conditions. <i>European Journal of Forest Research</i> , <b>2011</b> , 130, 235-249	2.7	25
533	Fungal associates of the lodgepole pine beetle, <i>Dendroctonus murrayanae</i> . <i>Antonie Van Leeuwenhoek</i> , <b>2011</b> , 100, 231-44	2.1	23
532	Anthropogenic effects on interaction outcomes: examples from insect-microbial symbioses in forest and savanna ecosystems. <i>Symbiosis</i> , <b>2011</b> , 53, 101-121	3	20

531	Four new <i>Ceratocystis</i> spp. associated with wounds on Eucalyptus, Schizolobium and Terminalia trees in Ecuador. <i>Fungal Diversity</i> , <b>2011</b> , 46, 111-131	17.6	19
530	<i>Mycosphaerella</i> and <i>Teratosphaeria</i> diseases of Eucalyptus; easily confused and with serious consequences. <i>Fungal Diversity</i> , <b>2011</b> , 50, 145-166	17.6	51
529	A new shoot and stem disease of Eucalyptus species caused by <i>Erwinia psidii</i> . <i>Australasian Plant Pathology</i> , <b>2011</b> , 40, 55-60	1.4	24
528	Variable resistance to <i>Quambalaria pitereka</i> in spotted gum reveal opportunities for disease screening. <i>Australasian Plant Pathology</i> , <b>2011</b> , 40, 76-86	1.4	24
527	Potential gains through selecting for resistance in spotted gum to <i>Quambalaria pitereka</i> . <i>Australasian Plant Pathology</i> , <b>2011</b> , 40, 197-206	1.4	3
526	High population diversity and increasing importance of the Eucalyptus stem canker pathogen, <i>Teratosphaeria zuluensis</i> , in South China. <i>Australasian Plant Pathology</i> , <b>2011</b> , 40, 407-415	1.4	16
525	Eucalypt diseases and their management in China. <i>Australasian Plant Pathology</i> , <b>2011</b> , 40, 339-345	1.4	23
524	Unexpected genetic diversity revealed in the Eucalyptus canker pathogen <i>Teratosphaeria gauchensis</i> . <i>Australasian Plant Pathology</i> , <b>2011</b> , 40, 497-503	1.4	12
523	Distribution of <i>Diplodia pinea</i> and its genotypic diversity within asymptomatic <i>Pinus patula</i> trees. <i>Australasian Plant Pathology</i> , <b>2011</b> , 40, 540-548	1.4	25
522	First report of <i>Neofusicoccum parvum</i> causing canker and die-back of Eucalyptus in Spain. <i>Australasian Plant Disease Notes</i> , <b>2011</b> , 6, 57-59	0.8	22
521	<i>Puccinia psidii</i> infecting cultivated Eucalyptus and native myrtaceae in Uruguay. <i>Mycological Progress</i> , <b>2011</b> , 10, 273-282	1.9	22
520	A single dominant <i>Ganoderma</i> species is responsible for root rot of <i>Acacia mangium</i> and Eucalyptus in Sumatra. <i>Southern Forests</i> , <b>2011</b> , 73, 175-180	0.6	25
519	Pruning quality affects infection of <i>Acacia mangium</i> and <i>A. crassicarpa</i> by <i>Ceratocystis acaciivora</i> and <i>Lasiodiplodia theobromae</i> . <i>Southern Forests</i> , <b>2011</b> , 73, 187-191	0.6	13
518	The pitch canker fungus, <i>Fusarium circinatum</i> : implications for South African forestry. <i>Southern Forests</i> , <b>2011</b> , 73, 1-13	0.6	46
517	<i>Lasiodiplodia</i> species associated with dying <i>Euphorbia ingens</i> in South Africa. <i>Southern Forests</i> , <b>2011</b> , 73, 165-173	0.6	12
516	Causes and consequences of variability in peptide mating pheromones of ascomycete fungi. <i>Molecular Biology and Evolution</i> , <b>2011</b> , 28, 1987-2003	8.3	36
515	The amsterdam declaration on fungal nomenclature. <i>IMA Fungus</i> , <b>2011</b> , 2, 105-12	6.8	260
514	Paleogene radiation of a plant pathogenic mushroom. <i>PLoS ONE</i> , <b>2011</b> , 6, e28545	3.7	23

513	First report of <i>Phytophthora cinnamomi</i> associated with stem cankers of <i>Quercus cerris</i> in South Africa. <i>New Disease Reports</i> , <b>2011</b> , 24, 11-11	1.3	4
512	<i>Ophiostoma</i> species (Ophiostomatales, Ascomycota), including two new taxa on eucalypts in Australia. <i>Australian Journal of Botany</i> , <b>2011</b> , 59, 283	1.2	12
511	Complex interactions among host pines and fungi vectored by an invasive bark beetle. <i>New Phytologist</i> , <b>2010</b> , 187, 859-66	9.8	69
510	First report of <i>Diplodia corticola</i> in Greece on kermes oak ( <i>Quercus coccifera</i> ). <i>Plant Pathology</i> , <b>2010</b> , 59, 805-805	2.8	14
509	Micro- and macroscale analyses illustrates mixed mating strategies and extensive gene flow in populations of an invasive haploid pathogen. <i>Molecular Ecology</i> , <b>2010</b> , 19, 1801-13	5.7	36
508	Factors influencing infection of <i>Acacia mearnsii</i> by the wilt pathogen <i>Ceratocystis albifundus</i> in South Africa. <i>Forest Pathology</i> , <b>2010</b> , 40, 500-509	1.2	4
507	(117119) Proposals to make the prepublication deposit of key nomenclatural information in a recognized repository a requirement for valid publication of organisms treated as fungi under the Code. <i>Taxon</i> , <b>2010</b> , 59, 660-662	0.8	9
506	Barcoding and microcoding using "identiprimers" with <i>Leptographium</i> species. <i>Mycologia</i> , <b>2010</b> , 102, 1274-87	2.4	1
505	Die-back of kiasat ( <i>Pterocarpus angolensis</i> ) in southern Africa: a cause for concern?. <i>Southern Forests</i> , <b>2010</b> , 72, 121-132	0.6	3
504	Identification of fungal pathogens occurring in eucalypt and pine plantations in Zambia by comparing DNA sequences. <i>Forestry</i> , <b>2010</b> , 83, 507-515	2.2	13
503	Multigene phylogeny and mating tests reveal three cryptic species related to <i>Calonectria pauciramosa</i> . <i>Studies in Mycology</i> , <b>2010</b> , 66, 15-30	22.2	51
502	Species concepts in <i>Calonectria</i> ( <i>Cylindrocladium</i> ). <i>Studies in Mycology</i> , <b>2010</b> , 66, 1-13	22.2	71
501	Phylogeny and systematics of the genus <i>Calonectria</i> . <i>Studies in Mycology</i> , <b>2010</b> , 66, 31-69	22.2	84
500	The Eucalyptus canker pathogen <i>Holocryphia eucalypti</i> on Eucalyptus in New Zealand. <i>Australasian Plant Disease Notes</i> , <b>2010</b> , 5, 5	0.8	4
499	Multigene phylogenetic and population differentiation data confirm the existence of a cryptic species within <i>Chrysosporthe cubensis</i> . <i>Fungal Biology</i> , <b>2010</b> , 114, 966-79	2.8	34
498	Taxonomy of <i>Armillaria</i> in the Patagonian forests of Argentina. <i>Mycologia</i> , <b>2010</b> , 102, 392-403	2.4	16
497	Comparison of procedures to evaluate the pathogenicity of <i>Ceratocystis fimbriata</i> sensu lato isolates from Eucalyptus in South Africa. <i>Southern Forests</i> , <b>2010</b> , 72, 57-62	0.6	9
496	Two new <i>Ophiostoma</i> species from <i>Protea caffra</i> in Zambia. <i>Persoonia: Molecular Phylogeny and Evolution of Fungi</i> , <b>2010</b> , 24, 18-28	9	27

495	Ophiostoma spp. associated with pine- and spruce-infesting bark beetles in Finland and Russia. <i>Persoonia: Molecular Phylogeny and Evolution of Fungi</i> , <b>2010</b> , 25, 72-93	9	49
494	Fungal phoenix rising from the ashes?. <i>IMA Fungus</i> , <b>2010</b> , 1, 149-53	6.8	12
493	Calonectria species associated with cutting rot of Eucalyptus. <i>Persoonia: Molecular Phylogeny and Evolution of Fungi</i> , <b>2010</b> , 24, 1-11	9	38
492	Identification and Pathogenicity of Chrysosporthe cubensis on Eucalyptus and Syzygium spp. in South China. <i>Plant Disease</i> , <b>2010</b> , 94, 1143-1150	1.5	28
491	Plantation forestry diseases in Zambia: Contributing factors and management options. <i>Annals of Forest Science</i> , <b>2010</b> , 67, 802-802	3.1	9
490	Cryptometrion aestuescens gen. sp. nov. (Cryphonectriaceae) pathogenic to Eucalyptus in Indonesia. <i>Australasian Plant Pathology</i> , <b>2010</b> , 39, 161	1.4	21
489	The Eucalyptus canker pathogen Chrysosporthe cubensis discovered in eastern Australia. <i>Australasian Plant Pathology</i> , <b>2010</b> , 39, 343	1.4	11
488	Genetic diversity in the Eucalyptus stem pathogen Teratosphaeria zuluensis. <i>Australasian Plant Pathology</i> , <b>2010</b> , 39, 383	1.4	17
487	Three new Ceratocystis spp. in the Ceratocystis moniliformis complex from wounds on Acacia mangium and A. crassicarpa. <i>Mycoscience</i> , <b>2010</b> , 51, 53-67	1.2	30
486	Aurifilum, a new fungal genus in the Cryphonectriaceae from Terminalia species in Cameroon. <i>Antonie Van Leeuwenhoek</i> , <b>2010</b> , 98, 263-78	2.1	16
485	Characterisation of synnematosus bark beetle-associated fungi from China, including Graphium carbonarium sp. nov.. <i>Fungal Diversity</i> , <b>2010</b> , 40, 75-88	17.6	21
484	New Ceratocystis species infecting coffee, cacao, citrus and native trees in Colombia. <i>Fungal Diversity</i> , <b>2010</b> , 40, 103-117	17.6	23
483	Endophytic and canker-associated Botryosphaeriaceae occurring on non-native Eucalyptus and native Myrtaceae trees in Uruguay. <i>Fungal Diversity</i> , <b>2010</b> , 41, 53-69	17.6	72
482	Re-evaluation of Cryptosporiopsis eucalypti and Cryptosporiopsis-like species occurring on Eucalyptus leaves. <i>Fungal Diversity</i> , <b>2010</b> , 44, 89-105	17.6	34
481	Two new species of Leptographium from Dryocetes authographus and Hylastes cunicularius in Norway. <i>Mycological Progress</i> , <b>2010</b> , 9, 69-78	1.9	10
480	Botryosphaeriaceae associated with Terminalia catappa in Cameroon, South Africa and Madagascar. <i>Mycological Progress</i> , <b>2010</b> , 9, 101-123	1.9	89
479	Taxonomy and pathogenicity of two novel Chrysosporthe species from Eucalyptus grandis and Syzygium guineense in Zambia. <i>Mycological Progress</i> , <b>2010</b> , 9, 379-393	1.9	18
478	A new Ophiostoma species from loblolly pine roots in the southeastern United States. <i>Mycological Progress</i> , <b>2010</b> , 9, 447-457	1.9	7

477	Genetic diversity of <i>Bradysia difformis</i> (Sciaridae: Diptera) populations reflects movement of an invasive insect between forestry nurseries. <i>Biological Invasions</i> , <b>2010</b> , 12, 729-733	2.7	8
476	DNA bar-coding reveals source and patterns of <i>Thaumastocoris peregrinus</i> invasions in South Africa and South America. <i>Biological Invasions</i> , <b>2010</b> , 12, 1067-1077	2.7	56
475	<i>Ophiostoma tsotsi</i> sp. nov., a wound-infesting fungus of hardwood trees in Africa. <i>Mycopathologia</i> , <b>2010</b> , 169, 413-23	2.9	28
474	Population structure of <i>Cylindrocladium parasiticum</i> infecting peanuts ( <i>Arachis hypogaea</i> ) in Georgia, USA. <i>European Journal of Plant Pathology</i> , <b>2010</b> , 127, 199-206	2.1	11
473	Fifty Years of Tree Pest and Pathogen Invasions, Increasingly Threatening World Forests <b>2010</b> , 89-99		6
472	Molecular and phenotypic characterization of three phylogenetic species discovered within the <i>Neofusicoccum parvum</i> / <i>N. ribis</i> complex. <i>Mycologia</i> , <b>2009</b> , 101, 636-47	2.4	51
471	<i>Ceratocystis</i> species: emerging pathogens of non-native plantation <i>Eucalyptus</i> and <i>Acacia</i> species. <i>Southern Forests</i> , <b>2009</b> , 71, 115-120	0.6	56
470	Molecular and morphological characterization of <i>Dothiorella casuarini</i> sp. nov. and other <i>Botryosphaeriaceae</i> with diplodia-like conidia. <i>Mycologia</i> , <b>2009</b> , 101, 503-11	2.4	12
469	Insect associates of <i>Ceratocystis albifundus</i> and patterns of association in a native savanna ecosystem in South Africa. <i>Environmental Entomology</i> , <b>2009</b> , 38, 356-64	2.1	31
468	Mite-mediated hyperphoretic dispersal of <i>Ophiostoma</i> spp. from the infructescences of South African <i>Protea</i> spp. <i>Environmental Entomology</i> , <b>2009</b> , 38, 143-52	2.1	33
467	Distribution and population diversity of <i>Ceratocystis pirilliformis</i> in South Africa. <i>Mycologia</i> , <b>2009</b> , 101, 17-25	2.4	21
466	Susceptibility of South African native conifers to the pitch canker pathogen, <i>Fusarium circinatum</i> . <i>South African Journal of Botany</i> , <b>2009</b> , 75, 380-382	2.9	12
465	Diverse <i>Fusarium solani</i> isolates colonise agricultural environments in Ethiopia. <i>European Journal of Plant Pathology</i> , <b>2009</b> , 124, 369-378	2.1	16
464	<i>Teratosphaeria</i> ( <i>Mycosphaerella</i> ) <i>nubilosa</i> , the causal agent of <i>Mycosphaerella</i> leaf disease (MLD), recently introduced into Uruguay. <i>European Journal of Plant Pathology</i> , <b>2009</b> , 125, 109-118	2.1	25
463	Molecular phylogeny of <i>Armillaria</i> from the Patagonian Andes. <i>Mycological Progress</i> , <b>2009</b> , 8, 181-194	1.9	20
462	Delimitation of <i>Ophiostoma quercus</i> and its synonyms using multiple gene phylogenies. <i>Mycological Progress</i> , <b>2009</b> , 8, 221-236	1.9	33
461	<i>Neofusicoccum eucalyptorum</i> , a <i>Eucalyptus</i> pathogen, on native <i>Myrtaceae</i> in Uruguay. <i>Plant Pathology</i> , <b>2009</b> , 58, 964-970	2.8	16
460	<i>Teratosphaeria nubilosa</i> , a serious leaf disease pathogen of <i>Eucalyptus</i> spp. in native and introduced areas. <i>Molecular Plant Pathology</i> , <b>2009</b> , 10, 1-14	5.7	44

459	DNA-based method for rapid identification of the pine pathogen, <i>Phytophthora pinifolia</i> . <i>FEMS Microbiology Letters</i> , <b>2009</b> , 298, 99-104	2.9	13
458	Botryosphaeriaceae associated with Eucalyptus canker diseases in Colombia. <i>Forest Pathology</i> , <b>2009</b> , 39, 110-123	1.2	23
457	Single sequence repeat markers reflect diversity and geographic barriers in Eurasian populations of the conifer pathogen <i>Ceratocystis polonica</i> . <i>Forest Pathology</i> , <b>2009</b> , 39, 249-265	1.2	12
456	Mycosphaerellaceae and Teratosphaeriaceae associated with Eucalyptus leaf diseases and stem cankers in Uruguay. <i>Forest Pathology</i> , <b>2009</b> , 39, 349-360	1.2	22
455	Pathogenicity of <i>Ceratocystis resinifera</i> to Norway spruce. <i>Forest Pathology</i> , <b>2009</b> , 40, 458-464	1.2	3
454	Isolation of <i>Enterobacter cowanii</i> from Eucalyptus showing symptoms of bacterial blight and dieback in Uruguay. <i>Letters in Applied Microbiology</i> , <b>2009</b> , 49, 461-5	2.9	21
453	Fungal radiation in the Cape Floristic Region: an analysis based on Gondwanamyces and Ophiostoma. <i>Molecular Phylogenetics and Evolution</i> , <b>2009</b> , 51, 111-9	4.1	28
452	Multiple gene genealogies and phenotypic data reveal cryptic species of the Botryosphaeriaceae: a case study on the <i>Neofusicoccum parvum</i> /N. <i>ribis</i> complex. <i>Molecular Phylogenetics and Evolution</i> , <b>2009</b> , 51, 259-68	4.1	77
451	Pathogenicity of seven species of the Botryosphaeriaceae on Eucalyptus clones in Venezuela. <i>Australasian Plant Pathology</i> , <b>2009</b> , 38, 135	1.4	16
450	Microsatellite discovery by deep sequencing of enriched genomic libraries. <i>BioTechniques</i> , <b>2009</b> , 46, 217-23		174
449	The Ascomycota tree of life: a phylum-wide phylogeny clarifies the origin and evolution of fundamental reproductive and ecological traits. <i>Systematic Biology</i> , <b>2009</b> , 58, 224-39	8.4	480
448	Genetic linkage map for <i>Amylostereum areolatum</i> reveals an association between vegetative growth and sexual and self-recognition. <i>Fungal Genetics and Biology</i> , <b>2009</b> , 46, 632-41	3.9	17
447	Biological pest control in beetle agriculture. <i>Trends in Microbiology</i> , <b>2009</b> , 17, 179-82	12.4	11
446	Quambalaria species: increasing threat to eucalypt plantations in Australia. <i>Southern Forests</i> , <b>2009</b> , 71, 111-114	0.6	13
445	Factors affecting pine pitch canker modelled on Michaelis-Menten kinetics This article is one of a collection of papers based on a presentation from the Stem and Shoot Fungal Pathogens and Parasitic Plants: the Values of Biological Diversity session of the XXII International Union of Forestry Research Organization World Congress meeting held in Brisbane, Queensland, Australia, in	1.3	3
444	A diverse assemblage of Botryosphaeriaceae infect Eucalyptus in native and non-native environments. <i>Southern Forests</i> , <b>2009</b> , 71, 101-110	0.6	40
443	Infection and disease development of <i>Quambalaria</i> spp. on <i>Corymbia</i> and <i>Eucalyptus</i> species. <i>Plant Pathology</i> , <b>2009</b> , 58, 642-654	2.8	23
442	A class-wide phylogenetic assessment of Dothideomycetes. <i>Studies in Mycology</i> , <b>2009</b> , 64, 1-15	22.2	423

441	Development and characterization of polymorphic markers for the sap-stain fungus <i>Ophiostoma quercus</i> . <i>Molecular Ecology Resources</i> , <b>2009</b> , 9, 399-401	8.4	6
440	<i>Calonectria</i> ( <i>Cylindrocladium</i> ) species associated with dying <i>Pinus</i> cuttings. <i>Persoonia: Molecular Phylogeny and Evolution of Fungi</i> , <b>2009</b> , 23, 41-7	9	32
439	Unravelling <i>Mycosphaerella</i> : do you believe in genera?. <i>Persoonia: Molecular Phylogeny and Evolution of Fungi</i> , <b>2009</b> , 23, 99-118	9	134
438	<i>Ophiostoma denticiliatum</i> sp. nov. and other <i>Ophiostoma</i> species associated with the birch bark beetle in southern Norway. <i>Persoonia: Molecular Phylogeny and Evolution of Fungi</i> , <b>2009</b> , 23, 9-15	9	21
437	Microsatellite markers for the Eucalyptus stem canker fungal pathogen <i>Kirramyces gauchensis</i> . <i>Molecular Ecology Resources</i> , <b>2008</b> , 8, 590-2	8.4	2
436	New host and country records of the <i>Dothistroma</i> needle blight pathogens from Europe and Asia. <i>Forest Pathology</i> , <b>2008</b> , 38, 178-195	1.2	47
435	Global movement and population biology of <i>Mycosphaerella nubilosa</i> infecting leaves of cold-tolerant <i>Eucalyptus globulus</i> and <i>E. nitens</i> . <i>Plant Pathology</i> , <b>2008</b> , 57, 235-242	2.8	33
434	<i>Quambalaria</i> species associated with plantation and native eucalypts in Australia. <i>Plant Pathology</i> , <b>2008</b> , 57, 702-714	2.8	28
433	<i>Phytophthora pinifolia</i> sp. nov. associated with a serious needle disease of <i>Pinus radiata</i> in Chile. <i>Plant Pathology</i> , <b>2008</b> , 57, 715-727	2.8	68
432	Fungi, including <i>Ophiostoma karelicum</i> sp. nov., associated with <i>Scolytus ratzeburgi</i> infesting birch in Finland and Russia. <i>Mycological Research</i> , <b>2008</b> , 112, 1475-88		33
431	Factors influencing parasitism of <i>Sirex noctilio</i> (Hymenoptera: Siricidae) by the nematode <i>Deladenus siricidicola</i> (Nematoda: Neotylenchidae) in summer rainfall areas of South Africa. <i>Biological Control</i> , <b>2008</b> , 45, 450-459	3.8	50
430	Microsatellite markers for the red band needle blight pathogen, <i>Dothistroma septosporum</i> . <i>Molecular Ecology Resources</i> , <b>2008</b> , 8, 1026-9	8.4	29
429	Eucalypt pests and diseases: growing threats to plantation productivity. <i>Southern Forests</i> , <b>2008</b> , 70, 139-144	1.4	156
428	Taxonomy and phylogeny of new wood- and soil-inhabiting <i>Sporothrix</i> species in the <i>Ophiostoma stenoceras</i> - <i>Sporothrix schenckii</i> complex. <i>Mycologia</i> , <b>2008</b> , 100, 647-61	2.4	96
427	Seven new species of the <i>Botryosphaeriaceae</i> from baobab and other native trees in Western Australia. <i>Mycologia</i> , <b>2008</b> , 100, 851-66	2.4	104
426	<i>Ophiostoma gemellus</i> and <i>Sporothrix variecibatus</i> from mites infesting <i>Protea</i> infructescences in South Africa. <i>Mycologia</i> , <b>2008</b> , 100, 496-510	2.4	38
425	<i>Fusarium mangiferae</i> associated with mango malformation in the Sultanate of Oman. <i>European Journal of Plant Pathology</i> , <b>2008</b> , 121, 195-199	2.1	28
424	Characterization of the systems governing sexual and self-recognition in the white rot homobasidiomycete <i>Amylostereum areolatum</i> . <i>Current Genetics</i> , <b>2008</b> , 53, 323-36	2.9	12



4 <sup>23</sup>	The teleomorph of <i>Leptographium yunnanense</i> , discovered in crosses among isolates from Thailand, China, and Japan. <i>Mycoscience</i> , <b>2008</b> , 49, 233-240	1.2	9
4 <sup>22</sup>	Phylogeny of the Botryosphaeriaceae reveals patterns of host association. <i>Molecular Phylogenetics and Evolution</i> , <b>2008</b> , 46, 116-26	4.1	36
4 <sup>21</sup>	Population structure of the fungal pathogen <i>Holocryphia eucalypti</i> in Australia and South Africa. <i>Australasian Plant Pathology</i> , <b>2008</b> , 37, 154	1.4	9
4 <sup>20</sup>	<i>Pesotum australi</i> sp. nov. and <i>Ophiostoma quercus</i> associated with <i>Acacia mearnsii</i> trees in Australia and Uganda, respectively. <i>Australasian Plant Pathology</i> , <b>2008</b> , 37, 406	1.4	12
4 <sup>19</sup>	Pitch canker caused by <i>Fusarium circinatum</i> is a growing threat to pine plantations and forests worldwide. <i>Australasian Plant Pathology</i> , <b>2008</b> , 37, 319	1.4	180
4 <sup>18</sup>	Discovery of the eucalypt pathogen <i>Quambalaria eucalypti</i> infecting a non-Eucalyptus host in Uruguay. <i>Australasian Plant Pathology</i> , <b>2008</b> , 37, 600	1.4	13
4 <sup>17</sup>	Human Impacts in Pine Forests: Past, Present, and Future. <i>Annual Review of Ecology, Evolution, and Systematics</i> , <b>2007</b> , 38, 275-297	13.5	61
4 <sup>16</sup>	The eucalypt leaf blight pathogen <i>Kirramyces destructans</i> discovered in Australia. <i>Australasian Plant Disease Notes</i> , <b>2007</b> , 2, 141	0.8	15
4 <sup>15</sup>	<i>Ophiostoma</i> species (Ascomycetes: Ophiostomatales) associated with bark beetles (Coleoptera: Scolytinae) colonizing <i>Pinus radiata</i> in northern Spain. <i>Canadian Journal of Microbiology</i> , <b>2007</b> , 53, 756-67 <sup>2</sup>	2.2	58
4 <sup>14</sup>	Botryosphaeriaceae as endophytes and latent pathogens of woody plants: diversity, ecology and impact. <i>Fungal Biology Reviews</i> , <b>2007</b> , 21, 90-106	6.8	456
4 <sup>13</sup>	Taxonomy, phylogeny and identification of Botryosphaeriaceae associated with pome and stone fruit trees in South Africa and other regions of the world. <i>Plant Pathology</i> , <b>2007</b> , 56, 128	2.8	95
4 <sup>12</sup>	Occurrence of the wattle wilt pathogen, <i>Ceratocystis albifundus</i> on native South African trees. <i>Forest Pathology</i> , <b>2007</b> , 37, 292-302	1.2	33
4 <sup>11</sup>	<i>Sirococcus</i> shoot blight on <i>Picea spinulosa</i> in Bhutan. <i>Forest Pathology</i> , <b>2007</b> , 37, 40-50	1.2	4
4 <sup>10</sup>	<i>Seiridium cardinale</i> on <i>Juniperus</i> species in Greece. <i>Forest Pathology</i> , <b>2007</b> , 37, 338-347	1.2	8
4 <sup>09</sup>	A comparison of control results for the alien invasive woodwasp, <i>Sirex noctilio</i> , in the southern hemisphere. <i>Agricultural and Forest Entomology</i> , <b>2007</b> , 9, 159-171	1.9	150
4 <sup>08</sup>	Botryosphaeriaceae occurring on native <i>Syzygium cordatum</i> in South Africa and their potential threat to Eucalyptus. <i>Plant Pathology</i> , <b>2007</b> , 56, 624-636	2.8	78
4 <sup>07</sup>	Tolerance in banana to <i>Fusarium</i> wilt is associated with early up-regulation of cell wall-strengthening genes in the roots. <i>Molecular Plant Pathology</i> , <b>2007</b> , 8, 333-41	5.7	78
4 <sup>06</sup>	Isolation and characterization of microsatellite loci in <i>Cylindrocladium pauciramosum</i> . <i>Molecular Ecology Notes</i> , <b>2007</b> , 7, 343-345		3

405	Multiple gene genealogies reveal important relationships between species of <i>Phaeophleospora</i> infecting <i>Eucalyptus</i> leaves. <i>FEMS Microbiology Letters</i> , <b>2007</b> , 268, 22-33	2.9	27
404	Species-specific primers for <i>Fusarium redolens</i> and a PCR-RFLP technique to distinguish among three clades of <i>Fusarium oxysporum</i> . <i>FEMS Microbiology Letters</i> , <b>2007</b> , 271, 27-32	2.9	37
403	Polyphyly and two emerging lineages in the rust genera <i>Puccinia</i> and <i>Uromyces</i> . <i>Mycological Research</i> , <b>2007</b> , 111, 176-85		36
402	Phylogenetic reassessment supports accommodation of <i>Phaeophleospora</i> and <i>Colletogloeopsis</i> from eucalypts in <i>Kirramyces</i> . <i>Mycological Research</i> , <b>2007</b> , 111, 1184-98		38
401	Two new <i>Phytophthora</i> species from South African <i>Eucalyptus</i> plantations. <i>Mycological Research</i> , <b>2007</b> , 111, 1321-38		35
400	First outbreak of pitch canker in a South African pine plantation. <i>Australasian Plant Pathology</i> , <b>2007</b> , 36, 256	1.4	64
399	<i>Ceratocystis atrox</i> sp. nov. associated with <i>Phoracantha acanthocera</i> infestations on <i>Eucalyptus grandis</i> in Australia. <i>Australasian Plant Pathology</i> , <b>2007</b> , 36, 407	1.4	19
398	<i>Kirramyces viscidus</i> sp. nov., a new eucalypt pathogen from tropical Australia closely related to the serious leaf pathogen, <i>Kirramyces destructans</i> . <i>Australasian Plant Pathology</i> , <b>2007</b> , 36, 478	1.4	20
397	<i>Puccinia psidii</i> : a threat to the Australian environment and economy – review. <i>Australasian Plant Pathology</i> , <b>2007</b> , 36, 1	1.4	159
396	<i>Holocryphia eucalypti</i> on <i>Tibouchina urvilleana</i> in Australia. <i>Australasian Plant Pathology</i> , <b>2007</b> , 36, 560	1.4	5
395	Testing of selected South African <i>Pinus</i> hybrids and families for tolerance to the pitch canker pathogen, <i>Fusarium circinatum</i> . <i>New Forests</i> , <b>2007</b> , 33, 109-123	2.6	47
394	New species of <i>Mycosphaerella</i> from <i>Myrtaceae</i> in plantations and native forests in eastern Australia. <i>Mycologia</i> , <b>2007</b> , 99, 461-474	2.4	15
393	Characterization and distribution of mating type genes in the dothistroma needle blight pathogens. <i>Phytopathology</i> , <b>2007</b> , 97, 825-34	3.8	73
392	Discovery of Fungus-Mite Mutualism in a Unique Niche. <i>Environmental Entomology</i> , <b>2007</b> , 36, 1226-1237	2.1	38
391	Complete genetic linkage maps from an interspecific cross between <i>Fusarium circinatum</i> and <i>Fusarium subglutinans</i> . <i>Fungal Genetics and Biology</i> , <b>2007</b> , 44, 701-14	3.9	28
390	Molecular detection of fungi carried by <i>Bradysia difformis</i> (Sciaridae: Diptera) in South African forestry nurseries. <i>Southern Forests</i> , <b>2007</b> , 69, 103-109		9
389	High intercontinental migration rates and population admixture in the sapstain fungus <i>Ophiostoma ips</i> . <i>Molecular Ecology</i> , <b>2007</b> , 16, 89-99	5.7	30
388	Discovery of fungus-mite mutualism in a unique niche. <i>Environmental Entomology</i> , <b>2007</b> , 36, 1226-37	2.1	26

387	Quambalaria leaf and shoot blight on Eucalyptus nitens in South Africa. <i>Australasian Plant Pathology</i> , <b>2006</b> , 35, 427	1.4	9
386	Phylogenetic relationships among <i>Armillaria</i> species inferred from partial elongation factor 1-alpha DNA sequence data. <i>Australasian Plant Pathology</i> , <b>2006</b> , 35, 513	1.4	45
385	Cytospora species (Ascomycota, Diaporthales, Valsaceae): introduced and native pathogens of trees in South Africa. <i>Australasian Plant Pathology</i> , <b>2006</b> , 35, 521	1.4	72
384	Anatomical variation and defence responses of juvenile Eucalyptus nitens leaves to <i>Mycosphaerella</i> leaf disease. <i>Australasian Plant Pathology</i> , <b>2006</b> , 35, 725	1.4	18
383	<i>Ceratocystis omanensis</i> , a new species from diseased mango trees in Oman. <i>Mycological Research</i> , <b>2006</b> , 110, 237-45		20
382	First record of <i>Colletogloeopsis zuluense</i> comb. nov., causing a stem canker of Eucalyptus in China. <i>Mycological Research</i> , <b>2006</b> , 110, 229-36		41
381	Clonality in South African isolates and evidence for a European origin of the root pathogen <i>Thielaviopsis basicola</i> . <i>Mycological Research</i> , <b>2006</b> , 110, 306-11		10
380	Two new <i>Fusicoccum</i> species from Acacia and Eucalyptus in Venezuela, based on morphology and DNA sequence data. <i>Mycological Research</i> , <b>2006</b> , 110, 405-13		33
379	Novel hosts of the Eucalyptus canker pathogen <i>Chrysosporthe cubensis</i> and a new <i>Chrysosporthe</i> species from Colombia. <i>Mycological Research</i> , <b>2006</b> , 110, 833-45		34
378	Impact of mechanical shelling and dehulling on <i>Fusarium</i> infection and fumonisin contamination in maize. <i>Food Additives and Contaminants</i> , <b>2006</b> , 23, 415-21		33
377	Three new <i>Lasiodiplodia</i> spp. from the tropics, recognized based on DNA sequence comparisons and morphology. <i>Mycologia</i> , <b>2006</b> , 98, 423-35	2.4	90
376	Cryphonectriaceae (Diaporthales), a new family including <i>Cryphonectria</i> , <i>Chrysosporthe</i> , <i>Endothia</i> and allied genera. <i>Mycologia</i> , <b>2006</b> , 98, 239-49	2.4	48
375	<i>Aurapex penicillata</i> gen. sp. nov. from native <i>Miconia theaezans</i> and <i>Tibouchina</i> spp. in Colombia. <i>Mycologia</i> , <b>2006</b> , 98, 105-15	2.4	11
374	Discovery of the Canker Pathogen <i>Chrysosporthe austroafricana</i> on Native <i>Syzygium</i> spp. in South Africa. <i>Plant Disease</i> , <b>2006</b> , 90, 433-438	1.5	48
373	Multi-gene phylogenies and phenotypic characters distinguish two species within the <i>Colletogloeopsis zuluensis</i> complex associated with Eucalyptus stem cankers. <i>Studies in Mycology</i> , <b>2006</b> , 55, 133-46	22.2	67
372	Pestalotioid fungi from Restionaceae in the Cape Floral Kingdom. <i>Studies in Mycology</i> , <b>2006</b> , 55, 175-87	22.2	31
371	DNA sequence comparisons of <i>Ophiostoma</i> spp., including <i>Ophiostoma aurorae</i> sp. nov., associated with pine bark beetles in South Africa. <i>Studies in Mycology</i> , <b>2006</b> , 55, 269-77	22.2	47
370	Phylogeny of the Quambalariaceae fam. nov., including important Eucalyptus pathogens in South Africa and Australia. <i>Studies in Mycology</i> , <b>2006</b> , 55, 289-98	22.2	62

369	Phylogenetic reassessment of <i>Mycosphaerella</i> spp. and their anamorphs occurring on <i>Eucalyptus</i> . II. <i>Studies in Mycology</i> , <b>2006</b> , 55, 99-131	22.2	119
368	How many species of fungi are there at the tip of Africa?. <i>Studies in Mycology</i> , <b>2006</b> , 55, 13-33	22.2	73
367	A disease epidemic on <i>Zizyphus mucronata</i> in the Kruger National Park caused by <i>Coniodictyum chevalieri</i> . <i>Studies in Mycology</i> , <b>2006</b> , 55, 279-88	22.2	12
366	<i>Microthia</i> , <i>Holocryphia</i> and <i>Ursicollum</i> , three new genera on <i>Eucalyptus</i> and <i>Coccoloba</i> for fungi previously known as <i>Cryphonectria</i> . <i>Studies in Mycology</i> , <b>2006</b> , 55, 35-52	22.2	36
365	A multi-gene phylogeny for species of <i>Mycosphaerella</i> occurring on <i>Eucalyptus</i> leaves. <i>Studies in Mycology</i> , <b>2006</b> , 55, 147-61	22.2	79
364	Phylogenetic lineages in the <i>Botryosphaeriaceae</i> . <i>Studies in Mycology</i> , <b>2006</b> , 55, 235-53	22.2	484
363	Multi-gene phylogenies define <i>Ceratocystiopsis</i> and <i>Grosmannia</i> distinct from <i>Ophiostoma</i> . <i>Studies in Mycology</i> , <b>2006</b> , 55, 75-97	22.2	150
362	<i>Celoporthe dispersa</i> gen. et sp. nov. from native <i>Myrtales</i> in South Africa. <i>Studies in Mycology</i> , <b>2006</b> , 55, 255-67	22.2	25
361	Mango malformation disease and the associated <i>Fusarium</i> species. <i>Phytopathology</i> , <b>2006</b> , 96, 667-72	3.8	72
360	Distribution of <i>Chrysoporthe</i> Canker Pathogens on <i>Eucalyptus</i> and <i>Syzygium</i> spp. in Eastern and Southern Africa. <i>Plant Disease</i> , <b>2006</b> , 90, 734-740	1.5	48
359	<i>Aurapex penicillata</i> gen. sp. nov. from native <i>Miconia theaezans</i> and <i>Tibouchina</i> spp. in Colombia. <i>Mycologia</i> , <b>2006</b> , 98, 105-115	2.4	8
358	<i>Cryphonectriaceae</i> (Diaporthales), a new family including <i>Cryphonectria</i> , <i>Chrysoporthe</i> , <i>Endothia</i> and allied genera. <i>Mycologia</i> , <b>2006</b> , 98, 239-249	2.4	16
357	Three new <i>Lasiodiplodia</i> spp. from the tropics, recognized based on DNA sequence comparisons and morphology. <i>Mycologia</i> , <b>2006</b> , 98, 423-435	2.4	44
356	Isolation and characterization of microsatellite loci in <i>Cylindrocladium parasiticum</i> . <i>Molecular Ecology Notes</i> , <b>2006</b> , 6, 110-112		6
355	Polymorphic microsatellite markers for the <i>Eucalyptus</i> fungal pathogen <i>Colletogloeopsis zuluensis</i> . <i>Molecular Ecology Notes</i> , <b>2006</b> , 6, 780-783		22
354	Development of polymorphic microsatellite markers for the <i>Eucalyptus</i> leaf pathogen <i>Mycosphaerella nubilosa</i> . <i>Molecular Ecology Notes</i> , <b>2006</b> , 6, 900-903		6
353	New taxonomic concepts for the important forest pathogen <i>Cryphonectria parasitica</i> and related fungi. <i>FEMS Microbiology Letters</i> , <b>2006</b> , 258, 161-72	2.9	20
352	<i>Armillaria</i> species on tea in Kenya identified using isozyme and DNA sequence comparisons. <i>Plant Pathology</i> , <b>2006</b> , 55, 343-350	2.8	16

351	Aetiology and causal agents of mango sudden decline disease in the Sultanate of Oman. <i>European Journal of Plant Pathology</i> , <b>2006</b> , 116, 247-254	2.1	52
350	Amphilogia gen. nov. for Cryphonectria-like fungi from Elaeocarpus spp. in New Zealand and Sri Lanka. <i>Taxon</i> , <b>2005</b> , 54, 1009-1021	0.8	12
349	Classification of the guava wilt fungus Myxosporium psidii, the palm pathogen Gliocladium vermoesonii and the persimmon wilt fungus Acremonium diospyri in Nalanthamala. <i>Mycologia</i> , <b>2005</b> , 97, 375-95	2.4	31
348	Emerging pathogens: fungal host jumps following anthropogenic introduction. <i>Trends in Ecology and Evolution</i> , <b>2005</b> , 20, 420-1	10.9	129
347	Rostraureum tropicale gen. sp. nov. (Diaporthales) associated with dying Terminalia ivorensis in Ecuador. <i>Mycological Research</i> , <b>2005</b> , 109, 1029-44		17
346	Botryosphaeria species from Eucalyptus in Australia are pleoanamorphic, producing dichomera synanamorphs in culture. <i>Mycological Research</i> , <b>2005</b> , 109, 1347-63		48
345	Phylogenetic and morphological re-evaluation of the Botryosphaeria species causing diseases of Mangifera indica. <i>Mycologia</i> , <b>2005</b> , 97, 99-110	2.4	39
344	Relative Pathogenicity of Cryphonectria cubensis on Eucalyptus Clones Differing in Their Resistance to C. cubensis. <i>Plant Disease</i> , <b>2005</b> , 89, 659-662	1.5	26
343	Classification of the guava wilt fungus Myxosporium psidii, the palm pathogen Gliocladium vermoesonii and the persimmon wilt fungus Acremonium diospyri in Nalanthamala. <i>Mycologia</i> , <b>2005</b> , 97, 375-395	2.4	10
342	Development of polymorphic microsatellite markers for the fungal tree pathogen Cryphonectria eucalypti. <i>Molecular Ecology Notes</i> , <b>2005</b> , 5, 558-561		7
341	Simple sequence repeat markers for species in the Fusarium oxysporum complex. <i>Molecular Ecology Notes</i> , <b>2005</b> , 5, 622-624		37
340	Diversity and host association of the tropical tree endophyte Lasiodiplodia theobromae revealed using simple sequence repeat markers. <i>Forest Pathology</i> , <b>2005</b> , 35, 385-396	1.2	79
339	Diversity and differentiation in two populations of Gibberella circinata in South Africa. <i>Plant Pathology</i> , <b>2005</b> , 54, 46-52	2.8	25
338	Identification of Armillaria isolates from Bhutan based on DNA sequence comparisons. <i>Plant Pathology</i> , <b>2005</b> , 54, 36-45	2.8	24
337	Comparison of populations of the wilt pathogen Ceratocystis albifundus in South Africa and Uganda. <i>Plant Pathology</i> , <b>2005</b> , 54, 189-195	2.8	32
336	Discovery of the Eucalyptus canker pathogen Chrysosporthe cubensis on native Miconia (Melastomataceae) in Colombia. <i>Plant Pathology</i> , <b>2005</b> , 54, 460-470	2.8	43
335	Fate of aflatoxins and fumonisins during the processing of maize into food products in Benin. <i>International Journal of Food Microbiology</i> , <b>2005</b> , 98, 249-59	5.8	131
334	Natural occurrence of Fusarium and subsequent fumonisin contamination in preharvest and stored maize in Benin, West Africa. <i>International Journal of Food Microbiology</i> , <b>2005</b> , 99, 173-83	5.8	87

333	A new <i>Leptographium</i> species associated with <i>Tomicus piniperda</i> infesting pine logs in Korea. <i>Mycological Research</i> , <b>2005</b> , 109, 275-84		22
332	<i>Dematiocladium celtidis</i> gen. sp. nov. (Nectriaceae, Hypocreales), a new genus from <i>Celtis</i> leaf litter in Argentina. <i>Mycological Research</i> , <b>2005</b> , 109, 833-40		14
331	Taxonomic re-evaluation of <i>Leptographium lundbergii</i> based on DNA sequence comparisons and morphology. <i>Mycological Research</i> , <b>2005</b> , 109, 1149-61		19
330	Phenotypic and DNA sequence data comparisons reveal three discrete species in the <i>Ceratocystis polonica</i> species complex. <i>Mycological Research</i> , <b>2005</b> , 109, 1137-48		22
329	<i>Ophiostoma dentifundum</i> sp. nov. from oak in Europe, characterized using molecular phylogenetic data and morphology. <i>Mycological Research</i> , <b>2005</b> , 109, 1127-36		20
328	Phylogenetic analyses of DNA sequences reveal species partitions amongst isolates of <i>Armillaria</i> from Africa. <i>Mycological Research</i> , <b>2005</b> , 109, 1223-34		29
327	Characterisation of the <i>Coniothyrium</i> stem canker pathogen on <i>Eucalyptus camaldulensis</i> in Ethiopia. <i>Australasian Plant Pathology</i> , <b>2005</b> , 34, 85	1.4	22
326	<i>Cylindrocladium</i> blight of <i>Eucalyptus grandis</i> in Colombia. <i>Australasian Plant Pathology</i> , <b>2005</b> , 34, 143	1.4	21
325	Preliminary studies on <i>Botryosphaeria</i> species from Southern Hemisphere conifers in Australasia and South Africa. <i>Australasian Plant Pathology</i> , <b>2005</b> , 34, 213	1.4	27
324	<i>Heteropyxis natalensis</i> , a new host of <i>Puccinia psidii</i> rust. <i>Australasian Plant Pathology</i> , <b>2005</b> , 34, 285	1.4	20
323	DNA based characterization of <i>Ceratocystis fimbriata</i> isolates associated with mango decline in Oman. <i>Australasian Plant Pathology</i> , <b>2005</b> , 34, 587	1.4	16
322	Challenges and strategies facing forest research and education for the 21st century: A case study from South Africa. <i>Forest Science and Technology</i> , <b>2005</b> , 1, 135-141	1.5	4
321	Phylogenetic and morphological re-evaluation of the <i>Botryosphaeria</i> species causing diseases of <i>Mangifera indica</i> . <i>Mycologia</i> , <b>2005</b> , 97, 99-110	2.4	58
320	(1686) Proposal to conserve the name <i>Cryphonectria</i> (Diaporthales) with a conserved type. <i>Taxon</i> , <b>2005</b> , 54, 539-540	0.8	6
319	Combined Multiple Gene Genealogies and Phenotypic Characters Differentiate Several Species Previously Identified as <i>Botryosphaeria dothidea</i> . <i>Mycologia</i> , <b>2004</b> , 96, 83	2.4	132
318	Multiple Gene Sequences Delimit <i>Botryosphaeria australis</i> sp. nov. from <i>B. lutea</i> . <i>Mycologia</i> , <b>2004</b> , 96, 1030	2.4	35
317	Identification of the causal agent of <i>Botryosphaeria</i> stem canker in Ethiopian <i>Eucalyptus</i> plantations. <i>South African Journal of Botany</i> , <b>2004</b> , 70, 241-248	2.9	21
316	Identification of the <i>Armillaria</i> root rot pathogen in Ethiopian plantations. <i>Forest Pathology</i> , <b>2004</b> , 34, 133-145	1.2	12

315	Development of polymorphic markers for the root pathogen <i>Thielaviopsis basicola</i> using ISSR-PCR. <i>Molecular Ecology Notes</i> , <b>2004</b> , 4, 547-550		5
314	Development of simple sequence repeat markers for <i>Botryosphaeria</i> spp. with <i>Fusicoccum</i> anamorphs. <i>Molecular Ecology Notes</i> , <b>2004</b> , 4, 675-677		31
313	<i>Ceratocystis</i> species infecting stem wounds on <i>Eucalyptus grandis</i> in South Africa. <i>Plant Pathology</i> , <b>2004</b> , 53, 414-421	2.8	47
312	<i>Leptographium bistatum</i> sp. nov., a new species with a <i>Sporothrix</i> synanamorph from <i>Pinus radiata</i> in Korea. <i>Mycological Research</i> , <b>2004</b> , 108, 699-706		24
311	Geographic isolation of <i>Diplodia scrobiculata</i> and its association with native <i>Pinus radiata</i> . <i>Mycological Research</i> , <b>2004</b> , 108, 1399-406		23
310	<i>Mycosphaerella</i> species causing leaf disease in South African <i>Eucalyptus</i> plantations. <i>Mycological Research</i> , <b>2004</b> , 108, 672-81		40
309	Evaluation of fungicides for the control of <i>Botryosphaeria protearum</i> on <i>Protea magnifica</i> in the Western Cape Province of South Africa. <i>Australasian Plant Pathology</i> , <b>2004</b> , 33, 97	1.4	14
308	Transformation of <i>Fusarium oxysporum</i> f. sp. <i>cubense</i> , causal agent of <i>Fusarium</i> wilt of banana, with the green fluorescent protein (GFP) gene. <i>Australasian Plant Pathology</i> , <b>2004</b> , 33, 69	1.4	19
307	First record of the <i>Eucalyptus</i> stem canker pathogen, <i>Coniothyrium zuluense</i> from Hawaii. <i>Australasian Plant Pathology</i> , <b>2004</b> , 33, 309	1.4	21
306	Identification of <i>Mycosphaerella</i> species associated with <i>Eucalyptus nitens</i> leaf defoliation in South Africa. <i>Australasian Plant Pathology</i> , <b>2004</b> , 33, 349	1.4	17
305	Global distribution of <i>Diplodia pinea</i> genotypes revealed using simple sequence repeat (SSR) markers. <i>Australasian Plant Pathology</i> , <b>2004</b> , 33, 513	1.4	47
304	Diseases and insect pests of <i>Gmelina arborea</i> : real threats and real opportunities. <i>New Forests</i> , <b>2004</b> , 28, 227-243	2.6	6
303	Development and assessment of microarray-based DNA fingerprinting in <i>Eucalyptus grandis</i> . <i>Theoretical and Applied Genetics</i> , <b>2004</b> , 109, 1329-36	6	41
302	DNA sequence data and morphology define <i>Cryphonectria</i> species in Europe, China, and Japan. <i>Canadian Journal of Botany</i> , <b>2004</b> , 82, 1730-1743		24
301	Systematic reappraisal of <i>Coniella</i> and <i>Pilidiella</i> , with specific reference to species occurring on <i>Eucalyptus</i> and <i>Vitis</i> in South Africa. <i>Mycological Research</i> , <b>2004</b> , 108, 283-303		52
300	<i>Leptographium wingfieldii</i> introduced into North America and found associated with exotic <i>Tomicus piniperda</i> and native bark beetles. <i>Mycological Research</i> , <b>2004</b> , 108, 411-8		183
299	Characterisation of <i>Ophiostoma</i> species associated with pine bark beetles from Mexico, including <i>O. pulvinisporum</i> sp. nov. <i>Mycological Research</i> , <b>2004</b> , 108, 690-8		25
298	Effect of essential oils on the growth of <i>Fusarium verticillioides</i> and fumonisin contamination in corn. <i>Journal of Agricultural and Food Chemistry</i> , <b>2004</b> , 52, 6824-9	5.7	54

297	Modelling the spatial distribution of two important South African plantation forestry pathogens. <i>Forest Ecology and Management</i> , <b>2004</b> , 187, 61-73	3.9	26
296	Combined multiple gene genealogies and phenotypic characters differentiate several species previously identified as <i>Botryosphaeria dothidea</i> . <i>Mycologia</i> , <b>2004</b> , 96, 83-101	2.4	228
295	Two new <i>Ophiostoma</i> species with <i>Sporothrix</i> anamorphs from Austria and Azerbaijan. <i>Mycologia</i> , <b>2004</b> , 96, 866-78	2.4	33
294	Phylogenetic relationships of <i>Cryphonectria</i> and <i>Endothia</i> species, based on DNA sequence data and morphology. <i>Mycologia</i> , <b>2004</b> , 96, 990-1001	2.4	24
293	Epitypification of <i>Ophiostoma galeiforme</i> and phylogeny of species in the <i>O. galeiforme</i> complex. <i>Mycologia</i> , <b>2004</b> , 96, 1306-1315	2.4	12
292	A PCR-RFLP based diagnostic technique to rapidly identify <i>Seiridium</i> species causing cypress canker. <i>Mycologia</i> , <b>2004</b> , 96, 1352-1354	2.4	8
291	Multiple gene sequences delimit <i>Botryosphaeria australis</i> sp. nov. from <i>B. lutea</i> . <i>Mycologia</i> , <b>2004</b> , 96, 1030-1041	2.4	69
290	Combined multiple gene genealogies and phenotypic characters differentiate several species previously identified as <i>Botryosphaeria dothidea</i> . <i>Mycologia</i> , <b>2004</b> , 96, 83-101	2.4	46
289	Phylogenetic relationships of <i>Cryphonectria</i> and <i>Endothia</i> species, based on DNA sequence data and morphology. <i>Mycologia</i> , <b>2004</b> , 96, 990-1001	2.4	7
288	Multiple gene sequences delimit <i>Botryosphaeria australis</i> sp. nov. from <i>B. lutea</i> . <i>Mycologia</i> , <b>2004</b> , 96, 1030-41	2.4	15
287	Epitypification of <i>Ophiostoma galeiforme</i> and phylogeny of species in the <i>O. galeiforme</i> complex. <i>Mycologia</i> , <b>2004</b> , 96, 1306-15	2.4	5
286	A PCR-RFLP based diagnostic technique to rapidly identify <i>Seiridium</i> species causing cypress canker. <i>Mycologia</i> , <b>2004</b> , 96, 1352-4	2.4	3
285	Taxonomic Re-Evaluation of Three Related Species of <i>Graphium</i> , Based on Morphology, Ecology and Phylogeny. <i>Mycologia</i> , <b>2003</b> , 95, 714	2.4	12
284	Phylogeny of the <i>Ophiostoma stenoceras</i> <i>Sporothrix schenckii</i> complex. <i>Mycologia</i> , <b>2003</b> , 95, 434-441	2.4	76
283	Taxonomic re-evaluation of three related species of <i>Graphium</i> , based on morphology, ecology and phylogeny. <i>Mycologia</i> , <b>2003</b> , 95, 714-27	2.4	30
282	<i>Ceratocystis pirilliformis</i> , a new species from <i>Eucalyptus nitens</i> in Australia. <i>Mycologia</i> , <b>2003</b> , 95, 865-871	2.4	42
281	Circumscription of <i>Botryosphaeria</i> species associated with Proteaceae based on morphology and DNA sequence data. <i>Mycologia</i> , <b>2003</b> , 95, 294-307	2.4	64
280	Molecular identification and phylogeny of <i>Armillaria</i> isolates from South America and Indo-Malaysia. <i>Mycologia</i> , <b>2003</b> , 95, 285-293	2.4	31



279	Phylogenetic relationships among Phialocephala species and other ascomycetes. <i>Mycologia</i> , <b>2003</b> , 95, 637-45	2.4	21
278	Conspecificity of <i>Endothia eugeniae</i> and <i>Cryphonectria cubensis</i> : a re-evaluation based on morphology and DNA sequence data. <i>Mycoscience</i> , <b>2003</b> , 44, 187-196	1.2	25
277	Molecular characterisation of <i>Armillaria</i> species from Zimbabwe. <i>Mycological Research</i> , <b>2003</b> , 107, 291-6		17
276	Multiple gene genealogies and microsatellite markers reflect relationships between morphotypes of <i>Sphaeropsis sapinea</i> and distinguish a new species of <i>Diplodia</i> . <i>Mycological Research</i> , <b>2003</b> , 107, 557-66		105
275	2003 Daniel McAlpine Memorial Lecture Increasing threat of diseases to exotic plantation forests in the Southern Hemisphere: lessons from <i>Cryphonectria</i> canker. <i>Australasian Plant Pathology</i> , <b>2003</b> , 32, 133	1.4	96
274	<i>Ceratocystis fimbriata</i> infecting <i>Eucalyptus grandis</i> in Uruguay. <i>Australasian Plant Pathology</i> , <b>2003</b> , 32, 361	1.4	30
273	First report of pink disease on <i>Eucalyptus camaldulensis</i> in Ethiopia. <i>Plant Pathology</i> , <b>2003</b> , 52, 402-402	2.8	1
272	<i>Puccinia psidii</i> on <i>Eucalyptus globulus</i> in Uruguay. <i>Plant Pathology</i> , <b>2003</b> , 52, 427-427	2.8	10
271	Discovery of two northern hemisphere <i>Armillaria</i> species on Proteaceae in South Africa. <i>Plant Pathology</i> , <b>2003</b> , 52, 604-612	2.8	34
270	A Rapid Seedling Based Screening Technique to Assay Tobacco for Resistance to <i>Phytophthora nicotianae</i> . <i>Journal of Phytopathology</i> , <b>2003</b> , 151, 389-394	1.8	5
269	Development and characterization of microsatellite loci for the tropical tree pathogen <i>Botryosphaeria rhodina</i> . <i>Molecular Ecology Notes</i> , <b>2003</b> , 3, 91-94		21
268	Primers for the amplification of sequence-characterized loci in <i>Cryphonectria cubensis</i> populations. <i>Molecular Ecology Notes</i> , <b>2003</b> , 3, 494-497		5
267	The <i>Ophiostoma piceae</i> complex in the Southern Hemisphere: a phylogenetic study. <i>Mycological Research</i> , <b>2003</b> , 107, 469-76		36
266	Pathogenicity of <i>Cryphonectria eucalypti</i> to <i>Eucalyptus</i> clones in South Africa. <i>Forest Ecology and Management</i> , <b>2003</b> , 176, 427-437	3.9	12
265	Biological and Phylogenetic Analyses Suggest that Two <i>Cryphonectria</i> spp. Cause Cankers of <i>Eucalyptus</i> in Africa. <i>Plant Disease</i> , <b>2003</b> , 87, 1329-1332	1.5	22
264	Transfection of <i>Diaporthe perijuncta</i> with <i>Diaporthe</i> RNA virus. <i>Applied and Environmental Microbiology</i> , <b>2003</b> , 69, 3952-6	4.8	33
263	Forest Biotechnology: A South African perspective. <i>Southern Forests</i> , <b>2003</b> , 199, 1-5		
262	<i>Ceratocystis pirilliformis</i> , a new species from <i>Eucalyptus nitens</i> in Australia. <i>Mycologia</i> , <b>2003</b> , 95, 865-71	2.4	7

261	Molecular identification and phylogeny of <i>Armillaria</i> isolates from South America and Indo-Malaysia. <i>Mycologia</i> , <b>2003</b> , 95, 285-93	2.4	7
260	Circumscription of <i>Botryosphaeria</i> species associated with Proteaceae based on morphology and DNA sequence data. <i>Mycologia</i> , <b>2003</b> , 95, 294-307	2.4	15
259	Phylogeny of the <i>Ophiostoma stenoceras-Sporothrix schenckii</i> complex. <i>Mycologia</i> , <b>2003</b> , 95, 434-41	2.4	49
258	Morphological and molecular relatedness of geographically diverse isolates of <i>Coniothyrium zuluense</i> from South Africa and Thailand. <i>Mycological Research</i> , <b>2002</b> , 106, 51-59		20
257	DNA sequence and RFLP data reflect geographical spread and relationships of <i>Amylostereum areolatum</i> and its insect vectors. <i>Molecular Ecology</i> , <b>2002</b> , 11, 1845-54	5.7	39
256	Development of polymorphic microsatellite markers for the tree pathogen and sapstain agent, <i>Ophiostoma ips</i> . <i>Molecular Ecology Notes</i> , <b>2002</b> , 2, 309-312		2
255	Sequence characterized amplified polymorphic markers for the pitch canker pathogen, <i>Fusarium circinatum</i> . <i>Molecular Ecology Notes</i> , <b>2002</b> , 2, 577-580		13
254	First report of coniothyrium canker of Eucalyptus in Mexico. <i>Plant Pathology</i> , <b>2002</b> , 51, 382-382	2.8	16
253	First report of the pitch canker fungus, <i>Fusarium circinatum</i> , on pines in Chile. <i>Plant Pathology</i> , <b>2002</b> , 51, 397-397	2.8	74
252	Effect of environment on the response of Eucalyptus clones to inoculation with <i>Cryphonectria cubensis</i> . <i>Forest Pathology</i> , <b>2002</b> , 32, 395-402	1.2	14
251	Evaluation of Tobacco Cultivars for Resistance to Races of <i>Phytophthora nicotianae</i> in South Africa. <i>Journal of Phytopathology</i> , <b>2002</b> , 150, 456-462	1.8	21
250	<i>Debaryomyces mycophilus</i> sp. nov., a siderophore-dependent yeast isolated from woodlice. <i>FEMS Yeast Research</i> , <b>2002</b> , 2, 415-27	3.1	19
249	Morphological, cultural and pathogenic characteristics of <i>Coniothyrium zuluense</i> isolates from different plantation regions in South Africa. <i>Mycopathologia</i> , <b>2002</b> , 155, 149-53	2.9	10
248	Biological and Physical Constraints on Maize Production in the Humid Forest and Western Highlands of Cameroon. <i>European Journal of Plant Pathology</i> , <b>2002</b> , 108, 893-902	2.1	21
247	$\beta$ Tubulin and histoneH3 gene sequences distinguish <i>Cryphonectria cubensis</i> from South Africa, Asia, and South America. <i>Canadian Journal of Botany</i> , <b>2002</b> , 80, 590-596		38
246	Cryptic speciation in <i>Fusarium subglutinans</i> . <i>Mycologia</i> , <b>2002</b> , 94, 1032-1043	2.4	72
245	Two new species of <i>Fusarium</i> section <i>Liseola</i> associated with mango malformation. <i>Mycologia</i> , <b>2002</b> , 94, 722-30	2.4	75
244	The future of exotic plantation forestry in the tropics and southern Hemisphere: Lessons from pitch canker. <i>Southern Forests</i> , <b>2002</b> , 195, 79-82		12

243	Effect of Metalaxyl Resistance and Cultivar Resistance on Control of <i>Phytophthora nicotianae</i> in Tobacco. <i>Plant Disease</i> , <b>2002</b> , 86, 362-366	1.5	12
242	Cryphonectria canker on <i>Tibouchina</i> in South Africa. <i>Mycological Research</i> , <b>2002</b> , 106, 1299-1306		33
241	Molecular analysis of an endopolygalacturonase gene from a <i>Eucalyptus</i> canker pathogen, <i>Cryphonectria cubensis</i> . <i>DNA Sequence</i> , <b>2002</b> , 13, 33-7		
240	Bacterial Blight and Dieback of <i>Eucalyptus</i> Species, Hybrids, and Clones in South Africa. <i>Plant Disease</i> , <b>2002</b> , 86, 20-25	1.5	64
239	<i>Debaryomyces mycophilus</i> sp. nov., a siderophore-dependent yeast isolated from woodlice. <i>FEMS Yeast Research</i> , <b>2002</b> , 2, 415-427	3.1	3
238	Characterisation of the morphotype of the pine pathogen <i>Sphaeropsis sapinea</i> . <i>Forest Ecology and Management</i> , <b>2002</b> , 161, 181-188	3.9	19
237	Relative susceptibility of northern and southern provenances of <i>Pinus greggii</i> to infection by <i>Sphaeropsis sapinea</i> . <i>Forest Ecology and Management</i> , <b>2002</b> , 166, 331-336	3.9	5
236	Development of polymorphic microsatellite markers for the tree pathogen and sapstain agent, <i>Ophiostoma ips</i> . <i>Molecular Ecology Notes</i> , <b>2002</b> , 2, 309-312		5
235	Cryptic speciation in <i>Fusarium subglutinans</i> . <i>Mycologia</i> , <b>2002</b> , 94, 1032-43	2.4	15
234	<i>Leptographium guttulatum</i> sp. nov., a New Species from Spruce and Pine in Europe. <i>Mycologia</i> , <b>2001</b> , 93, 380	2.4	8
233	Cloning and sequence analysis of the endopolygalacturonase gene from the pitch canker fungus, <i>Fusarium circinatum</i> . <i>Current Microbiology</i> , <b>2001</b> , 42, 350-2	2.4	8
232	Molecular relatedness of the polygalacturonase-inhibiting protein genes in <i>Eucalyptus</i> species. <i>Theoretical and Applied Genetics</i> , <b>2001</b> , 102, 645-650	6	8
231	Fungal infection and mycotoxin contamination of maize in the Humid forest and the western highlands of Cameroon. <i>Phytoparasitica</i> , <b>2001</b> , 29, 352-360	1.5	34
230	Genetic variation in the wattle wilt pathogen <i>Ceratocystis albofundus</i> . <i>Mycoscience</i> , <b>2001</b> , 42, 327-332	1.2	21
229	<i>Gibberella fujikuroi</i> mating population E is associated with maize and teosinte. <i>Molecular Plant Pathology</i> , <b>2001</b> , 2, 215-21	5.7	25
228	Microsatellite markers reflect intra-specific relationships between isolates of the vascular wilt pathogen <i>Ceratocystis fimbriata</i> . <i>Molecular Plant Pathology</i> , <b>2001</b> , 2, 319-25	5.7	47
227	Population structure and possible origin of <i>Amylostereum areolatum</i> in South Africa. <i>Plant Pathology</i> , <b>2001</b> , 50, 206-210	2.8	40
226	Molecular characterization of <i>Endothia gyrosa</i> isolates from <i>Eucalyptus</i> in South Africa and Australia. <i>Plant Pathology</i> , <b>2001</b> , 50, 211-217	2.8	11

225	Cryphonectria canker on Tibouchina in Colombia. <i>Forest Pathology</i> , <b>2001</b> , 31, 297-306	1.2	23
224	The root rot fungus <i>Armillaria mellea</i> introduced into South Africa by early Dutch settlers. <i>Molecular Ecology</i> , <b>2001</b> , 10, 387-96	5.7	75
223	Worldwide Movement of Exotic Forest Fungi, Especially in the Tropics and the Southern Hemisphere. <i>BioScience</i> , <b>2001</b> , 51, 134	5.7	105
222	Phylogeny of <i>Calonectria</i> based on comparisons of $\beta$ -tubulin DNA sequences. <i>Mycological Research</i> , <b>2001</b> , 105, 1045-1052		27
221	Genetic diversity of <i>Cryphonectria cubensis</i> isolates in South Africa. <i>Mycological Research</i> , <b>2001</b> , 105, 94-99		26
220	<i>Ophiostoma africanum</i> sp. nov., and a key to ophiostomatoid species from <i>Protea</i> infructescences. <i>Mycological Research</i> , <b>2001</b> , 105, 240-246		27
219	ITS rDNA phylogeny of selected <i>Mycosphaerella</i> species and their anamorphs occurring on Myrtaceae. <i>Mycological Research</i> , <b>2001</b> , 105, 425-431		43
218	Three new species of <i>Leptographium</i> from pine. <i>Mycological Research</i> , <b>2001</b> , 105, 490-499		14
217	Comparison of genotypic diversity in native and introduced populations of <i>Sphaeropsis sapinea</i> isolated from <i>Pinus radiata</i> . <i>Mycological Research</i> , <b>2001</b> , 105, 1331-1339		51
216	Phylogenetic Relationships of Australian and New Zealand <i>Armillaria</i> Species. <i>Mycologia</i> , <b>2001</b> , 93, 887	2.4	31
215	Characterization of <i>Fusarium graminearum</i> from <i>Acacia</i> and <i>Eucalyptus</i> Using $\beta$ -Tubulin and Histone Gene Sequences. <i>Mycologia</i> , <b>2001</b> , 93, 704	2.4	13
214	<i>Botryosphaeria eucalyptorum</i> sp. nov., a New Species in the B. Dothidea-Complex on <i>Eucalyptus</i> in South Africa. <i>Mycologia</i> , <b>2001</b> , 93, 277	2.4	40
213	Simple sequence repeat markers distinguish among morphotypes of <i>Sphaeropsis sapinea</i> . <i>Applied and Environmental Microbiology</i> , <b>2001</b> , 67, 354-62	4.8	71
212	Plantation disease and pest management in the next century. <i>Southern Forests</i> , <b>2001</b> , 190, 67-71		14
211	Characterization of <i>Seiridium</i> spp. Associated with Cypress Canker Based on $\beta$ -Tubulin and Histone Sequences. <i>Plant Disease</i> , <b>2001</b> , 85, 317-321	1.5	44
210	Exotic pine forestry in the Southern Hemisphere: A brief history of establishment and quarantine practices. <i>Southern Forests</i> , <b>2001</b> , 192, 79-83		12
209	Characterization of <i>Fusarium graminearum</i> from <i>Acacia</i> and <i>Eucalyptus</i> using $\beta$ -tubulin and histone gene sequences. <i>Mycologia</i> , <b>2001</b> , 93, 704-711	2.4	15
208	<i>Botryosphaeria eucalyptorum</i> sp. nov., a new species in the B. dothidea-complex on <i>Eucalyptus</i> in South Africa. <i>Mycologia</i> , <b>2001</b> , 93, 277-285	2.4	45

207	Leptographium guttulatum sp. nov., a new species from spruce and pine in Europe. <i>Mycologia</i> , <b>2001</b> , 93, 380-388	2.4	10
206	Phylogenetic relationships of Australian and New Zealand Armillaria species. <i>Mycologia</i> , <b>2001</b> , 93, 887-896	2.4	25
205	Characterisation of the pitch canker fungus, Fusarium circinatum, from Mexico. <i>South African Journal of Botany</i> , <b>2001</b> , 67, 609-614	2.9	35
204	Characterization of South African Cryphonectria cubensis Isolates Infected with a C. parasitica Hypovirus. <i>Phytopathology</i> , <b>2001</b> , 91, 628-32	3.8	18
203	Phylogenetic relationships in Leptographium based on morphological and molecular characters. <i>Canadian Journal of Botany</i> , <b>2001</b> , 79, 719-732		26
202	Phylogenetic relationships between the European and Asian eight spined larch bark beetle populations (Coleoptera, Scolytidae) inferred from DNA sequences and fungal associates. <i>European Journal of Entomology</i> , <b>2001</b> , 98, 99-105		41
201	A taxonomic re-evaluation of Phialocephala phycomyces. <i>Canadian Journal of Botany</i> , <b>2001</b> , 79, 110-117		5
200	First Report of Ceratocystis Wilt of Acacia mearnsii in Uganda. <i>Plant Disease</i> , <b>2001</b> , 85, 1029	1.5	8
199	Characterization of Sphaeropsis sapinea Isolates from South Africa, Mexico, and Indonesia. <i>Plant Disease</i> , <b>2000</b> , 84, 151-156	1.5	40
198	Genotypic Diversity of Sphaeropsis sapinea from South Africa and Northern Sumatra. <i>Plant Disease</i> , <b>2000</b> , 84, 139-142	1.5	31
197	Xenochalara, a new genus of dematiaceous hyphomycetes for chalara-like fungi with apical wall building conidial development. <i>South African Journal of Botany</i> , <b>2000</b> , 66, 99-103	2.9	8
196	Molecular characterization of Fusarium subglutinans associated with mango malformation. <i>Molecular Plant Pathology</i> , <b>2000</b> , 1, 187-93	5.7	39
195	A serious new wilt disease of Eucalyptus caused by Ceratocystis fimbriata in Central Africa. <i>Forest Pathology</i> , <b>2000</b> , 30, 175-184	1.2	51
194	Development of simple sequence repeat (SSR) markers in Eucalyptus from amplified inter-simple sequence repeats (ISSR). <i>Plant Breeding</i> , <b>2000</b> , 119, 433-436	2.4	53
193	Cornuvesica, a new genus to accommodate Ceratocystiopsis falcata. <i>Mycological Research</i> , <b>2000</b> , 104, 365-367		6
192	Deletion of the MAT-2 mating-type gene during uni-directional mating-type switching in Ceratocystis. <i>Current Genetics</i> , <b>2000</b> , 38, 48-52	2.9	58
191	A new Leptographium species associated with Tomigus piniperda in south-western China. <i>Mycoscience</i> , <b>2000</b> , 41, 573-578	1.2	31
190	New Leptographium species from Indonesia and Eastern North America. <i>Mycoscience</i> , <b>2000</b> , 41, 595-606	1.2	7

189	Leptographium pini-densiflorae sp. nov. from Japanese red pine. <i>Mycoscience</i> , <b>2000</b> , 41, 425-430	1.2	11
188	Geographical diversity of <i>Armillaria mellea</i> s. s. based on phylogenetic analysis. <i>Mycologia</i> , <b>2000</b> , 92, 105-113	2.4	51
187	Potential for outcrossing in an apparently asexual population of <i>Fusarium circinatum</i> , the causal agent of pitch canker disease. <i>Mycologia</i> , <b>2000</b> , 92, 1085-1090	2.4	20
186	Relationships among <i>Amylostereum</i> species associated with siricid woodwasps inferred from mitochondrial ribosomal DNA sequences. <i>Mycologia</i> , <b>2000</b> , 92, 955-963	2.4	10
185	Identification of the causal agent of <i>Armillaria</i> root rot of <i>Pinus</i> species in South Africa. <i>Mycologia</i> , <b>2000</b> , 92, 777-785	2.4	31
184	Comparison of isozymes, rDNA spacer regions and MAT-2 DNA sequences as phylogenetic characters in the analysis of the <i>Ceratocystis coerulescens</i> complex. <i>Mycologia</i> , <b>2000</b> , 92, 447-452	2.4	27
183	PCR-based identification of MAT-1 and MAT-2 in the <i>Gibberella fujikuroi</i> species complex. <i>Applied and Environmental Microbiology</i> , <b>2000</b> , 66, 4378-82	4.8	138
182	Geographical Diversity of <i>Armillaria mellea</i> s. s. Based on Phylogenetic Analysis. <i>Mycologia</i> , <b>2000</b> , 92, 105	2.4	47
181	Comparison of Isozymes, rDNA Spacer Regions and MAT-2 DNA Sequences as Phylogenetic Characters in the Analysis of the <i>Ceratocystis coerulescens</i> Complex. <i>Mycologia</i> , <b>2000</b> , 92, 447	2.4	22
180	Relationships among <i>Amylostereum</i> Species Associated with Siricid Woodwasps Inferred from Mitochondrial Ribosomal DNA Sequences. <i>Mycologia</i> , <b>2000</b> , 92, 955	2.4	8
179	A novel RNA mycovirus in a hypovirulent isolate of the plant pathogen <i>Diaporthe ambigua</i> . <i>Journal of General Virology</i> , <b>2000</b> , 81, 3107-3114	4.9	65
178	Identification of the Causal Agent of <i>Armillaria</i> Root Rot of <i>Pinus</i> Species in South Africa. <i>Mycologia</i> , <b>2000</b> , 92, 777	2.4	24
177	<i>Ophiostoma europhioides</i> and <i>Ceratocystis pseudoeurophioides</i> , synonyms of <i>O. piceaperdum</i> . <i>Mycological Research</i> , <b>2000</b> , 104, 238-243		9
176	A new <i>Leptographium</i> species from Russia. <i>Mycological Research</i> , <b>2000</b> , 104, 1524-1529		14
175	Phylogeny of <i>Cryphonectria cubensis</i> and allied species inferred from DNA analysis. <i>Mycologia</i> , <b>1999</b> , 91, 243-250	2.4	39
174	The <i>Cylindrocladium candelabrum</i> species complex includes four distinct mating populations. <i>Mycologia</i> , <b>1999</b> , 91, 286-298	2.4	48
173	A taxonomic reassessment of <i>Phyllachora proteae</i> , a leaf pathogen of Proteaceae. <i>Mycologia</i> , <b>1999</b> , 91, 510-516	2.4	16
172	Differentiation of <i>Fusarium subglutinans</i> f. sp. pini by histone gene sequence data. <i>Applied and Environmental Microbiology</i> , <b>1999</b> , 65, 3401-6	4.8	96

171	Phylogeny of <i>Cryphonectria cubensis</i> and Allied Species Inferred from DNA Analysis. <i>Mycologia</i> , <b>1999</b> , 91, 243	2.4	34
170	The <i>Cylindrocladium candelabrum</i> Species Complex Includes Four Distinct Mating Populations. <i>Mycologia</i> , <b>1999</b> , 91, 286	2.4	29
169	A Taxonomic Reassessment of <i>Phyllachora proteae</i> , a Leaf Pathogen of Proteaceae. <i>Mycologia</i> , <b>1999</b> , 91, 510	2.4	12
168	<i>Pinus patula</i> establishment problem associated with poor ectomycorrhizal development in previously cultivated soils. <i>Southern Forests</i> , <b>1999</b> , 186, 59-65		
167	Gene and Genotypic Diversity of <i>Phytophthora cinnamomi</i> in South Africa and Australia Revealed by DNA Polymorphisms. <i>European Journal of Plant Pathology</i> , <b>1999</b> , 105, 667-680	2.1	44
166	Variation in Pathogenicity Among South African Isolates of <i>Phytophthora cinnamomi</i> . <i>European Journal of Plant Pathology</i> , <b>1999</b> , 105, 231-239	2.1	16
165	Susceptibility of Elite <i>Acacia mearnsii</i> Families to <i>Ceratocystis</i> Wilt in South Africa. <i>Journal of Forest Research</i> , <b>1999</b> , 4, 187-190	1.4	20
164	Relatedness of <i>Custingophora olivaceae</i> to <i>Gondwanamyces</i> spp. from <i>Protea</i> spp.. <i>Mycological Research</i> , <b>1999</b> , 103, 497-500		7
163	PCR-based identification and phylogeny of species of <i>Ceratocystis</i> sensu stricto. <i>Mycological Research</i> , <b>1999</b> , 103, 743-749		35
162	<i>Batcheloromyces</i> species occurring on Proteaceae in South Africa. <i>Mycological Research</i> , <b>1999</b> , 103, 1478-1484		7
161	A re-examination of the vascular wilt pathogen of takamaka ( <i>Calophyllum inophyllum</i> ). <i>Mycological Research</i> , <b>1999</b> , 103, 1588-1592		9
160	Phylogenetic relationships of ophiostomatoid fungi associated with <i>Protea</i> infructescences in South Africa. <i>Mycological Research</i> , <b>1999</b> , 103, 1616-1620		19
159	<i>Fusarium subglutinans</i> f. sp. <i>Pini</i> represents a distinct mating population in the <i>gibberella fujikuroi</i> species complex. <i>Applied and Environmental Microbiology</i> , <b>1999</b> , 65, 1198-201	4.8	70
158	A rapid, apple-based test for virulence in <i>Cryphonectria cubensis</i> isolates. <i>Forest Pathology</i> , <b>1998</b> , 28, 409-412	1.2	5
157	Chemical control of <i>Alternaria</i> brown spot on <i>Minneola</i> tangelo in South Africa. <i>Annals of Applied Biology</i> , <b>1998</b> , 133, 17-30	2.6	14
156	Systematic appraisal of species complexes within <i>Cylindrocladiella</i> . <i>Mycological Research</i> , <b>1998</b> , 102, 273-279		8
155	Comparison of <i>Ophiostoma huntii</i> and <i>O. europhioides</i> and description of <i>O. aenigmaticum</i> sp. nov.. <i>Mycological Research</i> , <b>1998</b> , 102, 289-294		20
154	New foliar pathogens of <i>Eucalyptus</i> from Australia and Indonesia. <i>Mycological Research</i> , <b>1998</b> , 102, 527-532		30

153	Ophiostomatoid fungi associated with <i>Ips cembrae</i> in Japan and their pathogenicity to Japanese larch. <i>Mycoscience</i> , <b>1998</b> , 39, 367-378	1.2	47
152	Population diversity among Brazilian isolates of <i>Cryphonectria cubensis</i> . <i>Forest Ecology and Management</i> , <b>1998</b> , 112, 41-47	3.9	15
151	Eucalyptus Rust: A Disease with the Potential for Serious International Implications. <i>Plant Disease</i> , <b>1998</b> , 82, 819-825	1.5	187
150	Eucalyptus die-back in South Africa associated with <i>Colletotrichum gloeosporioides</i> . <i>South African Journal of Botany</i> , <b>1998</b> , 64, 226-227	2.9	4
149	A new ophiostomatoid genus from <i>Protea</i> infructescences. <i>Mycologia</i> , <b>1998</b> , 90, 136-141	2.4	26
148	Monophyly of the conifer species in the <i>Ceratocystis coerulescens</i> complex based on DNA sequence data. <i>Mycologia</i> , <b>1998</b> , 90, 96-101	2.4	35
147	Female fertility and mating type distribution in a south african population of <i>Fusarium subglutinans</i> f. sp. <i>pini</i> . <i>Applied and Environmental Microbiology</i> , <b>1998</b> , 64, 2094-5	4.8	39
146	Double-stranded RNA and associated virulence in South African isolates of <i>Sphaeropsis sapinea</i> . <i>Canadian Journal of Botany</i> , <b>1998</b> , 76, 1412-1417		6
145	The <i>Ceratocystis</i> species on conifers. <i>Canadian Journal of Botany</i> , <b>1998</b> , 76, 1446-1457		39
144	<i>Leptographium engelmannii</i> , a synonym of <i>Leptographium abietinum</i> , and description of <i>Leptographium hughesii</i> sp.nov.. <i>Canadian Journal of Botany</i> , <b>1998</b> , 76, 1660-1667		5
143	Two species in the <i>Ceratocystis coerulescens</i> complex from conifers in western North America. <i>Canadian Journal of Botany</i> , <b>1997</b> , 75, 827-834		31
142	A New <i>Ophiostoma</i> Species with a <i>Graphium</i> Anamorph from <i>Larix laricina</i> in Eastern North America. <i>Mycologia</i> , <b>1997</b> , 89, 332	2.4	4
141	Comparison of three varieties of <i>Leptographium wageneri</i> using Random Amplified Polymorphic DNA. <i>South African Journal of Botany</i> , <b>1997</b> , 63, 198-200	2.9	2
140	Population Structure of <i>Phytophthora cinnamomi</i> in South Africa. <i>Phytopathology</i> , <b>1997</b> , 87, 822-7	3.8	41
139	<i>Colletogloeopsis</i> , a new coelomycete genus to accommodate anamorphs of two species of <i>Mycosphaerella</i> on Eucalyptus. <i>Canadian Journal of Botany</i> , <b>1997</b> , 75, 667-674		33
138	<i>Ophiostoma protearum</i> sp.nov. associated with <i>Protea caffra</i> infructescences. <i>Canadian Journal of Botany</i> , <b>1997</b> , 75, 362-367		22
137	A new species of <i>Ophiostoma</i> from North America, similar to <i>Ophiostoma penicillatum</i> . <i>Canadian Journal of Botany</i> , <b>1997</b> , 75, 1315-1322		12
136	New species of <i>Mycosphaerella</i> occurring on Eucalyptus leaves in Indonesia and Africa. <i>Canadian Journal of Botany</i> , <b>1997</b> , 75, 781-790		24



135	Survey and virulence of fungi occurring on diseased <i>Acacia mearnsii</i> in South Africa. <i>Forest Ecology and Management</i> , <b>1997</b> , 99, 327-336	3.9	48
134	A new <i>Ophiostoma</i> species with a <i>Graphium</i> anamorph from <i>Larix laricina</i> in eastern North America. <i>Mycologia</i> , <b>1997</b> , 89, 332-338	2.4	7
133	New species of <i>Calonectria</i> and <i>Cylindrocladium</i> isolated from soil in the tropics. <i>Mycologia</i> , <b>1997</b> , 89, 653-660	2.4	12
132	First report of <i>Sphaeropsis</i> canker on cypress in South Africa. <i>Forest Pathology</i> , <b>1997</b> , 27, 173-177	1.2	9
131	The Symptoms and Cause of Guava Wilt in South Africa. <i>Journal of Phytopathology</i> , <b>1997</b> , 145, 37-41	1.8	11
130	Characterization of <i>Fusarium subglutinans</i> f. sp. <i>pini</i> causing root disease of <i>Pinus patula</i> seedlings in South Africa. <i>Mycological Research</i> , <b>1997</b> , 101, 437-445		38
129	Ophiostomatoid fungi associated with the spruce bark beetle <i>Ips typographus</i> f. <i>aponicus</i> in Japan. <i>Mycological Research</i> , <b>1997</b> , 101, 1215-1227		80
128	Conidium development in <i>Sporothrix</i> anamorphs of <i>Ophiostoma</i> . <i>Mycological Research</i> , <b>1997</b> , 101, 1108-1112		12
127	Vegetative incompatibility in <i>Diaporthe ambigua</i> . <i>Plant Pathology</i> , <b>1997</b> , 46, 366-372	2.8	11
126	Genotypic diversity in a South African population of the pitch canker fungus <i>Fusarium subglutinans</i> f.sp. <i>pini</i> . <i>Plant Pathology</i> , <b>1997</b> , 46, 590-593	2.8	20
125	Species of <i>Mycosphaerella</i> and Their Anamorphs Associated with Leaf Blotch Disease of <i>Eucalyptus</i> in South Africa. <i>Mycologia</i> , <b>1996</b> , 88, 441	2.4	46
124	Isozyme Variation and Species Delimitation in the <i>Ceratocystis coerulescens</i> Complex. <i>Mycologia</i> , <b>1996</b> , 88, 104	2.4	22
123	<i>Phaeoacremonium</i> gen. nov. Associated with Wilt and Decline Diseases of Woody Hosts and Human Infections. <i>Mycologia</i> , <b>1996</b> , 88, 786	2.4	103
122	<i>Botryosphaeria dothidea</i> endophytic in <i>Eucalyptus grandis</i> and <i>Eucalyptus nitens</i> in South Africa. <i>Forest Ecology and Management</i> , <b>1996</b> , 89, 189-195	3.9	64
121	Conidium development in the <i>Hyalorhinocladiella</i> anamorphs of <i>Ceratocystiopsis minuta-bicolor</i> and <i>Ophiostoma minus</i> . <i>Canadian Journal of Botany</i> , <b>1996</b> , 74, 891-897		13
120	Species of <i>Mycosphaerella</i> and their anamorphs associated with leaf blotch disease of <i>Eucalyptus</i> in South Africa. <i>Mycologia</i> , <b>1996</b> , 88, 441-458	2.4	62
119	<i>Phaeoacremonium</i> gen. nov. associated with wilt and decline diseases of woody hosts and human infections. <i>Mycologia</i> , <b>1996</b> , 88, 786-796	2.4	140
118	Isozyme variation and species delimitation in the <i>Ceratocystis coerulescens</i> complex. <i>Mycologia</i> , <b>1996</b> , 88, 104-113	2.4	36

117	Sphaeropsis sapinea and Botryosphaeria dothidea endophytic in Pinus spp. and Eucalyptus spp. in South Africa. <i>South African Journal of Botany</i> , <b>1996</b> , 62, 86-88	2.9	173
116	Kirramyces destructans sp. nov., a serious leaf pathogen of Eucalyptus in Indonesia. <i>South African Journal of Botany</i> , <b>1996</b> , 62, 325-327	2.9	32
115	Leptographium costaricense sp. nov., a new species from roots of Talauma sambuensis from Costa Rica. <i>Mycological Research</i> , <b>1996</b> , 100, 732-736		8
114	A New Ceratocystis Species Defined Using Morphological and Ribosomal DNA Sequence Comparisons. <i>Systematic and Applied Microbiology</i> , <b>1996</b> , 19, 191-202	4.2	75
113	A serious canker disease of Eucalyptus in South Africa caused by a new species of Coniothyrium. <i>Mycopathologia</i> , <b>1996</b> , 136, 139-45	2.9	54
112	The fine structure of ascospore shape and development in Ceratocystis fimbriata. <i>Antonie Van Leeuwenhoek</i> , <b>1995</b> , 67, 325-32	2.1	1
111	Susceptibility of pines in South Africa to the pitch canker fungus subglutinans f.sp. pini. <i>Plant Pathology</i> , <b>1995</b> , 44, 877-882	2.8	32
110	Conidium development in the Hyalorhinocladia anamorph of Ophiostoma ips. <i>Mycologia</i> , <b>1995</b> , 87, 298-303	2.4	16
109	A critique of DNA sequence analysis in the taxonomy of filamentous Ascomycetes and ascomycetous anamorphs. <i>Canadian Journal of Botany</i> , <b>1995</b> , 73, 760-767		67
108	A Preliminary, Annotated List of Foliar Pathogens of Eucalyptus spp, in Chile. <i>South African Forestry Journal</i> , <b>1995</b> , 173, 53-57		6
107	Conidium Development in the Hyalorhinocladia Anamorph of Ophiostoma ips. <i>Mycologia</i> , <b>1995</b> , 87, 298	2.4	9
106	Diseases of Black Wattle in South AfricaA Review. <i>South African Forestry Journal</i> , <b>1995</b> , 174, 35-40		7
105	Association of Sphaeropsis sapinea with insect infestation following hail damage of Pinus radiata. <i>Forest Ecology and Management</i> , <b>1995</b> , 72, 293-298	3.9	18
104	Foliicolous dematiaceous hyphomycetes from Syzygium cordatum. <i>Canadian Journal of Botany</i> , <b>1995</b> , 73, 224-234		13
103	Conidium development in Ceratocystis autographa. <i>Mycological Research</i> , <b>1995</b> , 99, 1289-1294		3
102	A new species of Ophiostoma with a Leptographium anamorph from Larch in Japan. <i>Mycological Research</i> , <b>1995</b> , 99, 1334-1338		22
101	Ribosomal RNA sequence phylogeny is not congruent with ascospore morphology among species in Ceratocystis sensu stricto. <i>Molecular Biology and Evolution</i> , <b>1994</b> , 11, 376-83	8.3	15
100	Ultrastructure of ascus arrangement and ascospore development in Ophiostoma seticolle. <i>Mycologia</i> , <b>1994</b> , 86, 607-614	2.4	14

99	Kionochaeta pini sp. nov. and Verrucophragmia splendens gen. nov. from leaf litter in South Africa. <i>Mycologia</i> , <b>1994</b> , 86, 447-450	2.4	5
98	Ultrastructure of Ascus Arrangement and Ascospore Development in Ophiostoma seticolle. <i>Mycologia</i> , <b>1994</b> , 86, 607	2.4	5
97	Three new Leptographium species associated with conifer roots in the United States. <i>Canadian Journal of Botany</i> , <b>1994</b> , 72, 227-238		5
96	Canker and die-back of Eucalyptus in South Africa caused by Botryosphaeria dothidea. <i>Plant Pathology</i> , <b>1994</b> , 43, 1031-1034	2.8	59
95	Leptographium elegans: a new species from Taiwan. <i>Mycological Research</i> , <b>1994</b> , 98, 781-785		13
94	Fungi associated with infructescences of Protea species in South Africa, including a new species of ophiostoma. <i>Mycological Research</i> , <b>1994</b> , 98, 369-374		35
93	Graphium pseudormiticum sp. nov.: a new hyphomycete with unusual conidiogenesis. <i>Mycological Research</i> , <b>1994</b> , 98, 1272-1276		12
92	Integrated management of forest tree diseases in South Africa. <i>Forest Ecology and Management</i> , <b>1994</b> , 65, 11-16	3.9	12
91	Diseases of Pines and Eucalypts in South Africa Associated with Pythium and Phytophthora Species. <i>South African Forestry Journal</i> , <b>1994</b> , 169, 25-32		4
90	Kionochaeta pini sp. nov. and Verrucophragmia splendens gen. nov. from Leaf Litter in South Africa. <i>Mycologia</i> , <b>1994</b> , 86, 447	2.4	3
89	Comparison of Seiridium Isolates Associated with Cypress Canker Using Sequence Data. <i>Experimental Mycology</i> , <b>1993</b> , 17, 323-328		23
88	Mycosphaerella suberosa Associated with Corky Leaf Spots on Eucalyptus in Brazil. <i>Mycologia</i> , <b>1993</b> , 85, 705	2.4	18
87	Comparison between conidial development in Sporendocladia bactrospora and Phialocephala virens. <i>Canadian Journal of Botany</i> , <b>1993</b> , 71, 985-991		2
86	Mycosphaerella parkii and Phyllosticta eucalyptorum, two new species from Eucalyptus leaves in Brazil. <i>Mycological Research</i> , <b>1993</b> , 97, 582-584		16
85	Calonectria scoparia and Calonectria morganii sp. nov., and variation among isolates of their Cylindrocladium anamorphs. <i>Mycological Research</i> , <b>1993</b> , 97, 701-708		31
84	Fine structure of ascosporeogenesis in Ceratocystiopsis proteae. <i>Canadian Journal of Botany</i> , <b>1993</b> , 71, 1212-1218		2
83	A new species of Ophiostoma from Protea infructescences in South Africa. <i>Mycological Research</i> , <b>1993</b> , 97, 709-716		35
82	Conidium development in Phialocephala dimorphospora and a new pattern of wall thickening. <i>Mycological Research</i> , <b>1993</b> , 97, 99-104		7

81	Variation in conidial morphology among geographic isolates of <i>Sphaeropsis sapinea</i> . <i>Mycological Research</i> , <b>1993</b> , 97, 832-838		10
80	A re-evaluation of <i>Cylindrocladiella</i> , and a comparison with morphologically similar genera. <i>Mycological Research</i> , <b>1993</b> , 97, 433-448		28
79	Comparison of <i>Sphaeropsis sapinea</i> and <i>Sphaeropsis sapinea</i> f. sp. <i>cupressi</i> . <i>Mycological Research</i> , <b>1993</b> , 97, 1253-1260		16
78	<i>Cylindrocladium parasiticum</i> sp. nov., a new name for <i>C. crotalariae</i> . <i>Mycological Research</i> , <b>1993</b> , 97, 889-896		27
77	A Review of <i>Lasiodiplodia theobromae</i> with Particular Reference to its Occurrence on Coniferous Seeds. <i>South African Forestry Journal</i> , <b>1993</b> , 166, 47-52		7
76	RAPD-fingerprinting to Identify <i>Eucalyptus grandis</i> Clones. <i>South African Forestry Journal</i> , <b>1993</b> , 167, 47-50		1
75	Harknessia Species Occurring in South Africa. <i>Mycologia</i> , <b>1993</b> , 85, 108-118	2.4	15
74	<i>Mycosphaerella Suberosa</i> Associated with Corky Leaf Spots on Eucalyptus in Brazil. <i>Mycologia</i> , <b>1993</b> , 85, 705-710	2.4	19
73	Agar, an alternative to agarose in analytical gel electrophoresis. <i>Biotechnology Letters</i> , <b>1993</b> , 7, 723-726		2
72	IMI Descriptions of Fungi and Bacteria, Set 116, Nos 1151-1160. <i>Mycopathologia</i> , <b>1993</b> , 122, 43-64	2.9	1
71	<i>Sporothrix eucalypti</i> (sp. nov.), a shoot and leaf pathogen of Eucalyptus in South Africa. <i>Mycopathologia</i> , <b>1993</b> , 123, 159-164	2.9	19
70	New records of <i>Cylindrocladium</i> and <i>Cylindrocladiella</i> spp. in South Africa. <i>Plant Pathology</i> , <b>1993</b> , 42, 302-305	2.8	9
69	First report of the canker pathogen <i>Endothia gyrosa</i> on Eucalyptus in South Africa. <i>Plant Pathology</i> , <b>1993</b> , 42, 661-663	2.8	21
68	Gummosis and wilt of <i>Acacia mearnsii</i> in South Africa caused by <i>Ceratocystis fimbriata</i> . <i>Plant Pathology</i> , <b>1993</b> , 42, 814-817	2.8	39
67	Fungal Pathogens in Pinus and Eucalyptus Seedling Nurseries in South Africa: A Review. <i>South African Forestry Journal</i> , <b>1992</b> , 161, 45-51		8
66	<i>Cylindrocladium leucothoes</i> and <i>C. hederiae</i> , synonyms of <i>C. reteaudii</i> . <i>South African Journal of Botany</i> , <b>1992</b> , 58, 397-400	2.9	3
65	Synoptic key and computer database for identification of species of <i>Ceratocystis</i> sensu lato. <i>South African Journal of Botany</i> , <b>1992</b> , 58, 277-285	2.9	4
64	Ascospore development in <i>Ophiostoma piceae</i> . <i>Canadian Journal of Botany</i> , <b>1992</b> , 70, 2170-2176		1

63	Effects of Cultural Conditions on Vesicle and Conidium Morphology in Species of <i>Cylindrocladium</i> and <i>Cylindrocladiella</i> . <i>Mycologia</i> , <b>1992</b> , 84, 497-504	2.4	48
62	The Anamorph of <i>Ophiostoma Francke-Grosmaniae</i> is a <i>Leptographium</i> . <i>Mycologia</i> , <b>1992</b> , 84, 857-862	2.4	14
61	Differences in susceptibility of <i>Eucalyptus</i> species to <i>Phaeoseptoria eucalypti</i> . <i>Forest Pathology</i> , <b>1992</b> , 22, 418-423	1.2	13
60	The effect of site preparation and fertilization on the severity of <i>Phaeoseptoria eucalypti</i> on <i>Eucalyptus</i> species. <i>Forest Pathology</i> , <b>1992</b> , 22, 424-431	1.2	5
59	Susceptibility of <i>Eucalyptus grandis</i> to <i>Cryphonectria cubensis</i> . <i>Forest Pathology</i> , <b>1992</b> , 22, 312-315	1.2	16
58	<i>Cryphonectria cubensis</i> , a potential pathogen of <i>Psidium guajava</i> in South Africa. <i>Forest Pathology</i> , <b>1991</b> , 21, 424-429	1.2	1
57	Septal micropores in <i>Zygozoma</i> and their taxonomic significance. <i>Antonie Van Leeuwenhoek</i> , <b>1991</b> , 59, 77-80	2.1	6
56	The Genera <i>Cylindrocladium</i> and <i>Cylindrocladiella</i> in South Africa, with Special Reference to Forest Nurseries. <i>South African Forestry Journal</i> , <b>1991</b> , 157, 69-85		24
55	Ascospore Ultrastructure and Development in <i>Ophiostoma cucullatum</i> . <i>Mycologia</i> , <b>1991</b> , 83, 698	2.4	25
54	Ultrastructure of ascosporeogenesis in <i>Ophiostoma davidsonii</i> . <i>Mycological Research</i> , <b>1991</b> , 95, 725-730		20
53	Development of microconidia in <i>Fusarium</i> section <i>Sporotrichiella</i> . <i>Mycological Research</i> , <b>1991</b> , 95, 284-289		5
52	Ascospore development in <i>Ceratocystis moniliformis</i> . <i>Mycological Research</i> , <b>1991</b> , 95, 96-103		30
51	<i>Leptographium</i> and <i>Graphium</i> species associated with pineinfesting bark beetles in England. <i>Mycological Research</i> , <b>1991</b> , 95, 1257-1260		56
50	Analysis of conidium ontogeny in anamorphs of <i>Ophiostoma</i> : <i>Pesotum</i> and <i>Phialographium</i> are synonyms of <i>Graphium</i> . <i>Mycological Research</i> , <b>1991</b> , 95, 1328-1333		29
49	<i>Mycosphaerella nubilosa</i> , a synonym of <i>M. molleriana</i> . <i>Mycological Research</i> , <b>1991</b> , 95, 628-632		77
48	Ultrastructural study of ascoma and ascospore development in <i>Ophiostoma distortum</i> and <i>Ophiostoma minus</i> . <i>Canadian Journal of Botany</i> , <b>1991</b> , 69, 2529-2538		7
47	<i>Mycosphaerella marasasii</i> sp. nov. and its <i>Pseudocercospora</i> anamorph on leaves of <i>Syzygium cordatum</i> . <i>Mycological Research</i> , <b>1991</b> , 95, 1108-1112		4
46	Ascospore Ultrastructure and Development in <i>Ophiostoma Cucullatum</i> . <i>Mycologia</i> , <b>1991</b> , 83, 698-707	2.4	33

45	Cryphonectria Canker of Eucalyptus, an Important Disease in Plantation Forestry in South Africa.. <i>South African Forestry Journal</i> , <b>1990</b> , 152, 43-49		22
44	New and interesting records of South African fungi. X. New records of Eucalyptus leaf fungi. <i>South African Journal of Botany</i> , <b>1990</b> , 56, 583-586	2.9	10
43	Intensity of dieback induced by Sphaeropsis sapinea in relation to site conditions. <i>Forest Pathology</i> , <b>1990</b> , 20, 167-174	1.2	25
42	Economic impact of a post-hail outbreak of dieback induced by Sphaeropsis sapinea. <i>Forest Pathology</i> , <b>1990</b> , 20, 405-411	1.2	47
41	Zygozoma smithiae sp.n. (Lipomycetaceae), a new ambrosia yeast from southern Africa. <i>Antonie Van Leeuwenhoek</i> , <b>1990</b> , 58, 95-8	2.1	11
40	Shoot and Needle Diseases of Pinus spp. in South Africa. <i>South African Forestry Journal</i> , <b>1990</b> , 154, 60-66		8
39	Phaeoseptoria Leaf Spot of Eucalyptus in South Africa. <i>South African Forestry Journal</i> , <b>1990</b> , 154, 56-59		4
38	Ascospore development in Ceratocystis sensu lato (Fungi): a review. <i>Bothalia</i> , <b>1990</b> , 20, 141-145	1.2	8
37	A Summary of Fungal Leaf Pathogens of Eucalyptus and the Diseases they Cause in South Africa. <i>South African Forestry Journal</i> , <b>1989</b> , 149, 9-16		21
36	Infection Studies with Phaeoseptoria eucalypti and Coniothyrium ovatum on Eucalyptus spp.. <i>South African Forestry Journal</i> , <b>1989</b> , 149, 30-35		5
35	A List of Eucalyptus Leaf Fungi and their Potential Importance to South African Forestry. <i>South African Forestry Journal</i> , <b>1989</b> , 149, 17-29		14
34	Conidial development in the anamorph of Ophiostoma cucullatum. <i>Mycological Research</i> , <b>1989</b> , 93, 91-95		10
33	Rust-spores, bees and pollen. <i>The Mycologist</i> , <b>1989</b> , 3, 31-32		4
32	Pseudocercospora eucalyptorum sp. nov. on Eucalyptus leaves. <i>Mycological Research</i> , <b>1989</b> , 93, 394-398		14
31	First record of a rust on Acacia mearnsii in Southern Africa. <i>Transactions of the British Mycological Society</i> , <b>1988</b> , 90, 324-327		11
30	Differences in synchronization of stages of conidial development in Leptographium species. <i>Transactions of the British Mycological Society</i> , <b>1988</b> , 90, 451-456		25
29	Delimitation of Fusarium crookwellense macroconidia. <i>Transactions of the British Mycological Society</i> , <b>1988</b> , 91, 611-617		6
28	A Preliminary Assessment of the Threat of Diseases and Pests to Widdringtonia cedarbergensis. <i>South African Forestry Journal</i> , <b>1988</b> , 147, 32-34		2

27	Enteroblastic first macroconidia in <i>Fusarium crookwellense</i> . <i>Canadian Journal of Botany</i> , <b>1988</b> , 66, 1364-1366		3
26	Nuclear division and septation in macroconidia of <i>Fusarium crookwellense</i> . <i>South African Journal of Botany</i> , <b>1988</b> , 54, 118-122	2.9	1
25	<i>Ceratocystiopsis Proteae</i> Sp. Nov., with a New Anamorph Genus. <i>Mycologia</i> , <b>1988</b> , 80, 23-30	2.4	44
24	Pathogenicity of <i>Bursaphelenchus xylophilus</i> on three species of pine. <i>Canadian Journal of Forest Research</i> , <b>1987</b> , 17, 51-57	1.9	16
23	Development of macroconidia in <i>Fusarium</i> . <i>Transactions of the British Mycological Society</i> , <b>1987</b> , 88, 347-353		8
22	Reclassification of <i>Phialocephala</i> based on conidial development. <i>Transactions of the British Mycological Society</i> , <b>1987</b> , 89, 509-520		27
21	Ultrastructure of ascus development in the teleomorph of <i>Phoma arachidicola</i> . <i>Transactions of the British Mycological Society</i> , <b>1987</b> , 89, 260-263		2
20	Fungi Associated with the Pine Wood Nematode, <i>Bursaphelenchus Xylophilus</i> , and Cerambycid Beetles in Wisconsin. <i>Mycologia</i> , <b>1987</b> , 79, 325-328	2.4	25
19	Pathogenicity of <i>Bursaphelenchus xylophilus</i> on Pines in Minnesota and Wisconsin. <i>Journal of Nematology</i> , <b>1986</b> , 18, 44-9	1.1	7
18	<i>Sphaeropsis sapinea</i> , with Special Reference to its Occurrence on <i>Pinus</i> Spp. in South Africa. <i>South African Forestry Journal</i> , <b>1985</b> , 135, 1-8		22
17	Reclassification of <i>Verticicladiella</i> based on conidial development. <i>Transactions of the British Mycological Society</i> , <b>1985</b> , 85, 81-93		63
16	The pine-wood nematode, <i>Bursaphelenchus xylophilus</i> , in Minnesota and Wisconsin: insect associates and transmission studies. <i>Canadian Journal of Forest Research</i> , <b>1983</b> , 13, 1068-1076	1.9	64
15	Some <i>Verticicladiella</i> species, including <i>V. truncata</i> sp.nov., associated with root diseases of pine in New Zealand and South Africa. <i>Transactions of the British Mycological Society</i> , <b>1983</b> , 80, 231-236		27
14	Taxonomy of three canker-causing fungi of honey locust in the United States. <i>Transactions of the British Mycological Society</i> , <b>1983</b> , 81, 179-183		2
13	Association of <i>Verticicladiella procera</i> and <i>Leptographium terrebrantis</i> with insects in the Lake States. <i>Canadian Journal of Forest Research</i> , <b>1983</b> , 13, 1238-1245	1.9	45
12	Comparison of the pine wood nematode, <i>Bursaphelenchus xylophilus</i> from pine and balsam fir <sup>1</sup> . <i>Forest Pathology</i> , <b>1983</b> , 13, 360-372	1.2	30
11	The pine wood nematode: a comparison of the situation in the United States and Japan. <i>Canadian Journal of Forest Research</i> , <b>1982</b> , 12, 71-75	1.9	30
10	<i>Verticicladiella alacris</i> , a synonym of <i>V. serpens</i> . <i>Transactions of the British Mycological Society</i> , <b>1981</b> , 76, 508-510		10

9	Verticicladiella alacris sp.nov., associated with a root disease of pines in South Africa. <i>Transactions of the British Mycological Society</i> , <b>1980</b> , 75, 21-28		16
8	Root Disease, Associated with Verticicladiella alacris, of Pines in South Africa. <i>Plant Disease</i> , <b>1980</b> , 64, 569	1.5	28
7	A Health Problem in Mature stands of Pinus taeda in the Eastern Transvaal. <i>South African Forestry Journal</i> , <b>1979</b> , 109, 47-49		1
6	Harmonising the fields of invasion science and forest pathology. <i>NeoBiota</i> , <b>62</b> , 301-332	4.2	10
5	Bretziella, a new genus to accommodate the oak wilt fungus, Ceratocystis fagacearum (Microascales, Ascomycota). <i>MycKeys</i> , <b>27</b> , 1-19	2.4	24
4	Pathologists and entomologists must join forces against forest pest and pathogen invasions. <i>NeoBiota</i> , <b>58</b> , 107-127	4.2	12
3	A core of rhizosphere bacterial taxa associates with two of the world's most isolated plant congeners. <i>Plant and Soil</i> , <b>1</b>	4.2	2
2	Epidemic spread of smut fungi (Quambalaria) by sexual reproduction in a native pathosystem. <i>European Journal of Plant Pathology</i> , <b>1</b>	2.1	
1	A serious shoot and leaf disease caused by Colletotrichum theobromicola discovered on eucalypts in South Africa. <i>Southern Forests</i> , <b>1-13</b>	0.6	0