Sai-Weng Sin

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2082203/publications.pdf

Version: 2024-02-01

394421 276875 2,248 164 19 41 citations h-index g-index papers 167 167 167 1290 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	A 10-bit 100-MS/s Reference-Free SAR ADC in 90 nm CMOS. IEEE Journal of Solid-State Circuits, 2010, 45, 1111-1121.	5.4	571
2	A Fully Integrated Digital LDO With Coarse–Fine-Tuning and Burst-Mode Operation. IEEE Transactions on Circuits and Systems II: Express Briefs, 2016, 63, 683-687.	3.0	116
3	A Wide Input Range Dual-Path CMOS Rectifier for RF Energy Harvesting. IEEE Transactions on Circuits and Systems II: Express Briefs, 2017, 64, 166-170.	3.0	111
4	An 8-b 400-MS/s 2-b-Per-Cycle SAR ADC With Resistive DAC. IEEE Journal of Solid-State Circuits, 2012, 47, 2763-2772.	5.4	78
5	Split-SAR ADCs: Improved Linearity With Power and Speed Optimization. IEEE Transactions on Very Large Scale Integration (VLSI) Systems, 2014, 22, 372-383.	3.1	53
6	Limit Cycle Oscillation Reduction for Digital Low Dropout Regulators. IEEE Transactions on Circuits and Systems II: Express Briefs, 2016, 63, 903-907.	3.0	49
7	A 550-\$mu\$ W 20-kHz BW 100.8-dB SNDR Linear- Exponential Multi-Bit Incremental \$SigmaDelta\$ ADC With 256 Clock Cycles in 65-nm CMOS. IEEE Journal of Solid-State Circuits, 2019, 54, 1161-1172.	5.4	45
8	A 1.6-GS/s 12.2-mW Seven-/Eight-Way Split Time-Interleaved SAR ADC Achieving 54.2-dB SNDR With Digital Background Timing Mismatch Calibration. IEEE Journal of Solid-State Circuits, 2020, 55, 693-705.	5.4	41
9	A reconfigurable low-noise dynamic comparator with offset calibration in 90nm CMOS., 2011,,.		40
10	A 4.2-mW 77.1-dB SNDR 5-MHz BW DT 2-1 MASH \$Delta Sigma \$ Modulator With Multirate Opamp Sharing. IEEE Transactions on Circuits and Systems I: Regular Papers, 2017, 64, 2641-2654.	5.4	39
11	A 76.6-dB-SNDR 50-MHz-BW 29.2-mW Multi-Bit CT Sturdy MASH With DAC Non-Linearity Tolerance. IEEE Journal of Solid-State Circuits, 2020, 55, 344-355.	5.4	38
12	20.4 A 123-phase DC-DC converter-ring with fast-DVS for microprocessors. , 2015, , .		35
13	A 2.3 mW 10-bit 170 MS/s Two-Step Binary-Search Assisted Time-Interleaved SAR ADC. IEEE Journal of Solid-State Circuits, 2013, 48, 1783-1794.	5.4	34
14	A 6 b 5 GS/s 4 Interleaved 3 b/Cycle SAR ADC. IEEE Journal of Solid-State Circuits, 2016, 51, 365-377.	5.4	32
15	A 0.024mm ² 8b 400MS/s SAR ADC with 2b/cycle and resistive DAC in 65nm CMOS. , 2011, , .		31
16	A 470-nA Quiescent Current and 92.7%/94.7% Efficiency DCT/PWM Control Buck Converter With Seamless Mode Selection for IoT Application. IEEE Transactions on Circuits and Systems I: Regular Papers, 2020, 67, 4085-4098.	5.4	31
17	Design and Experimental Verification of a Power Effective Flash-SAR Subranging ADC. IEEE Transactions on Circuits and Systems II: Express Briefs, 2010, 57, 607-611.	3.0	28
18	A review and design of the on-chip rectifiers for RF energy harvesting. , 2015, , .		28

#	Article	IF	CITATIONS
19	A 50-fJ 10-b 160-MS/s Pipelined-SAR ADC Decoupled Flip-Around MDAC and Self-Embedded Offset Cancellation. IEEE Journal of Solid-State Circuits, 2012, 47, 2614-2626.	5.4	27
20	Statistical Spectra and Distortion Analysis of Time-Interleaved Sampling Bandwidth Mismatch. IEEE Transactions on Circuits and Systems II: Express Briefs, 2008, 55, 648-652.	3.0	24
21	A 12b 180MS/s 0.068mm ² With Full-Calibration-Integrated Pipelined-SAR ADC. IEEE Transactions on Circuits and Systems I: Regular Papers, 2017, 64, 1684-1695.	5.4	24
22	Thermal and Reference Noise Analysis of Time-Interleaving SAR and Partial-Interleaving Pipelined-SAR ADCs. IEEE Transactions on Circuits and Systems I: Regular Papers, 2015, 62, 2196-2206.	5 . 4	21
23	A 7.8-mW 5-b 5-GS/s Dual-Edges-Triggered Time-Based Flash ADC. IEEE Transactions on Circuits and Systems I: Regular Papers, 2017, 64, 1966-1976.	5.4	21
24	A 34fJ 10b 500 MS/s partial-interleaving pipelined SAR ADC. , 2012, , .		20
25	Active–Passive \$Delta Sigma \$ Modulator for High-Resolution and Low-Power Applications. IEEE Transactions on Very Large Scale Integration (VLSI) Systems, 2017, 25, 364-374.	3.1	20
26	A 5-Bit 1.25-GS/s 4x-Capacitive-Folding Flash ADC in 65-nm CMOS. IEEE Journal of Solid-State Circuits, 2013, 48, 2154-2169.	5.4	18
27	Exact Spectra Analysis of Sampled Signals With Jitter-Induced Nonuniformly Holding Effects. IEEE Transactions on Instrumentation and Measurement, 2004, 53, 1279-1288.	4.7	17
28	A Rapid Power-Switchable Track-and-Hold Amplifier in 90-nm CMOS. IEEE Transactions on Circuits and Systems II: Express Briefs, 2010, 57, 16-20.	3.0	17
29	A 5 GS/s 29 mW Interleaved SAR ADC With 48.5 dB SNDR Using Digital-Mixing Background Timing-Skew Calibration for Direct Sampling Applications. IEEE Access, 2020, 8, 138944-138954.	4.2	17
30	A 3.8mW 8b 1GS/s 2b/cycle interleaving SAR ADC with compact DAC structure. , 2012, , .		15
31	Metastablility in SAR ADCs. IEEE Transactions on Circuits and Systems II: Express Briefs, 2017, 64, 111-115.	3.0	15
32	A 89fJ-FOM 6-bit 3.4GS/s flash ADC with 4x time-domain interpolation., 2015,,.		14
33	Uniform Quantization Theory-Based Linearity Calibration for Split Capacitive DAC in an SAR ADC. IEEE Transactions on Very Large Scale Integration (VLSI) Systems, 2016, 24, 2603-2607.	3.1	14
34	A sub-1V 78-nA bandgap reference with curvature compensation. Microelectronics Journal, 2017, 63, 35-40.	2.0	14
35	A 29mW 5GS/s Time-interleaved SAR ADC achieving 48.5dB SNDR With Fully-Digital Timing-Skew Calibration Based on Digital-Mixing. , 2019, , .		14
36	A voltage-controlled capacitance offset calibration technique for high resolution dynamic comparator., 2009,,.		13

#	Article	IF	CITATIONS
37	A 4.8-bit ENOB 5-bit 500MS/s binary-search ADC with minimized number of comparators., 2011,,.		13
38	Design of Fast Transient Response Voltage-Mode Buck Converter With Hybrid Feedforward and Feedback Technique. IEEE Journal of Emerging and Selected Topics in Power Electronics, 2021, 9, 780-790.	5.4	13
39	A 35 fJ 10b 160 MS/s pipelined-SAR ADC with decoupled flip-around MDAC and self-embedded offset cancellation. , 2011, , .		12
40	26.5 A 5.5mW 6b 5GS/S 4& #x00D7; -Interleaved 3b/cycle SAR ADC in 65nm CMOS., 2015,,.		12
41	Seven-bit 700-MS/s Four-Way Time-Interleaved SAR ADC With Partial \$V_{mathrm {cm}}\$ -Based Switching. IEEE Transactions on Very Large Scale Integration (VLSI) Systems, 2017, 25, 1168-1172.	3.1	12
42	Instantaneous power quality indices detection under frequency deviated environment. IET Science, Measurement and Technology, 2019, 13, 1111-1121.	1.6	12
43	An 11b 60MS/s 2.1mW two-step time-interleaved SAR-ADC with reused S&H., 2010, , .		11
44	Self-Reconfiguration Property of a Mixed Signal Controller for Improving Power Quality Compensation During Light Loading. IEEE Transactions on Power Electronics, 2015, 30, 5938-5951.	7.9	11
45	A 220-MHz Bondwire-Based Fully-Integrated KY Converter With Fast Transient Response Under DCM Operation. IEEE Transactions on Circuits and Systems I: Regular Papers, 2018, , 1-12.	5.4	11
46	Design of KY Converter With Constant On-Time Control Under DCM Operation. IEEE Transactions on Circuits and Systems II: Express Briefs, 2019, 66, 1753-1757.	3.0	11
47	Accuracy-Enhanced Variance-Based Time-Skew Calibration Using SAR as Window Detector. IEEE Transactions on Very Large Scale Integration (VLSI) Systems, 2019, 27, 481-485.	3.1	10
48	Linearity Analysis on a Series-Split Capacitor Array for High-Speed SAR ADCs. VLSI Design, 2010, 2010, 1-8.	0.5	9
49	FPGA-based decoupled double synchronous reference frame PLL for active power filters. , 2011, , .		9
50	DCM operation analysis of KY converter. Electronics Letters, 2015, 51, 2037-2039.	1.0	9
51	Resolutionâ€enhanced sturdy MASH delta–sigma modulator for wideband lowâ€voltage applications. Electronics Letters, 2015, 51, 1061-1063.	1.0	9
52	20.5 A 76.6dB-SNDR 50MHz-BW 29.2mW Noise-Coupling-Assisted CT Sturdy MASH ΔΣ Modulator with 1.5b/4b Quantizers in 28nm CMOS. , 2019, , .		9
53	A Time-Interleaved 2 nd -Order ΔΣ Modulator Achieving 5-MHz Bandwidth and 86.1-dB SNDR Using Digital Feed-Forward Extrapolation. IEEE Journal of Solid-State Circuits, 2021, 56, 2375-2387.	5.4	9
54	A power-efficient 1.056 GS/s resolution-switchable 5-bit/6-bit flash ADC for UWB applications. , 0, , .		8

#	Article	IF	Citations
55	A power scalable 6-bit 1.2 GS/s flash ADC with power on/off Track-and-Hold and preamplifier. , 2008 , , .		8
56	A 2.3mW 10-bit 170MS/s two-step binary-search assisted time-interleaved SAR ADC. , 2012, , .		8
57	A 22.4 & amp; $\#$ x03BC; $\mathbb W$ 80dB SNDR & amp; $\#$ x03A3; $\mathbb W$ amp; $\#$ x0394; modulator with passive analog adder and SAR quantizer for EMG application., 2012,,.		8
58	Polyphase Decomposition for Tunable Band-Pass Sigma-Delta A/D Converters. IEEE Journal on Emerging and Selected Topics in Circuits and Systems, 2015, 5, 537-547.	3.6	8
59	A power-efficient capacitor structure for high-speed charge recycling SAR ADCs. , 2008, , .		7
60	On-chip small capacitor mismatches measurement technique using beta-multiplier-biased ring oscillator. , 2009, , .		7
61	A power effective 5-bit 600 MS/s binary-search ADC with simplified switching. , 2010, , .		7
62	A voltage feedback charge compensation technique for split DAC architecture in SAR ADCs., 2010,,.		7
63	A high DR multi-channel stage-shared hybrid front-end for integrated power electronics controller. , 2016, , .		7
64	An 8-bit 0.7-GS/s single channel flash-SAR ADC in 65-nm CMOS technology. , 2016, , .		7
65	A SAR-ADC-Assisted DC-DC Buck Converter With Fast Transient Recovery. IEEE Transactions on Circuits and Systems II: Express Briefs, 2020, 67, 1669-1673.	3.0	7
66	Bird'sâ€eye view of analog and mixedâ€signal chips for the 21st century. International Journal of Circuit Theory and Applications, 2021, 49, 746-761.	2.0	7
67	Discrete-Time MASH Delta-Sigma Modulator with Second-Order Digital Noise Coupling for Wideband High-Resolution Applications. , 2021, , .		7
68	A $1.2V86dBSNDR500kHzBWLinear-ExponentialMulti-BitIncrementalADCUsingPositiveFeedbackin65nmCMOS.$, $2019,$, .		7
69	Wideband Continuous-Time MASH Delta-Sigma Modulators: A Tutorial Review. IEEE Transactions on Circuits and Systems II: Express Briefs, 2022, 69, 2623-2628.	3.0	7
70	Linearity analysis on a series-split capacitor array for high-speed SAR ADCs., 2008,,.		6
71	A threshold-embedded offset calibration technique for inverter-based flash ADCs. , 2010, , .		6
72	A 12-bit 110MS/s 4-stage single-opamp pipelined SAR ADC with ratio-based GEC technique. , 2012, , .		6

#	Article	IF	Citations
73	A high resolution multi-bit incremental converter insensitive to DAC mismatch error., 2016,,.		6
74	Review and Selection Strategy for High-Accuracy Modeling of PWM Converters in DCM. Journal of Electrical and Computer Engineering, 2018, 2018, 1-16.	0.9	6
75	Design and Control of An Integrated 3-Level Boost Converter under DCM Operation. , 2018, , .		6
76	An Integrated DC–DC Converter With Segmented Frequency Modulation and Multiphase Co-Work Control for Fast Transient Recovery. IEEE Journal of Solid-State Circuits, 2019, 54, 2637-2648.	5.4	6
77	A 10b 1.6GS/s 12.2mW 7/8-way Split Time-interleaved SAR ADC with Digital Background Mismatch Calibration. , 2019, , .		6
78	LDO-Free Power Management System: A 10-bit Pipelined ADC Directly Powered by Inductor-Based Boost Converter With Ripple Calibration. IEEE Transactions on Circuits and Systems I: Regular Papers, 2020, 67, 4174-4186.	5.4	6
79	A 5MHz-BW, 86.1dB-SNDR 4X Time-Interleaved 2nd-Order l̊ "Σ Modulator with Digital Feedforward Extrapolation in 28nm CMOS. , 2020, , .		6
80	A Novel Low-Voltage Cross-Coupled Passive Sampling Branch for Reset- and Switched-Opamp Circuits. , 0, , .		5
81	Generalized Circuit Techniques for Low-Voltage High-Speed Reset- and Switched-Opamps. IEEE Transactions on Circuits and Systems I: Regular Papers, 2008, 55, 2188-2201.	5.4	5
82	A self-timing switch-driving register by precharge-evaluate logic for high-speed SAR ADCs. , 2008, , .		5
83	Parasitics nonlinearity cancellation technique for split DAC architecture by using capacitive charge-pump. , $2010, , .$		5
84	A FPGA-based power electronics controller for hybrid active power filters. , 2011, , .		5
85	Noise shaping implementation in two-step/SAR ADC architectures based on delayed quantization error. , 2011, , .		5
86	Inter-Stage Gain Error self-calibration of a 31.5fJ 10b 470MS/S Pipelined-SAR ADC. , 2012, , .		5
87	DCM operation analysis of 3â€level boost converters. Electronics Letters, 2017, 53, 270-272.	1.0	5
88	Split-based time-interleaved ADC with digital background timing-skew calibration. , 2017, , .		5
89	A 14-Bit Split-Pipeline ADC With Self-Adjusted Opamp-Sharing Duty-Cycle and Bias Current. IEEE Transactions on Circuits and Systems II: Express Briefs, 2018, 65, 1380-1384.	3.0	5
90	Parasitic calibration by two-step ratio approaching technique for split capacitor array SAR ADCs., 2009,,.		4

#	Article	IF	Citations
91	A background amplifier offset calibration technique for high-resolution pipelined ADCs. , 2010, , .		4
92	Hybrid loopfilter sigma-delta modulator with NTF zero compensation. , 2011, , .		4
93	A passive Excess-Loop-Delay compensation technique for Gm-C based continuous-time & amp; #x03A3; & amp; #x0394; modulators., 2011,,.		4
94	A 0.6V 8b 100MS/s SAR ADC with minimized DAC capacitance and switching energy in 65nm CMOS. , 2013, , .		4
95	A 12b 180MS/s 0.068mm $<$ sup $>$ 2 $<$ /sup $>$ pipelined-SAR ADC with merged-residue DAC for noise reduction. , 2016, , .		4
96	A Power Quality Indexes Measurement System Platform with Remote Alarm Notification. , 2018, , .		4
97	A Reconfigurable and Extendable Digital Architecture for Mixed Signal Power Electronics Controller. IEEE Transactions on Circuits and Systems II: Express Briefs, 2018, 65, 1480-1484.	3.0	4
98	Recent Advances in High-Resolution Hybrid Discrete-Time Noise-Shaping ADCs. IEEE Open Journal of the Solid-State Circuits Society, 2021, 1, 129-139.	2.7	4
99	A modified charging algorithm for comparator-based switched-capacitor circuits. , 2009, , .		3
100	NTF zero compensation technique for passive sigma-delta modulator. , 2011, , .		3
101	A dual-VCO-based quantizer with highly improved linearity and enlarged dynamic range. , 2011, , .		3
102	Time interleaved current steering DAC for ultra-high conversion rate. , 2014, , .		3
103	Capacitive floating level shifter: Modeling and design. , 2015, , .		3
104	Reconfigurable mismatchâ€free timeâ€interleaved bandpass sigma–delta modulator for wireless communications. Electronics Letters, 2017, 53, 506-508.	1.0	3
105	A 10-MHz Bandwidth Two-Path Third-Order <inline-formula> <tex-math notation="LaTeX">\$SigmaDelta\$ </tex-math> </inline-formula> Modulator With Cross-Coupling Branches. IEEE Transactions on Circuits and Systems II: Express Briefs, 2018, 65, 1410-1414.	3.0	3
106	A High DR High-Input-Impedance Programmable-Gain ECG Acquisition Interface with Non-inverting Continuous Time Sigma-Delta Modulator. , 2019, , .		3
107	Digital Battery Management Unit With Built-In Resistance Compensation, Modulated Frequency Detection and Multi-Mode Protection for Fast, Efficient and Safe Charging. IEEE Transactions on Circuits and Systems I: Regular Papers, 2020, 67, 4063-4074.	5.4	3
108	Timing-mismatch analysis in high-speed analog front-end with nonuniformly holding output., 0,,.		2

#	Article	IF	CITATIONS
109	A Novel Very Low-Voltage SC-CMFB Technique for Fully-Differential Reset-Opamp Circuits., 0,,.		2
110	A Fixed-Pulse Shape Feedback Technique with reduced clock-jitter sensitivity in Continuous-Time sigma-delta modulators. , 2010 , , .		2
111	An efficient DAC and interstage gain error calibration technique for multi-bit pipelined ADCs. , 2010, , .		2
112	A 0.024 mm ² 4.9 fJ 10-bit 2 MS/s SAR ADC in 65 nm CMOS. , 2012, , .		2
113	A 10-bit SAR ADC with two redundant decisions and splitted-MSB-cap DAC array. , 2012, , .		2
114	A robust NTF zero optimization technique for both low and high OSRs sigma-delta modulators. , 2012, , .		2
115	A background gain- calibration technique for low voltage pipelined ADCs based on nonlinear interpolation. , 2013, , .		2
116	A digital PWM controlled KY step-up converter based on passive sigma-delta modulator. , 2017, , .		2
117	Quick and cost-efficient A/D converter static characterization using low-precision testing signal. Microelectronics Journal, 2018, 74, 86-93.	2.0	2
118	A 550ÂμW 20kHz BW 100.8DB SNDR Linear-Exponential Multi-Bit Incremental Converter with 256-cycles in 65NM CMOS. , 2018, , .		2
119	Digital Battery Management Unit with Built-In Resistance Compensation and Accidental Mutation Protection for Fast and Accurate Charging. , 2019, , .		2
120	An FPGA-Based Self-Reconfigurable Arc Fault Detection System for Smart Meters. IEEE Transactions on Circuits and Systems II: Express Briefs, 2022, 69, 4133-4137.	3.0	2
121	Spectra analysis of nonuniformly holding signals for time-interleaved systems with timing mismatches. , 0, , .		1
122	A generalized timing-skew-free, multi-phase clock generation platform for parallel sampled-data systems. , 0, , .		1
123	A pseudo-differential comparator-based pipelined ADC with common mode feedforward technique. , 2008, , .		1
124	A process- and temperature- insensitive current-controlled delay generator for sampled-data systems. , 2008, , .		1
125	Comparator-based successive folding ADC. , 2009, , .		1
126	Level-Shifting variable current charging technique for high-speed Comparator-Based Switched-Capacitor circuits. , 2010, , .		1

#	Article	lF	Citations
127	An ultra low power 9-bit 1-MS/s pipelined SAR ADC for bio-medical applications. , 2010, , .		1
128	A digital background nonlinearity calibration algorithm for pipelined ADCs. , 2010, , .		1
129	A 7-bit 300-MS/s subranging ADC with embedded threshold & amp; amp; gain-loss calibration. , 2011, , .		1
130	A time-efficient dither-injection scheme for pipelined SAR ADC., 2011,,.		1
131	A 10MHz BW 78dB DR CT & amp; #x03A3; & amp; #x0394; modulator with novel switched high linearity VCO-based quantizer., 2012,,.		1
132	A continuous-time VCO-assisted VCO-based & amp; $\#$ x03A3; $\&$ amp; $\#$ x0394; modulator with 76.6dB SNDR and 10MHz BW., 2013,,.		1
133	A 13-bit 60MS/s split pipelined ADC with background gain and mismatch error calibration. , 2013, , .		1
134	Jitter-resistant Capacitor Based Sine-Shaped DAC for Continuous-Time Sigma-Delta modulators. , 2014, , .		1
135	A digital PWM controlled KY step-up converter based on frequency domain ΣΔ ADC. , 2017, , .		1
136	CCM operation analysis and parameters design of Negative Output Elementary Luo Converter for ripple suppression. , $2017, \dots$		1
137	A 5-bit 2 GS/s binary-search ADC with charge-steering comparators. , 2017, , .		1
138	An Integrated DC-DC Converter with Segmented Frequency Modulation and Multiphase Co-Work Control for Fast Transient Recovery. , $2018, \dots$		1
139	A 4x Time-Domain Interpolation 6-bit 3.4 GS/s 12.6 mW Flash ADC in 65 nm CMOS. Journal of Semiconductor Technology and Science, 2016, 16, 395-404.	0.4	1
140	Background Timing-Skew Mismatch Calibration for Time-Interleaved ADCs., 2021,,.		1
141	A 95% Peak Efficiency Modified KY (Boost) Converter for IoT with Continuous Flying Capacitor Charging in DCM., 2021,,.		1
142	Quantitative noise analysis of jitter-induced nonuniformly sampled-and-held signals., 0,,.		0
143	Novel low-voltage circuit techniques for fully-differential reset- and switched-opamps. , 0, , .		0
144	A reduced jitter-sensitivity clock generation technique for continuous-time $\$\#x03A3;\$\#x0394;$ modulators. , 2010, , .		0

#	Article	IF	CITATIONS
145	A process-insensitive current-controlled delay generator with threshold voltage compensation. , 2010, , .		O
146	A nonlinearity digital background calibration algorithm for 2.5bit/stage pipelined ADCs with opamp sharing architecture. , $2011, \dots$		0
147	Design techniques for nanometer wideband power-efficient CMOS ADCs., 2011,,.		0
148	Multi-merged-switched redundant capacitive DACs for 2b/cycle SAR ADC., 2011,,.		0
149	A charge pump based timing-skew calibration for time-interleaved ADC. , 2011, , .		O
150	Clock-jitter sensitivity reduction in CT & amp; #x03A3; & amp; #x0394; modulators using voltage-crossing detection DAC. , 2011 , , .		0
151	An ELD tracking compensation technique for active-RC CT & amp; #x03A3; & amp; #x0394; modulators., 2012,,.		O
152	A DT 0–2 MASH ΣΔ modulator with VCO-based quantizer for enhanced linearity. , 2012, , .		0
153	Excess-loop-delay compensation technique for CT ΔΣ modulator with hybrid active–passive loop-filters. Analog Integrated Circuits and Signal Processing, 2013, 76, 35-46.	1.4	O
154	Generalized Type III controller design interface for DC-DC converters. , 2015, , .		0
155	A 94-dB DR,105-Hz bandwidth interface circuit for inertial navigation applications. , 2016, , .		0
156	Multibit Sturdy MASH \hat{l} "Σ Modulator with Error-shaped Segmented DACs for Wideband Low-power Applications. , 2019, , .		0
157	Analysis, Design and Control of an Integrated Three-Level Buck Converter under DCM Operation. Journal of Circuits, Systems and Computers, 2020, 29, 2050011.	1.5	0
158	Advanced Low Voltage Circuit Techniques. , 2010, , 27-54.		0
159	Design of a 1.2 V, 10-bit, 60–360 MHz Time-Interleaved Pipelined ADC. , 2010, , 75-95.		O
160	Challenges in Low-Voltage Circuit Designs. , 2010, , 11-26.		0
161	Experimental Results. , 2010, , 97-112.		0
162	Conclusions and Prospective for Future Work. , 2010, , 113-116.		0

#	Article	IF	CITATIONS
163	Advances in Continuous-time MASH î"Σ Modulators. , 2021, , .		O
164	Background Timing Mismatch Calibration Techniques in High-Speed Time-Interleaved ADCs: A Tutorial Review. IEEE Transactions on Circuits and Systems II: Express Briefs, 2022, 69, 2564-2569.	3.0	0