
Mar Carreño

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2082418/publications.pdf Version: 2024-02-01



MAD CADDEÃ+O

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Autoimmune seizures and epilepsy. Journal of Clinical Investigation, 2019, 129, 926-940. | 8.2 | 152 |
| 2 | Epilepsy surgery in drug resistant temporal lobe epilepsy associated with neuronal antibodies. Epilepsy Research, 2017, 129, 101-105. | 1.6 | 67 |
| 3 | Clinical Role of Subtraction Ictal SPECT Coregistered to MR Imaging and ¹⁸ F-FDG PET in Pediatric Epilepsy. Journal of Nuclear Medicine, 2014, 55, 1099-1105. | 5.0 | 66 |
| 4 | Cognitive Disorders Associated with Epilepsy: Diagnosis and Treatment. Neurologist, 2008, 14, S26-S34. | 0.7 | 61 |
| 5 | Seizureâ€onset zone localization by statistical parametric mapping in visually normal ¹⁸ Fâ€ <scp>FDG PET</scp> studies. Epilepsia, 2016, 57, 1236-1244. | 5.1 | 40 |
| 6 | Emergency implementation of telemedicine for epilepsy in Spain: Results of a survey during SARS-CoV-2 pandemic. Epilepsy and Behavior, 2020, 111, 107211. | 1.7 | 37 |
| 7 | Validation of the Spanish version of the Liverpool Adverse Events Profile in patients with epilepsy. Epilepsy and Behavior, 2009, 15, 154-159. | 1.7 | 34 |
| 8 | Sleep-Related Epilepsy. Current Treatment Options in Neurology, 2016, 18, 23. | 1.8 | 27 |
| 9 | A prospective study contrasting the psychiatric outcome in drugâ€resistant epilepsy between patients who underwent surgery and a control group. Epilepsia, 2016, 57, 1680-1690. | 5.1 | 26 |
| 10 | Combined 18F-FDG-PET and diffusion tensor imaging in mesial temporal lobe epilepsy with hippocampal sclerosis. NeuroImage: Clinical, 2016, 12, 976-989. | 2.7 | 24 |
| 11 | External trigeminal nerve stimulation for drug resistant epilepsy: A randomized controlled trial. Brain Stimulation, 2020, 13, 1245-1253. | 1.6 | 24 |
| 12 | Levetiracetam. Drugs of Today, 2007, 43, 769. | 1.1 | 24 |
| 13 | Pregabalin as add-on therapy for refractory partial seizures in every day clinical practice. Seizure: the Journal of the British Epilepsy Association, 2007, 16, 709-712. | 2.0 | 23 |
| 14 | Effect of lacosamide on depression and anxiety symptoms in patients with focal refractory epilepsy: A prospective multicenter study. Epilepsy and Behavior, 2018, 79, 87-92. | 1.7 | 22 |
| 15 | Recognition of Nonepileptic Events. Seminars in Neurology, 2008, 28, 297-304. | 1.4 | 21 |
| 16 | Classification of paroxysmal events and the fourâ€dimensional epilepsy classification system. Epileptic Disorders, 2019, 21, 1-29. | 1.3 | 20 |
| 17 | Could the 2017 ILAE and the four-dimensional epilepsy classifications be merged to a new "Integrated Epilepsy Classification�. Seizure: the Journal of the British Epilepsy Association, 2020, 78, 31-37. | 2.0 | 18 |
| 18 | Epilepsy and lockdown: A survey of patients normally attending a Spanish centre. Acta Neurologica Scandinavica, 2021, 143, 206-209. | 2.1 | 17 |

Mar Carreñ0

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Psychiatric Symptoms in Refractory Epilepsy During the First Year After Surgery. Neurotherapeutics, 2018, 15, 1082-1092. | 4.4 | 16 |
| 20 | PISCOM: a new procedure for epilepsy combining ictal SPECT and interictal PET. European Journal of Nuclear Medicine and Molecular Imaging, 2018, 45, 2358-2367. | 6.4 | 14 |
| 21 | Beyond the Epileptic Focus: Functional Epileptic Networks in Focal Epilepsy. Cerebral Cortex, 2020, 30, 2338-2357. | 2.9 | 14 |
| 22 | Psychiatric and cognitive adverse events: A pooled analysis of three phase III trials of adjunctive eslicarbazepine acetate for partial-onset seizures. Epilepsy and Behavior, 2018, 82, 119-127. | 1.7 | 13 |
| 23 | Epileptogenic Zone Localization With 18FDG PET Using a New Dynamic Parametric Analysis. Frontiers in Neurology, 2019, 10, 380. | 2.4 | 12 |
| 24 | Hypoglycemic seizures and epilepsy in type I diabetes mellitus. Journal of the Neurological Sciences, 2014, 346, 307-309. | 0.6 | 10 |
| 25 | Malignant autosomal dominant frontal lobe epilepsy withÂrepeated episodes ofÂstatus epilepticus: successful treatment withÂvagal nerve stimulation. Epileptic Disorders, 2010, 12, 155-158. | 1.3 | 9 |
| 26 | Effects of adjunctive eslicarbazepine acetate on serum lipids in patients with partial-onset seizures: Impact of concomitant statins and enzyme-inducing antiepileptic drugs. Epilepsy Research, 2018, 141, 83-89. | 1.6 | 9 |
| 27 | Psychiatric disorders in patients with resistant temporal lobe epilepsy two years after undergoing elective surgery. A longitudinal study. Epilepsy and Behavior, 2021, 118, 107921. | 1.7 | 9 |
| 28 | Identifying key unmet needs and value drivers in the treatment of focal-onset seizures (FOS) in patients with drug-resistant epilepsy (DRE) in Spain through Multi-Criteria Decision Analysis (MCDA). Epilepsy and Behavior, 2021, 122, 108222. | 1.7 | 9 |
| 29 | Seizure frequency and social outcome in drug resistant epilepsy patients who do not undergo epilepsy surgery. Seizure: the Journal of the British Epilepsy Association, 2011, 20, 580-582. | 2.0 | 8 |
| 30 | The emerging role of the advanced practice epilepsy nurse: A comparative study between two countries. Journal of Clinical Nursing, 2021, 30, 1263-1272. | 3.0 | 8 |
| 31 | Ictal bruxism treated with temporal lobectomy. Sleep Medicine, 2015, 16, 1429-1431. | 1.6 | 7 |
| 32 | Hypothalamic hamartomas in adulthood: Clinical spectrum and treatment outcome—A unicenter experience. Brain and Behavior, 2019, 9, e01412. | 2.2 | 6 |
| 33 | From theory to practice: Critical points in the 2017 ILAE classification of epileptic seizures and epilepsies. Epilepsia, 2020, 61, 350-353. | 5.1 | 5 |
| 34 | Initiating antiepilepsy treatment: An update of expert consensus in Spain. Epilepsy and Behavior, 2021, 114, 107540. | 1.7 | 5 |
| 35 | Are patients referred for presurgical evaluation drug resistant according to the new consensus definition? A study in a tertiary center. Epilepsy Research, 2012, 98, 277-280. | 1.6 | 4 |
| 36 | Comparative analysis of the safety and tolerability of eslicarbazepine acetate in older (≥60 years) and younger (18–59 years) adults. Epilepsy Research, 2021, 169, 106478. | 1.6 | 3 |

Mar Carreñ0

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Volumetric and shape analysis of the hippocampus in temporal lobe epilepsy with GAD65 antibodies compared with non-immune epilepsy. Scientific Reports, 2021, 11, 10199. | 3.3 | 3 |
| 38 | How to inject ictal SPECT? From manual to automated injection. Epilepsy Research, 2021, 175, 106691. | 1.6 | 3 |
| 39 | Typical asymmetry in the hemispheric activation during an fMRI verbal comprehension paradigm is related to better performance in verbal and non-verbal tasks in patients with epilepsy. NeuroImage: Clinical, 2018, 20, 742-752. | 2.7 | 2 |
| 40 | Unilateral pallidal stimulation for disabling dystonia due to Rasmussen's disease. Journal of Neurology, Neurosurgery and Psychiatry, 2019, 90, 108-110. | 1.9 | 2 |
| 41 | Consensus statement for the management of generalized tonicâ€clonic seizures in Spain. Acta Neurologica Scandinavica, 2020, 141, 22-32. | 2.1 | 2 |
| 42 | Psychotic symptoms in drug resistant epilepsy patients after cortical stimulation. Epilepsy Research, 2021, 173, 106630. | 1.6 | 2 |
| 43 | Personality changes in patients suffering from drug-resistant epilepsy after surgical treatment: a 1-year follow-up study. Epilepsy Research, 2021, 177, 106784. | 1.6 | 2 |
| 44 | Spanish version of the Satisfaction with Epilepsy Care questionnaire: Adaptation and psychometric properties. Epilepsy and Behavior, 2020, 102, 106812. | 1.7 | 1 |