

Evertine Wesselink

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2082677/publications.pdf>

Version: 2024-02-01

24
papers

388
citations

840776

11
h-index

794594

19
g-index

24
all docs

24
docs citations

24
times ranked

608
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Feeding mitochondria: Potential role of nutritional components to improve critical illness convalescence. <i>Clinical Nutrition</i> , 2019, 38, 982-995. | 5.0 | 91 |
| 2 | Colorectal cancer survivors only marginally change their overall lifestyle in the first 2 years following diagnosis. <i>Journal of Cancer Survivorship</i> , 2019, 13, 956-967. | 2.9 | 30 |
| 3 | Vitamin D, magnesium, calcium, and their interaction in relation to colorectal cancer recurrence and all-cause mortality. <i>American Journal of Clinical Nutrition</i> , 2020, 111, 1007-1017. | 4.7 | 27 |
| 4 | Plasma metabolites associated with colorectal cancer stage: Findings from an international consortium. <i>International Journal of Cancer</i> , 2020, 146, 3256-3266. | 5.1 | 26 |
| 5 | Dietary Intake of Magnesium or Calcium and Chemotherapy-Induced Peripheral Neuropathy in Colorectal Cancer Patients. <i>Nutrients</i> , 2018, 10, 398. | 4.1 | 21 |
| 6 | The association between circulating levels of vitamin D and inflammatory markers in the first 2 years after colorectal cancer diagnosis. <i>Therapeutic Advances in Gastroenterology</i> , 2020, 13, 175628482092392. | 3.2 | 20 |
| 7 | Lifestyle after colorectal cancer diagnosis in relation to recurrence and all-cause mortality. <i>American Journal of Clinical Nutrition</i> , 2021, 113, 1447-1457. | 4.7 | 18 |
| 8 | Associations of Abdominal Skeletal Muscle Mass, Fat Mass, and Mortality among Men and Women with Stage III Colorectal Cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020, 29, 956-965. | 2.5 | 17 |
| 9 | Inflammation Is a Mediating Factor in the Association between Lifestyle and Fatigue in Colorectal Cancer Patients. <i>Cancers</i> , 2020, 12, 3701. | 3.7 | 14 |
| 10 | The Use of Proton Pump Inhibitors May Increase Symptoms of Muscle Function Loss in Patients with Chronic Illnesses. <i>International Journal of Molecular Sciences</i> , 2020, 21, 323. | 4.1 | 14 |
| 11 | Pre-to-post diagnosis weight trajectories in colorectal cancer patients with non-metastatic disease. <i>Supportive Care in Cancer</i> , 2019, 27, 1541-1549. | 2.2 | 12 |
| 12 | Levels of Inflammation Markers Are Associated with the Risk of Recurrence and All-Cause Mortality in Patients with Colorectal Cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, 30, 1089-1099. | 2.5 | 12 |
| 13 | Associations of hyperosmolar medications administered via nasogastric or nasoduodenal tubes and feeding adequacy, food intolerance and gastrointestinal complications amongst critically ill patients: A retrospective study. <i>Clinical Nutrition ESPEN</i> , 2018, 25, 78-86. | 1.2 | 11 |
| 14 | Chemotherapy and vitamin D supplement use are determinants of serum 25-hydroxyvitamin D levels during the first six months after colorectal cancer diagnosis. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2020, 199, 105577. | 2.5 | 11 |
| 15 | Circulating B-vitamin biomarkers and B-vitamin supplement use in relation to quality of life in patients with colorectal cancer: results from the FOCUS consortium. <i>American Journal of Clinical Nutrition</i> , 2021, 113, 1468-1481. | 4.7 | 11 |
| 16 | The association between the adapted dietary inflammatory index and colorectal cancer recurrence and all-cause mortality. <i>Clinical Nutrition</i> , 2021, 40, 4436-4443. | 5.0 | 10 |
| 17 | Circulating Folate and Folic Acid Concentrations: Associations With Colorectal Cancer Recurrence and Survival. <i>JNCI Cancer Spectrum</i> , 2020, 4, pkaa051. | 2.9 | 9 |
| 18 | Association of Habitual Preoperative Dietary Fiber Intake With Complications After Colorectal Cancer Surgery. <i>JAMA Surgery</i> , 2021, 156, 827. | 4.3 | 9 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Diet quality indices and dietary patterns are associated with plasma metabolites in colorectal cancer patients. <i>European Journal of Nutrition</i> , 2021, 60, 3171-3184. | 3.9 | 8 |
| 20 | Are Ergothioneine Levels in Blood Associated with Chronic Peripheral Neuropathy in Colorectal Cancer Patients Who Underwent Chemotherapy?. <i>Nutrition and Cancer</i> , 2020, 72, 451-459. | 2.0 | 6 |
| 21 | Sufficient 25-Hydroxyvitamin D Levels 2 Years after Colorectal Cancer Diagnosis are Associated with a Lower Risk of All-cause Mortality. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, 30, 765-773. | 2.5 | 3 |
| 22 | Identification of Lifestyle Behaviors Associated with Recurrence and Survival in Colorectal Cancer Patients Using Random Survival Forests. <i>Cancers</i> , 2021, 13, 2442. | 3.7 | 3 |
| 23 | Longitudinal Associations between Inflammatory Markers and Fatigue up to Two Years after Colorectal Cancer Treatment. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2022, 31, 1638-1649. | 2.5 | 3 |
| 24 | Higher vitamin B6 status is associated with improved survival among patients with stage Iâ€“III colorectal cancer. <i>American Journal of Clinical Nutrition</i> , 2022, 116, 303-313. | 4.7 | 2 |