

Evertine Wesselink

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2082677/publications.pdf>

Version: 2024-02-01

24
papers

388
citations

840776
11
h-index

794594
19
g-index

24
all docs

24
docs citations

24
times ranked

608
citing authors

#	ARTICLE	IF	CITATIONS
1	Higher vitamin B6 status is associated with improved survival among patients with stage III colorectal cancer. <i>American Journal of Clinical Nutrition</i> , 2022, 116, 303-313.	4.7	2
2	Longitudinal Associations between Inflammatory Markers and Fatigue up to Two Years after Colorectal Cancer Treatment. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2022, 31, 1638-1649.	2.5	3
3	Sufficient 25-Hydroxyvitamin D Levels 2 Years after Colorectal Cancer Diagnosis are Associated with a Lower Risk of All-cause Mortality. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, 30, 765-773.	2.5	3
4	Diet quality indices and dietary patterns are associated with plasma metabolites in colorectal cancer patients. <i>European Journal of Nutrition</i> , 2021, 60, 3171-3184.	3.9	8
5	Circulating B-vitamin biomarkers and B-vitamin supplement use in relation to quality of life in patients with colorectal cancer: results from the FOCUS consortium. <i>American Journal of Clinical Nutrition</i> , 2021, 113, 1468-1481.	4.7	11
6	Levels of Inflammation Markers Are Associated with the Risk of Recurrence and All-Cause Mortality in Patients with Colorectal Cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, 30, 1089-1099.	2.5	12
7	Lifestyle after colorectal cancer diagnosis in relation to recurrence and all-cause mortality. <i>American Journal of Clinical Nutrition</i> , 2021, 113, 1447-1457.	4.7	18
8	Identification of Lifestyle Behaviors Associated with Recurrence and Survival in Colorectal Cancer Patients Using Random Survival Forests. <i>Cancers</i> , 2021, 13, 2442.	3.7	3
9	The association between the adapted dietary inflammatory index and colorectal cancer recurrence and all-cause mortality. <i>Clinical Nutrition</i> , 2021, 40, 4436-4443.	5.0	10
10	Association of Habitual Preoperative Dietary Fiber Intake With Complications After Colorectal Cancer Surgery. <i>JAMA Surgery</i> , 2021, 156, 827.	4.3	9
11	Are Ergothioneine Levels in Blood Associated with Chronic Peripheral Neuropathy in Colorectal Cancer Patients Who Underwent Chemotherapy?. <i>Nutrition and Cancer</i> , 2020, 72, 451-459.	2.0	6
12	Plasma metabolites associated with colorectal cancer stage: Findings from an international consortium. <i>International Journal of Cancer</i> , 2020, 146, 3256-3266.	5.1	26
13	Chemotherapy and vitamin D supplement use are determinants of serum 25-hydroxyvitamin D levels during the first six months after colorectal cancer diagnosis. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2020, 199, 105577.	2.5	11
14	Circulating Folate and Folic Acid Concentrations: Associations With Colorectal Cancer Recurrence and Survival. <i>JNCI Cancer Spectrum</i> , 2020, 4, pkaa051.	2.9	9
15	Inflammation Is a Mediating Factor in the Association between Lifestyle and Fatigue in Colorectal Cancer Patients. <i>Cancers</i> , 2020, 12, 3701.	3.7	14
16	The association between circulating levels of vitamin D and inflammatory markers in the first 2 years after colorectal cancer diagnosis. <i>Therapeutic Advances in Gastroenterology</i> , 2020, 13, 175628482092392.	3.2	20
17	Vitamin D, magnesium, calcium, and their interaction in relation to colorectal cancer recurrence and all-cause mortality. <i>American Journal of Clinical Nutrition</i> , 2020, 111, 1007-1017.	4.7	27
18	The Use of Proton Pump Inhibitors May Increase Symptoms of Muscle Function Loss in Patients with Chronic Illnesses. <i>International Journal of Molecular Sciences</i> , 2020, 21, 323.	4.1	14

#	ARTICLE	IF	CITATIONS
19	Associations of Abdominal Skeletal Muscle Mass, Fat Mass, and Mortality among Men and Women with Stage I–III Colorectal Cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020, 29, 956-965.	2.5	17
20	Colorectal cancer survivors only marginally change their overall lifestyle in the first 2 years following diagnosis. <i>Journal of Cancer Survivorship</i> , 2019, 13, 956-967.	2.9	30
21	Feeding mitochondria: Potential role of nutritional components to improve critical illness convalescence. <i>Clinical Nutrition</i> , 2019, 38, 982-995.	5.0	91
22	Pre-to-post diagnosis weight trajectories in colorectal cancer patients with non-metastatic disease. <i>Supportive Care in Cancer</i> , 2019, 27, 1541-1549.	2.2	12
23	Associations of hyperosmolar medications administered via nasogastric or nasoduodenal tubes and feeding adequacy, food intolerance and gastrointestinal complications amongst critically ill patients: A retrospective study. <i>Clinical Nutrition ESPEN</i> , 2018, 25, 78-86.	1.2	11
24	Dietary Intake of Magnesium or Calcium and Chemotherapy-Induced Peripheral Neuropathy in Colorectal Cancer Patients. <i>Nutrients</i> , 2018, 10, 398.	4.1	21