

# Daisuke Nishi

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/2083425/daisuke-nishi-publications-by-year.pdf>

**Version:** 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

118  
papers

1,868  
citations

24  
h-index

38  
g-index

134  
ext. papers

2,341  
ext. citations

5  
avg, IF

4.87  
L-index

#	Paper	IF	Citations
118	Perceived helpfulness of service sectors used for mental and substance use disorders: Findings from the WHO World Mental Health Surveys.. <i>International Journal of Mental Health Systems</i> , <b>2022</b> , 16, 6	3.6	1
117	The impact of the COVID-19 pandemic on the mental health of healthcare workers: study protocol for the COVID-19 HEalth caRe wOrkErS (HEROES) study.. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2022</b> , 57, 633	4.5	2
116	Temporary employment and suicidal ideation in COVID-19 pandemic in Japan: A cross-sectional nationwide survey.. <i>Journal of Occupational Health</i> , <b>2022</b> , 64, e12319	2.3	2
115	Clinician guidelines for the treatment of psychiatric disorders with nutraceuticals and phytoceuticals: The World Federation of Societies of Biological Psychiatry (WFSBP) and Canadian Network for Mood and Anxiety Treatments (CANMAT) Taskforce.. <i>World Journal of Biological Psychiatry</i> , <b>2022</b> , 1-32	3.8	5
114	Perceived helpfulness of treatment for social anxiety disorder: findings from the WHO World Mental Health Surveys.. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2022</b> , 1	4.5	1
113	Patterns and correlates of patient-reported helpfulness of treatment for common mental and substance use disorders in the WHO World Mental Health Surveys.. <i>World Psychiatry</i> , <b>2022</b> , 21, 272-286	14.4	2
112	Cross-cultural validity of the WHO-5 Well-Being Index and Euthymia Scale: A clinimetric analysis. <i>Journal of Affective Disorders</i> , <b>2022</b> , 311, 276-283	6.6	0
111	Preconception menstrual cycle disorder and antenatal depression: a cross-sectional study with prerecorded information. <i>Journal of Psychosomatic Obstetrics and Gynaecology</i> , <b>2021</b> , 1-8	3.6	
110	Implementation Outcome Scales for Digital Mental Health (iOSDMH): Scale Development and Cross-sectional Study. <i>JMIR Formative Research</i> , <b>2021</b> , 5, e24332	2.5	2
109	Previous disorders and depression outcomes in individuals with 12-month major depressive disorder in the World Mental Health surveys. <i>Epidemiology and Psychiatric Sciences</i> , <b>2021</b> , 30, e70	5.1	2
108	Sensitivity and concurrent validity of the Japanese version of the Euthymia scale: a clinimetric analysis. <i>BMC Psychiatry</i> , <b>2021</b> , 21, 482	4.2	1
107	Psycho-educational interventions focused on maternal or infant sleep for pregnant women to prevent the onset of antenatal and postnatal depression: A systematic review. <i>Neuropsychopharmacology Reports</i> , <b>2021</b> , 41, 2-13	2.2	4
106	Care difficulties and burden during COVID-19 pandemic lockdowns among caregivers of people with schizophrenia: A cross-sectional study. <i>Neuropsychopharmacology Reports</i> , <b>2021</b> , 41, 242-247	2.2	6
105	Internet-based behavioural activation to improve depressive symptoms and prevent child abuse in postnatal women (SmartMama): a protocol for a pragmatic randomized controlled trial. <i>BMC Pregnancy and Childbirth</i> , <b>2021</b> , 21, 314	3.2	0
104	Associations Between Personal Values and Work Engagement: A Cross-Sectional Study Using A Representative Community Sample. <i>Journal of Occupational and Environmental Medicine</i> , <b>2021</b> , 63, e335-340	2.3	0
103	Adolescent Work Values and Drug Use in Adulthood: A Longitudinal Prospective Cohort Study. <i>Substance Use and Misuse</i> , <b>2021</b> , 56, 1483-1492	2.2	1
102	Role of resilience for the association between trait hostility and depressive symptoms in Japanese company workers. <i>Current Psychology</i> , <b>2021</b> , 40, 2301-2308	1.4	

101	Internet-based acceptance and commitment therapy programme 'Happiness Mom' for well-being: a protocol for a randomised controlled trial. <i>BMJ Open</i> , <b>2021</b> , 11, e042167	3	1
100	Association between energy drink consumption and substance use in adolescence: A systematic review of prospective cohort studies. <i>Drug and Alcohol Dependence</i> , <b>2021</b> , 219, 108470	4.9	5
99	Perceived helpfulness of treatment for generalized anxiety disorder: a World Mental Health Surveys report. <i>BMC Psychiatry</i> , <b>2021</b> , 21, 392	4.2	1
98	Impact of peritraumatic distress on posttraumatic stress disorder symptoms at 6 months after acute coronary syndrome: a prospective cohort study. <i>Högre Utbildning</i> , <b>2021</b> , 12, 1854511	5	
97	Antenatal psychological intervention for universal prevention of antenatal and postnatal depression: A systematic review and meta-analysis. <i>Journal of Affective Disorders</i> , <b>2020</b> , 273, 231-239	6.6	9
96	Construct validity and test-retest reliability of the World Mental Health Japan version of the World Health Organization Health and Work Performance Questionnaire Short Version: a preliminary study. <i>Industrial Health</i> , <b>2020</b> , 58, 375-387	2.5	6
95	Perinatal mental health and COVID-19 in Japan. <i>Psychiatry and Clinical Neurosciences</i> , <b>2020</b> , 74, 502-503	6.2	14
94	Association between personal values in adolescence and mental health and well-being in adulthood: a cross-cultural study of working populations in Japan and the United States. <i>Annals of General Psychiatry</i> , <b>2020</b> , 19, 7	3.4	6
93	Association of response rate and prevalence estimates of common mental disorders across 129 areas in a nationally representative survey of adults in Japan. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2020</b> , 55, 1373-1382	4.5	8
92	Internet-based cognitive-behavioural therapy for prevention of depression during pregnancy and in the post partum (iPDP): a protocol for a large-scale randomised controlled trial. <i>BMJ Open</i> , <b>2020</b> , 10, e036482	3	6
91	Personal values in adolescence and sense of coherence in adulthood: A cross-sectional study based on a retrospective recall. <i>Neuropsychopharmacology Reports</i> , <b>2020</b> , 40, 262-267	2.2	2
90	Psychological distress with and without a history of depression: Results from the World Mental Health Japan 2nd Survey (WMHJ2). <i>Journal of Affective Disorders</i> , <b>2020</b> , 265, 545-551	6.6	6
89	Association between personal values in adolescence and impaired bonding relationship with children. <i>BMC Psychology</i> , <b>2020</b> , 8, 98	2.8	0
88	Effects of brief family psychoeducation for caregivers of people with schizophrenia in Japan provided by visiting nurses: protocol for a cluster randomised controlled trial. <i>BMJ Open</i> , <b>2020</b> , 10, e034425	2.25	1
87	Japanese version of the 42-item psychological well-being scale (PWBS-42): a validation study. <i>BMC Psychology</i> , <b>2020</b> , 8, 75	2.8	4
86	Post-traumatic stress symptoms among medical rescue workers exposed to COVID-19 in Japan. <i>Psychiatry and Clinical Neurosciences</i> , <b>2020</b> , 74, 503-505	6.2	11
85	Longitudinal association between adolescent work values and mental health and well-being in adulthood: a 23-year prospective cohort study. <i>Scientific Reports</i> , <b>2020</b> , 10, 13547	4.9	1
84	Time preference and personal value: a population-based cross-sectional study in Japan. <i>BMC Psychology</i> , <b>2020</b> , 8, 85	2.8	1

83	Plasma estradiol levels and antidepressant effects of omega-3 fatty acids in pregnant women. <i>Brain, Behavior, and Immunity</i> , <b>2020</b> , 85, 29-34	16.6	14
82	Secondary trauma and posttraumatic growth among mental health clinicians involved in disaster relief activities following the 2011 Tohoku earthquake and tsunami in Japan. <i>Counselling Psychology Quarterly</i> , <b>2020</b> , 33, 427-447	2.5	8
81	Psychotic Experiences and Hikikomori in a Nationally Representative Sample of Adult Community Residents in Japan: A Cross-Sectional Study. <i>Frontiers in Psychiatry</i> , <b>2020</b> , 11, 602678	5	1
80	Comparison of major depression diagnostic classification probability using the SCID, CIDI, and MINI diagnostic interviews among women in pregnancy or postpartum: An individual participant data meta-analysis. <i>International Journal of Methods in Psychiatric Research</i> , <b>2019</b> , 28, e1803	4.3	24
79	Prevalence of mental disorders and mental health service use in Japan. <i>Psychiatry and Clinical Neurosciences</i> , <b>2019</b> , 73, 458-465	6.2	27
78	Association between working hours, work engagement, and work productivity in employees: A cross-sectional study of the Japanese Study of Health, Occupation, and Psychosocial Factors Relates Equity. <i>Journal of Occupational Health</i> , <b>2019</b> , 61, 182-188	2.3	13
77	Urbanization and Internet addiction in a nationally representative sample of adult community residents in Japan: A cross-sectional, multilevel study. <i>Psychiatry Research</i> , <b>2019</b> , 273, 699-705	9.9	7
76	Personal values in adolescence and suicidality: a cross-sectional study based on a retrospective recall. <i>BMC Psychiatry</i> , <b>2019</b> , 19, 214	4.2	7
75	Personal values in adolescence and psychological distress in adults: A cross-sectional study based on a retrospective recall. <i>PLoS ONE</i> , <b>2019</b> , 14, e0225454	3.7	7
74	Psychological intervention for universal prevention of antenatal and postnatal depression among pregnant women: protocol for a systematic review and meta-analysis. <i>Systematic Reviews</i> , <b>2019</b> , 8, 297	3	5
73	The Efficacy of Omega-3 Fatty Acids for Depressive Symptoms among Pregnant Women in Japan and Taiwan: A Randomized, Double-Blind, Placebo-Controlled Trial (SYNCHRO; NCT01948596). <i>Psychotherapy and Psychosomatics</i> , <b>2019</b> , 88, 122-124	9.4	14
72	Estimating the risk of PTSD in recent trauma survivors: results of the International Consortium to Predict PTSD (ICPP). <i>World Psychiatry</i> , <b>2019</b> , 18, 77-87	14.4	87
71	Differences between Japan and Taiwan in the treatment of pregnant women with depressive symptoms by omega-3 fatty acids: An open-label pilot study. <i>Nutritional Neuroscience</i> , <b>2019</b> , 22, 63-71	3.6	3
70	Personal values in adolescence and psychological distress in adults: A cross-sectional study based on a retrospective recall <b>2019</b> , 14, e0225454		
69	Personal values in adolescence and psychological distress in adults: A cross-sectional study based on a retrospective recall <b>2019</b> , 14, e0225454		
68	Personal values in adolescence and psychological distress in adults: A cross-sectional study based on a retrospective recall <b>2019</b> , 14, e0225454		
67	Personal values in adolescence and psychological distress in adults: A cross-sectional study based on a retrospective recall <b>2019</b> , 14, e0225454		
66	Generalizability of Findings from a Randomized Controlled Trial of Fish Oil Supplementation for Attenuating Posttraumatic Stress Symptoms among Rescue Workers in Japan. <i>Psychotherapy and Psychosomatics</i> , <b>2018</b> , 87, 114-115	9.4	1

65	Trends in the prevalence of psychological distress and the use of mental health services from 2007 to 2016 in Japan. <i>Journal of Affective Disorders</i> , <b>2018</b> , 239, 208-213	6.6	26
64	Psychological distress among people in Fukushima prefecture before and after the Great East Japan Earthquake using a nation-wide survey. <i>Psychiatry and Clinical Neurosciences</i> , <b>2018</b> , 72, 878	6.2	2
63	Effects of omega-3 polyunsaturated fatty acids on psychophysiological symptoms of post-traumatic stress disorder in accident survivors: A randomized, double-blind, placebo-controlled trial. <i>Journal of Affective Disorders</i> , <b>2017</b> , 224, 27-31	6.6	25
62	Spatial analysis for regional behavior of patients with mental disorders in Japan. <i>Psychiatry and Clinical Neurosciences</i> , <b>2017</b> , 71, 254-261	6.2	10
61	Serum polyunsaturated fatty acids and risk of psychiatric disorder after acute coronary syndrome: A prospective cohort study. <i>Journal of Affective Disorders</i> , <b>2017</b> , 218, 306-312	6.6	4
60	The association of personal importance of religion and religious service attendance with suicidal ideation by age group in the National Survey on Drug Use and Health. <i>Psychiatry Research</i> , <b>2017</b> , 255, 321-327	9.9	5
59	Epidemiology of overdose episodes from the period prior to hospitalization for drug poisoning until discharge in Japan: An exploratory descriptive study using a nationwide claims database. <i>Journal of Epidemiology</i> , <b>2017</b> , 27, 373-380	3.4	33
58	Limited effect of omega-3 fatty acids on the quality of life in survivors of traumatic injury: A randomized, placebo-controlled trial. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , <b>2017</b> , 127, 1-5	2.8	14
57	Personal lifestyle as a resource for work engagement. <i>Journal of Occupational Health</i> , <b>2017</b> , 59, 17-23	2.3	16
56	Risk of recurrent overdose associated with prescribing patterns of psychotropic medications after nonfatal overdose. <i>Neuropsychiatric Disease and Treatment</i> , <b>2017</b> , 13, 653-665	3.1	13
55	Optimal cut-off score of the Edinburgh Postnatal Depression Scale for major depressive episode during pregnancy in Japan. <i>Psychiatry and Clinical Neurosciences</i> , <b>2017</b> , 71, 836-842	6.2	26
54	Psychological growth after childbirth: an exploratory prospective study. <i>Journal of Psychosomatic Obstetrics and Gynaecology</i> , <b>2017</b> , 38, 87-93	3.6	16
53	Change in blood levels of eicosapentaenoic acid and posttraumatic stress symptom: A secondary analysis of data from a placebo-controlled trial of omega3 supplements. <i>Journal of Affective Disorders</i> , <b>2016</b> , 205, 289-291	6.6	10
52	Resilience, post-traumatic growth, and work engagement among health care professionals after the Great East Japan Earthquake: A 4-year prospective follow-up study. <i>Journal of Occupational Health</i> , <b>2016</b> , 58, 347-53	2.3	34
51	The synchronized trial on expectant mothers with depressive symptoms by omega-3 PUFAs (SYNCHRO): Study protocol for a randomized controlled trial. <i>BMC Psychiatry</i> , <b>2016</b> , 16, 321	4.2	7
50	Prevalence and related factors of common mental disorders during pregnancy in Japan: a cross-sectional study. <i>BioPsychoSocial Medicine</i> , <b>2016</b> , 10, 17	2.8	11
49	Post-Traumatic Stress Symptoms and Burnout Among Medical Rescue Workers 4 Years After the Great East Japan Earthquake: A Longitudinal Study. <i>Disaster Medicine and Public Health Preparedness</i> , <b>2016</b> , 10, 848-853	2.8	9
48	Association between regular physical exercise and depressive symptoms mediated through social support and resilience in Japanese company workers: a cross-sectional study. <i>BMC Public Health</i> , <b>2016</b> , 16, 553	4.1	23

47	Omega-3 fatty acid supplementation for expectant mothers with depressive symptoms in Japan and Taiwan: An open-label trial. <i>Psychiatry and Clinical Neurosciences</i> , <b>2016</b> , 70, 253-4	6.2	10
46	Association between frequency of fried food consumption and resilience to depression in Japanese company workers: a cross-sectional study. <i>Lipids in Health and Disease</i> , <b>2016</b> , 15, 156	4.4	4
45	The longitudinal mental health impact of Fukushima nuclear disaster exposures and public criticism among power plant workers: the Fukushima NEWS Project study. <i>Psychological Medicine</i> , <b>2016</b> , 46, 3117-3125	6.9	14
44	Nutritional medicine as mainstream in psychiatry. <i>Lancet Psychiatry</i> , <b>2015</b> , 2, 271-4	23.3	268
43	Serum pro-BDNF/BDNF as a treatment biomarker for response to docosahexaenoic acid in traumatized people vulnerable to developing psychological distress: a randomized controlled trial. <i>Translational Psychiatry</i> , <b>2015</b> , 5, e596	8.6	24
42	Serum oxytocin, posttraumatic coping and C-reactive protein in motor vehicle accident survivors by gender. <i>Neuropsychobiology</i> , <b>2015</b> , 71, 196-201	4	19
41	Exposure to psychotropic medications prior to overdose: a case-control study. <i>Psychopharmacology</i> , <b>2015</b> , 232, 3101-9	4.7	11
40	Glutamatergic system abnormalities in posttraumatic stress disorder. <i>Psychopharmacology</i> , <b>2015</b> , 232, 4261-8	4.7	18
39	International Society for Nutritional Psychiatry Research consensus position statement: nutritional medicine in modern psychiatry. <i>World Psychiatry</i> , <b>2015</b> , 14, 370-1	14.4	55
38	Fish consumption and resilience to depression in Japanese company workers: a cross-sectional study. <i>Lipids in Health and Disease</i> , <b>2015</b> , 14, 51	4.4	17
37	Implementation of psychiatric-focused lifestyle medicine programs in Asia. <i>Asia-Pacific Psychiatry</i> , <b>2015</b> , 7, 345-54	3.2	6
36	Erratum to [The Role of High-Density Lipoprotein Cholesterol in Risk For Posttraumatic Stress Disorder: Taking a Nutritional Approach Towards Universal Prevention][Eur. Psych. 29 (2014) 408-13]. <i>European Psychiatry</i> , <b>2015</b> , 30, 354-354	6	
35	Docosahexaenoic acid for selective prevention of posttraumatic stress disorder among severely injured patients: a randomized, placebo-controlled trial. <i>Journal of Clinical Psychiatry</i> , <b>2015</b> , 76, e1015-22	4.6	28
34	The role of high-density lipoprotein cholesterol in risk for posttraumatic stress disorder: taking a nutritional approach toward universal prevention. <i>European Psychiatry</i> , <b>2014</b> , 29, 408-13	6	5
33	Aromatic Selenoic, Selenothioic, and Diselenoic Acid Salts: Isolation, Characterization, and <sup>77</sup> Se NMR Spectra, Together with Theoretical Elucidation. <i>Bulletin of the Chemical Society of Japan</i> , <b>2014</b> , 87, 677-692	5.1	7
32	Associations between disaster exposures, peritraumatic distress, and posttraumatic stress responses in Fukushima nuclear plant workers following the 2011 nuclear accident: the Fukushima NEWS Project study. <i>PLoS ONE</i> , <b>2014</b> , 9, e87516	3.7	42
31	Hypnosis for induction of labour. <i>The Cochrane Library</i> , <b>2014</b> , CD010852	5.2	7
30	Serum neuropeptide Y in accident survivors with depression or posttraumatic stress disorder. <i>Neuroscience Research</i> , <b>2014</b> , 83, 8-12	2.9	12



29	Tachikawa project for prevention of posttraumatic stress disorder with polyunsaturated fatty acid (TPOP): study protocol for a randomized controlled trial. <i>BMC Psychiatry</i> , <b>2013</b> , 13, 8	4.2	12
28	Culturally sensitive and universal measure of resilience for Japanese populations: Tachikawa Resilience Scale in comparison with Resilience Scale 14-item version. <i>Psychiatry and Clinical Neurosciences</i> , <b>2013</b> , 67, 174-81	6.2	28
27	Incidence and prediction of post-traumatic stress disorder at 6 months after motor vehicle accidents in Japan. <i>Psychosomatics</i> , <b>2013</b> , 54, 263-71	2.6	10
26	Longitudinal changes in serum brain-derived neurotrophic factor in accident survivors with posttraumatic stress disorder. <i>Neuropsychobiology</i> , <b>2013</b> , 68, 44-50	4	29
25	Approach to precise indoor characterization of multi-junction CPV cells using reference component cells <b>2013</b> ,		2
24	Serum levels of polyunsaturated fatty acids and the risk of posttraumatic stress disorder. <i>Psychotherapy and Psychosomatics</i> , <b>2013</b> , 82, 408-10	9.4	9
23	Peritraumatic distress after an earthquake: a bridge between neuroimaging and epidemiology. <i>Molecular Psychiatry</i> , <b>2013</b> , 18, 743-4	15.1	2
22	Hypnosis for induction of labour <b>2013</b> ,		2
21	PTSD and the Attenuating Effects of Fish Oils: Results of Supplementation After the 2011 Great East Japan Earthquake <b>2013</b> ,		2
20	Secondary traumatic stress and associated factors among Japanese nurses working in hospitals. <i>International Journal of Nursing Practice</i> , <b>2012</b> , 18, 155-63	2.3	21
19	Potential impact of propofol immediately after motor vehicle accident on later symptoms of posttraumatic stress disorder at 6-month follow up: a retrospective cohort study. <i>Critical Care</i> , <b>2012</b> , 16, R196	10.8	12
18	Concern over radiation exposure and psychological distress among rescue workers following the Great East Japan Earthquake. <i>BMC Public Health</i> , <b>2012</b> , 12, 249	4.1	43
17	Fish oil for attenuating posttraumatic stress symptoms among rescue workers after the great east Japan earthquake: a randomized controlled trial. <i>Psychotherapy and Psychosomatics</i> , <b>2012</b> , 81, 315-7	9.4	33
16	Peritraumatic distress, watching television, and posttraumatic stress symptoms among rescue workers after the Great East Japan earthquake. <i>PLoS ONE</i> , <b>2012</b> , 7, e35248	3.7	53
15	The effect of omega-3 fatty acids on psychophysiological assessment for the secondary prevention of posttraumatic stress disorder: an open-label pilot study. <i>Global Journal of Health Science</i> , <b>2011</b> , 4, 3-9	1.3	6
14	Attenuating posttraumatic distress with omega-3 polyunsaturated fatty acids among disaster medical assistance team members after the Great East Japan Earthquake: the APOP randomized controlled trial. <i>BMC Psychiatry</i> , <b>2011</b> , 11, 132	4.2	15
13	Potential role of brain-derived neurotrophic factor in omega-3 Fatty Acid supplementation to prevent posttraumatic distress after accidental injury: an open-label pilot study. <i>Psychotherapy and Psychosomatics</i> , <b>2011</b> , 80, 310-2	9.4	32
12	Peritraumatic Distress Inventory as a predictor of post-traumatic stress disorder after a severe motor vehicle accident. <i>Psychiatry and Clinical Neurosciences</i> , <b>2010</b> , 64, 149-56	6.2	53

11	Towards an explanation of inconsistent rates of posttraumatic stress disorder across different countries: infant mortality rate as a marker of social circumstances and basic population health. <i>Psychotherapy and Psychosomatics</i> , <b>2010</b> , 79, 56-7	9.4	7
10	Omega-3 fatty acids for secondary prevention of posttraumatic stress disorder after accidental injury: an open-label pilot study. <i>Journal of Clinical Psychopharmacology</i> , <b>2010</b> , 30, 217-9	1.7	36
9	Reliability and validity of the Japanese version of the Resilience Scale and its short version. <i>BMC Research Notes</i> , <b>2010</b> , 3, 310	2.3	88
8	Posttraumatic growth, posttraumatic stress disorder and resilience of motor vehicle accident survivors. <i>BioPsychoSocial Medicine</i> , <b>2010</b> , 4, 7	2.8	83
7	Reliability and validity of the Japanese version of the Peritraumatic Distress Inventory. <i>General Hospital Psychiatry</i> , <b>2009</b> , 31, 75-9	5.6	32
6	The Tachikawa cohort of motor vehicle accident study investigating psychological distress: design, methods and cohort profiles. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2009</b> , 44, 333-40	4.5	24
5	Impact of psychiatric morbidity on quality of life after motor vehicle accident at 1-month follow up. <i>Psychiatry and Clinical Neurosciences</i> , <b>2009</b> , 63, 235-7	6.2	7
4	Are patients after severe injury who drop out of a longitudinal study at high risk of mental disorder?. <i>Comprehensive Psychiatry</i> , <b>2008</b> , 49, 393-8	7.3	10
3	Incidence and prediction of psychiatric morbidity after a motor vehicle accident in Japan: the Tachikawa Cohort of Motor Vehicle Accident Study. <i>Critical Care Medicine</i> , <b>2008</b> , 36, 74-80	1.4	36
2	Mental health service requirements in a Japanese medical centre emergency department. <i>Emergency Medicine Journal</i> , <b>2006</b> , 23, 468-9	1.5	8
1	Interactions between lithium and non-steroidal antiinflammatory drugs. <i>Clinical Neuropharmacology</i> , <b>2002</b> , 25, 241-2	1.4	3