

# Jing Gu

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/208462/jing-gu-publications-by-year.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

93  
papers

1,195  
citations

19  
h-index

31  
g-index

119  
ext. papers

1,611  
ext. citations

4.1  
avg, IF

4.34  
L-index

#	Paper	IF	Citations
93	A review on COVID-19 transmission, epidemiological features, prevention and vaccination <b>2022</b> , 2, 23-49		1
92	Psychological stress self-help interventions for healthcare workers in the context of COVID-19 in China: A randomized controlled trial protocol.. <i>Internet Interventions</i> , <b>2022</b> , 28, 100541	4.4	
91	Prevalence and associated factors of sexualized drug use in sex work among transgender women sex workers in China. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , <b>2021</b> , 33, 1098-1106 <sup>2,2</sup>	2.2	2
90	HIV Serostatus Disclosure Among Men Who Have Sex with Men in China in the Era of U=U and PrEP. <i>AIDS and Behavior</i> , <b>2021</b> , 1	4.3	1
89	Baseline and Process Factors of Anti-Retroviral Therapy That Predict Loss to Follow-up Among People Living with HIV/AIDS in China: A Retrospective Cohort Study. <i>AIDS and Behavior</i> , <b>2021</b> , 1	4.3	
88	Adoption of Preventive Measures During the Very Early Phase of the COVID-19 Outbreak in China: National Cross-sectional Survey Study. <i>JMIR Public Health and Surveillance</i> , <b>2021</b> , 7, e26840	11.4	2
87	Gender Specificity of Spousal Concordance in the Development of Chronic Disease among Middle-Aged and Older Chinese Couples: A Prospective Dyadic Analysis. <i>International Journal of Environmental Research and Public Health</i> , <b>2021</b> , 18,	4.6	2
86	Prevalence of mental health problems and associated factors among front-line public health workers during the COVID-19 pandemic in China: an effort-reward imbalance model-informed study. <i>BMC Psychology</i> , <b>2021</b> , 9, 55	2.8	6
85	HIV incidence and sexual behavioral correlates among 4578 men who have sex with men (MSM) in Chengdu, China: a retrospective cohort study. <i>BMC Public Health</i> , <b>2021</b> , 21, 802	4.1	4
84	Mental Health Help-Seeking and Associated Factors Among Public Health Workers During the COVID-19 Outbreak in China. <i>Frontiers in Public Health</i> , <b>2021</b> , 9, 622677	6	6
83	The effects of intimate relationship characteristics on unprotected anal intercourse among same-sex male couples in China: a dyadic analysis using the actor-partner interdependence model. <i>BMC Infectious Diseases</i> , <b>2021</b> , 21, 593	4	0
82	Difficulties encountered by public health workers in COVID-19 outbreak: a cross-sectional study based on five provinces. <i>BMC Health Services Research</i> , <b>2021</b> , 21, 656	2.9	1
81	Prevalence of Intimate Partner Violence and Associated Factors Among Men Who Have Sex with Men in China. <i>Journal of Interpersonal Violence</i> , <b>2021</b> , 36, NP11968-NP11993	2.2	8
80	Definition and Characteristics of Behavioral Medicine, and Main Tasks and Goals of the International Society of Behavioral Medicine-an International Delphi Study. <i>International Journal of Behavioral Medicine</i> , <b>2021</b> , 28, 268-276	2.6	4
79	Working conditions and health status of 6,317 front line public health workers across five provinces in China during the COVID-19 epidemic: a cross-sectional study. <i>BMC Public Health</i> , <b>2021</b> , 21, 106	4.1	16
78	Factors Influencing Depression and Mental Distress Related to COVID-19 Among University Students in China: Online Cross-sectional Mediation Study. <i>JMIR Mental Health</i> , <b>2021</b> , 8, e22705	6	13
77	Impact of the gate-keeping policies of China's primary healthcare model on the future burden of tuberculosis in China: a protocol for a mathematical modelling study. <i>BMJ Open</i> , <b>2021</b> , 11, e048449	3	0

76	Eight-year follow-up outcome of subthalamic deep brain stimulation for Parkinson's disease: Maintenance of therapeutic efficacy with a relatively low levodopa dosage and stimulation intensity. <i>CNS Neuroscience and Therapeutics</i> , <b>2021</b> , 27, 1366-1373	6.8	2
75	Increasing the HIV testing among MSM through HIV test result exchange mechanism: study protocol for a cluster randomized controlled trial. <i>BMC Infectious Diseases</i> , <b>2021</b> , 21, 764	4	1
74	Evaluation of China's Hubei control strategy for COVID-19 epidemic: an observational study. <i>BMC Infectious Diseases</i> , <b>2021</b> , 21, 820	4	1
73	Moderating effect of self-efficacy on the association of intimate partner violence with risky sexual behaviors among men who have sex with men in China. <i>BMC Infectious Diseases</i> , <b>2021</b> , 21, 895	4	1
72	HIV diagnosis period influences ART initiation: findings from a prospective cohort study in China. <i>AIDS Research and Therapy</i> , <b>2021</b> , 18, 59	3	0
71	Associations between antiretroviral therapy-related experiences and mental health status among people living with HIV in China: a prospective observational cohort study. <i>AIDS Research and Therapy</i> , <b>2021</b> , 18, 60	3	1
70	Analysis of Factors That Influenced the Mental Health Status of Public Health Workers During the COVID-19 Epidemic Based on Bayesian Networks: A Cross-Sectional Study.. <i>Frontiers in Psychology</i> , <b>2021</b> , 12, 755347	3.4	
69	Same-sex behavior disclosure to health care providers associated with greater awareness of pre-exposure prophylaxis. <i>BMC Public Health</i> , <b>2021</b> , 21, 2243	4.1	0
68	Prevalence of depression, anxiety and suicide among men who have sex with men in China: a systematic review and meta-analysis. <i>Epidemiology and Psychiatric Sciences</i> , <b>2020</b> , 29, e136	5.1	7
67	Relationship between social capital and heroin use behaviors among patients in methadone maintenance treatment in Sichuan Province, China: A cross-sectional study. <i>Medicine (United States)</i> , <b>2020</b> , 99, e19963	1.8	3
66	Low willingness to pay for pre-exposure prophylaxis (PrEP) among men who have sex with men (MSM) in China. <i>BMC Public Health</i> , <b>2020</b> , 20, 337	4.1	10
65	Efficacy of a Positive Psychological Intervention in Improving Mental Health Status Among Methadone Maintenance Treatment Users in Guangzhou, China—Randomized Controlled Trial. <i>International Journal of Mental Health and Addiction</i> , <b>2020</b> , 19, 971	8.8	2
64	Multilevel factors associated with perpetration of five types of intimate partner violence among men who have sex with men in China: an ecological model-informed study. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , <b>2020</b> , 32, 1544-1555	2.2	4
63	Evaluation of smartphone APP-based case-management services among antiretroviral treatment-naïve HIV-positive men who have sex with men: a randomized controlled trial protocol. <i>BMC Public Health</i> , <b>2020</b> , 20, 85	4.1	5
62	How spatial accessibility to colonoscopy affects diagnostic adherences and adverse intestinal outcomes among the patients with positive preliminary screening findings. <i>Cancer Medicine</i> , <b>2020</b> , 9, 4405-4419	4.8	2
61	Associations Between Affective States and Sexual and Health Status Among Men Who Have Sex With Men in China: Exploratory Study Using Social Media Data. <i>Journal of Medical Internet Research</i> , <b>2020</b> , 22, e13201	7.6	2
60	Negative cognitive and psychological correlates of mandatory quarantine during the initial COVID-19 outbreak in China. <i>American Psychologist</i> , <b>2020</b> , 75, 607-617	9.5	87
59	Intention to start ART after the launch of expanded treatment strategy among people living with HIV in China: a behavioral theory-based cross-sectional study. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , <b>2020</b> , 32, 1182-1190	2.2	1

58	The mediating role of self-stigma and self-efficacy between intimate partner violence (IPV) victimization and depression among men who have sex with men in China. <i>BMC Public Health</i> , <b>2020</b> , 20, 2	4.1	6
57	Association between rural-to-urban migration and the cognitive aging trajectories of older Chinese adults: results from a prospective cohort analysis. <i>BMC Geriatrics</i> , <b>2020</b> , 20, 360	4.1	2
56	Effects of emotion regulation and perpetrator-victim roles in intimate partner violence on mental health problems among men who have sex with men in China. <i>Epidemiology and Psychiatric Sciences</i> , <b>2020</b> , 29, e159	5.1	3
55	Assessment of the health status and health service perceptions of international migrants coming to Guangzhou, China, from high-, middle- and low-income countries. <i>Globalization and Health</i> , <b>2019</b> , 15, 9	10	4
54	Intention to initiate antiretroviral therapy (ART) among people living with HIV in China under the scaling-up of ART: the role of healthcare workers' recommendations. <i>BMC Health Services Research</i> , <b>2019</b> , 19, 314	2.9	6
53	Factors Influencing Residents' Willingness to Contract With General Practitioners in Guangzhou, China, During the GP Policy Trial Phase: A Cross-Sectional Study Based on Andersen's Behavioral Model of Health Services Use. <i>Inquiry (United States)</i> , <b>2019</b> , 56, 46958019845484	1.4	10
52	Health Selectivity and Rural-Urban Migration in China: A Nationwide Multiple Cross-Sectional Study in 2012, 2014, 2016. <i>International Journal of Environmental Research and Public Health</i> , <b>2019</b> , 16,	4.6	10
51	Effectiveness of a short message service intervention to motivate people with positive results in preliminary colorectal cancer screening to undergo colonoscopy: A randomized controlled trial. <i>Cancer</i> , <b>2019</b> , 125, 2252-2261	6.4	10
50	Circumcision to prevent HIV and other sexually transmitted infections in men who have sex with men: a systematic review and meta-analysis of global data. <i>The Lancet Global Health</i> , <b>2019</b> , 7, e436-e447	13.6	37
49	Preexposure prophylaxis comprehension and the certainty of willingness to use preexposure prophylaxis among men who have sex with men in China. <i>International Journal of STD and AIDS</i> , <b>2019</b> , 30, 4-11	1.4	13
48	Perinatal outcomes of singletons following vitrification versus slow-freezing of embryos: a multicenter cohort study using propensity score analysis. <i>Human Reproduction</i> , <b>2019</b> , 34, 1788-1798	5.7	16
47	Willingness to Use and Adhere to HIV Pre-Exposure Prophylaxis (PrEP) among Men Who Have Sex with Men (MSM) in China. <i>International Journal of Environmental Research and Public Health</i> , <b>2019</b> , 16,	4.6	19
46	Effectiveness of a Psycho-Social Intervention Aimed at Reducing Attrition at Methadone Maintenance Treatment Clinics: A Propensity Score Matching Analysis. <i>International Journal of Environmental Research and Public Health</i> , <b>2019</b> , 16,	4.6	2
45	Using the Unified Theory of Acceptance and Use of Technology (UTAUT) to Investigate the Intention to Use Physical Activity Apps: Cross-Sectional Survey. <i>JMIR MHealth and UHealth</i> , <b>2019</b> , 7, e13127	5.5	19
44	Psychosocial Factors Affecting Artificial Intelligence Adoption in Health Care in China: Cross-Sectional Study. <i>Journal of Medical Internet Research</i> , <b>2019</b> , 21, e14316	7.6	22
43	Utilization of healthcare services among Chinese migrants in Kenya: a qualitative study. <i>BMC Health Services Research</i> , <b>2019</b> , 19, 995	2.9	1
42	Clinical prediction and diagnosis of neurosyphilis in HIV-negative patients: a case-control study. <i>BMC Infectious Diseases</i> , <b>2019</b> , 19, 1017	4	6
41	Anticipated suicidal ideation among female injecting drug users who are sex workers of negative or unknown HIV status in China. <i>Women and Health</i> , <b>2018</b> , 58, 774-789	1.7	3

40	Intimate relationship characteristics as determinants of HIV risk among men who have sex with regular male sex partners: a cross-sectional study in Guangzhou, China. <i>BMC Infectious Diseases</i> , <b>2018</b> , 18, 150	4	3
39	How newly diagnosed HIV-positive men who have sex with men look at HIV/AIDS - validation of the Chinese version of the revised illness perception questionnaire. <i>BMC Infectious Diseases</i> , <b>2018</b> , 18, 2	4	13
38	Voltage adjustment improves rigidity and tremor in Parkinson's disease patients receiving deep brain stimulation. <i>Neural Regeneration Research</i> , <b>2018</b> , 13, 347-352	4.5	3
37	A mathematical model of biomedical interventions for HIV prevention among men who have sex with men in China. <i>BMC Infectious Diseases</i> , <b>2018</b> , 18, 600	4	18
36	Low sustainability, poor governance, and other challenges encountered by grassroots non-governmental organizations targeting HIV prevention for men who have sex with men in China - a nation-wide study. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , <b>2017</b> , 29, 1480-1490	2.2	6
35	Club drugs and alcohol abuse predicted dropout and poor adherence among methadone maintenance treatment patients in Guangzhou, China. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , <b>2017</b> , 29, 458-463	2.2	13
34	Regenerative Endodontics Versus Apexification in Immature Permanent Teeth with Apical Periodontitis: A Prospective Randomized Controlled Study. <i>Journal of Endodontics</i> , <b>2017</b> , 43, 1821-1827	4.7	76
33	Resilience associated with mental health problems among methadone maintenance treatment patients in Guangzhou, China. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , <b>2017</b> , 29, 660-665	2.2	9
32	Early versus Late Application of Subthalamic deep brain Stimulation to Parkinson's disease patients with motor complications (ELASS): protocol of a multicentre, prospective and observational study. <i>BMJ Open</i> , <b>2017</b> , 7, e018610	3	1
31	Attitudes towards suicide in urban and rural China: a population based, cross-sectional study. <i>BMC Psychiatry</i> , <b>2016</b> , 16, 162	4.2	58
30	Depression, suicidal ideation, and related factors of methadone maintenance treatment users in Guangzhou, China. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , <b>2016</b> , 28, 851-6	2.2	14
29	Providing HIV-related services in China for men who have sex with men. <i>Bulletin of the World Health Organization</i> , <b>2016</b> , 94, 222-7	8.2	33
28	Does mobile phone ownership predict better utilization of maternal and newborn health services? a cross-sectional study in Timor-Leste. <i>BMC Pregnancy and Childbirth</i> , <b>2016</b> , 16, 183	3.2	10
27	Association of Situational and Environmental Factors With Last Episode of Unprotected Anal Intercourse Among MSM in Hong Kong: A Case-Crossover Analysis. <i>AIDS Education and Prevention</i> , <b>2016</b> , 28, 26-42	2	3
26	Comparison of attitudes toward disability and people with disability among caregivers, the public, and people with disability: findings from a cross-sectional survey. <i>BMC Public Health</i> , <b>2016</b> , 16, 1024	4.1	21
25	Applying the pre-intentional phase of the Health Action Process Approach (HAPA) Model to investigate factors associated with intention on consistent condom use with various types of female sex partners among males who inject drugs in China. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , <b>2016</b> , 28, 1079-88	2.2	4
24	Event-specific risk factors predicting unprotected anal intercourse among Hong Kong men who have sex with men: a case-crossover study. <i>Hong Kong Medical Journal</i> , <b>2016</b> , 22 Suppl 7, 41-42	0.7	
23	Prevalence of depressive symptoms and associated factors among people who inject drugs in China. <i>Drug and Alcohol Dependence</i> , <b>2015</b> , 151, 228-35	4.9	11

22	Preventive behaviors and mental distress in response to H1N1 among university students in Guangzhou, China. <i>Asia-Pacific Journal of Public Health</i> , <b>2015</b> , 27, NP1867-79	2	38
21	Perceived empathy of service providers mediates the association between perceived discrimination and behavioral intention to take up HIV antibody testing again among men who have sex with men. <i>PLoS ONE</i> , <b>2015</b> , 10, e0117376	3.7	14
20	High prevalence of HIV and syphilis among men who have sex with men recruited by respondent-driven sampling in a city in Eastern China. <i>Asia-Pacific Journal of Public Health</i> , <b>2015</b> , 27, NP834-65	2.3	16
19	Investigating the factor structure of the Illness Perception Questionnaire-revised for substance dependence among injecting drug users in China. <i>Drug and Alcohol Dependence</i> , <b>2015</b> , 148, 195-202	4.9	11
18	Social environmental factors and condom use among female injection drug users who are sex workers in China. <i>AIDS and Behavior</i> , <b>2014</b> , 18 Suppl 2, S181-91	4.3	25
17	Socio-ecological factors associated with depression, suicidal ideation and suicidal attempt among female injection drug users who are sex workers in China. <i>Drug and Alcohol Dependence</i> , <b>2014</b> , 144, 102-109	4.9	33
16	The effect of a telephone follow-up intervention on illness perception and lifestyle after myocardial infarction in China: a randomized controlled trial. <i>International Journal of Nursing Studies</i> , <b>2014</b> , 51, 844-55	5.8	27
15	Community-based lifestyle intervention for reducing blood pressure and glucose among middle-aged and older adults in China: a pilot study. <i>International Journal of Environmental Research and Public Health</i> , <b>2014</b> , 11, 11645-63	4.6	9
14	Event-specific risk factors predicting episodes of unprotected anal intercourse with male nonregular partners among men who have sex with men using case-crossover study design. <i>BioMed Research International</i> , <b>2014</b> , 2014, 475195	3	1
13	Situation-specific factors predicting nonadherence to methadone maintenance treatment: a cross-sectional study using the case-crossover design in Guangzhou, China. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , <b>2014</b> , 26 Suppl 1, S107-12	2.2	6
12	Associations between cognitive, sociocontextual, and affective variables and unprotected anal intercourse among men who have sex with men--a comparative study conducted in two Chinese cities. <i>BioMed Research International</i> , <b>2014</b> , 2014, 970975	3	6
11	A randomized controlled trial to evaluate the relative efficacy of the addition of a psycho-social intervention to standard-of-care services in reducing attrition and improving attendance among first-time users of methadone maintenance treatment in China. <i>AIDS and Behavior</i> , <b>2013</b> , 17, 2002-10	4.3	14
10	Misconceptions predict dropout and poor adherence prospectively among newly admitted first-time methadone maintenance treatment clients in Guangzhou, China. <i>Addiction</i> , <b>2012</b> , 107, 1641-9	4.6	32
9	Psychological factors in association with uptake of voluntary counselling and testing for HIV among men who have sex with men in Hong Kong. <i>Public Health</i> , <b>2011</b> , 125, 275-82	4	40
8	Prevalence and factors related to syringe sharing behaviours among female injecting drug users who are also sex workers in China. <i>International Journal of Drug Policy</i> , <b>2011</b> , 22, 26-33	5.5	19
7	The incidence of syphilis, HIV and HCV and associated factors in a cohort of men who have sex with men in Nanjing, China. <i>Sexually Transmitted Infections</i> , <b>2011</b> , 87, 199-201	2.8	43
6	Mental health and interpersonal factors associated with HIV-related risk behaviors among non-institutionalized female injection drug users who are also sex workers in China. <i>Women and Health</i> , <b>2010</b> , 50, 20-36	1.7	37
5	Using the Theory of Planned Behavior to investigate condom use behaviors among female injecting drug users who are also sex workers in China. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , <b>2009</b> , 21, 967-75	2.2	34

4	Prevalence of needle sharing, commercial sex behaviors and associated factors in Chinese male and female injecting drug user populations. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , <b>2009</b> , 21, 31-41	2.2	30
3	Validation of the Chinese version of the Opiate Addiction Severity Inventory (OASI) and the Severity of Dependence Scale (SDS) in non-institutionalized heroin users in China. <i>Addictive Behaviors</i> , <b>2008</b> , 33, 725-41	4.2	16
2	Severity of drug dependence, economic pressure and HIV-related risk behaviors among non-institutionalized female injecting drug users who are also sex workers in China. <i>Drug and Alcohol Dependence</i> , <b>2008</b> , 97, 257-67	4.9	42
1	Working condition and health status of 6,317 front line public health workers during the COVID-19 epidemic across 5 provinces in China: a cross-sectional study		2