

Vesna B Jovanovic

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2086666/vesna-b-jovanovic-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

18
papers

137
citations

7
h-index

11
g-index

19
ext. papers

152
ext. citations

3.7
avg, IF

2.1
L-index

#	Paper	IF	Citations
18	Alpha-Gal on the Protein Surface Hampers Transcytosis through the Caco-2 Monolayer. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	2
17	Opposite clozapine and ziprasidone effects on the reactivity of plasma albumin SH-group are the consequence of their different binding properties dependent on protein fatty acids content. <i>Chemico-Biological Interactions</i> , 2019 , 311, 108787	5	0
16	The interplay between copper(II), human serum albumin, fatty acids, and carbonylating agent interferes with Cys 34 thiol reactivity and copper binding. <i>Journal of Biological Inorganic Chemistry</i> , 2019 , 24, 61-70	3.7	3
15	Quantification of total content of non-esterified fatty acids bound to human serum albumin. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2016 , 129, 43-49	3.5	3
14	Binding of enterolactone and enterodiol to human serum albumin: increase of cysteine-34 thiol group reactivity. <i>Food and Function</i> , 2016 , 7, 1217-26	6.1	10
13	HSA carbonylation with methylglyoxal and the binding/release of copper(II) ions. <i>Metallomics</i> , 2015 , 7, 1431-8	4.5	7
12	Fatty acids binding to human serum albumin: Changes of reactivity and glycation level of Cysteine-34 free thiol group with methylglyoxal. <i>Chemico-Biological Interactions</i> , 2014 , 224, 42-50	5	22
11	The efficiency of compounds with amino-mercapto-ethane group in protection of human serum albumin carbonylation and cross-linking with methylglyoxal. <i>Molecular BioSystems</i> , 2014 , 10, 2166-75		7
10	How the sialylation level of serum N-acetyl-D-glucosaminidase a form in type 1 diabetes mellitus influences its activity?. <i>Journal of the Serbian Chemical Society</i> , 2014 , 79, 1491-1503	0.9	
9	The influence of fatty acids on determination of human serum albumin thiol group. <i>Analytical Biochemistry</i> , 2014 , 448, 50-7	3.1	12
8	Monitoring of the human serum albumin carbonylation level through determination of guanidino group content. <i>Analytical Biochemistry</i> , 2013 , 433, 162-7	3.1	6
7	Improving the reliability of human serum albumin-thiol group determination. <i>Analytical Biochemistry</i> , 2013 , 439, 17-22	3.1	13
6	Method for monitoring of the protein amino group changes during carbonylation. <i>Clinical Biochemistry</i> , 2011 , 44, 994-9	3.5	13
5	Non-covalent interactions across subunit interfaces in Sm proteins. <i>Journal of Theoretical Biology</i> , 2011 , 271, 18-26	2.3	4
4	Influence of the microenvironment of thiol groups in low molecular mass thiols and serum albumin on the reaction with methylglyoxal. <i>Chemico-Biological Interactions</i> , 2010 , 188, 21-30	5	17
3	The possibility of determining N-acetyl-beta-D-glucosaminidase isoenzymes under alkaline conditions. <i>Clinical Biochemistry</i> , 2005 , 38, 384-9	3.5	11
2	Influence of pigments and pH of urine on the determination of N-acetyl-beta-D-glucosaminidase activity with 2-methoxy-4-(2-nitrovinyl)-phenyl-N-acetyl-beta-D-glucosaminide. <i>Journal of Clinical Laboratory Analysis</i> , 2005 , 19, 260-6	3	

- 1 Regioselective Synthesis of a Stereodefined Heterocyclic Push-Pull Alkene. ^1H NMR Studies and Two-Dimensional TLC Illustrating Z/E Isomerization. *Journal of Chemical Education*, **2004**, 81, 1026 2.4 7