

Zhi-Li Huang

List of Publications by Citations

Source: <https://exaly.com/author-pdf/2088063/zhi-li-huang-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

146
papers

5,013
citations

37
h-index

67
g-index

160
ext. papers

6,089
ext. citations

5.9
avg, IF

5.42
L-index

#	Paper	IF	Citations
146	Adenosine A2A, but not A1, receptors mediate the arousal effect of caffeine. <i>Nature Neuroscience</i> , 2005 , 8, 858-9	25.5	481
145	Arousal effect of caffeine depends on adenosine A2A receptors in the shell of the nucleus accumbens. <i>Journal of Neuroscience</i> , 2011 , 31, 10067-75	6.6	211
144	Dopaminergic D1 and D2 receptors are essential for the arousal effect of modafinil. <i>Journal of Neuroscience</i> , 2008 , 28, 8462-9	6.6	188
143	Prostaglandins and adenosine in the regulation of sleep and wakefulness. <i>Current Opinion in Pharmacology</i> , 2007 , 7, 33-8	5.1	170
142	Dominant localization of prostaglandin D receptors on arachnoid trabecular cells in mouse basal forebrain and their involvement in the regulation of non-rapid eye movement sleep. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001 , 98, 11674-9	11.5	165
141	Altered sleep-wake characteristics and lack of arousal response to H3 receptor antagonist in histamine H1 receptor knockout mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006 , 103, 4687-92	11.5	142
140	Essential role of dopamine D2 receptor in the maintenance of wakefulness, but not in homeostatic regulation of sleep, in mice. <i>Journal of Neuroscience</i> , 2010 , 30, 4382-9	6.6	136
139	The role of adenosine in the regulation of sleep. <i>Current Topics in Medicinal Chemistry</i> , 2011 , 11, 1047-57		133
138	Lipocalin-type prostaglandin D synthase produces prostaglandin D2 involved in regulation of physiological sleep. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006 , 103, 17949-54	11.5	129
137	Curcumin exerts antinociceptive effects in a mouse model of neuropathic pain: descending monoamine system and opioid receptors are differentially involved. <i>Neuropharmacology</i> , 2012 , 62, 843-54	5.5	125
136	An adenosine A receptor agonist induces sleep by increasing GABA release in the tuberomammillary nucleus to inhibit histaminergic systems in rats. <i>Journal of Neurochemistry</i> , 2005 , 92, 1542-9	6	120
135	Lipocalin-type prostaglandin D synthase/beta-trace is a major amyloid beta-chaperone in human cerebrospinal fluid. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007 , 104, 6412-7	11.5	118
134	Adenosine in the tuberomammillary nucleus inhibits the histaminergic system via A1 receptors and promotes non-rapid eye movement sleep. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008 , 105, 19992-7	11.5	109
133	Adenosine A2A receptors in ventral striatum, hypothalamus and nociceptive circuitry implications for drug addiction, sleep and pain. <i>Progress in Neurobiology</i> , 2007 , 83, 332-47	10.9	105
132	Sleep regulation in adenosine A2A receptor-deficient mice. <i>Neurology</i> , 2003 , 61, S94-6	6.5	100
131	Role of the basal ganglia in the control of sleep and wakefulness. <i>Current Opinion in Neurobiology</i> , 2013 , 23, 780-5	7.6	96
130	Slow-wave sleep is controlled by a subset of nucleus accumbens core neurons in mice. <i>Nature Communications</i> , 2017 , 8, 734	17.4	95

129	How do the basal ganglia regulate sleep-wake behavior?. <i>Trends in Neurosciences</i> , 2012 , 35, 723-32	13.3	93
128	Selective activation of cholinergic basal forebrain neurons induces immediate sleep-wake transitions. <i>Current Biology</i> , 2014 , 24, 693-8	6.3	89
127	Nucleus accumbens controls wakefulness by a subpopulation of neurons expressing dopamine D receptors. <i>Nature Communications</i> , 2018 , 9, 1576	17.4	84
126	Roles of adenosine and its receptors in sleep-wake regulation. <i>International Review of Neurobiology</i> , 2014 , 119, 349-71	4.4	78
125	Basal Forebrain Cholinergic Neurons Primarily Contribute to Inhibition of Electroencephalogram Delta Activity, Rather Than Inducing Behavioral Wakefulness in Mice. <i>Neuropsychopharmacology</i> , 2016 , 41, 2133-46	8.7	76
124	Algorithm for sleep scoring in experimental animals based on fast Fourier transform power spectrum analysis of the electroencephalogram. <i>Sleep and Biological Rhythms</i> , 2008 , 6, 163-171	1.3	62
123	Extracellular histamine level in the frontal cortex is positively correlated with the amount of wakefulness in rats. <i>Neuroscience Research</i> , 2004 , 49, 417-20	2.9	60
122	Prostaglandin E2 activates the histaminergic system via the EP4 receptor to induce wakefulness in rats. <i>Journal of Neuroscience</i> , 2003 , 23, 5975-83	6.6	58
121	Optogenetic Activation of Adenosine A2A Receptor Signaling in the Dorsomedial Striatopallidal Neurons Suppresses Goal-Directed Behavior. <i>Neuropsychopharmacology</i> , 2016 , 41, 1003-13	8.7	48
120	The role of nucleus accumbens core/shell in sleep-wake regulation and their involvement in modafinil-induced arousal. <i>PLoS ONE</i> , 2012 , 7, e45471	3.7	48
119	Red light at intensities above 10 lx alters sleep-wake behavior in mice. <i>Light: Science and Applications</i> , 2017 , 6, e16231	16.7	47
118	The Neurobiological Mechanisms and Treatments of REM Sleep Disturbances in Depression. <i>Current Neuropharmacology</i> , 2015 , 13, 543-53	7.6	46
117	Striatal adenosine A receptor neurons control active-period sleep via parvalbumin neurons in external globus pallidus. <i>ELife</i> , 2017 , 6,	8.9	45
116	Deep brain stimulation of the posterior hypothalamus activates the histaminergic system to exert antiepileptic effect in rat pentylenetetrazol model. <i>Experimental Neurology</i> , 2007 , 205, 132-44	5.7	45
115	Honokiol promotes non-rapid eye movement sleep via the benzodiazepine site of the GABA(A) receptor in mice. <i>British Journal of Pharmacology</i> , 2012 , 167, 587-98	8.6	41
114	Dopamine is involved in food-anticipatory activity in mice. <i>Journal of Biological Rhythms</i> , 2012 , 27, 398-409	9.2	41
113	Crocin promotes non-rapid eye movement sleep in mice. <i>Molecular Nutrition and Food Research</i> , 2012 , 56, 304-8	5.9	39
112	The rostromedial tegmental nucleus is essential for non-rapid eye movement sleep. <i>PLoS Biology</i> , 2018 , 16, e2002909	9.7	38

111	Morphine inhibits sleep-promoting neurons in the ventrolateral preoptic area via mu receptors and induces wakefulness in rats. <i>Neuropsychopharmacology</i> , 2013 , 38, 791-801	8.7	37
110	Magnolol, a major bioactive constituent of the bark of <i>Magnolia officinalis</i> , induces sleep via the benzodiazepine site of GABA(A) receptor in mice. <i>Neuropharmacology</i> , 2012 , 63, 1191-9	5.5	34
109	Projections of nucleus accumbens adenosine A2A receptor neurons in the mouse brain and their implications in mediating sleep-wake regulation. <i>Frontiers in Neuroanatomy</i> , 2013 , 7, 43	3.6	34
108	D(1)/D(2) receptor-targeting L-stepholidine, an active ingredient of the Chinese herb <i>Stephonia</i> , induces non-rapid eye movement sleep in mice. <i>Pharmacology Biochemistry and Behavior</i> , 2009 , 94, 16-23 ³⁻⁹		34
107	Marine polyphenol phlorotannins promote non-rapid eye movement sleep in mice via the benzodiazepine site of the GABAA receptor. <i>Psychopharmacology</i> , 2014 , 231, 2825-37	4.7	33
106	Adenosine and Sleep. <i>Handbook of Experimental Pharmacology</i> , 2019 , 253, 359-381	3.2	32
105	Paeoniflorin exerts analgesic and hypnotic effects via adenosine A1 receptors in a mouse neuropathic pain model. <i>Psychopharmacology</i> , 2016 , 233, 281-93	4.7	30
104	Prostaglandin D(2) is crucial for seizure suppression and postictal sleep. <i>Experimental Neurology</i> , 2014 , 253, 82-90	5.7	30
103	Keeping the right time in space: importance of circadian clock and sleep for physiology and performance of astronauts. <i>Military Medical Research</i> , 2014 , 1, 23	19.3	30
102	Repeated sleep restriction in adolescent rats altered sleep patterns and impaired spatial learning/memory ability. <i>Sleep</i> , 2012 , 35, 849-59	1.1	29
101	Gelsemine alleviates both neuropathic pain and sleep disturbance in partial sciatic nerve ligation mice. <i>Acta Pharmacologica Sinica</i> , 2015 , 36, 1308-17	8	27
100	Piromelatine exerts antinociceptive effect via melatonin, opioid, and 5HT1A receptors and hypnotic effect via melatonin receptors in a mouse model of neuropathic pain. <i>Psychopharmacology</i> , 2014 , 231, 3973-85	4.7	27
99	Acute administration of fluoxetine normalizes rapid eye movement sleep abnormality, but not depressive behaviors in olfactory bulbectomized rats. <i>Journal of Neurochemistry</i> , 2012 , 120, 314-24	6	27
98	Dorsal Striatum Dopamine Levels Fluctuate Across the Sleep-Wake Cycle and Respond to Salient Stimuli in Mice. <i>Frontiers in Neuroscience</i> , 2019 , 13, 242	5.1	26
97	Dominant localization of adenosine deaminase in leptomeninges and involvement of the enzyme in sleep. <i>Biochemical and Biophysical Research Communications</i> , 2003 , 312, 29-34	3.4	26
96	Alteration in sleep architecture and electroencephalogram as an early sign of Alzheimer's disease preceding the disease pathology and cognitive decline. <i>Alzheimer's and Dementia</i> , 2019 , 15, 590-597	1.2	26
95	A mouse model mimicking human first night effect for the evaluation of hypnotics. <i>Pharmacology Biochemistry and Behavior</i> , 2014 , 116, 129-36	3.9	25
94	Promotion of non-rapid eye movement sleep in mice after oral administration of ornithine. <i>Sleep and Biological Rhythms</i> , 2012 , 10, 38-45	1.3	25

93	Safranal enhances non-rapid eye movement sleep in pentobarbital-treated mice. <i>CNS Neuroscience and Therapeutics</i> , 2012 , 18, 623-30	6.8	23
92	Modafinil exerts a dose-dependent antiepileptic effect mediated by adrenergic alpha1 and histaminergic H1 receptors in mice. <i>Neuropharmacology</i> , 2007 , 53, 534-41	5.5	23
91	Fasting-induced reduction in locomotor activity and reduced response of orexin neurons in carnitine-deficient mice. <i>Neuroscience Research</i> , 2006 , 55, 78-86	2.9	23
90	Antinociceptive and hypnotic activities of pregabalin in a neuropathic pain-like model in mice. <i>Pharmacology Biochemistry and Behavior</i> , 2015 , 135, 31-9	3.9	22
89	Activation of Parabrachial Nucleus Glutamatergic Neurons Accelerates Reanimation from Sevoflurane Anesthesia in Mice. <i>Anesthesiology</i> , 2019 , 130, 106-118	4.3	22
88	Selection of optimal epoch duration in assessment of rodent sleep/wake profiles. <i>Sleep and Biological Rhythms</i> , 2011 , 9, 46-55	1.3	21
87	Orexin A promotes histamine, but not norepinephrine or serotonin, release in frontal cortex of mice. <i>Acta Pharmacologica Sinica</i> , 2005 , 26, 155-9	8	21
86	Hastatoside and verbenalin are sleep-promoting components in <i>Verbena officinalis</i> . <i>Sleep and Biological Rhythms</i> , 2009 , 7, 211-217	1.3	20
85	Ultradian calcium rhythms in the paraventricular nucleus and subparaventricular zone in the hypothalamus. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018 , 115, E9469-E9478	11.5	20
84	The Mutual Interaction Between Sleep and Epilepsy on the Neurobiological Basis and Therapy. <i>Current Neuropharmacology</i> , 2018 , 16, 5-16	7.6	19
83	Adenosine A receptors in the olfactory bulb suppress rapid eye movement sleep in rodents. <i>Brain Structure and Function</i> , 2017 , 222, 1351-1366	4	19
82	Superior Colliculus GABAergic Neurons Are Essential for Acute Dark Induction of Wakefulness in Mice. <i>Current Biology</i> , 2019 , 29, 637-644.e3	6.3	18
81	Biphasic elevation of plasma histamine induced by water immersion stress, and their sources in rats. <i>European Journal of Pharmacology</i> , 1998 , 360, 139-46	5.3	18
80	Orexin A activates hypoglossal motoneurons and enhances genioglossus muscle activity in rats. <i>British Journal of Pharmacology</i> , 2014 , 171, 4233-46	8.6	17
79	Dopamine D and D receptors mediate analgesic and hypnotic effects of l-tetrahydropalmatine in a mouse neuropathic pain model. <i>Psychopharmacology</i> , 2019 , 236, 3169-3182	4.7	16
78	Effects of synthetic cannabinoids on electroencephalogram power spectra in rats. <i>Forensic Science International</i> , 2012 , 215, 179-83	2.6	16
77	Role of orexin and prostaglandin E(2) in activating histaminergic neurotransmission. <i>Drug News and Perspectives</i> , 2004 , 17, 105-9		16
76	Adenosine A receptor deficiency attenuates the somnogenic effect of prostaglandin D in mice. <i>Acta Pharmacologica Sinica</i> , 2017 , 38, 469-476	8	15

75	A novel neurological function of rice bran: a standardized rice bran supplement promotes non-rapid eye movement sleep in mice through histamine H receptors. <i>Molecular Nutrition and Food Research</i> , 2017 , 61, 1700316	5.9	15
74	Propagated β -synucleinopathy recapitulates REM sleep behaviour disorder followed by parkinsonian phenotypes in mice. <i>Brain</i> , 2020 , 143, 3374-3392	11.2	15
73	Whole-Brain Monosynaptic Afferent Projections to the Cholecystokinin Neurons of the Suprachiasmatic Nucleus. <i>Frontiers in Neuroscience</i> , 2018 , 12, 807	5.1	15
72	Helicid alleviates pain and sleep disturbances in a neuropathic pain-like model in mice. <i>Journal of Sleep Research</i> , 2017 , 26, 386-393	5.8	14
71	Paeoniflorin Promotes Non-rapid Eye Movement Sleep via Adenosine A1 Receptors. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2016 , 356, 64-73	4.7	13
70	Doxepin and diphenhydramine increased non-rapid eye movement sleep through blockade of histamine H1 receptors. <i>Pharmacology Biochemistry and Behavior</i> , 2015 , 129, 56-64	3.9	13
69	Activation of Parvalbumin Neurons in the Rostro-Dorsal Sector of the Thalamic Reticular Nucleus Promotes Sensitivity to Pain in Mice. <i>Neuroscience</i> , 2017 , 366, 113-123	3.9	12
68	Activation of sensory nerves participates in stress-induced histamine release from mast cells in rats. <i>Neuroscience Letters</i> , 1999 , 270, 181-4	3.3	12
67	Ventral pallidal GABAergic neurons control wakefulness associated with motivation through the ventral tegmental pathway. <i>Molecular Psychiatry</i> , 2021 , 26, 2912-2928	15.1	12
66	Activation of the ventral tegmental area increased wakefulness in mice. <i>Sleep and Biological Rhythms</i> , 2017 , 15, 107-115	1.3	11
65	Whole-Brain Neural Connectivity to Lateral Pontine Tegmentum GABAergic Neurons in Mice. <i>Frontiers in Neuroscience</i> , 2019 , 13, 375	5.1	11
64	Rapid eye movement sleep behavior disorder. <i>Current Opinion in Neurobiology</i> , 2013 , 23, 793-8	7.6	11
63	Glutamate Activates the Histaminergic Tubero-mammillary Nucleus and Increases Wakefulness in Rats. <i>Neuroscience</i> , 2019 , 413, 86-98	3.9	10
62	Whole-Brain Monosynaptic Inputs to Hypoglossal Motor Neurons in Mice. <i>Neuroscience Bulletin</i> , 2020 , 36, 585-597	4.3	10
61	GABA transporter-1 inhibitor NO-711 alters the EEG power spectra and enhances non-rapid eye movement sleep during the active phase in mice. <i>European Neuropsychopharmacology</i> , 2014 , 24, 585-94	1.2	10
60	Neuronal activity (c-Fos) delineating interactions of the cerebral cortex and basal ganglia. <i>Frontiers in Neuroanatomy</i> , 2014 , 8, 13	3.6	10
59	Sevoflurane depresses neurons in the medial parabrachial nucleus by potentiating postsynaptic GABA receptors and background potassium channels. <i>Neuropharmacology</i> , 2020 , 181, 108249	5.5	10
58	Roles of adrenergic β and dopamine D1 and D2 receptors in the mediation of the desynchronization effects of modafinil in a mouse EEG synchronization model. <i>PLoS ONE</i> , 2013 , 8, e76102 ²⁷	3.7	9

57	Neural Plasticity Is Involved in Physiological Sleep, Depressive Sleep Disturbances, and Antidepressant Treatments. <i>Neural Plasticity</i> , 2017 , 2017, 5870735	3.3	8
56	High cortical delta power correlates with aggravated allodynia by activating anterior cingulate cortex GABAergic neurons in neuropathic pain mice. <i>Pain</i> , 2020 , 161, 288-299	8	8
55	Nucleus accumbens neurons expressing dopamine D1 receptors modulate states of consciousness in sevoflurane anesthesia. <i>Current Biology</i> , 2021 , 31, 1893-1902.e5	6.3	8
54	Adenosine A receptor mediates hypnotic effects of ethanol in mice. <i>Scientific Reports</i> , 2017 , 7, 12678	4.9	7
53	Histamine release induced by immobilization, gentle handling and decapitation from mast cells and its inhibition by nedocromil in rats. <i>The Japanese Journal of Pharmacology</i> , 1999 , 80, 255-62		7
52	Signaling mechanism underlying the histamine-modulated action of hypoglossal motoneurons. <i>Journal of Neurochemistry</i> , 2016 , 137, 277-86	6	7
51	CDKL5 deficiency in forebrain glutamatergic neurons results in recurrent spontaneous seizures. <i>Epilepsia</i> , 2021 , 62, 517-528	6.4	7
50	5-HT3A receptors are required in long-term depression and AMPA receptor internalization. <i>Neuroscience</i> , 2014 , 278, 105-12	3.9	6
49	Lesions of suprachiasmatic nucleus modify sleep structure but do not alter the total amount of daily sleep in rats. <i>Sleep and Biological Rhythms</i> , 2012 , 10, 293-301	1.3	6
48	Ablation of olfactory bulb glutamatergic neurons induces depressive-like behaviors and sleep disturbances in mice. <i>Psychopharmacology</i> , 2020 , 237, 2517-2530	4.7	6
47	Activation of adenosine A receptors in the olfactory tubercle promotes sleep in rodents. <i>Neuropharmacology</i> , 2020 , 168, 107923	5.5	6
46	Noninvasive Ultrasound Stimulation of Ventral Tegmental Area Induces Reanimation from General Anaesthesia in Mice. <i>Research</i> , 2021 , 2021, 2674692	7.8	6
45	Interleukin-1 β induces sleep independent of prostaglandin D in rats and mice. <i>Neuroscience</i> , 2017 , 340, 258-267	3.9	5
44	Gene expression in the rat brain during prostaglandin D2 and adenosinergically-induced sleep. <i>Journal of Neurochemistry</i> , 2008 , 105, 1480-98	6	5
43	Drug delivery through a chronically implanted stomach catheter improves efficiency of evaluating wake-promoting components. <i>Journal of Neuroscience Methods</i> , 2008 , 175, 58-63	3	5
42	Dysfunctions of the paraventricular hypothalamic nucleus induce hypersomnia in mice. <i>ELife</i> , 2021 , 10,	8.9	5
41	Medial Parabrachial Nucleus Is Essential in Controlling Wakefulness in Rats. <i>Frontiers in Neuroscience</i> , 2021 , 15, 645877	5.1	5
40	Pten is a key intrinsic factor regulating raphe 5-HT neuronal plasticity and depressive behaviors in mice. <i>Translational Psychiatry</i> , 2021 , 11, 186	8.6	5

39	Lesion of intergeniculate leaflet GABAergic neurons attenuates sleep in mice exposed to light. <i>Sleep</i> , 2020 , 43,	1.1	4
38	Ethanol inhibits histaminergic neurons in mouse tuberomammillary nucleus slices via potentiating GABAergic transmission onto the neurons at both pre- and postsynaptic sites. <i>Acta Pharmacologica Sinica</i> , 2016 , 37, 1325-1336	8	4
37	Neural circuitry underlying REM sleep: A review of the literature and current concepts. <i>Progress in Neurobiology</i> , 2021 , 204, 102106	10.9	4
36	Oral Delivery of Honokiol Microparticles for Nonrapid Eye Movement Sleep. <i>Molecular Pharmaceutics</i> , 2019 , 16, 737-743	5.6	3
35	Essential roles of GABA transporter-1 in controlling rapid eye movement sleep and in increased slow wave activity after sleep deprivation. <i>PLoS ONE</i> , 2013 , 8, e75823	3.7	3
34	Lipocalin-type prostaglandin D synthase levels increase in patients with narcolepsy and idiopathic hypersomnia. <i>Sleep</i> , 2021 , 44,	1.1	3
33	Temporal dynamics of Arc/Arg3.1 expression in the dorsal striatum during acquisition and consolidation of a motor skill in mice. <i>Neurobiology of Learning and Memory</i> , 2020 , 168, 107156	3.1	3
32	Ethanol Induces Sedation and Hypnosis via Inhibiting Histamine Release in Mice. <i>Neurochemical Research</i> , 2019 , 44, 1764-1772	4.6	2
31	Osamu Hayaishi-from the discovery of oxygenases in soil microorganisms to unraveling the enigma of sleep in mammals. <i>Temperature</i> , 2015 , 2, 303-7	5.2	2
30	Entire Frequency Domain Analysis of Rodent EEG and EMG Recordings Using Relative Thresholds. <i>Sleep and Vigilance</i> , 2017 , 1, 13-19	1.4	2
29	Key roles of the histaminergic system in sleep-wake regulation. <i>Sleep and Biological Rhythms</i> , 2011 , 9, 34-37	1.3	2
28	NIR Light-Triggered Quantitative Pulsed Drug Release. <i>Advanced Healthcare Materials</i> , 2021 , e2102362	10.1	2
27	Adenosine and Sleep-Wake Regulation. <i>Sheng Wu Wu Li Hsueh Bao</i> , 2011 , 27, 5-17		2
26	Striatopallidal Pathway Distinctly Modulates Goal-Directed Valuation and Acquisition of Instrumental Behavior via Striatopallidal Output Projections. <i>Cerebral Cortex</i> , 2020 , 30, 1366-1381	5.1	2
25	Hypnotic activities of Zao Ren An Shen capsule, a traditional Chinese medicine, in an anxiety-like mouse model. <i>Sleep and Breathing</i> , 2021 , 25, 1613-1623	3.1	2
24	Control of wakefulness by lateral hypothalamic glutamatergic neurons in male mice. <i>Journal of Neuroscience Research</i> , 2021 , 99, 1689-1703	4.4	2
23	Differential activating effects of thyrotropin-releasing hormone and its analog taltirelin on motor output to the tongue musculature in vivo. <i>Sleep</i> , 2020 , 43,	1.1	2
22	Chronic modafinil therapy ameliorates depressive-like behavior, spatial memory and hippocampal plasticity impairments, and sleep-wake changes in a surgical mouse model of menopause. <i>Translational Psychiatry</i> , 2021 , 11, 116	8.6	2

21	Whole-brain monosynaptic inputs and outputs of glutamatergic neurons of the vestibular nuclei complex in mice. <i>Hearing Research</i> , 2021 , 401, 108159	3.9	2
20	Melatonin supplementation in the subacute phase after ischemia alleviates postischemic sleep disturbances in rats. <i>Brain and Behavior</i> , 2021 , 11, e2366	3.4	2
19	Dcf1 Improves Behavior Deficit in Drosophila and Mice Caused by Optogenetic Suppression. <i>Journal of Cellular Biochemistry</i> , 2017 , 118, 4210-4215	4.7	1
18	Genistein induces non-rapid eye movement sleep in mice. <i>Sleep and Biological Rhythms</i> , 2012 , 10, 278-286.3	3.3	1
17	Molecular mechanism of prostaglandin D2-mediated non-REM sleep homeostasis studied by gene-knockout mice. <i>Sleep and Biological Rhythms</i> , 2004 , 2, S17-S18	1.3	1
16	Adenosine A2A receptor deficiency attenuates the somnogenic effect of prostaglandin D2. <i>Sleep and Biological Rhythms</i> , 2004 , 2, S55-S55	1.3	1
15	Lack of rebound of non-rapid eye movement sleep after sleep deprivation in adenosine A2A receptor knockout mice. <i>Sleep and Biological Rhythms</i> , 2004 , 2, S56-S56	1.3	1
14	The Rostromedial Tegmental Nucleus: Anatomical Studies and Roles in Sleep and Substance Addictions in Rats and Mice. <i>Nature and Science of Sleep</i> , 2020 , 12, 1215-1223	3.6	1
13	Presynaptic inputs to vasopressin neurons in the hypothalamic supraoptic nucleus and paraventricular nucleus in mice. <i>Experimental Neurology</i> , 2021 , 343, 113784	5.7	1
12	Saikosaponin a promotes sleep by decreasing neuronal activities in the lateral hypothalamus. <i>Journal of Sleep Research</i> , 2021 , e13484	5.8	1
11	Sleep Deprivation Disturbs Immune Surveillance and Promotes the Progression of Hepatocellular Carcinoma. <i>Frontiers in Immunology</i> , 2021 , 12, 727959	8.4	1
10	Case Report: Dysfunction of the Paraventricular Hypothalamic Nucleus Area Induces Hypersomnia in Patients.. <i>Frontiers in Neuroscience</i> , 2022 , 16, 830474	5.1	1
9	Roles of Neuropeptides in Sleep-Wake Regulation.. <i>International Journal of Molecular Sciences</i> , 2022 , 23,	6.3	1
8	Hypothalamic modulation of adult hippocampal neurogenesis in mice confers activity-dependent regulation of memory and anxiety-like behavior.. <i>Nature Neuroscience</i> , 2022 , 25, 630-645	25.5	1
7	Mesencephalic dopamine neurons are essential for modafinil-induced arousal. <i>British Journal of Pharmacology</i> , 2021 , 178, 4808-4825	8.6	0
6	Does Chronic Sleep Fragmentation Lead to Alzheimer's Disease in Young Wild-Type Mice?. <i>Frontiers in Aging Neuroscience</i> , 2021 , 13, 759983	5.3	0
5	The anxiolytic effects of Bai Le Mian capsule, a traditional Chinese hypnotic in mice. <i>Sleep and Biological Rhythms</i> , 2019 , 17, 191-201	1.3	
4	Histaminergic role in sleep-wake cycle of orexin, adenosine, and prostaglandin E2 and D2. <i>Sleep and Biological Rhythms</i> , 2004 , 2, S21-S22	1.3	

- 3 Prostaglandin E2 activates the histaminergic system in the rat brain. *International Congress Series*, **2002**, 1233, 441-445
- 2 An Overview of Roles of the Basal Ganglia in Sleep-Wake Regulation **2020**, 9-15
- 1 Adenosine A receptor neurons in the olfactory bulb mediate odor-guided behaviors in mice. *Brain Research*, **2021**, 1768, 147590 3·7