

Renaud Ioos

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2088244/renaud-ioos-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

66
papers

1,368
citations

20
h-index

35
g-index

69
ext. papers

1,680
ext. citations

2.6
avg, IF

4.6
L-index

#	Paper	IF	Citations
66	Molecular Detection of Wheat Blast Pathogen in Seeds. <i>Methods in Molecular Biology</i> , 2022 , 139-153	1.4	
65	Identification and pathogenicity of species associated with leaf blotch disease and premature defoliation in French apple orchards.. <i>PeerJ</i> , 2021 , 9, e12496	3.1	2
64	Combining permanent aerobiological networks and molecular analyses for large-scale surveillance of forest fungal pathogens: A proof-of-concept. <i>Plant Pathology</i> , 2021 , 70, 181-194	2.8	3
63	Landscape epidemiology of ash dieback. <i>Journal of Ecology</i> , 2020 , 108, 1789-1799	6	11
62	Global Geographic Distribution and Host Range of <i>Fusarium circinatum</i> , the Causal Agent of Pine Pitch Canker. <i>Forests</i> , 2020 , 11, 724	2.8	18
61	A PCR, qPCR, and LAMP Toolkit for the Detection of the Wheat Blast Pathogen in Seeds. <i>Plants</i> , 2020 , 9,	4.5	8
60	Fast and reliable molecular methods to detect fungal pathogens in woody plants. <i>Applied Microbiology and Biotechnology</i> , 2020 , 104, 2453-2468	5.7	35
59	First report of citrus black spot disease caused by <i>Phyllosticta citricarpa</i> on <i>Citrus limon</i> and <i>C. sinensis</i> in Tunisia. <i>New Disease Reports</i> , 2020 , 41, 8-8	1.3	3
58	New multiplex conventional PCR and quadruplex real-time PCR assays for one-tube detection of <i>Phyllosticta citricarpa</i> , <i>Elsinoë fawcettii</i> , <i>Elsinoë australis</i> , and <i>Pseudocercospora angolensis</i> in Citrus: development and validation. <i>Applied Microbiology and Biotechnology</i> , 2020 , 104, 9363-9385	5.7	0
57	A Genomic Approach to Develop a New qPCR Test Enabling Detection of the Lineage Causing Wheat Blast. <i>Plant Disease</i> , 2020 , 104, 60-70	1.5	11
56	First report of <i>f. sp.</i> tropical race 4 (TR4) causing banana wilt in the Island of Mayotte. <i>Plant Disease</i> , 2020 ,	1.5	8
55	Transferability of PCR-based diagnostic protocols: An international collaborative case study assessing protocols targeting the quarantine pine pathogen <i>Fusarium circinatum</i> . <i>Scientific Reports</i> , 2019 , 9, 8195	4.9	18
54	A Set of Conventional and Multiplex Real-Time PCR Assays for Direct Detection of <i>Elsinoë fawcettii</i> , <i>E. australis</i> , and <i>Pseudocercospora angolensis</i> in Citrus Fruits. <i>Plant Disease</i> , 2019 , 103, 345-356	1.5	5
53	Multiplex real-time PCR assays for the detection and identification of <i>Heterobasidion</i> species attacking conifers in Europe. <i>Plant Pathology</i> , 2019 , 68, 1493-1507	2.8	5
52	First Report of Orange Rust Caused by <i>Puccinia kuehnii</i> on Sugarcane on the Island of Reunion. <i>Plant Disease</i> , 2019 , 103, 2962	1.5	2
51	First report of black Sigatoka disease in banana caused by <i>Mycosphaerella fijiensis</i> on Reunion Island. <i>New Disease Reports</i> , 2019 , 39, 12-12	1.3	1
50	First Report of <i>Neonectria neomacrospora</i> Causing European Silver Fir (<i>Abies alba</i>) Dieback in France. <i>Plant Disease</i> , 2019 , 103, 365	1.5	1

49	Pine Pitch Canker (PPC): Pathways of Pathogen Spread and Preventive Measures. <i>Forests</i> , 2019 , 10, 1158-8	10
48	Metabarcoding targeting the EF1 alpha region to assess <i>Fusarium</i> diversity on cereals. <i>PLoS ONE</i> , 2019 , 14, e0207988	3.7 12
47	The ash dieback invasion of Europe was founded by two genetically divergent individuals. <i>Nature Ecology and Evolution</i> , 2018 , 2, 1000-1008	12.3 49
46	Tracking the invasion: dispersal of <i>Hymenoscyphus fraxineus</i> airborne inoculum at different scales. <i>FEMS Microbiology Ecology</i> , 2018 , 94,	4.3 13
45	Do higher summer temperatures restrict the dissemination of <i>Hymenoscyphus fraxineus</i> in France?. <i>Forest Pathology</i> , 2018 , 48, e12426	1.2 17
44	Assessment of Passive Traps Combined with High-Throughput Sequencing To Study Airborne Fungal Communities. <i>Applied and Environmental Microbiology</i> , 2018 , 84,	4.8 18
43	Duplex real-time PCR assay for the simultaneous detection of <i>Caliciopsis pinea</i> and <i>Fusarium circinatum</i> in pine samples. <i>Applied Microbiology and Biotechnology</i> , 2018 , 102, 7135-7146	5.7 16
42	First Report of <i>Phytophthora ramorum</i> Causing Japanese Larch Dieback in France. <i>Plant Disease</i> , 2018 , PDIS02180288PDN	1.5 7
41	Characterization of <i>Colletotrichum orchidophilum</i> , the agent of black spot disease of vanilla. <i>Journal of Phytopathology</i> , 2018 , 166, 525-531	1.8 4
40	<i>Fusarium temperatum</i> isolated from maize in France. <i>European Journal of Plant Pathology</i> , 2017 , 148, 997-1001	2.1 10
39	Detection of plant pathogens using real-time PCR: how reliable are late Ct values?. <i>Plant Pathology</i> , 2017 , 66, 359-367	2.8 26
38	Development of a hydrolysis probe-based real-time assay for the detection of tropical strains of <i>Fusarium oxysporum</i> f. sp. <i>cubense</i> race 4. <i>PLoS ONE</i> , 2017 , 12, e0171767	3.7 21
37	One-Step Detection of <i>Monilinia fructicola</i> , <i>M. fructigena</i> , and <i>M. laxa</i> on <i>Prunus</i> and <i>Malus</i> by a Multiplex Real-Time PCR Assay. <i>Plant Disease</i> , 2016 , 100, 2465-2474	1.5 12
36	Simultaneous monitoring and quantification of <i>Melampsora allii-populina</i> and <i>Melampsora larici-populina</i> on infected poplar leaves using a duplex real-time PCR assay. <i>Plant Pathology</i> , 2016 , 65, 380-391	2.8 7
35	A robust and specific real-time PCR tool for the detection of <i>Phytophthora lateralis</i> in plant tissues. <i>European Journal of Plant Pathology</i> , 2016 , 146, 231-244	2.1 6
34	Rapid detection of <i>Fusarium circinatum</i> propagules on trapped pine beetles. <i>Forest Pathology</i> , 2015 , 45, 324-330	1.2 8
33	Evidence for homoploid speciation in <i>Phytophthora alni</i> supports taxonomic reclassification in this species complex. <i>Fungal Genetics and Biology</i> , 2015 , 77, 12-21	3.9 53
32	First Report of <i>Phytophthora niederhauserii</i> Causing Wilt of <i>Begonia elatior</i> in France. <i>Plant Disease</i> , 2015 , 99, 1277-1277	1.5 0

31	Diversity of the <i>Fusarium graminearum</i> species complex on French cereals. <i>European Journal of Plant Pathology</i> , 2014 , 138, 133-148	2.1	50
30	First Report of <i>Dothistroma pini</i> , a Recent Agent of the <i>Dothistroma</i> Needle Blight, on <i>Pinus radiata</i> in France. <i>Plant Disease</i> , 2014 , 98, 841	1.5	9
29	First Report of Pineapple Black Rot Caused by <i>Ceratocystis paradoxa</i> on <i>Ananas comosus</i> in French Guiana. <i>Plant Disease</i> , 2014 , 98, 1584	1.5	3
28	A sensitive real-time PCR assay for the detection of the two <i>Melampsora medusae</i> formae speciales on infected poplar leaves. <i>European Journal of Plant Pathology</i> , 2013 , 136, 433-441	2.1	6
27	Optimization of a real-time PCR assay for the detection of the quarantine pathogen <i>Melampsora medusae</i> f. sp. <i>deltoidae</i> . <i>Fungal Biology</i> , 2013 , 117, 389-98	2.8	8
26	Test performance study of diagnostic procedures for identification and detection of <i>Gibberella circinata</i> in pine seeds in the framework of a EUPHRESKO project. <i>EPPO Bulletin</i> , 2013 , 43, 267-275	1	4
25	Is the emergence of <i>Dothistroma</i> needle blight of pine in France caused by the cryptic species <i>Dothistroma pini</i> ?. <i>Phytopathology</i> , 2012 , 102, 47-54	3.8	29
24	An optimized duplex real-time PCR tool for sensitive detection of the quarantine oomycete <i>Plasmopara halstedii</i> in sunflower seeds. <i>Phytopathology</i> , 2012 , 102, 908-17	3.8	28
23	Development and use of new sensitive molecular tools for diagnosis and detection of <i>Melampsora</i> rusts on cultivated poplar. <i>Forest Pathology</i> , 2012 , 43, n/a-n/a	1.2	5
22	First Report of Blight Disease on <i>Buxus</i> Caused by <i>Cylindrocladium buxicola</i> in France. <i>Plant Disease</i> , 2012 , 96, 1069	1.5	12
21	Validation and accreditation of a duplex real-time PCR test for reliable in planta detection of <i>Chalara fraxinea</i> . <i>EPPO Bulletin</i> , 2011 , 41, 21-26	1	10
20	<i>Chalara fraxinea</i> is an invasive pathogen in France. <i>European Journal of Plant Pathology</i> , 2011 , 130, 311-324		82
19	First Report of Black Sigatoka Disease in Banana Caused by <i>Mycosphaerella fijiensis</i> on Martinique Island. <i>Plant Disease</i> , 2011 , 95, 359	1.5	6
18	Development, comparison, and validation of real-time and conventional PCR tools for the detection of the fungal pathogens causing brown spot and red band needle blights of pine. <i>Phytopathology</i> , 2010 , 100, 105-14	3.8	76
17	Rapid in planta detection of <i>Chalara fraxinea</i> by a real-time PCR assay using a dual-labelled probe. <i>European Journal of Plant Pathology</i> , 2009 , 125, 329-335	2.1	55
16	Sensitive detection of <i>Fusarium circinatum</i> in pine seed by combining an enrichment procedure with a real-time polymerase chain reaction using dual-labeled probe chemistry. <i>Phytopathology</i> , 2009 , 99, 582-90	3.8	74
15	European collaborative studies for the validation of PCR-based detection tests targeting regulated fungi and oomycetes. <i>EPPO Bulletin</i> , 2008 , 38, 198-204	1	10
14	Development of a PCR test to detect the downy mildew causal agent <i>Plasmopara halstedii</i> in sunflower seeds. <i>Plant Pathology</i> , 2007 , 56, 209-218	2.8	33

13	Distribution and expression of elicitor genes in the interspecific hybrid oomycete <i>Phytophthora alni</i> . <i>Applied and Environmental Microbiology</i> , 2007 , 73, 5587-97	4.8	5
12	Genetic characterization of the natural hybrid species <i>Phytophthora alni</i> as inferred from nuclear and mitochondrial DNA analyses. <i>Fungal Genetics and Biology</i> , 2006 , 43, 511-29	3.9	107
11	Characterization of microsatellite markers in the interspecific hybrid <i>Phytophthora alni</i> ssp. <i>alni</i> , and cross-amplification with related taxa. <i>Molecular Ecology Notes</i> , 2006 , 7, 133-137		15
10	Usefulness of single copy genes containing introns in <i>Phytophthora</i> for the development of detection tools for the regulated species <i>P. ramorum</i> and <i>P. fragariae</i> . <i>European Journal of Plant Pathology</i> , 2006 , 116, 171-176	2.1	20
9	Simulation of consumer exposure to deoxynivalenol according to wheat crop management and grain segregation: case studies and methodological considerations. <i>Regulatory Toxicology and Pharmacology</i> , 2005 , 42, 253-9	3.4	5
8	The effects of fungicides on <i>Fusarium</i> spp. and <i>Microdochium nivale</i> and their associated trichothecene mycotoxins in French naturally-infected cereal grains. <i>Crop Protection</i> , 2005 , 24, 894-902	2.7	77
7	SCAR-based PCR primers to detect the hybrid pathogen <i>Phytophthora alni</i> and its subspecies causing alder disease in Europe. <i>European Journal of Plant Pathology</i> , 2005 , 112, 323-335	2.1	35
6	Occurrence and distribution of <i>Microdochium nivale</i> and <i>Fusarium</i> species isolated from barley, durum and soft wheat grains in France from 2000 to 2002. <i>Mycopathologia</i> , 2004 , 158, 351-62	2.9	63
5	Differentiation of Poaceae Potyviruses by Reverse Transcription-Polymerase Chain Reaction and Restriction Analysis. <i>Journal of Phytopathology</i> , 2000 , 148, 141-151	1.8	55
4	Application de la variabilité génétique de l'ADNr chez <i>Monilinia laxa</i> , <i>Monilinia fructigena</i> et <i>Monilinia fructicola</i> à l'identification des espèces par PCR*. <i>EPPO Bulletin</i> , 2000 , 30, 499-505	1	1
3	Genomic Variation within <i>Monilinia laxa</i> , <i>M. fructigena</i> and <i>M. fructicola</i> , and Application to Species Identification by PCR 2000 , 106, 373-378		61
2	Ecological differentiation and incipient speciation in the fungal pathogen causing rice blast		2
1	The ash dieback invasion of Europe was founded by two individuals from a native population with huge adaptive potential		2