

Veronika Sexl

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2089927/publications.pdf>

Version: 2024-02-01

197
papers

11,269
citations

30070

54
h-index

36028

97
g-index

201
all docs

201
docs citations

201
times ranked

15901
citing authors

#	ARTICLE	IF	CITATIONS
1	Differentiation of Type 1 ILCs from a Common Progenitor to All Helper-like Innate Lymphoid Cell Lineages. <i>Cell</i> , 2014, 157, 340-356.	28.9	939
2	Stat5 Is Required for IL-2-Induced Cell Cycle Progression of Peripheral T Cells. <i>Immunity</i> , 1999, 10, 249-259.	14.3	530
3	Assembly of cyclin D-dependent kinase and titration of p27Kip1 regulated by mitogen-activated protein kinase kinase (MEK1). <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1998, 95, 1091-1096.	7.1	489
4	A Kinase-Independent Function of CDK6 Links the Cell Cycle to Tumor Angiogenesis. <i>Cancer Cell</i> , 2013, 24, 167-181.	16.8	244
5	Stat5 tetramer formation is associated with leukemogenesis. <i>Cancer Cell</i> , 2005, 7, 87-99.	16.8	213
6	Stat5 is indispensable for the maintenance of <i>bcr/abl</i> -positive leukaemia. <i>EMBO Molecular Medicine</i> , 2010, 2, 98-110.	6.9	206
7	A novel <i>Ncr1-Cre</i> mouse reveals the essential role of STAT5 for NK-cell survival and development. <i>Blood</i> , 2011, 117, 1565-1573.	1.4	193
8	Clarifying the role of Stat5 in lymphoid development and Abelson-induced transformation. <i>Blood</i> , 2006, 107, 4898-4906.	1.4	192
9	Chronic signaling via the metabolic checkpoint kinase mTORC1 induces macrophage granuloma formation and marks sarcoidosis progression. <i>Nature Immunology</i> , 2017, 18, 293-302.	14.5	191
10	Stat5a/b contribute to interleukin 7-induced B-cell precursor expansion, but <i>abl</i> - and <i>bcr/abl</i> -induced transformation are independent of Stat5. <i>Blood</i> , 2000, 96, 2277-2283.	1.4	184
11	CDK6 as a key regulator of hematopoietic and leukemic stem cell activation. <i>Blood</i> , 2015, 125, 90-101.	1.4	179
12	Stimulation of the Mitogen-activated Protein Kinase via the A2A-Adenosine Receptor in Primary Human Endothelial Cells. <i>Journal of Biological Chemistry</i> , 1997, 272, 5792-5799.	3.4	168
13	High STAT5 levels mediate imatinib resistance and indicate disease progression in chronic myeloid leukemia. <i>Blood</i> , 2011, 117, 3409-3420.	1.4	168
14	Single-Cell RNA Sequencing of Tumor-Infiltrating NK Cells Reveals that Inhibition of Transcription Factor HIF-1 α Unleashes NK Cell Activity. <i>Immunity</i> , 2020, 52, 1075-1087.e8.	14.3	167
15	Lipoxygenase mediates invasion of intrametastatic lymphatic vessels and propagates lymph node metastasis of human mammary carcinoma xenografts in mouse. <i>Journal of Clinical Investigation</i> , 2011, 121, 2000-2012.	8.2	163
16	Stat5 Activation Is Uniquely Associated with Cytokine Signaling in Peripheral T Cells. <i>Immunity</i> , 1999, 11, 225-230.	14.3	161
17	BCR-ABL uncouples canonical JAK2-STAT5 signaling in chronic myeloid leukemia. <i>Nature Chemical Biology</i> , 2012, 8, 285-293.	8.0	158
18	Estrogen Regulates Bone Turnover by Targeting RANKL Expression in Bone Lining Cells. <i>Scientific Reports</i> , 2017, 7, 6460.	3.3	150

#	ARTICLE	IF	CITATIONS
19	NKp46 Receptor-Mediated Interferon- γ Production by Natural Killer Cells Increases Fibronectin 1 to Alter Tumor Architecture and Control Metastasis. <i>Immunity</i> , 2018, 48, 107-119.e4.	14.3	143
20	CDK6—a review of the past and a glimpse into the future: from cell-cycle control to transcriptional regulation. <i>Oncogene</i> , 2016, 35, 3083-3091.	5.9	137
21	STAT1 acts as a tumor promoter for leukemia development. <i>Cancer Cell</i> , 2006, 10, 77-87.	16.8	136
22	Loss of HIF-1 α in natural killer cells inhibits tumour growth by stimulating non-productive angiogenesis. <i>Nature Communications</i> , 2017, 8, 1597.	12.8	132
23	Aggressive B-cell lymphomas in patients with myelofibrosis receiving JAK1/2 inhibitor therapy. <i>Blood</i> , 2018, 132, 694-706.	1.4	132
24	STAT5 Is a Key Regulator in NK Cells and Acts as a Molecular Switch from Tumor Surveillance to Tumor Promotion. <i>Cancer Discovery</i> , 2016, 6, 414-429.	9.4	124
25	PDGFR blockade is a rational and effective therapy for NPM-ALK-driven lymphomas. <i>Nature Medicine</i> , 2012, 18, 1699-1704.	30.7	113
26	The centrosomal protein TACC3 is essential for hematopoietic stem cell function and genetically interfaces with p53-regulated apoptosis. <i>EMBO Journal</i> , 2002, 21, 653-664.	7.8	112
27	JAK/STAT Cytokine Signaling at the Crossroad of NK Cell Development and Maturation. <i>Frontiers in Immunology</i> , 2019, 10, 2590.	4.8	110
28	Lapatinib and doxorubicin enhance the STAT1 -dependent antitumor immune response. <i>European Journal of Immunology</i> , 2013, 43, 2718-2729.	2.9	108
29	DKK2 imparts tumor immunity evasion through β -catenin-independent suppression of cytotoxic immune-cell activation. <i>Nature Medicine</i> , 2018, 24, 262-270.	30.7	106
30	CDK8-Mediated STAT1-S727 Phosphorylation Restrains NK Cell Cytotoxicity and Tumor Surveillance. <i>Cell Reports</i> , 2013, 4, 437-444.	6.4	104
31	IL-6/Stat3-Dependent Induction of a Distinct, Obesity-Associated NK Cell Subpopulation Deteriorates Energy and Glucose Homeostasis. <i>Cell Metabolism</i> , 2017, 26, 171-184.e6.	16.2	104
32	Impairment of hepatic growth hormone and glucocorticoid receptor signaling causes steatosis and hepatocellular carcinoma in mice. <i>Hepatology</i> , 2011, 54, 1398-1409.	7.3	100
33	Palbociclib treatment of FLT3-ITD+ AML cells uncovers a kinase-dependent transcriptional regulation of FLT3 and PIM1 by CDK6. <i>Blood</i> , 2016, 127, 2890-2902.	1.4	96
34	A rate limiting function of cdc25A for S phase entry inversely correlates with tyrosine dephosphorylation of Cdk2. <i>Oncogene</i> , 1999, 18, 573-582.	5.9	94
35	The role of CDK6 in cancer. <i>International Journal of Cancer</i> , 2020, 147, 2988-2995.	5.1	93
36	STATs in NK-Cells: The Good, the Bad, and the Ugly. <i>Frontiers in Immunology</i> , 2016, 7, 694.	4.8	91

#	ARTICLE	IF	CITATIONS
37	The oncoprotein NPM-ALK of anaplastic large-cell lymphoma induces JUNB transcription via ERK1/2 and JunB translation via mTOR signaling. <i>Blood</i> , 2007, 110, 3374-3383.	1.4	90
38	Loss of STAT3 in murine NK cells enhances NK cell-dependent tumor surveillance. <i>Blood</i> , 2014, 124, 2370-2379.	1.4	90
39	Targeting of heat shock protein 32 (Hsp32)/heme oxygenase-1 (HO-1) in leukemic cells in chronic myeloid leukemia: a novel approach to overcome resistance against imatinib. <i>Blood</i> , 2008, 111, 2200-2210.	1.4	85
40	Tyrosine kinase 2 (TYK2) in cytokine signalling and host immunity. <i>Frontiers in Bioscience - Landmark</i> , 2011, 16, 3224.	3.0	85
41	An ERK-Dependent Feedback Mechanism Prevents Hematopoietic Stem Cell Exhaustion. <i>Cell Stem Cell</i> , 2018, 22, 879-892.e6.	11.1	84
42	JAK of all trades: JAK2-STAT5 as novel therapeutic targets in BCR-ABL1+ chronic myeloid leukemia. <i>Blood</i> , 2013, 122, 2167-2175.	1.4	83
43	JunB inhibits proliferation and transformation in B-lymphoid cells. <i>Blood</i> , 2003, 102, 4159-4165.	1.4	76
44	Decreased NK-cell tumour immunosurveillance consequent to JAK inhibition enhances metastasis in breast cancer models. <i>Nature Communications</i> , 2016, 7, 12258.	12.8	76
45	Unique Effects of KIT D816V in BaF3 Cells: Induction of Cluster Formation, Histamine Synthesis, and Early Mast Cell Differentiation Antigens. <i>Journal of Immunology</i> , 2008, 180, 5466-5476.	0.8	75
46	Antibodies Directed against Lewis-Y Antigen Inhibit Signaling of Lewis-Y Modified ErbB Receptors. <i>Cancer Research</i> , 2004, 64, 1087-1093.	0.9	70
47	MAP Kinase Stimulation by cAMP Does Not Require RAP1 but SRC Family Kinases. <i>Journal of Biological Chemistry</i> , 2002, 277, 32490-32497.	3.4	69
48	The tumor suppressor function of STAT1 in breast cancer. <i>Jak-stat</i> , 2013, 2, e23353.	2.2	68
49	IL-17+ CD8+ T cell suppression by dimethyl fumarate associates with clinical response in multiple sclerosis. <i>Nature Communications</i> , 2019, 10, 5722.	12.8	68
50	Cytokine-induced megakaryocytic differentiation is regulated by genome-wide loss of a <i>STAT</i> transcriptional program. <i>EMBO Journal</i> , 2016, 35, 580-594.	7.8	66
51	The RNA helicase DDX3X is an essential mediator of innate antimicrobial immunity. <i>PLoS Pathogens</i> , 2018, 14, e1007397.	4.7	65
52	Stimulation of human umbilical vein endothelial cell proliferation by A_{2A} adenosine and β_2 adrenoceptors. <i>British Journal of Pharmacology</i> , 1995, 114, 1577-1586.	5.4	64
53	STAT5 triggers <i>BCR-ABL1</i> mutation by mediating ROS production in chronic myeloid leukaemia. <i>Oncotarget</i> , 2012, 3, 1669-1687.	1.8	64
54	STAT5BN642H is a driver mutation for T cell neoplasia. <i>Journal of Clinical Investigation</i> , 2017, 128, 387-401.	8.2	57

#	ARTICLE	IF	CITATIONS
55	Stat5a serine 725 and 779 phosphorylation is a prerequisite for hematopoietic transformation. <i>Blood</i> , 2010, 116, 1548-1558.	1.4	56
56	PAK-dependent STAT5 serine phosphorylation is required for BCR-ABL-induced leukemogenesis. <i>Leukemia</i> , 2014, 28, 629-641.	7.2	56
57	Increase by tri-iodothyronine of endothelin-1, fibronectin and von Willebrand factor in cultured endothelial cells. <i>Journal of Endocrinology</i> , 1997, 154, 231-239.	2.6	55
58	The catalytic PI3K isoforms p110 ^β and p110 ^γ contribute to B cell development and maintenance, transformation, and proliferation. <i>Journal of Leukocyte Biology</i> , 2010, 87, 1083-1095.	3.3	55
59	Macrophage and T Cell Produced IL-10 Promotes Viral Chronicity. <i>PLoS Pathogens</i> , 2013, 9, e1003735.	4.7	55
60	Conditional IFNAR1 ablation reveals distinct requirements of Type I IFN signaling for NK cell maturation and tumor surveillance. <i>Oncot Immunology</i> , 2012, 1, 1027-1037.	4.6	53
61	CDK6 Antagonizes p53-Induced Responses during Tumorigenesis. <i>Cancer Discovery</i> , 2018, 8, 884-897.	9.4	53
62	Identification of CD25 as STAT5-Dependent Growth Regulator of Leukemic Stem Cells in Ph+ CML. <i>Clinical Cancer Research</i> , 2016, 22, 2051-2061.	7.0	52
63	Antineoplastic activity of the DNA methyltransferase inhibitor 5-aza-2'-deoxycytidine in anaplastic large cell lymphoma. <i>Biochimie</i> , 2012, 94, 2297-2307.	2.6	51
64	MicroRNA-155 Tunes Both the Threshold and Extent of NK Cell Activation via Targeting of Multiple Signaling Pathways. <i>Journal of Immunology</i> , 2013, 191, 5904-5913.	0.8	51
65	Response to interferons and antibacterial innate immunity in the absence of tyrosine-phosphorylated STAT1. <i>EMBO Reports</i> , 2016, 17, 367-382.	4.5	50
66	TYK2 is a key regulator of the surveillance of B lymphoid tumors. <i>Journal of Clinical Investigation</i> , 2004, 114, 1650-1658.	8.2	50
67	Conditional Stat1 Ablation Reveals the Importance of Interferon Signaling for Immunity to <i>Listeria monocytogenes</i> Infection. <i>PLoS Pathogens</i> , 2012, 8, e1002763.	4.7	49
68	Leukemic challenge unmasks a requirement for PI3K in NK cell-mediated tumor surveillance. <i>Blood</i> , 2008, 112, 4655-4664.	1.4	48
69	The Cyclin-dependent Kinase Inhibitor p21 Mediates the Growth Inhibitory Effect of Phorbol Esters in Human Venous Endothelial Cells. <i>Journal of Biological Chemistry</i> , 1997, 272, 29967-29974.	3.4	47
70	O-GlcNAcylation of STAT5 controls tyrosine phosphorylation and oncogenic transcription in STAT5-dependent malignancies. <i>Leukemia</i> , 2017, 31, 2132-2142.	7.2	47
71	CDK6 is an essential direct target of NUP98 fusion proteins in acute myeloid leukemia. <i>Blood</i> , 2020, 136, 387-400.	1.4	46
72	The dark and the bright side of Stat3: proto-oncogene and tumor-suppressor. <i>Frontiers in Bioscience - Landmark</i> , 2009, Volume, 2944.	3.0	44

#	ARTICLE	IF	CITATIONS
73	MicroRNA-15/16 Antagonizes <i>Myb</i> To Control NK Cell Maturation. <i>Journal of Immunology</i> , 2015, 195, 2806-2817.	0.8	44
74	Microbiota-induced tissue signals regulate ILC3-mediated antigen presentation. <i>Nature Communications</i> , 2020, 11, 1794.	12.8	44
75	Loss of JAK1 Drives Innate Immune Deficiency. <i>Frontiers in Immunology</i> , 2018, 9, 3108.	4.8	43
76	Different mechanisms of saturated versus polyunsaturated FFA-induced apoptosis in human endothelial cells. <i>Journal of Lipid Research</i> , 2008, 49, 2627-2640.	4.2	42
77	NK cell receptor NKG2D sets activation threshold for the NCR1 receptor early in NK cell development. <i>Nature Immunology</i> , 2018, 19, 1083-1092.	14.5	42
78	The Non-Receptor-Associated Tyrosine Kinase Syk is a Regulator of Metastatic Behavior in Human Melanoma Cells. <i>Journal of Investigative Dermatology</i> , 2005, 124, 1293-1299.	0.7	41
79	Clusterin Regulates Drug-Resistance in Melanoma Cells. <i>Journal of Investigative Dermatology</i> , 2005, 124, 1300-1307.	0.7	41
80	Stat5a/b contribute to interleukin 7-induced B-cell precursor expansion, but abl- and bcr/abl-induced transformation are independent of Stat5. <i>Blood</i> , 2000, 96, 2277-2283.	1.4	41
81	NK Cell-Specific CDK8 Deletion Enhances Antitumor Responses. <i>Cancer Immunology Research</i> , 2018, 6, 458-466.	3.4	40
82	Twins with different personalities: STAT5B but not STAT5A has a key role in BCR/ABL-induced leukemia. <i>Leukemia</i> , 2019, 33, 1583-1597.	7.2	40
83	Putting the brakes on mammary tumorigenesis: Loss of STAT1 predisposes to intraepithelial neoplasias. <i>Oncotarget</i> , 2011, 2, 1043-1054.	1.8	40
84	The different functions of Stat5 and chromatin alteration through Stat5 proteins. <i>Frontiers in Bioscience - Landmark</i> , 2008, Volume, 6237.	3.0	39
85	ETV6/RUNX1 Induces Reactive Oxygen Species and Drives the Accumulation of DNA Damage in B Cells. <i>Neoplasia</i> , 2013, 15, 1292-IN28.	5.3	39
86	Inhibition of STAT5: A therapeutic option in BCR-ABL1-driven leukemia. <i>Oncotarget</i> , 2014, 5, 9564-9576.	1.8	39
87	STAT5A and STAT5B Twins with Different Personalities in Hematopoiesis and Leukemia. <i>Cancers</i> , 2019, 11, 1726.	3.7	38
88	Characterization of p190-Bcr-Abl chronic myeloid leukemia reveals specific signaling pathways and therapeutic targets. <i>Leukemia</i> , 2020, 35, 1964-1975.	7.2	35
89	c-JUN promotes BCR-ABL-induced lymphoid leukemia by inhibiting methylation of the 5' region of Cdk6. <i>Blood</i> , 2011, 117, 4065-4075.	1.4	34
90	Jak1 deficiency leads to enhanced Abelson-induced B-cell tumor formation. <i>Blood</i> , 2003, 101, 4937-4943.	1.4	33

#	ARTICLE	IF	CITATIONS
91	A kinase-independent role for CDK8 in BCR-ABL1+ leukemia. <i>Nature Communications</i> , 2019, 10, 4741.	12.8	33
92	The PPAR α agonist fenofibrate suppresses B-cell lymphoma in mice by modulating lipid metabolism. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2013, 1831, 1555-1565.	2.4	32
93	Phenotyping and Target Expression Profiling of CD34+/CD38 α^{\sim} and CD34+/CD38+ Stem- and Progenitor cells in Acute Lymphoblastic Leukemia. <i>Neoplasia</i> , 2018, 20, 632-642.	5.3	32
94	TYK2 is a key regulator of the surveillance of B lymphoid tumors. <i>Journal of Clinical Investigation</i> , 2004, 114, 1650-1658.	8.2	32
95	Dendritic Cells Require STAT-1 Phosphorylated at Its Transactivating Domain for the Induction of Peptide-Specific CTL. <i>Journal of Immunology</i> , 2009, 183, 2286-2293.	0.8	31
96	High-glucose incubation of human umbilical-vein endothelial cells does not alter expression and function either of G-protein β -subunits or of endothelial NO synthase. <i>Biochemical Journal</i> , 1996, 315, 281-287.	3.7	30
97	The cooperating mutation or "second hit" determines the immunologic visibility toward MYC-induced murine lymphomas. <i>Blood</i> , 2011, 118, 4635-4645.	1.4	30
98	PI3K δ Is Essential for Tumor Clearance Mediated by Cytotoxic T Lymphocytes. <i>PLoS ONE</i> , 2012, 7, e40852.	2.5	30
99	T-bet controls intestinal mucosa immune responses via repression of type 2 innate lymphoid cell function. <i>Mucosal Immunology</i> , 2019, 12, 51-63.	6.0	30
100	Identification of an Indispensable Role for Tyrosine Kinase 2 in CTL-Mediated Tumor Surveillance. <i>Cancer Research</i> , 2009, 69, 203-211.	0.9	29
101	CDK8-Novel Therapeutic Opportunities. <i>Pharmaceuticals</i> , 2019, 12, 92.	3.8	29
102	CDK6 coordinates JAK2V617F mutant MPN via NF- κ B and apoptotic networks. <i>Blood</i> , 2019, 133, 1677-1690.	1.4	29
103	NK cells in hypoxic skin mediate a trade-off between wound healing and antibacterial defence. <i>Nature Communications</i> , 2021, 12, 4700.	12.8	29
104	Selective serotonin reuptake inhibitors "A new modality for the treatment of lymphoma/leukaemia?". <i>Biochemical Pharmacology</i> , 2007, 74, 1424-1435.	4.4	28
105	CDK4/6 and MAPK "Crosstalk as Opportunity for Cancer Treatment. <i>Pharmaceuticals</i> , 2020, 13, 418.	3.8	28
106	CDK6 and p16INK4A in lymphoid malignancies. <i>Oncotarget</i> , 2013, 4, 1858-1859.	1.8	28
107	Antigen receptor-mediated depletion of FOXP3 in induced regulatory T-lymphocytes via PTPN2 and FOXO1. <i>Nature Communications</i> , 2015, 6, 8576.	12.8	27
108	In vivotumor surveillance by NK cells requires TYK2 but not TYK2 kinase activity. <i>Oncolmmunology</i> , 2015, 4, e1047579.	4.6	27

#	ARTICLE	IF	CITATIONS
109	High activation of STAT5A drives peripheral T-cell lymphoma and leukemia. <i>Haematologica</i> , 2020, 105, 435-447.	3.5	27
110	Inhibition of Xenograft Tumor Growth and Down-Regulation of ErbB Receptors by an Antibody Directed against Lewis Y Antigen. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2006, 319, 1459-1466.	2.5	26
111	Cdk4 and Cdk6 cooperate in counteracting the INK4 family of inhibitors during murine leukemogenesis. <i>Blood</i> , 2014, 124, 2380-2390.	1.4	26
112	Targeting VEGF-A in myeloid cells enhances natural killer cell responses to chemotherapy and ameliorates cachexia. <i>Nature Communications</i> , 2016, 7, 12528.	12.8	25
113	CDK6 Inhibition: A Novel Approach in AML Management. <i>International Journal of Molecular Sciences</i> , 2020, 21, 2528.	4.1	25
114	CD52 is a molecular target in advanced systemic mastocytosis. <i>FASEB Journal</i> , 2014, 28, 3540-3551.	0.5	24
115	Impact of Single or Combined Genomic Alterations of TP53, MYC, and BCL2 on Survival of Patients With Diffuse Large B-Cell Lymphomas. <i>Medicine (United States)</i> , 2015, 94, e2388.	1.0	24
116	Myeloid STAT3 promotes formation of colitis-associated colorectal cancer in mice. <i>Onc Immunology</i> , 2015, 4, e998529.	4.6	24
117	NKG2D Promotes B1a Cell Development and Protection against Bacterial Infection. <i>Journal of Immunology</i> , 2017, 198, 1531-1542.	0.8	24
118	Cdk6 contributes to cytoskeletal stability in erythroid cells. <i>Haematologica</i> , 2017, 102, 995-1005.	3.5	24
119	CCL2 is a KIT D816V-dependent modulator of the bone marrow microenvironment in systemic mastocytosis. <i>Blood</i> , 2017, 129, 371-382.	1.4	24
120	Human signal transducer and activator of transcription 5b (STAT5b) mutation causes dysregulated human natural killer cell maturation and impaired lytic function. <i>Journal of Allergy and Clinical Immunology</i> , 2020, 145, 345-357.e9.	2.9	24
121	A STAT5-CD9 axis determines self-renewal in hematopoietic and leukemic stem cells. <i>Blood</i> , 2021, 138, 2347-2359.	1.4	23
122	JunB is a gatekeeper for B-lymphoid leukemia. <i>Oncogene</i> , 2007, 26, 4863-4871.	5.9	22
123	Diverging fates of cells of origin in acute and chronic leukaemia. <i>EMBO Molecular Medicine</i> , 2012, 4, 283-297.	6.9	22
124	The transcription factor HIF-1 β mediates plasticity of NKp46+ innate lymphoid cells in the gut. <i>Journal of Experimental Medicine</i> , 2022, 219, .	8.5	22
125	Natural Immunity Enhances the Activity of a DR5 Agonistic Antibody and Carboplatin in the Treatment of Ovarian Cancer. <i>Molecular Cancer Therapeutics</i> , 2010, 9, 1007-1018.	4.1	20
126	Adding a new facet to STAT5 in CML: Multitasking for leukemic cells. <i>Cell Cycle</i> , 2013, 12, 1813-1814.	2.6	20

#	ARTICLE	IF	CITATIONS
127	Blocking antibodies induced by allergen-specific immunotherapy ameliorate allergic airway disease in a human/mouse chimeric model. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2018, 73, 851-861.	5.7	19
128	Age-Related Changes in Vascular Reactivity in Genetically Diabetic Rats. <i>Pharmacology</i> , 1995, 50, 238-246.	2.2	18
129	The Tyrosine Kinase Btk Regulates the Macrophage Response to <i>Listeria monocytogenes</i> Infection. <i>PLoS ONE</i> , 2013, 8, e60476.	2.5	18
130	c-JUN prevents methylation of p16INK4a (and Cdk6): the villain turned bodyguard. <i>Oncotarget</i> , 2011, 2, 422-427.	1.8	17
131	MYC selects against reduced BCL2A1/A1 protein expression during B cell lymphomagenesis. <i>Oncogene</i> , 2017, 36, 2066-2073.	5.9	17
132	Detection of BLT substrate-specific proteases in individual human peripheral blood leucocytes and bone marrow cells. <i>Journal of Immunological Methods</i> , 1991, 142, 147-155.	1.4	16
133	Reliance on Cox10 and oxidative metabolism for antigen-specific NK cell expansion. <i>Cell Reports</i> , 2021, 35, 109209.	6.4	16
134	Proposed Diagnostic Criteria and Classification of Canine Mast Cell Neoplasms: A Consensus Proposal. <i>Frontiers in Veterinary Science</i> , 2021, 8, 755258.	2.2	16
135	Lactotransferrin-Cre reporter mice trace neutrophils, monocytes/macrophages and distinct subtypes of dendritic cells. <i>Haematologica</i> , 2014, 99, 1006-1015.	3.5	15
136	NK cell development in bone marrow and liver: site matters. <i>Genes and Immunity</i> , 2014, 15, 584-587.	4.1	15
137	Increased NK cell immunity in a transgenic mouse model of Nkp46 overexpression. <i>Scientific Reports</i> , 2017, 7, 13090.	3.3	15
138	STAT1 Isoforms Differentially Regulate NK Cell Maturation and Anti-tumor Activity. <i>Frontiers in Immunology</i> , 2020, 11, 2189.	4.8	15
139	Untwining Anti-Tumor and Immunosuppressive Effects of JAK Inhibitors: A Strategy for Hematological Malignancies?. <i>Cancers</i> , 2021, 13, 2611.	3.7	15
140	Loss of STAT3 in Lymphoma Relaxes NK Cell-Mediated Tumor Surveillance. <i>Cancers</i> , 2014, 6, 193-210.	3.7	13
141	Novel non-canonical role of STAT1 in Natural Killer cell cytotoxicity. <i>Oncolmmunology</i> , 2016, 5, e1186314.	4.6	13
142	Therapeutic Vulnerabilities in FLT3-Mutant AML Unmasked by Palbociclib. <i>International Journal of Molecular Sciences</i> , 2018, 19, 3987.	4.1	13
143	NK Cells Require Cell-Extrinsic and -Intrinsic TYK2 for Full Functionality in Tumor Surveillance and Antibacterial Immunity. <i>Journal of Immunology</i> , 2019, 202, 1724-1734.	0.8	13
144	Selective reconstitution of IFN γ gene function in Ncr1+ NK cells is sufficient to control systemic vaccinia virus infection. <i>PLoS Pathogens</i> , 2020, 16, e1008279.	4.7	13

#	ARTICLE	IF	CITATIONS
145	Acceleration of Bcr-Abl+ leukemia induced by deletion of JAK2. <i>Leukemia</i> , 2014, 28, 1918-1922.	7.2	12
146	STAT5BN642H drives transformation of NKT cells: a novel mouse model for CD56+ T-LGL leukemia. <i>Leukemia</i> , 2019, 33, 2336-2340.	7.2	12
147	Myeloid Cells Restrict MCMV and Drive Stress-Induced Extramedullary Hematopoiesis through STAT1. <i>Cell Reports</i> , 2019, 26, 2394-2406.e5.	6.4	12
148	Effects of type I-interferons on human thyroid epithelial cells derived from normal and tumour tissue. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 1994, 350, 322-8.	3.0	11
149	Expansion of <i>Bcr-Abl</i> ⁺ cells requires <i>PAK2</i> but not <i>PAK1</i> . <i>British Journal of Haematology</i> , 2017, 179, 229-241.	2.5	11
150	Inducible deletion of CDK4 and CDK6 deciphers CDK4/6 inhibitor effects in the hematopoietic system. <i>Haematologica</i> , 2021, 106, 2624-2632.	3.5	11
151	Precision Medicine in Hematology 2021: Definitions, Tools, Perspectives, and Open Questions. <i>HemaSphere</i> , 2021, 5, e536.	2.7	11
152	Commentary on H. Ide et al., "Tyk2 expression and its signaling enhances the invasiveness of prostate cancer cells". <i>Biochemical and Biophysical Research Communications</i> , 2008, 366, 869-870.	2.1	10
153	Serine phosphorylation of the Stat5a C-terminus is a driving force for transformation. <i>Frontiers in Bioscience - Landmark</i> , 2011, 16, 3043.	3.0	10
154	STAT1-S727 - the license to kill. <i>Oncolmmunology</i> , 2014, 3, e955441.	4.6	9
155	Stat5 gene dosage in T cells modulates CD8+T-cell homeostasis and attenuates contact hypersensitivity response in mice. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2015, 70, 67-79.	5.7	9
156	Loss of NKG2D in murine NK cells leads to increased perforin production upon long-term stimulation with IL-2. <i>European Journal of Immunology</i> , 2020, 50, 880-890.	2.9	9
157	Repurposing Treprostinil for Enhancing Hematopoietic Progenitor Cell Transplantation. <i>Molecular Pharmacology</i> , 2016, 89, 630-644.	2.3	8
158	Isolation, Maintenance and Expansion of Adult Hematopoietic Stem/Progenitor Cells and Leukemic Stem Cells. <i>Cancers</i> , 2022, 14, 1723.	3.7	8
159	PhosphoProfiling Linking Biology and Clinics in Pediatric Acute Myeloid Leukemia. <i>HemaSphere</i> , 2020, 4, e312.	2.7	7
160	Triple-negative breast cancer cells rely on kinase-independent functions of CDK8 to evade NK-cell-mediated tumor surveillance. <i>Cell Death and Disease</i> , 2021, 12, 991.	6.3	7
161	In vivo and in vitro primed lymphocytes correlation of cytochemically detected BLT-specific lymphoid serine protease with cytotoxic activity. <i>Journal of Immunological Methods</i> , 1993, 160, 173-180.	1.4	6
162	Kinetics of CD4+ lymphocytes in brown trout after exposure to viral haemorrhagic septicaemia virus. <i>Journal of Fish Diseases</i> , 2021, 44, 1553-1562.	1.9	6

#	ARTICLE	IF	CITATIONS
163	Cooperation of ETV6/RUNX1 and BCL2 enhances immunoglobulin production and accelerates glomerulonephritis in transgenic mice. <i>Oncotarget</i> , 2016, 7, 12191-12205.	1.8	6
164	CDK6 Degradation Is Counteracted by p16INK4A and p18INK4C in AML. <i>Cancers</i> , 2022, 14, 1554.	3.7	6
165	Signal interception-based therapies – A double-edged sword in Bcr/abl-induced malignancies?. <i>Leukemia and Lymphoma</i> , 2008, 49, 620-624.	1.3	5
166	Variants in STAT5B Associate with Serum TC and LDL-C Levels. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2011, 96, E1496-E1501.	3.6	5
167	Cdk6: At the interface of Rb and p53. <i>Molecular and Cellular Oncology</i> , 2018, 5, e1511206.	0.7	5
168	ASK1 suppresses NK cell-mediated intravascular tumor cell clearance in lung metastasis. <i>Cancer Science</i> , 2021, 112, 1633-1643.	3.9	5
169	Modeling BCR/ABL-Driven Malignancies in the Mouse. <i>Methods in Molecular Biology</i> , 2015, 1267, 263-282.	0.9	5
170	A robust approach for the generation of functional hematopoietic progenitor cell lines to model leukemic transformation. <i>Blood Advances</i> , 2021, 5, 39-53.	5.2	5
171	Generation of a Transgenic Mouse with Inducible Constitutively Active Stat5a,. <i>Blood</i> , 2011, 118, 3399-3399.	1.4	5
172	Treatment of a patient with malignant mesothelioma with interferon- γ based on in vitro sensitivity tests. <i>The Clinical Investigator</i> , 1994, 72, 317-20.	0.6	4
173	The Effect of CDK6 Expression on DNA Methylation and DNMT3B Regulation. <i>IScience</i> , 2020, 23, 101602.	4.1	4
174	T Cell-Intrinsic CDK6 Is Dispensable for Anti-Viral and Anti-Tumor Responses In Vivo. <i>Frontiers in Immunology</i> , 2021, 12, 650977.	4.8	4
175	Mir-15/16 Antagonizes Myb To Control Natural Killer Cell Differentiation and Maturation. <i>Blood</i> , 2013, 122, 17-17.	1.4	4
176	Targeting Apoptosis Pathways With BCL2 and MDM2 Inhibitors in Adult B-cell Acute Lymphoblastic Leukemia. <i>HemaSphere</i> , 2022, 6, e701.	2.7	4
177	<i>Listeria monocytogenes</i> infection rewires host metabolism with regulatory input from type I interferons. <i>PLoS Pathogens</i> , 2021, 17, e1009697.	4.7	3
178	Bcl-2. <i>Oncolmmunology</i> , 2012, 1, 749-750.	4.6	2
179	Declined presentation. <i>Experimental Hematology</i> , 2013, 41, S48.	0.4	2
180	It is a differentiation game: STAT5 in a new role. <i>Cell Death and Differentiation</i> , 2017, 24, 953-954.	11.2	2

#	ARTICLE	IF	CITATIONS
181	p27 in FLT3-driven acute myeloid leukemia: many roads lead to ruin. <i>Haematologica</i> , 2017, 102, 1299-1301.	3.5	2
182	Incidence and phenotype restriction of lymphoid BLT-serine protease granules in spontaneously diabetes prone BB rats compared with a normal rat strain. <i>Journal of Autoimmunity</i> , 1992, 5, 581-590.	6.5	1
183	Evaluation of Stat5 as a potential drug target in bcr/abl-induced leukemias. <i>BMC Pharmacology</i> , 2008, 8, A4.	0.4	1
184	The transcription factor STAT5 drives mutation and imatinib resistance in chronic myeloid leukemia via ROS production. <i>BMC Pharmacology</i> , 2011, 11, .	0.4	1
185	The Oncogenic Transcription Factor STAT5 Triggers Aberrant Expression Of CD25 (IL-2RA) In Neoplastic Stem Cells In Ph+ CML. <i>Blood</i> , 2013, 122, 3979-3979.	1.4	1
186	New and Highly Efficient Therapy for Treatment NPM-ALK Associated Lymphomas. <i>Blood</i> , 2011, 118, 1659-1659.	1.4	1
187	Oncogenic TYK2 ^{P760L} kinase is effectively targeted by combinatorial TYK2, mTOR and CDK4/6 kinase blockade. <i>Haematologica</i> , 2022, , .	3.5	1
188	Second hit influences the interaction between tumor cells and the immune system in a murine model of Burkitt's lymphoma. <i>BMC Pharmacology</i> , 2008, 8, .	0.4	0
189	STAT1 Ser727 is a key regulator for NK cell-mediated cytotoxicity and tumor surveillance. <i>BMC Pharmacology</i> , 2008, 8, .	0.4	0
190	Unexpected role of STAT1 serine727 for NK cell function. <i>BMC Pharmacology</i> , 2009, 9, .	0.4	0
191	Screening for serine/threonine kinases phosphorylating Stat5. <i>BMC Pharmacology</i> , 2011, 11, A33.	0.4	0
192	PI3K is indispensable for CTL-mediated cytotoxicity. <i>BMC Pharmacology</i> , 2011, 11, .	0.4	0
193	STAT Transcription Factors: Controlling All Aspects of NK Cell Biology. , 2012, , 187-204.		0
194	Targeting PI3K. <i>Oncolmunology</i> , 2013, 2, e22272.	4.6	0
195	Bcr-Abl Directly Activates Stat5 Independent of Jak2. <i>Blood</i> , 2010, 116, 511-511.	1.4	0
196	A New Prognostic Score for Aggressive B-Cell Lymphoma with C-MYC Translocation Integrating Clinical and Genetic Features.. <i>Blood</i> , 2012, 120, 2685-2685.	1.4	0
197	3092 is a CDK6 IN HEMATOPOIETIC STEM CELLS: MORE THAN A CELL CYCLE KINASE. <i>Experimental Hematology</i> , 2021, 100, S87.	0.4	0