
Takafumi Miyamoto

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2090045/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Morphological and functional adaptation of pancreatic islet blood vessels to insulin resistance is impaired in diabetic db/db mice. Biochimica Et Biophysica Acta - Molecular Basis of Disease, 2022, 1868, 166339.	1.8	4
2	<scp>ELOVL5</scp> â€mediated fatty acid elongation promotes cellular proliferation and invasion in renal cell carcinoma. Cancer Science, 2022, 113, 2738-2752.	1.7	14
3	Starvationâ€induced transcription factor CREBH negatively governs body growth by controlling GH signaling. FASEB Journal, 2021, 35, e21663.	0.2	6
4	Heme oxygenase-1 induction by heat shock in rat hepatoma cell line is regulated by the coordinated function of HSF1, NRF2, AND BACH1. Journal of Biochemistry, 2021, 170, 501-510.	0.9	3
5	CtBP2 confers protection against oxidative stress through interactions with NRF1 and NRF2. Biochemical and Biophysical Research Communications, 2021, 562, 146-153.	1.0	5
6	Rapid manipulation of mitochondrial morphology in a living cell with iCMM. Cell Reports Methods, 2021, 1, 100052.	1.4	10
7	Protocol for rapid manipulation of mitochondrial morphology in living cells using inducible counter mitochondrial morphology (iCMM). STAR Protocols, 2021, 2, 100721.	0.5	1
8	High protein diet-induced metabolic changes are transcriptionally regulated via KLF15-dependent and independent pathways. Biochemical and Biophysical Research Communications, 2021, 582, 35-42.	1.0	6
9	The transcriptional corepressor CtBP2 serves as a metabolite sensor orchestrating hepatic glucose and lipid homeostasis. Nature Communications, 2021, 12, 6315.	5.8	12
10	ELOVL2 promotes cancer progression by inhibiting cell apoptosis in renal cell carcinoma. Oncology Reports, 2021, 47, .	1.2	17
11	FoxO-KLF15 pathway switches the flow of macronutrients under the control of insulin. IScience, 2021, 24, 103446.	1.9	6
12	Hepatocyte ELOVL Fatty Acid Elongase 6 Determines Ceramide Acylâ€Chain Length and Hepatic Insulin Sensitivity in Mice. Hepatology, 2020, 71, 1609-1625.	3.6	44
13	Transcriptional co-repressor CtBP2 orchestrates epithelial-mesenchymal transition through a novel transcriptional holocomplex with OCT1. Biochemical and Biophysical Research Communications, 2020, 523, 354-360.	1.0	12
14	Glucocorticoid receptor suppresses gene expression of Revâ€erbα (Nr1d1) through interaction with the <scp>CLOCK</scp> complex. FEBS Letters, 2019, 593, 423-432.	1.3	21
15	Octacosanol and policosanol prevent high-fat diet-induced obesity and metabolic disorders by activating brown adipose tissue and improving liver metabolism. Scientific Reports, 2019, 9, 5169.	1.6	31
16	Rhoâ€associated, coiledâ€coilâ€containing protein kinaseÂ1 as a new player in the regulation of hepatic lipogenesis. Journal of Diabetes Investigation, 2019, 10, 1165-1167.	1.1	4
17	Cellular Application of Genetically Encoded Sensors and Impeders of AMPK. Methods in Molecular Biology, 2018, 1732, 255-272.	0.4	5
18	Argininosuccinate synthase 1 is an intrinsic Akt repressor transactivated by p53. Science Advances, 2017, 3, e1603204.	4.7	40

Τακαγμη Μιγαμότο

#	Article	IF	CITATIONS
19	Identification of a p53 target, CD137L, that mediates growth suppression and immune response of osteosarcoma cells. Scientific Reports, 2017, 7, 10739.	1.6	3
20	Regulation of tubular recycling endosome biogenesis by the p53-MICALL1 pathway. International Journal of Oncology, 2017, 51, 724-736.	1.4	6
21	Identification of a novel p53 target, COL17A1, that inhibits breast cancer cell migration and invasion. Oncotarget, 2017, 8, 55790-55803.	0.8	58
22	Identification of a p53-repressed gene module in breast cancer cells. Oncotarget, 2017, 8, 55821-55836.	0.8	6
23	Opening the conformation is a master switch for the dual localization and phosphatase activity of PTEN. Scientific Reports, 2015, 5, 12600.	1.6	18
24	Compartmentalized AMPK Signaling Illuminated by Genetically Encoded Molecular Sensors and Actuators. Cell Reports, 2015, 11, 657-670.	2.9	83
25	Deconvoluting AMPK dynamics. Oncotarget, 2015, 6, 30431-30432.	0.8	4
26	Manipulating signaling at will: chemically-inducible dimerization (CID) techniques resolve problems in cell biology. Pflugers Archiv European Journal of Physiology, 2013, 465, 409-417.	1.3	198
27	A positive role of mammalian Tip41â€like protein, TIPRL, in the aminoâ€acid dependent mTORC1â€signaling pathway through interaction with PP2A. FEBS Letters, 2013, 587, 2924-2929.	1.3	37
28	Synthesizing Biomolecule-Based Boolean Logic Gates. ACS Synthetic Biology, 2013, 2, 72-82.	1.9	133
29	Identification of 14-3-3Î ³ as a Mieap-interacting protein and its role in mitochondrial quality control. Scientific Reports, 2012, 2, 379.	1.6	12
30	Rapid and orthogonal logic gating with a gibberellin-induced dimerization system. Nature Chemical Biology, 2012, 8, 465-470.	3.9	183
31	Possible Existence of Lysosome-Like Organella within Mitochondria and Its Role in Mitochondrial Quality Control. PLoS ONE, 2011, 6, e16054.	1.1	63
32	Mieap, a p53-Inducible Protein, Controls Mitochondrial Quality by Repairing or Eliminating Unhealthy Mitochondria. PLoS ONE, 2011, 6, e16060.	1.1	89
33	AMPâ€activated protein kinase phosphorylates glutamineÂ:Âfructoseâ€6â€phosphate amidotransferase 1 at Ser243 to modulate its enzymatic activity. Genes To Cells, 2009, 14, 179-189.	0.5	79
34	AMP-activated Protein Kinase Phosphorylates Golgi-specific Brefeldin A Resistance Factor 1 at Thr1337 to Induce Disassembly of Golgi Apparatus. Journal of Biological Chemistry, 2008, 283, 4430-4438.	1.6	41
35	The Proline-rich Akt Substrate of 40 kDa (PRAS40) Is a Physiological Substrate of Mammalian Target of Rapamycin Complex 1*. Journal of Biological Chemistry, 2007, 282, 20329-20339.	1.6	275
36	Identification of TBC7 having TBC domain as a novel binding protein to TSC1–TSC2 complex. Biochemical and Biophysical Research Communications, 2007, 361, 218-223.	1.0	31