

# Tjeerd Pieter van Staa

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/2090264/tjeerd-pieter-van-staa-publications-by-citations.pdf>

**Version:** 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

206  
papers

9,279  
citations

46  
h-index

91  
g-index

219  
ext. papers

10,869  
ext. citations

4.8  
avg, IF

6.18  
L-index

#	Paper	IF	Citations
206	Data Resource Profile: Clinical Practice Research Datalink (CPRD). <i>International Journal of Epidemiology</i> , <b>2015</b> , 44, 827-36	7.8	1379
205	Epidemiology of childhood fractures in Britain: a study using the general practice research database. <i>Journal of Bone and Mineral Research</i> , <b>2004</b> , 19, 1976-81	6.3	414
204	A meta-analysis of the association of fracture risk and body mass index in women. <i>Journal of Bone and Mineral Research</i> , <b>2014</b> , 29, 223-33	6.3	291
203	Risks of stroke and mortality associated with suboptimal anticoagulation in atrial fibrillation patients. <i>Thrombosis and Haemostasis</i> , <b>2011</b> , 106, 968-77	7	272
202	Recent advances in the utility and use of the General Practice Research Database as an example of a UK Primary Care Data resource. <i>Therapeutic Advances in Drug Safety</i> , <b>2012</b> , 3, 89-99	3.5	238
201	Completeness and diagnostic validity of recording acute myocardial infarction events in primary care, hospital care, disease registry, and national mortality records: cohort study. <i>BMJ, The</i> , <b>2013</b> , 346, f2350	5.9	234
200	Fracture risk with intermittent high-dose oral glucocorticoid therapy. <i>Arthritis and Rheumatism</i> , <b>2007</b> , 56, 208-14		209
199	Epidemiology of fractures in the United Kingdom 1988-2012: Variation with age, sex, geography, ethnicity and socioeconomic status. <i>Bone</i> , <b>2016</b> , 87, 19-26	4.7	196
198	A comparison of risk stratification schemes for stroke in 79,884 atrial fibrillation patients in general practice. <i>Journal of Thrombosis and Haemostasis</i> , <b>2011</b> , 9, 39-48	15.4	193
197	Good research practices for comparative effectiveness research: approaches to mitigate bias and confounding in the design of nonrandomized studies of treatment effects using secondary data sources: the International Society for Pharmacoeconomics and Outcomes Research Good Research Practices for Retrospective Database Analysis Task Force Report--Part II. <i>Value in Health</i> , <b>2009</b> , 12, 1053-61	3.3	192
196	Mortality associations with long-term exposure to outdoor air pollution in a national English cohort. <i>American Journal of Respiratory and Critical Care Medicine</i> , <b>2013</b> , 187, 1226-33	10.2	184
195	Long-term exposure to outdoor air pollution and incidence of cardiovascular diseases. <i>Epidemiology</i> , <b>2013</b> , 24, 44-53	3.1	174
194	Chronic atrial fibrillation: Incidence, prevalence, and prediction of stroke using the Congestive heart failure, Hypertension, Age >75, Diabetes mellitus, and prior Stroke or transient ischemic attack (CHADS2) risk stratification scheme. <i>American Heart Journal</i> , <b>2008</b> , 156, 57-64	4.9	172
193	Incidence of fractures among epilepsy patients: a population-based retrospective cohort study in the General Practice Research Database. <i>Epilepsia</i> , <b>2005</b> , 46, 304-10	6.4	167
192	Rates of hypoglycemia in users of sulfonylureas. <i>Journal of Clinical Epidemiology</i> , <b>1997</b> , 50, 735-41	5.7	160
191	Continued high rates of antibiotic prescribing to adults with respiratory tract infection: survey of 568 UK general practices. <i>BMJ Open</i> , <b>2014</b> , 4, e006245	3	152
190	Impact of statin related media coverage on use of statins: interrupted time series analysis with UK primary care data. <i>BMJ, The</i> , <b>2016</b> , 353, i3283	5.9	130

189	Ankylosing spondylitis and the risk of fracture: results from a large primary care-based nested case-control study. <i>Annals of the Rheumatic Diseases</i> , <b>2009</b> , 68, 1839-42	2.4	130
188	Comparative Performance of ATRIA, CHADS2, and CHA2DS2-VASc Risk Scores Predicting Stroke in Patients With Atrial Fibrillation: Results From a National Primary Care Database. <i>Journal of the American College of Cardiology</i> , <b>2015</b> , 66, 1851-9	15.1	116
187	Antidepressant prescribing in five European countries: application of common definitions to assess the prevalence, clinical observations, and methodological implications. <i>European Journal of Clinical Pharmacology</i> , <b>2014</b> , 70, 849-57	2.8	110
186	SLCO1B1 genetic variant associated with statin-induced myopathy: a proof-of-concept study using the clinical practice research datalink. <i>Clinical Pharmacology and Therapeutics</i> , <b>2013</b> , 94, 695-701	6.1	110
185	Risk of hip/femur fracture after stroke: a population-based case-control study. <i>Stroke</i> , <b>2009</b> , 40, 3281-5	6.7	107
184	Cancer recording and mortality in the General Practice Research Database and linked cancer registries. <i>Pharmacoepidemiology and Drug Safety</i> , <b>2013</b> , 22, 168-75	2.6	106
183	Fracture outcomes related to persistence and compliance with oral bisphosphonates. <i>Journal of Bone and Mineral Research</i> , <b>2008</b> , 23, 1569-75	6.3	106
182	Glucose-lowering agents and the patterns of risk for cancer: a study with the General Practice Research Database and secondary care data. <i>Diabetologia</i> , <b>2012</b> , 55, 654-65	10.3	95
181	Long-term exposure to outdoor air pollution and the incidence of chronic obstructive pulmonary disease in a national English cohort. <i>Occupational and Environmental Medicine</i> , <b>2015</b> , 72, 42-8	2.1	86
180	The risk of fracture in patients with multiple sclerosis: the UK general practice research database. <i>Journal of Bone and Mineral Research</i> , <b>2011</b> , 26, 2271-9	6.3	84
179	Angiotensin receptor blockers and risk of cancer: cohort study among people receiving antihypertensive drugs in UK General Practice Research Database. <i>BMJ, The</i> , <b>2012</b> , 344, e2697	5.9	81
178	Use of proton pump inhibitors and risk of hip/femur fracture: a population-based case-control study. <i>Osteoporosis International</i> , <b>2011</b> , 22, 903-10	5.3	79
177	Incidence of skeletal complications during treatment of childhood acute lymphoblastic leukemia: comparison of fracture risk with the General Practice Research Database. <i>Pediatric Blood and Cancer</i> , <b>2007</b> , 48, 21-7	3	79
176	Reply to letter by Peterson & Naunton [safety of ibuprofen vs. paracetamol]. <i>British Journal of Clinical Pharmacology</i> , <b>2011</b> , 71, 965-965	3.8	78
175	Use of antidepressant drugs and risk of osteoporotic and non-osteoporotic fractures. <i>Bone</i> , <b>2010</b> , 47, 604-9	4.7	76
174	Causes of death in patients with multiple sclerosis and matched referent subjects: a population-based cohort study. <i>European Journal of Neurology</i> , <b>2012</b> , 19, 1007-14	6	68
173	Clopidogrel discontinuation after acute coronary syndromes: frequency, predictors and associations with death and myocardial infarction--a hospital registry-primary care linked cohort (MINAP-GPRD). <i>European Heart Journal</i> , <b>2011</b> , 32, 2376-86	9.5	63
172	Exploiting the potential of large databases of electronic health records for research using rapid search algorithms and an intuitive query interface. <i>Journal of the American Medical Informatics Association: JAMIA</i> , <b>2014</b> , 21, 292-8	8.6	61

171	Risk of aplastic anemia in patients using antiepileptic drugs. <i>Epilepsia</i> , <b>2006</b> , 47, 1232-6	6.4	60
170	Selective decrease in consultations and antibiotic prescribing for acute respiratory tract infections in UK primary care up to 2006. <i>Journal of Public Health</i> , <b>2009</b> , 31, 512-20	3.5	59
169	Risk of hip/femur fractures in patients using antipsychotics. <i>Bone</i> , <b>2005</b> , 37, 864-70	4.7	58
168	Electronic health records for intervention research: a cluster randomized trial to reduce antibiotic prescribing in primary care (eCRT study). <i>Annals of Family Medicine</i> , <b>2014</b> , 12, 344-51	2.9	56
167	Timing of acute myocardial infarction in patients undergoing total hip or knee replacement: a nationwide cohort study. <i>Archives of Internal Medicine</i> , <b>2012</b> , 172, 1229-35		56
166	Burden of pelvis fracture: a population-based study of incidence, hospitalisation and mortality. <i>Osteoporosis International</i> , <b>2012</b> , 23, 2797-803	5.3	55
165	Lithium use and the risk of fractures. <i>Bone</i> , <b>2007</b> , 40, 1252-8	4.7	53
164	Ethnic and geographic variations in the epidemiology of childhood fractures in the United Kingdom. <i>Bone</i> , <b>2016</b> , 85, 9-14	4.7	53
163	Anti-osteoporosis drug prescribing after hip fracture in the UK: 2000-2010. <i>Osteoporosis International</i> , <b>2015</b> , 26, 1919-28	5.3	51
162	Trends in oral anti-osteoporosis drug prescription in the United Kingdom between 1990 and 2012: Variation by age, sex, geographic location and ethnicity. <i>Bone</i> , <b>2017</b> , 94, 50-55	4.7	47
161	Elevated risk of clinical fractures and associated risk factors in patients with systemic lupus erythematosus versus matched controls: a population-based study in the United Kingdom. <i>Osteoporosis International</i> , <b>2014</b> , 25, 1275-83	5.3	46
160	Bridging differences in outcomes of pharmacoepidemiological studies: design and first results of the PROTECT project. <i>Current Clinical Pharmacology</i> , <b>2014</b> , 9, 130-8	2.5	43
159	Risk of mortality (including sudden cardiac death) and major cardiovascular events in atypical and typical antipsychotic users: a study with the general practice research database. <i>Cardiovascular Psychiatry and Neurology</i> , <b>2013</b> , 2013, 247486		43
158	Population-based cohort study of warfarin-treated patients with atrial fibrillation: incidence of cardiovascular and bleeding outcomes. <i>BMJ Open</i> , <b>2014</b> , 4, e003839	3	42
157	Prediction of cardiovascular risk using Framingham, ASSIGN and QRISK2: how well do they predict individual rather than population risk?. <i>PLoS ONE</i> , <b>2014</b> , 9, e106455	3.7	41
156	Secular trends in fracture incidence in the UK between 1990 and 2012. <i>Osteoporosis International</i> , <b>2016</b> , 27, 3197-3206	5.3	40
155	Changes in mortality patterns following total hip or knee arthroplasty over the past two decades: a nationwide cohort study. <i>Arthritis and Rheumatology</i> , <b>2014</b> , 66, 311-8	9.5	40
154	A comparison of cost effectiveness using data from randomized trials or actual clinical practice: selective cox-2 inhibitors as an example. <i>PLoS Medicine</i> , <b>2009</b> , 6, e1000194	11.6	40

153	Upper gastrointestinal adverse events and cyclical etidronate. <i>American Journal of Medicine</i> , <b>1997</b> , 103, 462-7	2.4	39
152	Concomitant use of ibuprofen and paracetamol and the risk of major clinical safety outcomes. <i>British Journal of Clinical Pharmacology</i> , <b>2010</b> , 70, 429-38	3.8	37
151	Validating childhood asthma in an epidemiological study using linked electronic patient records. <i>BMJ Open</i> , <b>2014</b> , 4, e005345	3	34
150	Impact of clinical trial findings on Bell's palsy management in general practice in the UK 2001-2012: interrupted time series regression analysis. <i>BMJ Open</i> , <b>2013</b> , 3,	3	34
149	Use of organic nitrates and the risk of hip fracture: a population-based case-control study. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2010</b> , 95, 1924-31	5.6	34
148	A nationwide cohort study of slipped capital femoral epiphysis. <i>Archives of Disease in Childhood</i> , <b>2017</b> , 102, 1132-1136	2.2	33
147	Timing of stroke in patients undergoing total hip replacement and matched controls: a nationwide cohort study. <i>Stroke</i> , <b>2012</b> , 43, 3225-9	6.7	33
146	Risk of fracture with thiazolidinediones: an individual patient data meta-analysis. <i>Frontiers in Endocrinology</i> , <b>2013</b> , 4, 11	5.7	32
145	Incidence of fractures in patients with multiple sclerosis: the Danish National Health Registers. <i>Multiple Sclerosis Journal</i> , <b>2012</b> , 18, 622-7	5	32
144	Statin treatment and muscle symptoms: series of randomised, placebo controlled n-of-1 trials. <i>BMJ, The</i> , <b>2021</b> , 372, n135	5.9	32
143	Utilization characteristics and treatment persistence in patients prescribed low-dose buprenorphine patches in primary care in the United Kingdom: a retrospective cohort study. <i>Clinical Therapeutics</i> , <b>2009</b> , 31, 1707-15	3.5	31
142	Genomewide Association Study of Statin-Induced Myopathy in Patients Recruited Using the UK Clinical Practice Research Datalink. <i>Clinical Pharmacology and Therapeutics</i> , <b>2019</b> , 106, 1353-1361	6.1	28
141	Antibiotic prescribing for common infections in UK general practice: variability and drivers. <i>Journal of Antimicrobial Chemotherapy</i> , <b>2019</b> , 74, 2440-2450	5.1	28
140	The patterns of anticoagulation control and the risk of stroke, bleeding and mortality in patients with non-valvular atrial fibrillation. <i>Journal of Thrombosis and Haemostasis</i> , <b>2013</b> , 11, 107-15	15.4	28
139	Long-acting {beta}2-agonists in adult asthma and the pattern of risk of death and severe asthma outcomes: a study using the GPRD. <i>European Respiratory Journal</i> , <b>2010</b> , 36, 494-502	13.6	28
138	Use of thiazolidinediones and risk of osteoporotic fracture: disease or drugs?. <i>Pharmacoepidemiology and Drug Safety</i> , <b>2012</b> , 21, 507-14	2.6	26
137	Use of beta2 agonists and risk of acute myocardial infarction in patients with hypertension. <i>British Journal of Clinical Pharmacology</i> , <b>2008</b> , 65, 580-6	3.8	26
136	Text messaging reminders for influenza vaccine in primary care: a cluster randomised controlled trial (TXT4FLUJAB). <i>BMJ Open</i> , <b>2016</b> , 6, e010069	3	26

135	Risk of spontaneous abortion and other pregnancy outcomes in 15-25 year old women exposed to human papillomavirus-16/18 AS04-adjuvanted vaccine in the United Kingdom. <i>Vaccine</i> , <b>2015</b> , 33, 6884-94 <sup>1</sup>	4.1	25
134	The epidemiology of mortality after fracture in England: variation by age, sex, time, geographic location, and ethnicity. <i>Osteoporosis International</i> , <b>2017</b> , 28, 161-168	5.3	25
133	Risk of Mortality (including Sudden Cardiac Death) and Major Cardiovascular Events in Users of Olanzapine and Other Antipsychotics: A Study with the General Practice Research Database. <i>Cardiovascular Psychiatry and Neurology</i> , <b>2013</b> , 2013, 647476		25
132	Risk of death and cardiovascular outcomes with thiazolidinediones: a study with the general practice research database and secondary care data. <i>PLoS ONE</i> , <b>2011</b> , 6, e28157	3.7	25
131	Dopaminergic drugs and the risk of hip or femur fracture: a population-based case-control study. <i>Osteoporosis International</i> , <b>2011</b> , 22, 2197-204	5.3	24
130	The successful uptake and sustainability of rapid infectious disease and antimicrobial resistance point-of-care testing requires a complex 'mix-and-match' implementation package. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , <b>2019</b> , 38, 1015-1022	5.3	23
129	Using marginal structural models to adjust for treatment drop-in when developing clinical prediction models. <i>Statistics in Medicine</i> , <b>2018</b> , 37, 4142-4154	2.3	23
128	Cancer recording in patients with and without type 2 diabetes in the Clinical Practice Research Datalink primary care data and linked hospital admission data: a cohort study. <i>BMJ Open</i> , <b>2018</b> , 8, e020827	2.7	23
127	Cluster randomized trials utilizing primary care electronic health records: methodological issues in design, conduct, and analysis (eCRT Study). <i>Trials</i> , <b>2014</b> , 15, 220	2.8	23
126	Cluster randomised trial in the General Practice Research Database: 1. Electronic decision support to reduce antibiotic prescribing in primary care (eCRT study). <i>Trials</i> , <b>2011</b> , 12, 115	2.8	23
125	Patterns of risk of cancer in patients with metal-on-metal hip replacements versus other bearing surface types: a record linkage study between a prospective joint registry and general practice electronic health records in England. <i>PLoS ONE</i> , <b>2013</b> , 8, e65891	3.7	23
124	Eligibility and subsequent burden of cardiovascular disease of four strategies for blood pressure-lowering treatment: a retrospective cohort study. <i>Lancet, The</i> , <b>2019</b> , 394, 663-671	4.0	22
123	Real-Life and RCT Participants: Alendronate Users Versus FITs' Trial Eligibility Criterion. <i>Calcified Tissue International</i> , <b>2016</b> , 99, 243-9	3.9	22
122	Assumptions made when preparing drug exposure data for analysis have an impact on results: An unreported step in pharmacoepidemiology studies. <i>Pharmacoepidemiology and Drug Safety</i> , <b>2018</b> , 27, 781-788	2.6	21
121	Regional and temporal variation in the treatment of rheumatoid arthritis across the UK: a descriptive register-based cohort study. <i>BMJ Open</i> , <b>2012</b> , 2,	3	21
120	Understanding inconsistency in the results from observational pharmacoepidemiological studies: the case of antidepressant use and risk of hip/femur fractures. <i>Pharmacoepidemiology and Drug Safety</i> , <b>2016</b> , 25 Suppl 1, 88-102	2.6	21
119	Protocol for the development of a CONSORT extension for RCTs using cohorts and routinely collected health data. <i>Research Integrity and Peer Review</i> , <b>2018</b> , 3, 9	6.1	21
118	Predictors and outcomes of increases in creatine phosphokinase concentrations or rhabdomyolysis risk during statin treatment. <i>British Journal of Clinical Pharmacology</i> , <b>2014</b> , 78, 649-59	3.8	20

117	Point-of-care cluster randomized trial in stroke secondary prevention using electronic health records. <i>Stroke</i> , <b>2014</b> , 45, 2066-71	6.7	20
116	Safety of saxagliptin: rationale for and design of a series of postmarketing observational studies. <i>Pharmacoepidemiology and Drug Safety</i> , <b>2012</b> , 21, 1202-15	2.6	20
115	Risk of fracture with thiazolidinediones: disease or drugs?. <i>Calcified Tissue International</i> , <b>2012</b> , 90, 450-7	3.9	20
114	The risk of fracture in incident multiple sclerosis patients: the Danish National Health Registers. <i>Multiple Sclerosis Journal</i> , <b>2012</b> , 18, 1609-16	5	20
113	Safety and efficacy of new oral anticoagulants and low-molecular-weight heparins compared with aspirin in patients undergoing total knee and hip replacements. <i>Pharmacoepidemiology and Drug Safety</i> , <b>2016</b> , 25, 1245-1252	2.6	20
112	Performance of prior event rate ratio adjustment method in pharmacoepidemiology: a simulation study. <i>Pharmacoepidemiology and Drug Safety</i> , <b>2015</b> , 24, 468-77	2.6	19
111	Process evaluation of a point-of-care cluster randomised trial using a computer-delivered intervention to reduce antibiotic prescribing in primary care. <i>BMC Health Services Research</i> , <b>2014</b> , 14, 594	2.9	19
110	Dangers of non-specific composite outcome measures in clinical trials. <i>BMJ, The</i> , <b>2013</b> , 347, f6782	5.9	19
109	Drug therapy for alcohol dependence in primary care in the UK: A Clinical Practice Research Datalink study. <i>PLoS ONE</i> , <b>2017</b> , 12, e0173272	3.7	19
108	The risk of major and any (non-hip) fragility fracture after hip fracture in the United Kingdom: 2000-2010. <i>Osteoporosis International</i> , <b>2014</b> , 25, 2555-63	5.3	17
107	Quantification of the risk of liver injury associated with flucloxacillin: a UK population-based cohort study. <i>Journal of Antimicrobial Chemotherapy</i> , <b>2017</b> , 72, 2636-2646	5.1	17
106	Benefit-risk assessment in a post-market setting: a case study integrating real-life experience into benefit-risk methodology. <i>Pharmacoepidemiology and Drug Safety</i> , <b>2014</b> , 23, 974-83	2.6	17
105	Sleep disturbance and the older worker: findings from the Health and Employment after Fifty study. <i>Scandinavian Journal of Work, Environment and Health</i> , <b>2017</b> , 43, 136-145	4.3	17
104	General practitioners' accounts of negotiating antibiotic prescribing decisions with patients: a qualitative study on what influences antibiotic prescribing in low, medium and high prescribing practices. <i>BMC Family Practice</i> , <b>2019</b> , 20, 172	2.6	17
103	Frailty, prefrailty and employment outcomes in Health and Employment After Fifty (HEAF) Study. <i>Occupational and Environmental Medicine</i> , <b>2017</b> , 74, 476-482	2.1	16
102	What are the benefits and harms of risk stratified screening as part of the NHS breast screening Programme? Study protocol for a multi-site non-randomised comparison of BC-predict versus usual screening (NCT04359420). <i>BMC Cancer</i> , <b>2020</b> , 20, 570	4.8	16
101	Risk of vertebral and non-vertebral fractures in patients with sarcoidosis: a population-based cohort. <i>Osteoporosis International</i> , <b>2016</b> , 27, 1603-1610	5.3	16
100	Risk of community-acquired pneumonia in chronic obstructive pulmonary disease stratified by smoking status: a population-based cohort study in the United Kingdom. <i>International Journal of COPD</i> , <b>2017</b> , 12, 2425-2432	3	15

99	Health and Employment after Fifty (HEAF): a new prospective cohort study. <i>BMC Public Health</i> , <b>2015</b> , 15, 1071	4.1	15
98	Smoking cessation interventions following acute coronary syndrome: a missed opportunity?. <i>European Journal of Preventive Cardiology</i> , <b>2014</b> , 21, 767-73	3.9	15
97	Increase in prophylaxis of glucocorticoid-induced osteoporosis by pharmacist feedback: a randomised controlled trial. <i>Osteoporosis International</i> , <b>2014</b> , 25, 385-92	5.3	15
96	Consistency of variety of machine learning and statistical models in predicting clinical risks of individual patients: longitudinal cohort study using cardiovascular disease as exemplar. <i>BMJ, The</i> , <b>2020</b> , 371, m3919	5.9	14
95	The uncertainty with using risk prediction models for individual decision making: an exemplar cohort study examining the prediction of cardiovascular disease in English primary care. <i>BMC Medicine</i> , <b>2019</b> , 17, 134	11.4	14
94	Knee arthroplasty and risk of hip fracture: a population-based, case-control study. <i>Calcified Tissue International</i> , <b>2012</b> , 90, 144-50	3.9	14
93	Left truncation results in substantial bias of the relation between time-dependent exposures and adverse events. <i>Annals of Epidemiology</i> , <b>2015</b> , 25, 590-6	6.4	13
92	Statins and Risk of Lower Limb Revision Surgery: The Influence of Differences in Study Design Using Electronic Health Records From the United Kingdom and Denmark. <i>American Journal of Epidemiology</i> , <b>2016</b> , 184, 58-66	3.8	13
91	The identification of incident cancers in UK primary care databases: a systematic review. <i>Pharmacoepidemiology and Drug Safety</i> , <b>2015</b> , 24, 11-8	2.6	13
90	Use of electronic healthcare records in large-scale simple randomized trials at the point of care for the documentation of value-based medicine. <i>Journal of Internal Medicine</i> , <b>2014</b> , 275, 562-9	10.8	13
89	Relationship between prescribing of antibiotics and other medicines in primary care: a cross-sectional study. <i>British Journal of General Practice</i> , <b>2019</b> , 69, e42-e51	1.6	13
88	Study protocol for statin web-based investigation of side effects (StatinWISE): a series of randomised controlled N-of-1 trials comparing atorvastatin and placebo in UK primary care. <i>BMJ Open</i> , <b>2017</b> , 7, e016604	3	12
87	Pharmacogenomics of statin-related myopathy: Meta-analysis of rare variants from whole-exome sequencing. <i>PLoS ONE</i> , <b>2019</b> , 14, e0218115	3.7	12
86	Risk of gastrointestinal bleeding in patients undergoing total hip or knee replacement compared with matched controls: a nationwide cohort study. <i>American Journal of Gastroenterology</i> , <b>2013</b> , 108, 1277-85	9.7	12
85	Antibiotic choice in UK general practice: rates and drivers of potentially inappropriate antibiotic prescribing. <i>Journal of Antimicrobial Chemotherapy</i> , <b>2019</b> , 74, 3371-3378	5.1	11
84	Electronic health records for biological sample collection: feasibility study of statin-induced myopathy using the Clinical Practice Research Datalink. <i>British Journal of Clinical Pharmacology</i> , <b>2014</b> , 77, 831-8	3.8	11
83	Cluster randomized trial in the general practice research database: 2. Secondary prevention after first stroke (eCRT study): study protocol for a randomized controlled trial. <i>Trials</i> , <b>2012</b> , 13, 181	2.8	11
82	Quality of INR control and outcomes following venous thromboembolism. <i>Clinical and Applied Thrombosis/Hemostasis</i> , <b>2012</b> , 18, 370-8	3.3	11



81	Cohort Multiple Randomised Controlled Trials (cmRCT) design: efficient but biased? A simulation study to evaluate the feasibility of the Cluster cmRCT design. <i>BMC Medical Research Methodology</i> , <b>2016</b> , 16, 109	4.7	11
80	Concomitant use of oral glucocorticoids and proton pump inhibitors and risk of osteoporotic fractures among patients with rheumatoid arthritis: a population-based cohort study. <i>Annals of the Rheumatic Diseases</i> , <b>2020</b> ,	2.4	11
79	The limitations of using simple definitions of glucocorticoid exposure to predict fracture risk: A cohort study. <i>Bone</i> , <b>2018</b> , 117, 83-90	4.7	11
78	Optimising case detection within UK electronic health records: use of multiple linked databases for detecting liver injury. <i>BMJ Open</i> , <b>2016</b> , 6, e012102	3	10
77	A review of the methods used to define glucocorticoid exposure and risk attribution when investigating the risk of fracture in a rheumatoid arthritis population. <i>Bone</i> , <b>2016</b> , 90, 107-15	4.7	10
76	Antibiotic prescribing patterns in general medical practices in England: Does area matter?. <i>Health and Place</i> , <b>2018</b> , 53, 10-16	4.6	10
75	Do population-level risk prediction models that use routinely collected health data reliably predict individual risks?. <i>Scientific Reports</i> , <b>2019</b> , 9, 11222	4.9	10
74	Text messaging reminders for influenza vaccine in primary care: protocol for a cluster randomised controlled trial (TXT4FLUJAB). <i>BMJ Open</i> , <b>2014</b> , 4, e004633	3	10
73	Proton pump inhibitors, fracture risk and selection bias: three studies, same database, two answers. <i>Osteoporosis International</i> , <b>2011</b> , 22, 1641-2	5.3	10
72	Individualizing the risks and benefits of postmenopausal hormone therapy. <i>Menopause</i> , <b>2008</b> , 15, 374-81	2.5	10
71	Examining the impact of data quality and completeness of electronic health records on predictions of patients' risks of cardiovascular disease. <i>International Journal of Medical Informatics</i> , <b>2020</b> , 133, 104033	5.3	10
70	Insulin glargine use and breast cancer risk: Associations with cumulative exposure. <i>Acta Oncologica</i> , <b>2016</b> , 55, 851-8	3.2	10
69	The WHEAT pilot trial-WithHolding Enteral feeds Around packed red cell Transfusion to prevent necrotising enterocolitis in preterm neonates: a multicentre, electronic patient record (EPR), randomised controlled point-of-care pilot trial. <i>BMJ Open</i> , <b>2019</b> , 9, e033543	3	10
68	The use of wearable technology to monitor physical activity in patients with COPD: a literature review. <i>International Journal of COPD</i> , <b>2019</b> , 14, 1317-1322	3	9
67	Socio-economic position and childhood multimorbidity: a study using linkage between the Avon Longitudinal Study of Parents and Children and the General Practice Research Database. <i>International Journal for Equity in Health</i> , <b>2013</b> , 12, 66	4.6	9
66	Pattern of risks of systemic lupus erythematosus among statin users: a population-based cohort study. <i>Annals of the Rheumatic Diseases</i> , <b>2017</b> , 76, 1723-1730	2.4	9
65	Resource utilization and outcomes in patients with atrial fibrillation: a case control study. <i>Applied Health Economics and Health Policy</i> , <b>2012</b> , 10, 249-59	3.4	9
64	Pattern of risks of rheumatoid arthritis among patients using statins: A cohort study with the clinical practice research datalink. <i>PLoS ONE</i> , <b>2018</b> , 13, e0193297	3.7	9

63	Job dissatisfaction and the older worker: baseline findings from the Health and Employment After Fifty study. <i>Occupational and Environmental Medicine</i> , <b>2016</b> , 73, 512-9	2.1	9
62	Comparative anti-fracture effectiveness of different oral anti-osteoporosis therapies based on "real-world" data: a meta-analysis of propensity-matched cohort findings from the UK Clinical Practice Research Database and the Catalan SIDIAP Database. <i>Clinical Epidemiology</i> , <b>2018</b> , 10, 1417-1431	5.9	9
61	Evaluation of biases present in the cohort multiple randomised controlled trial design: a simulation study. <i>BMC Medical Research Methodology</i> , <b>2017</b> , 17, 17	4.7	8
60	Protocol for a scoping review to support development of a CONSORT extension for randomised controlled trials using cohorts and routinely collected health data. <i>BMJ Open</i> , <b>2018</b> , 8, e025266	3	8
59	Incidence and prevalence of hepatitis B in patients with diabetes mellitus in the UK: A population-based cohort study using the UK Clinical Practice Research Datalink. <i>Journal of Viral Hepatitis</i> , <b>2018</b> , 25, 571-580	3.4	8
58	Risk of venous thromboembolism among users of different anti-osteoporosis drugs: a population-based cohort analysis including over 200,000 participants from Spain and the UK. <i>Osteoporosis International</i> , <b>2018</b> , 29, 467-478	5.3	8
57	Using linkage to electronic primary care records to evaluate recruitment and nonresponse bias in the Avon Longitudinal Study of Parents and Children. <i>Epidemiology</i> , <b>2015</b> , 26, e41-2	3.1	7
56	Development of predictive genetic tests for improving the safety of new medicines: the utilization of routinely collected electronic health records. <i>Drug Discovery Today</i> , <b>2014</b> , 19, 361-6	8.8	7
55	Risk of cataract and glaucoma in patients with multiple sclerosis. <i>Multiple Sclerosis Journal</i> , <b>2012</b> , 18, 628-38	5	7
54	Optimal design and patient selection for interventional trials using radiogenomic biomarkers: A REQUITE and Radiogenomics consortium statement. <i>Radiotherapy and Oncology</i> , <b>2016</b> , 121, 440-446	5.3	7
53	Study investigating the generalisability of a COPD trial based in primary care (Salford Lung Study) and the presence of a Hawthorne effect. <i>BMJ Open Respiratory Research</i> , <b>2018</b> , 5, e000339	5.6	7
52	The effectiveness of frequent antibiotic use in reducing the risk of infection-related hospital admissions: results from two large population-based cohorts. <i>BMC Medicine</i> , <b>2020</b> , 18, 40	11.4	6
51	Supplementing electronic health records through sample collection and patient diaries: A study set within a primary care research database. <i>Pharmacoepidemiology and Drug Safety</i> , <b>2018</b> , 27, 239-242	2.6	6
50	Potential application of item-response theory to interpretation of medical codes in electronic patient records. <i>BMC Medical Research Methodology</i> , <b>2011</b> , 11, 168	4.7	6
49	How effective are dose-adjusted warfarin and aspirin for the prevention of stroke in patients with chronic atrial fibrillation? An analysis of the UK General Practice Research Database. <i>Thrombosis and Haemostasis</i> , <b>2009</b> , 101, 527-34	7	6
48	Epidemiology of alcohol dependence in UK primary care: Results from a large observational study using the Clinical Practice Research Datalink. <i>PLoS ONE</i> , <b>2017</b> , 12, e0174818	3.7	5
47	On epidemiology of fractures and variation with age and ethnicity. <i>Bone</i> , <b>2016</b> , 93, 230-231	4.7	5
46	Application of routine electronic health record databases for pharmacogenetic research. <i>Journal of Internal Medicine</i> , <b>2014</b> , 275, 590-604	10.8	5

45	Development of processes allowing near real-time refinement and validation of triage tools during the early stage of an outbreak in readiness for surge: the FLU-CATs Study. <i>Health Technology Assessment</i> , <b>2015</b> , 19, 1-132	4.4	5
44	Impact of sample size on the stability of risk scores from clinical prediction models: a case study in cardiovascular disease. <i>Diagnostic and Prognostic Research</i> , <b>2020</b> , 4, 14	5.5	5
43	Exposure measurement error when assessing current glucocorticoid use using UK primary care electronic prescription data. <i>Pharmacoepidemiology and Drug Safety</i> , <b>2019</b> , 28, 179-186	2.6	5
42	Term sets: A transparent and reproducible representation of clinical code sets. <i>PLoS ONE</i> , <b>2019</b> , 14, e0212291	3.7	4
41	An Agent-Based Approach to Real-Time Patient Identification for Clinical Trials. <i>Lecture Notes of the Institute for Computer Sciences, Social-Informatics and Telecommunications Engineering</i> , <b>2012</b> , 138-145	0.2	4
40	The Association of Oral Bisphosphonate Use With Mortality Risk Following a Major Osteoporotic Fracture in the United Kingdom: Population-Based Cohort Study. <i>Journal of the American Medical Directors Association</i> , <b>2020</b> , 21, 811-816	5.9	4
39	Developing the infrastructure to support the optimisation of antibiotic prescribing using the learning healthcare system to improve healthcare services in the provision of primary care in England. <i>BMJ Health and Care Informatics</i> , <b>2020</b> , 27,	2.6	4
38	Evaluation protocol of the implementation of a learning healthcare system in clinical practice: the Connected Health Cities programme in the north of England. <i>BMJ Open</i> , <b>2019</b> , 9, e025484	3	4
37	Implementation of a "real-world" learning health system: Results from the evaluation of the Connected Health Cities programme. <i>Learning Health Systems</i> , <b>2021</b> , 5, e10224	3	4
36	Shorter and Longer Courses of Antibiotics for Common Infections and the Association With Reductions of Infection-Related Complications Including Hospital Admissions. <i>Clinical Infectious Diseases</i> , <b>2021</b> , 73, 1805-1812	11.6	4
35	The Safety of Delayed Versus Immediate Antibiotic Prescribing for Upper Respiratory Tract Infections. <i>Clinical Infectious Diseases</i> , <b>2021</b> , 73, e394-e401	11.6	3
34	Risk of fracture in patients with Guillain-Barré syndrome. <i>Osteoporosis International</i> , <b>2014</b> , 25, 1845-51	5.3	3
33	Risk patterns in drug safety study using relative times by accelerated failure time models when proportional hazards assumption is questionable: an illustrative case study of cancer risk of patients on glucose-lowering therapies. <i>Pharmaceutical Statistics</i> , <b>2015</b> , 14, 382-94	1	3
32	Prolonged outpatient vitamin K antagonist use and risk of venous thromboembolism in patients undergoing total hip or knee replacement. <i>Journal of Thrombosis and Haemostasis</i> , <b>2013</b> , 11, 642-50	15.4	3
31	Developing quality scores for electronic health records for clinical research <b>2011</b> ,		3
30	Predicting cardiac arrhythmias and sudden death in diabetic users of proarrhythmic drugs. <i>Diabetes Care</i> , <b>2005</b> , 28, 440-2	14.6	3
29	Development and validation of a multivariable prediction model for infection-related complications in patients with common infections in UK primary care and the extent of risk-based prescribing of antibiotics. <i>BMC Medicine</i> , <b>2020</b> , 18, 118	11.4	3
28	Low-dose oral glucocorticoid therapy and risk of osteoporotic fractures in patients with rheumatoid arthritis: a cohort study using the Clinical Practice Research Datalink. <i>Rheumatology</i> , <b>2021</b> ,	3.9	3

27	The risk of new fragility fractures in patients with chronic kidney disease and hip fracture-a population-based cohort study in the UK. <i>Osteoporosis International</i> , <b>2020</b> , 31, 1487-1497	5.3	2
26	Analysing the Suitability of Multiagent Methodologies for e-Health Systems. <i>Lecture Notes in Computer Science</i> , <b>2013</b> , 134-150	0.9	2
25	Investigating the reasons for missing an outpatient appointment in Royal Hospital, Sultanate of Oman: Perspectives of patients and medical staff in a survey.. <i>Health Science Reports</i> , <b>2022</b> , 5, e470	2.2	2
24	The importance of blood pressure thresholds versus predicted cardiovascular risk on subsequent rates of cardiovascular disease: a cohort study in English primary care.. <i>The Lancet Healthy Longevity</i> , <b>2022</b> , 3, e22-e30	9.5	2
23	R package QRISK3—an unofficial research purposed implementation of ClinRisk QRISK3 algorithm into R. <i>F1000Research</i> , <b>8</b> , 2139	3.6	2
22	R package QRISK3—an unofficial research purposed implementation of ClinRisk QRISK3 algorithm into R. <i>F1000Research</i> , <b>8</b> , 2139	3.6	2
21	The role of real-world data in the development of treatment guidelines: a case study on guideline developers' opinions about using observational data on antibiotic prescribing in primary care. <i>BMC Health Services Research</i> , <b>2019</b> , 19, 942	2.9	2
20	Low salivary cortisol levels in patients with rheumatoid arthritis exposed to oral glucocorticoids: a cross-sectional study set within UK electronic health records. <i>RMD Open</i> , <b>2018</b> , 4, e000700	5.9	2
19	Identification of antithrombotic drugs related to total joint replacement using anonymised free-text notes: a search strategy in the Clinical Practice Research Datalink. <i>BMJ Open</i> , <b>2015</b> , 5, e009017 <sup>3</sup>		1
18	Assuring the safety and effectiveness of new drugs: rigorous phase IV trials randomizing general practices to delayed access to new drugs. <i>Journal of Health Services Research and Policy</i> , <b>2012</b> , 17, 56-9	2.4	1
17	Re: use of cyclo-oxygenase 2 inhibitors (COX-2) and prescription non-steroidal anti-inflammatory drugs (NSAIDs) in UK and USA populations: implications for COX-2 cardiovascular profile. <i>Pharmacoepidemiology and Drug Safety</i> , <b>2007</b> , 16, 1253-4	2.6	1
16	Controlling antibiotic usage-A national analysis of General Practitioner/Family Doctor practices links overall antibiotic levels to demography, geography, comorbidity factors with local discretionary prescribing choices. <i>International Journal of Clinical Practice</i> , <b>2020</b> , 74, e13515	2.9	1
15	Infection-related complications after common infection in association with new antibiotic prescribing in primary care: retrospective cohort study using linked electronic health records. <i>BMJ Open</i> , <b>2021</b> , 11, e041218	3	1
14	Response to: 'Correspondence on 'Concomitant use of oral glucocorticoids and proton pump inhibitors and risk of osteoporotic fractures among patients with rheumatoid arthritis: a population-based cohort study'' by Zheng. <i>Annals of the Rheumatic Diseases</i> , <b>2021</b> ,	2.4	1
13	Improving Our Understanding and Practice of Antibiotic Prescribing: A Study on the Use of Social Norms Feedback Letters in Primary Care. <i>International Journal of Environmental Research and Public Health</i> , <b>2021</b> , 18,	4.6	1
12	Prevalence and factors associated with missed hospital appointments: a retrospective review of multiple clinics at Royal Hospital, Sultanate of Oman. <i>BMJ Open</i> , <b>2021</b> , 11, e046596	3	1
11	Proposal for a European Public Health Research Infrastructure for Sharing of health and Medical administrative data (PHRIMA). <i>Studies in Health Technology and Informatics</i> , <b>2015</b> , 216, 1005	0.5	1
10	An assessment of the potential miscalibration of cardiovascular disease risk predictions caused by a secular trend in cardiovascular disease in England. <i>BMC Medical Research Methodology</i> , <b>2020</b> , 20, 289	4.7	0

9	Impact of lowering the risk threshold for statin treatment on statin prescribing: a descriptive study in English primary care. <i>British Journal of General Practice</i> , <b>2020</b> , 70, e765-e771	1.6	○
8	The effect of statins on muscle symptoms in primary care: the StatinWISE series of 200 N-of-1 RCTs. <i>Health Technology Assessment</i> , <b>2021</b> , 25, 1-62	4.4	○
7	Why do electronic health records reveal oral anticoagulant prescription after haemorrhagic stroke?. <i>British Journal of Clinical Pharmacology</i> , <b>2015</b> , 79, 1037-9	3.8	
6	The use of random-effects models to identify health care center-related characteristics modifying the effect of antipsychotic drugs. <i>Clinical Epidemiology</i> , <b>2017</b> , 9, 689-698	5.9	
5	The impact of statin discontinuation and restarting rates on the optimal time to initiate statins and on the number of cardiovascular events prevented. <i>Pharmacoepidemiology and Drug Safety</i> , <b>2020</b> , 29, 644-652	2.6	
4	Reply: Comparing the ATRIA, CHADS2, and CHA2DS2-VASc Scores for Stroke Prediction in Atrial Fibrillation. <i>Journal of the American College of Cardiology</i> , <b>2016</b> , 67, 2317-2318	15.1	
3	The Use of Randomized Controlled Trials in Pharmacoepidemiology <b>2019</b> , 792-812		
2	Response to: 'Statins in systemic lupus erythematosus' by Abud-Mendoza. <i>Annals of the Rheumatic Diseases</i> , <b>2019</b> , 78, e43	2.4	
1	Consistency of ranking was evaluated as new measure for prediction model stability: longitudinal cohort study. <i>Journal of Clinical Epidemiology</i> , <b>2021</b> , 138, 168-177	5.7	